### Maintenance and evolution of the ESPD EDM

Publications Office - C.3

**ESPD Meeting OP-GROW with Open User Community (OUC)** 

### **UUID** workshop

31st March 2022





Due to the Data Protection Regulation, the list of attendees of the meeting will only be published if there are no objections from any of the participants.

Objections can be sent during this meeting to <a>OPESPD@publications.europa.eu</a>.

### **UUID** workshop

#### **Problem statement:**


Currently, questions in criteria need to be instantiated for each procurement procedure instead of reusing criteria from earlier procurement procedures.

### **Business requirements:**

- Ensure the connection for each criterion between ESPD Request and Response;
- Ensure reusability of criteria both in the Request and the Response across procurement procedures;
- Ensure traceability and respect the Once-Only Principle (OOP).

### **UUID** workshop

### **Example of the current situation:**





## Proposed solution deals with the problem at question level - Visualization

{QUESTION\_GROUP

{QUESTION}	Your answer
{QUESTION_SUBGROUP	
{QUESTION}	Date of conviction
<pre>2 {QUESTION}</pre>	Reason
3 {QUESTION}	Who has been convicted
4 {QUESTION}	Length of the period of exclusion
{QUESTION_SUBGROUP	




## Goals

- To have mappable pre-defined structures of Criteria (Question & Question Groups)
- 2. To re-use elements from an old ESPD Response to the ESPD Response of a new ESPD Request



## Proposed solution – visualization

**ESPD REQUEST & ESPD RESPONSE** 



The slash symbol will be used for delimiter





# **Proposed solution – visualization / ESPD Response**

ESPD Response / EG Convictions / crime-org			
Answer Value	Cardinality in Request	Property Data Type	ID
{QUESTION} TRUE	1	INDICATOR	crime-org/QG1::1/Q1
{QUESTION} 9/12/15	1	DATE	crime-org/QG1::1/QG1::1/Q1
{QUESTION} [Reason provided by the EO]	1	DESCRIPTION	crime-org/QG1::1/QG1::1/Q2
{QUESTION} [Convicted person or legal entity]	1	DESCRIPTION	crime-org/QG1::1/QG1::1/Q3
{QUESTION} 1/1/16	1	PERIOD	crime-org/QG1::1/QG1::1/Q4
{QUESTION} TRUE	1	INDICATOR	crime-org/QG1::1/QG1::1/QG1
{QUESTION} [Measures taken by the EO]	1	DESCRIPTION	crime-org/QG1::1/QG1::1/QG1::1/QG1
{QUESTION} 3/10/12	1	DATE	crime-org/QG1::1/QG1::2/Q1
{QUESTION} [Reason provided by the EO]	1	DESCRIPTION	crime-org/QG1::1/QG1::2/Q2
{QUESTION} [Convicted person or legal entity]	1	DESCRIPTION	crime-org/QG1::1/QG1::2/Q3
{QUESTION} 2/2/18	1	PERIOD	crime-org/QG1::1/QG1::2/Q4
{QUESTION} TRUE	1	INDICATOR	crime-org/QG1::1/QG1::2/QG1::1/Q1
{QUESTION} [Measures taken by the EO]	1	DESCRIPTION	crime-org/QG1::1/QG1::2/QG1::1/QG1::1/Q1
{QUESTION} TRUE	1	INDICATOR	crime-org/QG2::1/Q1
{QUESTION} EVIDENCE-ID	1n	EVIDENCE_IDENTIFIER	crime-org/QG2::1/QG1::1/Q1

Answers

Part



## Prerequisites and assumptions

- 1. Question Group UUIDs map to a specific Question Group with a specific structure
- 2. Questions and Question Groups order matters



## **Pros & Cons**

#### **PROS**

- + Re-use of an old ESPD Response
- A basic evaluation of the
  Question IDs is achievable
  without software
- ⊕ Because of the ID ⇔ QG structure prerequisite, it is guaranteed that the copied answers are semantically equivalent
- + No complex hashing steps

#### CONS

- Because of the
  ID ⇔ QG structure prerequisite,
  the creation of a new Question
  Group UUID is mandatory every
  time the internal Question Group
  structure changes
- The re-use of Questions of a Question Group, which has an updated structure is not possible

### **UUID** workshop

#### To be discussed:

- How to ensure traceability: is versioning necessary?
- Impact of changes in the structure
- Reusability of the ESPD Response and the reusability of the questions structure in the ESPD Request

### **Next meetings**

### Next OUC meetings:

- April 28<sup>th</sup>, 10.00 11.30
- June 16<sup>th</sup>, 10.00 11.30

### **AOB**



Please feel free to send any questions you have to

OPESPD@publications.europa.eu

## Thank you!