
Batch 15 — Monitoring Dashboard Live Control UI

Daniel Macharia <danielmacharia43@gmail.com>
To: <daniel@ics.ac.ke>

Tue, 16 Jun at 08:15

Batch 15 — Monitoring Dashboard Live Control UI

Meat Lovers CIMS powered by YohPal

15A. Update

backend/routes/api.php

Add routes:

```
$router->get('/api/monitoring/live-control', [MonitoringController::class, 'liveControl']);
$router->get('/api/monitoring/low-stock-alerts', [MonitoringController::class, 'lowStockAlerts']);
$router->get('/api/monitoring/pending-approvals', [MonitoringController::class, 'pendingApprovals']);
$router->get('/api/monitoring/pending-mpesa', [MonitoringController::class, 'pendingMpesa']);
$router->get('/api/monitoring/unsold-food-alerts', [MonitoringController::class, 'unsoldFoodAlerts']);
```

15B. Update

backend/app/Controllers/MonitoringController.php

Add these methods inside the class:

```
public function liveControl(): void
{
    $db = Database::connection();

    $sales = $db->query(
        "SELECT COALESCE(SUM(total_amount), 0) AS total
        FROM orders
        WHERE order_status = 'PAID'
        AND DATE(created_at) = CURDATE()"
    )->fetch();

    $orders = $db->query(
        "SELECT COUNT(*) AS total
        FROM orders
        WHERE DATE(created_at) = CURDATE()"
    )->fetch();

    $paidOrders = $db->query(
        "SELECT COUNT(*) AS total
        FROM orders
        WHERE order_status = 'PAID'
        AND DATE(created_at) = CURDATE()"
    )->fetch();

    $lowStock = $db->query(
        "SELECT COUNT(*) AS total
        FROM stock_items
        WHERE current_quantity <= reorder_level"
    )->fetch();

    $pendingApprovals = $db->query(
        "SELECT COUNT(*) AS total
        FROM approval_requests
        WHERE approval_status = 'PENDING'"
    )->fetch();

    $pendingMpesa = $db->query(
        "SELECT COUNT(*) AS total
        FROM payments
        WHERE payment_method = 'MPESA'
        AND payment_status = 'PENDING'"
    )->fetch();

    $unsoldFood = $db->query(
        "SELECT COUNT(*) AS total
```

```

        FROM unsold_food
        WHERE DATE(created_at) = CURDATE()"
    )->fetch();

    $kitchenQueue = $db->query(
        "SELECT COUNT(*) AS total
        FROM orders
        WHERE order_status IN ('PENDING', 'PREPARING')"
    )->fetch();

    $barLowStock = $db->query(
        "SELECT COUNT(*) AS total
        FROM stock_items si
        JOIN products p ON p.id = si.product_id
        WHERE p.product_category = 'ALCOHOLIC_DRINK'
        AND si.current_quantity <= si.reorder_level"
    )->fetch();

    $cashSettlements = $db->query(
        "SELECT COUNT(*) AS total
        FROM payments
        WHERE payment_method = 'CASH'
        AND payment_status = 'SUCCESS'
        AND DATE(created_at) = CURDATE()"
    )->fetch();

    Response::success([
        'today_sales' => (float) $sales['total'],
        'today_orders' => (int) $orders['total'],
        'paid_orders' => (int) $paidOrders['total'],
        'low_stock_count' => (int) $lowStock['total'],
        'pending_approvals_count' => (int) $pendingApprovals['total'],
        'pending_mpesa_count' => (int) $pendingMpesa['total'],
        'unsold_food_count' => (int) $unsoldFood['total'],
        'kitchen_queue_count' => (int) $kitchenQueue['total'],
        'bar_low_stock_count' => (int) $barLowStock['total'],
        'cashier_settlement_count' => (int) $cashSettlements['total'],
    ]);
}

public function lowStockAlerts(): void
{
    $stmt = Database::connection()->query(
        "SELECT
            p.product_name,
            p.product_category,
            si.current_quantity,
            si.reorder_level
        FROM stock_items si
        JOIN products p ON p.id = si.product_id
        WHERE si.current_quantity <= si.reorder_level
        ORDER BY si.current_quantity ASC"
    );

    Response::success(['low_stock_alerts' => $stmt->fetchAll()]);
}

public function pendingApprovals(): void
{
    $stmt = Database::connection()->query(
        "SELECT
            ar.*,
            u.full_name AS requested_by_name
        FROM approval_requests ar
        JOIN users u ON u.id = ar.requested_by
        WHERE ar.approval_status = 'PENDING'
        ORDER BY ar.created_at ASC"
    );

    Response::success(['pending_approvals' => $stmt->fetchAll()]);
}

public function pendingMpesa(): void
{
    $stmt = Database::connection()->query(
        "SELECT
            p.*,
            o.order_number,
            o.table_number,
            o.total_amount
        FROM payments p
        JOIN orders o ON o.id = p.order_id
        WHERE p.payment_method = 'MPESA'
        AND p.payment_status = 'PENDING'
        ORDER BY p.created_at ASC"
    );
}

```

```

    Response::success(['pending_mpesa' => $stmt->fetchAll()]);
}

public function unsoldFoodAlerts(): void
{
    $stmt = Database::connection()->query(
        "SELECT
            uf.*,
            p.product_name,
            u.full_name AS declared_by_name
        FROM unsold_food uf
        JOIN products p ON p.id = uf.product_id
        LEFT JOIN users u ON u.id = uf.declared_by
        WHERE DATE(uf.created_at) = CURDATE()
        ORDER BY uf.created_at DESC"
    );

    Response::success(['unsold_food_alerts' => $stmt->fetchAll()]);
}

```

15C.

apps/monitoring-web/src/features/live-control/api/liveControlApi.js

```

import apiClient from '../../lib/apiClient'

export const liveControlApi = {
  summary: async () => {
    const { data } = await apiClient.get('/monitoring/live-control')
    return data.data
  },

  lowStockAlerts: async () => {
    const { data } = await apiClient.get('/monitoring/low-stock-alerts')
    return data.data.low_stock_alerts
  },

  pendingApprovals: async () => {
    const { data } = await apiClient.get('/monitoring/pending-approvals')
    return data.data.pending_approvals
  },

  pendingMpesa: async () => {
    const { data } = await apiClient.get('/monitoring/pending-mpesa')
    return data.data.pending_mpesa
  },

  unsoldFoodAlerts: async () => {
    const { data } = await apiClient.get('/monitoring/unsold-food-alerts')
    return data.data.unsold_food_alerts
  },
}

```

15D.

apps/monitoring-web/src/features/live-control/pages/OwnerDashboardPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../components/ui/Page'
import Card from '../../components/ui/Card'
import LoadingBlock from '../../components/ui/LoadingBlock'
import StatusMessage from '../../components/ui/StatusMessage'
import { liveControlApi } from '../../api/liveControlApi'

export default function OwnerDashboardPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['owner-live-control-summary'],
    queryFn: liveControlApi.summary,
    refetchInterval: 15000,
  })

  return (
    <Page title="Owner Live Control" subtitle="Real-time business control dashboard">
      {isLoading ? <LoadingBlock label="Loading owner dashboard..." /> : null}
      {error ? <StatusMessage error={error.message} /> : null}

      {data ? (
        <div style={{ display: 'grid', gridTemplateColumns: 'repeat(5, minmax(0, 1fr))', gap: 16 }}>
          <Card title="Today Sales"><strong>KES {data.today_sales}</strong></Card>
          <Card title="Today Orders"><strong>{data.today_orders}</strong></Card>
          <Card title="Paid Orders"><strong>{data.paid_orders}</strong></Card>

```

```

        <Card title="Low Stock"><strong>{data.low_stock_count}</strong></Card>
        <Card title="Pending Approvals"><strong>{data.pending_approvals_count}</strong></Card>
        <Card title="Pending M-Pesa"><strong>{data.pending_mpesa_count}</strong></Card>
        <Card title="Unsold Food"><strong>{data.unsold_food_count}</strong></Card>
        <Card title="Kitchen Queue"><strong>{data.kitchen_queue_count}</strong></Card>
        <Card title="Bar Low Stock"><strong>{data.bar_low_stock_count}</strong></Card>
        <Card title="Cash Settlements"><strong>{data.cashier_settlement_count}</strong></Card>
    </div>
  ) : null}
</Page>
)
}

```

15E.

apps/monitoring-web/src/features/live-control/pages/LowStockAlertsPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../../components/ui/Page'
import Card from '../../../components/ui/Card'
import DataTable from '../../../components/ui/DataTable'
import LoadingBlock from '../../../components/ui/LoadingBlock'
import StatusMessage from '../../../components/ui/StatusMessage'
import { liveControlApi } from '../../../api/liveControlApi'

export default function LowStockAlertsPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['monitoring-low-stock-alerts'],
    queryFn: liveControlApi.lowStockAlerts,
    refetchInterval: 15000,
  })

  return (
    <Page title="Low Stock Alerts" subtitle="Store, kitchen, and bar stock below reorder level">
      <Card>
        {isLoading ? <LoadingBlock label="Loading low stock alerts..." /> : null}
        {error ? <StatusMessage error={error.message} /> : null}
        {!isLoading && !error ? (
          <DataTable
            columns={[
              { key: 'product_name', label: 'Product' },
              { key: 'product_category', label: 'Category' },
              { key: 'current_quantity', label: 'Current Qty' },
              { key: 'reorder_level', label: 'Reorder Level' },
            ]}
            rows={data || []}
          />
        ) : null}
      </Card>
    </Page>
  )
}

```

15F.

apps/monitoring-web/src/features/live-control/pages/PendingApprovalsPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../../components/ui/Page'
import Card from '../../../components/ui/Card'
import DataTable from '../../../components/ui/DataTable'
import LoadingBlock from '../../../components/ui/LoadingBlock'
import StatusMessage from '../../../components/ui/StatusMessage'
import { liveControlApi } from '../../../api/liveControlApi'

export default function PendingApprovalsPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['monitoring-pending-approvals'],
    queryFn: liveControlApi.pendingApprovals,
    refetchInterval: 15000,
  })

  return (
    <Page title="Pending Approvals" subtitle="Discounts, cancellations, stock adjustments, and refunds awaiting approval">
      <Card>
        {isLoading ? <LoadingBlock label="Loading pending approvals..." /> : null}
        {error ? <StatusMessage error={error.message} /> : null}
        {!isLoading && !error ? (
          <DataTable

```

```

        columns=[
          { key: 'approval_type', label: 'Type' },
          { key: 'requested_by_name', label: 'Requested By' },
          { key: 'reference_id', label: 'Reference' },
          { key: 'request_reason', label: 'Reason' },
          { key: 'created_at', label: 'Created' },
        ]
        rows={data || []}
      />
    ) : null}
  </Card>
</Page>
)
}

```

15G.

apps/monitoring-web/src/features/live-control/pages/PendingMpesaPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../../components/ui/Page'
import Card from '../../../components/ui/Card'
import DataTable from '../../../components/ui/DataTable'
import LoadingBlock from '../../../components/ui/LoadingBlock'
import StatusMessage from '../../../components/ui/StatusMessage'
import { liveControlApi } from '../../../api/liveControlApi'

export default function PendingMpesaPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['monitoring-pending-mpesa'],
    queryFn: liveControlApi.pendingMpesa,
    refetchInterval: 15000,
  })

  return (
    <Page title="Pending M-Pesa" subtitle="M-Pesa payments awaiting real confirmation">
      <Card>
        {isLoading ? <LoadingBlock label="Loading pending M-Pesa..." /> : null}
        {error ? <StatusMessage error={error.message} /> : null}
        {!isLoading && !error ? (
          <DataTable
            columns=[
              { key: 'order_number', label: 'Order' },
              { key: 'table_number', label: 'Table' },
              { key: 'amount', label: 'Amount' },
              { key: 'transaction_reference', label: 'Reference' },
              { key: 'payment_status', label: 'Status' },
              { key: 'created_at', label: 'Created' },
            ]
            rows={data || []}
          />
        ) : null}
      </Card>
    </Page>
  )
}

```

15H.

apps/monitoring-web/src/features/live-control/pages/UnsoldFoodAlertsPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../../components/ui/Page'
import Card from '../../../components/ui/Card'
import DataTable from '../../../components/ui/DataTable'
import LoadingBlock from '../../../components/ui/LoadingBlock'
import StatusMessage from '../../../components/ui/StatusMessage'
import { liveControlApi } from '../../../api/liveControlApi'

export default function UnsoldFoodAlertsPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['monitoring-unsold-food-alerts'],
    queryFn: liveControlApi.unsoldFoodAlerts,
    refetchInterval: 15000,
  })

  return (
    <Page title="Unsold Food Alerts" subtitle="Cooked food declared as unsold today">
      <Card>
        {isLoading ? <LoadingBlock label="Loading unsold food alerts..." /> : null}

```

```

{error ? <StatusMessage error={error.message} /> : null}
{!isLoading && !error ? (
  <DataTable
    columns={[
      { key: 'product_name', label: 'Product' },
      { key: 'quantity', label: 'Quantity' },
      { key: 'reason', label: 'Reason' },
      { key: 'declared_by_name', label: 'Declared By' },
      { key: 'created_at', label: 'Created' },
    ]}
    rows={data || []}
  />
) : null}
</Card>
</Page>
)
}

```

15I. Update

apps/monitoring-web/src/app/routes.jsx

Add imports:

```

import OwnerDashboardPage from '../features/live-control/pages/OwnerDashboardPage'
import LowStockAlertsPage from '../features/live-control/pages/LowStockAlertsPage'
import PendingApprovalsPage from '../features/live-control/pages/PendingApprovalsPage'
import PendingMpesaPage from '../features/live-control/pages/PendingMpesaPage'
import UnsoldFoodAlertsPage from '../features/live-control/pages/UnsoldFoodAlertsPage'

```

Add routes:

```

<Route path="/owner-dashboard" element={<OwnerDashboardPage />} />
<Route path="/low-stock-alerts" element={<LowStockAlertsPage />} />
<Route path="/pending-approvals" element={<PendingApprovalsPage />} />
<Route path="/pending-mpesa" element={<PendingMpesaPage />} />
<Route path="/unsold-food-alerts" element={<UnsoldFoodAlertsPage />} />

```

15J. Update

apps/monitoring-web/src/components/common/MonitoringNav.jsx

Replace file with:

```

import React from 'react'
import { Link } from 'react-router-dom'

export default function MonitoringNav() {
  return (
    <div style={{ display: 'flex', gap: 16, marginBottom: 16, flexWrap: 'wrap' }}>
      <Link to="/owner-dashboard">Owner Dashboard</Link>
      <Link to="/low-stock-alerts">Low Stock</Link>
      <Link to="/pending-approvals">Approvals</Link>
      <Link to="/pending-mpesa">M-Pesa</Link>
      <Link to="/unsold-food-alerts">Unsold Food</Link>
      <Link to="/overview">Overview</Link>
      <Link to="/alerts">Alerts</Link>
    </div>
  )
}

```

15K.

docs/MONITORING_LIVE_CONTROL_UI.md

Batch 15 – Monitoring Dashboard Live Control UI

System

Meat Lovers CIMS powered by YohPal

Purpose

This batch gives the owner and management a live control dashboard for daily restaurant operations.

Monitoring Cards

The owner dashboard shows:

1. Today sales

2. Today orders
3. Paid orders
4. Low stock count
5. Pending approvals
6. Pending M-Pesa
7. Unsold food count
8. Kitchen queue count
9. Bar low-stock count
10. Cashier settlement count

Alert Pages

Low Stock Alerts

Shows products where current quantity is at or below reorder level.

Pending Approvals

Shows approval requests for:

- cancellation
- discount
- stock adjustment
- refund

Pending M-Pesa

Shows payments marked as pending M-Pesa.

Unsold Food Alerts

Shows cooked food declared unsold today.

Refresh Rule

Monitoring pages refresh every 15 seconds.

Control Purpose

This dashboard helps management detect:

- poor sales
- unpaid orders
- low stock
- pending approvals
- M-Pesa delays
- cooked food wastage
- kitchen backlog
- bar shortages
- cashier settlement activity

Batch 15 Outcome

Monitoring dashboard now includes:

- ✓ owner dashboard
- ✓ sales summary cards
- ✓ low stock alerts
- ✓ pending approvals
- ✓ pending M-Pesa
- ✓ unsold food alerts
- ✓ kitchen queue count
- ✓ bar low-stock count
- ✓ cashier settlement count

Next Smart Move

Build **Batch 16 — Approval Management UI**, including:

- approval list page
- approve action
- reject action
- approval status history
- cancellation approval handling
- discount approval handling
- stock adjustment approval handling
- refund approval placeholder