



Batch 18 — Staff Motivation + Service Performance Pack

Daniel Macharia <danielmacharia43@gmail.com>
To: <daniel@ics.ac.ke>

Tue, 16 Jun at 08:21

Batch 18 — Staff Motivation + Service Performance Pack

Meat Lovers CIMS powered by YohPal

18A.

database/migrations/028_bonus_rules.sql

```
CREATE TABLE bonus_rules (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  
  rule_name VARCHAR(255) NOT NULL,  
  role ENUM('WAITER', 'CASHIER', 'CHEF', 'BARMAN', 'DISPATCHER') DEFAULT 'WAITER',  
  
  target_type ENUM(  
    'SALES_AMOUNT',  
    'ORDERS_SERVED',  
    'CUSTOMER_RATING'  
  ) NOT NULL,  
  
  target_value DECIMAL(12,2) NOT NULL,  
  bonus_amount DECIMAL(12,2) NOT NULL,  
  
  is_active BOOLEAN DEFAULT TRUE,  
  
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP  
);
```

18B.

database/migrations/029_customer_ratings.sql

```
CREATE TABLE customer_ratings (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  
  order_id BIGINT,  
  staff_id BIGINT NOT NULL,  
  
  rating INT NOT NULL,  
  comment TEXT,  
  
  rating_source ENUM(  
    'POS',  
    'WEBSITE',  
    'MANAGER_ENTRY'  
  ) DEFAULT 'POS',  
  
  FOREIGN KEY (order_id) REFERENCES orders(id),  
  FOREIGN KEY (staff_id) REFERENCES users(id),  
  
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP  
);
```

18C.

database/migrations/030_daily_staff_targets.sql

```
CREATE TABLE daily_staff_targets (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  
  staff_id BIGINT NOT NULL,  
  target_date DATE NOT NULL,
```

```

sales_target DECIMAL(12,2) DEFAULT 0,
orders_target INT DEFAULT 0,
rating_target DECIMAL(5,2) DEFAULT 0,

target_status ENUM(
    'PENDING',
    'ACHIEVED',
    'MISSED'
) DEFAULT 'PENDING',

FOREIGN KEY (staff_id) REFERENCES users(id),

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);

```

18D.

database/seeds/015_bonus_rules_seed.sql

```

INSERT INTO bonus_rules (
    rule_name,
    role,
    target_type,
    target_value,
    bonus_amount,
    is_active
) VALUES
('Waiter Daily Sales Bonus', 'WAITER', 'SALES_AMOUNT', 10000.00, 500.00, TRUE),
('Waiter Order Count Bonus', 'WAITER', 'ORDERS_SERVED', 25.00, 300.00, TRUE),
('Excellent Service Rating Bonus', 'WAITER', 'CUSTOMER_RATING', 4.50, 400.00, TRUE),
('Bar Sales Support Bonus', 'BARMAN', 'SALES_AMOUNT', 15000.00, 500.00, TRUE);

```

18E. Update

backend/routes/api.php

Add routes:

```

$router->get('/api/staff-motivation/leaderboard', [StaffPerformanceController::class, 'leaderboard']);
$router->get('/api/staff-motivation/service-performance', [StaffPerformanceController::class, 'servicePerformance']);
$router->post('/api/staff-motivation/customer-rating', [StaffPerformanceController::class, 'storeCustomerRating']);

$router->get('/api/staff-motivation/bonus-rules', [StaffPerformanceController::class, 'bonusRules']);
$router->post('/api/staff-motivation/bonus-rules', [StaffPerformanceController::class, 'storeBonusRule']);

$router->get('/api/staff-motivation/daily-targets', [StaffPerformanceController::class, 'dailyTargets']);
$router->post('/api/staff-motivation/daily-targets', [StaffPerformanceController::class, 'storeDailyTarget']);

$router->get('/api/staff-motivation/dashboard', [StaffPerformanceController::class, 'motivationDashboard']);
$router->get('/api/staff-motivation/hrm-report', [StaffPerformanceController::class, 'hrmReport']);

```

18F. Update

backend/app/Controllers/StaffPerformanceController.php

Add these methods inside the class:

```

public function leaderboard(): void
{
    Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

    $stmt = Database::connection()->query(
        "SELECT
            u.id AS staff_id,
            u.full_name,
            u.role,
            COALESCE(SUM(o.total_amount), 0) AS total_sales,
            COUNT(o.id) AS orders_served,
            COALESCE(AVG(cr.rating), 0) AS average_rating
        FROM users u
        LEFT JOIN orders o ON o.waiter_id = u.id AND o.order_status = 'PAID'
        LEFT JOIN customer_ratings cr ON cr.staff_id = u.id
        WHERE u.role = 'WAITER'
        GROUP BY u.id, u.full_name, u.role
        ORDER BY total_sales DESC, orders_served DESC"
    );
}

```

```

        Response::success(['leaderboard' => $stmt->fetchAll()]);
    }

    public function servicePerformance(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

        $stmt = Database::connection()->query(
            "SELECT
                sp.*,
                u.full_name,
                u.role
            FROM staff_performance sp
            JOIN users u ON u.id = sp.staff_id
            ORDER BY sp.report_date DESC"
        );

        Response::success(['service_performance' => $stmt->fetchAll()]);
    }

    public function storeCustomerRating(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'CASHIER', 'WAITER']);
        $data = Request::body();

        $stmt = Database::connection()->prepare(
            'INSERT INTO customer_ratings
            (order_id, staff_id, rating, comment, rating_source)
            VALUES (:order_id, :staff_id, :rating, :comment, :source)'
        );

        $stmt->execute([
            'order_id' => $data['order_id'] ?? null,
            'staff_id' => $data['staff_id'],
            'rating' => $data['rating'],
            'comment' => $data['comment'] ?? null,
            'source' => $data['rating_source'] ?? 'POS',
        ]);

        AuditLogger::log(
            (int) $user['id'],
            'STAFF_MOTIVATION',
            'CREATE_CUSTOMER_RATING',
            (int) $data['staff_id'],
            null,
            $data
        );

        Response::success([], 'Customer rating captured');
    }

    public function bonusRules(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

        $stmt = Database::connection()->query(
            'SELECT * FROM bonus_rules ORDER BY created_at DESC'
        );

        Response::success(['bonus_rules' => $stmt->fetchAll()]);
    }

    public function storeBonusRule(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);
        $data = Request::body();

        $stmt = Database::connection()->prepare(
            'INSERT INTO bonus_rules
            (rule_name, role, target_type, target_value, bonus_amount, is_active)
            VALUES (:rule_name, :role, :target_type, :target_value, :bonus_amount, 1)'
        );

        $stmt->execute([
            'rule_name' => $data['rule_name'],
            'role' => $data['role'],
            'target_type' => $data['target_type'],
            'target_value' => $data['target_value'],
            'bonus_amount' => $data['bonus_amount'],
        ]);

        AuditLogger::log(
            (int) $user['id'],
            'STAFF_MOTIVATION',
            'CREATE_BONUS_RULE',
            null,
            null,
        );
    }

```

```

        $data
    );
    Response::success([], 'Bonus rule created');
}

public function dailyTargets(): void
{
    Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

    $stmt = Database::connection()->query(
        "SELECT
            dst.*,
            u.full_name,
            u.role
        FROM daily_staff_targets dst
        JOIN users u ON u.id = dst.staff_id
        ORDER BY dst.target_date DESC"
    );

    Response::success(['daily_targets' => $stmt->fetchAll()]);
}

public function storeDailyTarget(): void
{
    $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);
    $data = Request::body();

    $stmt = Database::connection()->prepare(
        'INSERT INTO daily_staff_targets
        (staff_id, target_date, sales_target, orders_target, rating_target)
        VALUES (:staff_id, :target_date, :sales_target, :orders_target, :rating_target)'
    );

    $stmt->execute([
        'staff_id' => $data['staff_id'],
        'target_date' => $data['target_date'],
        'sales_target' => $data['sales_target'] ?? 0,
        'orders_target' => $data['orders_target'] ?? 0,
        'rating_target' => $data['rating_target'] ?? 0,
    ]);

    AuditLogger::log(
        (int) $user['id'],
        'STAFF MOTIVATION',
        'CREATE DAILY_TARGET',
        (int) $data['staff_id'],
        null,
        $data
    );

    Response::success([], 'Daily target created');
}

public function motivationDashboard(): void
{
    Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

    $db = Database::connection();

    $stopWaiter = $db->query(
        "SELECT
            u.full_name,
            COALESCE(SUM(o.total_amount), 0) AS sales
        FROM users u
        LEFT JOIN orders o ON o.waiter_id = u.id AND o.order_status = 'PAID'
        WHERE u.role = 'WAITER'
        GROUP BY u.id, u.full_name
        ORDER BY sales DESC
        LIMIT 1"
    )->fetch();

    $ratings = $db->query(
        "SELECT COALESCE(AVG(rating), 0) AS average_rating
        FROM customer_ratings
        WHERE DATE(created_at) = CURDATE()"
    )->fetch();

    $targets = $db->query(
        "SELECT COUNT(*) AS total
        FROM daily_staff_targets
        WHERE target_date = CURDATE()"
    )->fetch();

    $achieved = $db->query(
        "SELECT COUNT(*) AS total
        FROM daily_staff_targets

```

```

        WHERE target_date = CURDATE()
        AND target_status = 'ACHIEVED'"
    )->fetch();

    Response::success([
        'top_waiter_name' => $stopWaiter['full_name'] ?? null,
        'top_waiter_sales' => (float) ($stopWaiter['sales'] ?? 0),
        'average_customer_rating_today' => (float) $ratings['average_rating'],
        'targets_today' => (int) $targets['total'],
        'targets_achieved_today' => (int) $achieved['total'],
    ]);
}

public function hrmReport(): void
{
    Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

    $stmt = Database::connection()->query(
        "SELECT
            u.id AS staff_id,
            u.full_name,
            u.role,
            COALESCE(SUM(o.total_amount), 0) AS sales_amount,
            COUNT(o.id) AS orders_served,
            COALESCE(AVG(cr.rating), 0) AS average_rating,
            COALESCE(SUM(sp.bonus_amount), 0) AS recorded_bonus
        FROM users u
        LEFT JOIN orders o ON o.waiter_id = u.id AND o.order_status = 'PAID'
        LEFT JOIN customer_ratings cr ON cr.staff_id = u.id
        LEFT JOIN staff_performance sp ON sp.staff_id = u.id
        WHERE u.role IN ('WAITER', 'CASHIER', 'CHEF', 'BARMAN', 'DISPATCHER')
        GROUP BY u.id, u.full_name, u.role
        ORDER BY sales_amount DESC"
    );

    Response::success(['hrm_performance_report' => $stmt->fetchAll()]);
}

```

18G.

apps/admin-web/src/features/staff-motivation/api/staffMotivationApi.js

```

import apiClient from '../../lib/apiClient'

export const staffMotivationApi = {
    dashboard: async () => {
        const { data } = await apiClient.get('/staff-motivation/dashboard')
        return data.data
    },

    leaderboard: async () => {
        const { data } = await apiClient.get('/staff-motivation/leaderboard')
        return data.data.leaderboard
    },

    servicePerformance: async () => {
        const { data } = await apiClient.get('/staff-motivation/service-performance')
        return data.data.service_performance
    },

    createCustomerRating: async (payload) => {
        const { data } = await apiClient.post('/staff-motivation/customer-rating', payload)
        return data
    },

    bonusRules: async () => {
        const { data } = await apiClient.get('/staff-motivation/bonus-rules')
        return data.data.bonus_rules
    },

    createBonusRule: async (payload) => {
        const { data } = await apiClient.post('/staff-motivation/bonus-rules', payload)
        return data
    },

    dailyTargets: async () => {
        const { data } = await apiClient.get('/staff-motivation/daily-targets')
        return data.data.daily_targets
    },

    createDailyTarget: async (payload) => {
        const { data } = await apiClient.post('/staff-motivation/daily-targets', payload)
        return data
    },
}

```

```

    hrmReport: async () => {
      const { data } = await apiClient.get('/staff-motivation/hrm-report')
      return data.data.hrm_performance_report
    },
  },
}

```

18H.

apps/admin-web/src/features/staff-motivation/pages/StaffMotivationDashboardPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../../components/ui/Page'
import Card from '../../../components/ui/Card'
import LoadingBlock from '../../../components/ui/LoadingBlock'
import StatusMessage from '../../../components/ui/StatusMessage'
import { staffMotivationApi } from '../../../api/staffMotivationApi'

export default function StaffMotivationDashboardPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['staff-motivation-dashboard'],
    queryFn: staffMotivationApi.dashboard,
  })

  return (
    <Page title="Staff Motivation Dashboard" subtitle="Service team motivation and performance summary">
      {isLoading ? <LoadingBlock label="Loading staff motivation dashboard..." /> : null}
      {error ? <StatusMessage error={error.message} /> : null}

      {data ? (
        <div style={{ display: 'grid', gridTemplateColumns: 'repeat(5, minmax(0, 1fr))', gap: 16 }}>
          <Card title="Top Waiter"><strong>{data.top_waiter_name || 'None'}</strong></Card>
          <Card title="Top Sales"><strong>KES {data.top_waiter_sales}</strong></Card>
          <Card title="Avg Rating Today"><strong>{data.average_customer_rating_today}</strong></Card>
          <Card title="Targets Today"><strong>{data.targets_today}</strong></Card>
          <Card title="Targets Achieved"><strong>{data.targets_achieved_today}</strong></Card>
        </div>
      ) : null}
    </Page>
  )
}

```

18I.

apps/admin-web/src/features/staff-motivation/pages/WaiterLeaderboardPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../../components/ui/Page'
import Card from '../../../components/ui/Card'
import DataTable from '../../../components/ui/DataTable'
import LoadingBlock from '../../../components/ui/LoadingBlock'
import StatusMessage from '../../../components/ui/StatusMessage'
import { staffMotivationApi } from '../../../api/staffMotivationApi'

export default function WaiterLeaderboardPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['waiter-leaderboard'],
    queryFn: staffMotivationApi.leaderboard,
  })

  return (
    <Page title="Waiter Sales Leaderboard" subtitle="Rank waiters by sales, orders, and customer rating">
      <Card>
        {isLoading ? <LoadingBlock label="Loading leaderboard..." /> : null}
        {error ? <StatusMessage error={error.message} /> : null}

        {(!isLoading && !error ? (
          <DataTable
            columns={[
              { key: 'full_name', label: 'Waiter' },
              { key: 'total_sales', label: 'Sales' },
              { key: 'orders_served', label: 'Orders' },
              { key: 'average_rating', label: 'Rating' },
            ]}
            rows={data || []}
          />
        ) : null}
      </Card>
    </Page>
  )
}

```

```
}
```

18J.

apps/admin-web/src/features/staff-motivation/pages/CustomerRatingPage.jsx

```
import React from 'react'
import OperationalFormPage from '../../../components/common/OperationalFormPage'
import { staffMotivationApi } from '../../../api/staffMotivationApi'

export default function CustomerRatingPage() {
  return (
    <OperationalFormPage
      title="Customer Rating Capture"
      subtitle="Record customer service ratings for staff motivation"
      queryKey="service-performance"
      queryFn={staffMotivationApi.servicePerformance}
      mutationFn={staffMotivationApi.createCustomerRating}
      initialForm={{
        order_id: '',
        staff_id: '',
        rating: '5',
        comment: '',
        rating_source: 'MANAGER_ENTRY',
      }}
      buildPayload={(form) => ({
        ...form,
        order_id: form.order_id ? Number(form.order_id) : null,
        staff_id: Number(form.staff_id),
        rating: Number(form.rating),
      })}
      fields={[
        { name: 'order_id', label: 'Order ID optional', type: 'number' },
        { name: 'staff_id', label: 'Staff ID', type: 'number' },
        {
          name: 'rating',
          label: 'Rating',
          type: 'select',
          options: [
            { value: '5', label: '5 - Excellent' },
            { value: '4', label: '4 - Good' },
            { value: '3', label: '3 - Average' },
            { value: '2', label: '2 - Poor' },
            { value: '1', label: '1 - Very Poor' },
          ],
        },
        { name: 'comment', label: 'Customer Comment', type: 'textarea' },
      ]}
      columns={[
        { key: 'full_name', label: 'Staff' },
        { key: 'role', label: 'Role' },
        { key: 'sales_amount', label: 'Sales' },
        { key: 'orders_served', label: 'Orders' },
        { key: 'customer_rating', label: 'Rating' },
        { key: 'bonus_amount', label: 'Bonus' },
      ]}
      submitLabel="Save Rating"
    />
  )
}
```

18K.

apps/admin-web/src/features/staff-motivation/pages/BonusRulesPage.jsx

```
import React from 'react'
import OperationalFormPage from '../../../components/common/OperationalFormPage'
import { staffMotivationApi } from '../../../api/staffMotivationApi'

export default function BonusRulesPage() {
  return (
    <OperationalFormPage
      title="Bonus Rules"
      subtitle="Create service motivation and bonus rules"
      queryKey="bonus-rules"
      queryFn={staffMotivationApi.bonusRules}
      mutationFn={staffMotivationApi.createBonusRule}
      initialForm={{
        rule_name: '',
        role: 'WAITER',
        target_type: 'SALES_AMOUNT',
        target_value: '',
      }}
    />
  )
}
```

```

        bonus_amount: '',
    })
    buildPayload={ (form) => ({
        ...form,
        target_value: Number(form.target_value),
        bonus_amount: Number(form.bonus_amount),
    })
    fields=[
        { name: 'rule_name', label: 'Rule Name' },
        {
            name: 'role',
            label: 'Role',
            type: 'select',
            options: [
                { value: 'WAITER', label: 'Waiter' },
                { value: 'CASHIER', label: 'Cashier' },
                { value: 'CHEF', label: 'Chef' },
                { value: 'BARMAN', label: 'Barman' },
                { value: 'DISPATCHER', label: 'Dispatcher' },
            ],
        },
        {
            name: 'target_type',
            label: 'Target Type',
            type: 'select',
            options: [
                { value: 'SALES_AMOUNT', label: 'Sales Amount' },
                { value: 'ORDERS_SERVED', label: 'Orders Served' },
                { value: 'CUSTOMER_RATING', label: 'Customer Rating' },
            ],
        },
        { name: 'target_value', label: 'Target Value', type: 'number' },
        { name: 'bonus_amount', label: 'Bonus Amount', type: 'number' },
    ]
    columns=[
        { key: 'rule_name', label: 'Rule' },
        { key: 'role', label: 'Role' },
        { key: 'target_type', label: 'Target Type' },
        { key: 'target_value', label: 'Target' },
        { key: 'bonus_amount', label: 'Bonus' },
        { key: 'is_active', label: 'Active' },
    ]
    submitLabel="Create Bonus Rule"
}
)
}

```

18L.

apps/admin-web/src/features/staff-motivation/pages/DailyTargetsPage.jsx

```

import React from 'react'
import OperationalFormPage from '../../components/common/OperationalFormPage'
import { staffMotivationApi } from '../../api/staffMotivationApi'

export default function DailyTargetsPage() {
    return (
        <OperationalFormPage
            title="Daily Staff Targets"
            subtitle="Assign daily sales, order, and rating targets"
            queryKey="daily-staff-targets"
            queryFn={staffMotivationApi.dailyTargets}
            mutationFn={staffMotivationApi.createDailyTarget}
            initialForm={{
                staff_id: '',
                target_date: '',
                sales_target: '',
                orders_target: '',
                rating_target: '',
            }}
            buildPayload={ (form) => ({
                ...form,
                staff_id: Number(form.staff_id),
                sales_target: Number(form.sales_target),
                orders_target: Number(form.orders_target),
                rating_target: Number(form.rating_target),
            })
            fields=[
                { name: 'staff_id', label: 'Staff ID', type: 'number' },
                { name: 'target_date', label: 'Target Date', type: 'date' },
                { name: 'sales_target', label: 'Sales Target', type: 'number' },
                { name: 'orders_target', label: 'Orders Target', type: 'number' },
                { name: 'rating_target', label: 'Rating Target', type: 'number' },
            ]
        >
    )
}

```



```

    columns=[
      { key: 'full_name', label: 'Staff' },
      { key: 'role', label: 'Role' },
      { key: 'target_date', label: 'Date' },
      { key: 'sales_target', label: 'Sales Target' },
      { key: 'orders_target', label: 'Orders Target' },
      { key: 'rating_target', label: 'Rating Target' },
      { key: 'target_status', label: 'Status' },
    ]
    submitLabel="Create Target"
  />
)
}

```

18M.

apps/admin-web/src/features/staff-motivation/pages/HRMPerformanceReportPage.jsx

```

import React from 'react'
import { useQuery } from '@tanstack/react-query'
import Page from '../../../components/ui/Page'
import Card from '../../../components/ui/Card'
import DataTable from '../../../components/ui/DataTable'
import LoadingBlock from '../../../components/ui/LoadingBlock'
import StatusMessage from '../../../components/ui/StatusMessage'
import { staffMotivationApi } from '../../../api/staffMotivationApi'

export default function HRMPerformanceReportPage() {
  const { data, isLoading, error } = useQuery({
    queryKey: ['hrm-performance-report'],
    queryFn: staffMotivationApi.hrmReport,
  })

  return (
    <Page title="HRM Performance Report" subtitle="Staff productivity and motivation report">
      <Card>
        {isLoading ? <LoadingBlock label="Loading HRM report..." /> : null}
        {error ? <StatusMessage error={error.message} /> : null}

        {!isLoading && !error ? (
          <DataTable
            columns=[
              { key: 'full_name', label: 'Staff' },
              { key: 'role', label: 'Role' },
              { key: 'sales_amount', label: 'Sales' },
              { key: 'orders_served', label: 'Orders' },
              { key: 'average_rating', label: 'Rating' },
              { key: 'recorded_bonus', label: 'Recorded Bonus' },
            ]
            rows={data || []}
          />
        ) : null}
      </Card>
    </Page>
  )
}

```

18N. Update

apps/admin-web/src/app/routes.jsx

Add imports:

```

import StaffMotivationDashboardPage from '../features/staff-motivation/pages/StaffMotivationDashboardPage'
import WaiterLeaderboardPage from '../features/staff-motivation/pages/WaiterLeaderboardPage'
import CustomerRatingPage from '../features/staff-motivation/pages/CustomerRatingPage'
import BonusRulesPage from '../features/staff-motivation/pages/BonusRulesPage'
import DailyTargetsPage from '../features/staff-motivation/pages/DailyTargetsPage'
import HRMPerformanceReportPage from '../features/staff-motivation/pages/HRMPerformanceReportPage'

```

Add routes:

```

<Route path="/staff-motivation" element={<StaffMotivationDashboardPage />} />
<Route path="/staff-motivation/leaderboard" element={<WaiterLeaderboardPage />} />
<Route path="/staff-motivation/customer-ratings" element={<CustomerRatingPage />} />
<Route path="/staff-motivation/bonus-rules" element={<BonusRulesPage />} />
<Route path="/staff-motivation/daily-targets" element={<DailyTargetsPage />} />
<Route path="/staff-motivation/hrm-report" element={<HRMPerformanceReportPage />} />

```

18O. Update

`apps/admin-web/src/components/common/SidebarNav.jsx`

Add links:

```
['Staff Motivation', '/staff-motivation'],
['Waiter Leaderboard', '/staff-motivation/leaderboard'],
['Customer Ratings', '/staff-motivation/customer-ratings'],
['Bonus Rules', '/staff-motivation/bonus-rules'],
['Daily Targets', '/staff-motivation/daily-targets'],
['HRM Performance', '/staff-motivation/hrm-report'],
```

18P.

`docs/STAFF_MOTIVATION_SERVICE_PERFORMANCE.md`

Batch 18 – Staff Motivation + Service Performance Pack

System

Meat Lovers CIMS powered by YohPal

Purpose

This batch introduces staff motivation and service performance controls.

Modules Added

1. Waiter sales leaderboard
2. Service team performance page
3. Customer rating capture
4. Bonus rules table
5. Daily waiter target tracking
6. Staff motivation dashboard
7. HRM performance reports

Staff Motivation Logic

The system motivates the service team by tracking:

- sales amount
- number of orders served
- customer rating
- daily targets
- bonus eligibility

Bonus Rule Examples

- Sales amount target
- Orders served target
- Customer rating target

Business Value

This helps Meat Lovers:

- improve service quality
- reward high performers
- identify weak service staff
- increase sales through target-driven service
- create accountability for customer experience

Enforcement Rule

Bonuses are not paid automatically.

This pack tracks eligibility and performance. Final bonus payment approval should remain under management/finance control.

Batch 18 Outcome

Staff motivation now includes:

- ✓ waiter sales leaderboard
- ✓ service team performance page
- ✓ customer rating capture
- ✓ bonus rules table
- ✓ daily waiter target tracking
- ✓ staff motivation dashboard
- ✓ HRM performance reports

Next Smart Move

Build **Batch 19 — Delivery + Dispatch Deepening Pack**, including delivery order creation, rider assignment, dispatch status updates, failed delivery reason capture, delivery fee tracking, and delivery performance reporting.