
Batch 2 — Database Schema Foundation

Daniel Macharia <danielmacharia43@gmail.com>
To: <daniel@ics.ac.ke>

Tue, 16 Jun at 08:04

Batch 2 — Database Schema Foundation

Meat Lovers CIMS powered by YohPal

Objective: Create the complete database foundation before building the PHP API.

Rule: Every table must have:

- id
- created_at
- updated_at
- audit capability where applicable

2A.

database/migrations/002_users.sql

```
CREATE TABLE users (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  
  full_name VARCHAR(255) NOT NULL,  
  email VARCHAR(255) UNIQUE,  
  phone VARCHAR(50) UNIQUE,  
  
  password_hash TEXT NOT NULL,  
  
  role ENUM(  
    'SUPER_ADMIN',  
    'ADMIN',  
    'MANAGER',  
    'CASHIER',  
    'WAITER',  
    'CHEF',  
    'STOREKEEPER',  
    'BARMAN',  
    'DISPATCHER',  
    'ACCOUNTANT',  
    'HR'  
  ) NOT NULL,  
  
  is_active BOOLEAN DEFAULT TRUE,  
  
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP  
);
```

2B.

database/migrations/003_customers.sql

```
CREATE TABLE customers (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  
  full_name VARCHAR(255) NOT NULL,  
  
  phone VARCHAR(50),  
  email VARCHAR(255),  
  
  customer_type ENUM(  
    'WALK_IN',  
    'REGULAR',  
    'VIP',  
    'CORPORATE',  
    'DELIVERY'  
  )  
);
```

```
) DEFAULT 'WALK_IN',

loyalty_points DECIMAL(12,2) DEFAULT 0,

notes TEXT,

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2C.

database/migrations/004_suppliers.sql

```
CREATE TABLE suppliers (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  supplier_name VARCHAR(255) NOT NULL,

  contact_person VARCHAR(255),

  phone VARCHAR(50),
  email VARCHAR(255),

  physical_address TEXT,

  supplier_type ENUM(
    'FOOD',
    'SOFT_DRINKS',
    'ALCOHOL',
    'GENERAL'
  ) NOT NULL,

  status ENUM(
    'ACTIVE',
    'SUSPENDED'
  ) DEFAULT 'ACTIVE',

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2D.

database/migrations/005_products.sql

```
CREATE TABLE products (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  product_name VARCHAR(255) NOT NULL,

  product_category ENUM(
    'FOOD',
    'SOFT_DRINK',
    'ALCOHOLIC_DRINK'
  ) NOT NULL,

  selling_price DECIMAL(12,2) NOT NULL,

  cost_price DECIMAL(12,2) NOT NULL,

  barcode VARCHAR(255),

  is_active BOOLEAN DEFAULT TRUE,

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2E.

database/migrations/006_stock_items.sql

```
CREATE TABLE stock_items (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  product_id BIGINT NOT NULL,
```

```
current_quantity DECIMAL(12,2) DEFAULT 0,

reorder_level DECIMAL(12,2) DEFAULT 0,

FOREIGN KEY (product_id)
  REFERENCES products(id),

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2F.

database/migrations/007_stock_movements.sql

```
CREATE TABLE stock_movements (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  product_id BIGINT NOT NULL,

  movement_type ENUM(
    'PURCHASE',
    'STORE_TO_KITCHEN',
    'STORE_TO_BAR',
    'BAR_SALE',
    'KITCHEN_USAGE',
    'WASTAGE',
    'ADJUSTMENT'
  ) NOT NULL,

  quantity DECIMAL(12,2) NOT NULL,

  reference_number VARCHAR(255),

  notes TEXT,

  user_id BIGINT,

  FOREIGN KEY (product_id)
    REFERENCES products(id),

  FOREIGN KEY (user_id)
    REFERENCES users(id),

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2G.

database/migrations/008_orders.sql

```
CREATE TABLE orders (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  order_number VARCHAR(255) UNIQUE,

  customer_id BIGINT,

  waiter_id BIGINT,

  table_number VARCHAR(50),

  order_status ENUM(
    'PENDING',
    'PREPARING',
    'READY',
    'SERVED',
    'PAID',
    'CANCELLED'
  ) DEFAULT 'PENDING',

  subtotal DECIMAL(12,2) DEFAULT 0,

  discount_amount DECIMAL(12,2) DEFAULT 0,

  total_amount DECIMAL(12,2) DEFAULT 0,

  FOREIGN KEY (customer_id)
    REFERENCES customers(id),
```

```
FOREIGN KEY (waiter_id)
  REFERENCES users(id),

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2H.

database/migrations/009_order_items.sql

```
CREATE TABLE order_items (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  order_id BIGINT NOT NULL,

  product_id BIGINT NOT NULL,

  quantity DECIMAL(12,2) NOT NULL,

  unit_price DECIMAL(12,2) NOT NULL,

  total_price DECIMAL(12,2) NOT NULL,

  FOREIGN KEY (order_id)
    REFERENCES orders(id),

  FOREIGN KEY (product_id)
    REFERENCES products(id),

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2I.

database/migrations/010_payments.sql

```
CREATE TABLE payments (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  order_id BIGINT NOT NULL,

  payment_method ENUM(
    'CASH',
    'MPESA',
    'CARD'
  ) NOT NULL,

  amount DECIMAL(12,2) NOT NULL,

  transaction_reference VARCHAR(255),

  payment_status ENUM(
    'PENDING',
    'SUCCESS',
    'FAILED'
  ) DEFAULT 'PENDING',

  FOREIGN KEY (order_id)
    REFERENCES orders(id),

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2J.

database/migrations/011_assets.sql

```
CREATE TABLE assets (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  asset_name VARCHAR(255) NOT NULL,

  asset_category VARCHAR(255),

  serial_number VARCHAR(255),
```

```
purchase_cost DECIMAL(12,2),

asset_status ENUM(
    'ACTIVE',
    'DAMAGED',
    'DISPOSED'
) DEFAULT 'ACTIVE',

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2K.

database/migrations/012_unsold_food.sql

```
CREATE TABLE unsold_food (
    id BIGINT AUTO_INCREMENT PRIMARY KEY,

    product_id BIGINT NOT NULL,

    quantity DECIMAL(12,2) NOT NULL,

    reason TEXT,

    declared_by BIGINT,

    FOREIGN KEY (product_id)
        REFERENCES products(id),

    FOREIGN KEY (declared_by)
        REFERENCES users(id),

    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2L.

database/migrations/013_deliveries.sql

```
CREATE TABLE deliveries (
    id BIGINT AUTO_INCREMENT PRIMARY KEY,

    order_id BIGINT NOT NULL,

    customer_id BIGINT NOT NULL,

    delivery_status ENUM(
        'PENDING',
        'DISPATCHED',
        'DELIVERED',
        'FAILED'
    ) DEFAULT 'PENDING',

    rider_name VARCHAR(255),

    rider_phone VARCHAR(50),

    delivery_address TEXT,

    FOREIGN KEY (order_id)
        REFERENCES orders(id),

    FOREIGN KEY (customer_id)
        REFERENCES customers(id),

    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

2M.

database/migrations/014_audit_logs.sql

```
CREATE TABLE audit_logs (
    id BIGINT AUTO_INCREMENT PRIMARY KEY,
```

```

user_id BIGINT,

module_name VARCHAR(255),

action_name VARCHAR(255),

entity_id BIGINT,

old_data JSON,

new_data JSON,

ip_address VARCHAR(255),

FOREIGN KEY (user_id)
    REFERENCES users(id),

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);

```

2N.

database/migrations/015_finance_transactions.sql

```

CREATE TABLE finance_transactions (
    id BIGINT AUTO_INCREMENT PRIMARY KEY,

    transaction_type ENUM(
        'INCOME',
        'EXPENSE'
    ) NOT NULL,

    category VARCHAR(255),

    amount DECIMAL(12,2) NOT NULL,

    reference_number VARCHAR(255),

    notes TEXT,

    created_by BIGINT,

    FOREIGN KEY (created_by)
        REFERENCES users(id),

    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);

```

20.

database/migrations/016_staff_performance.sql

```

CREATE TABLE staff_performance (
    id BIGINT AUTO_INCREMENT PRIMARY KEY,

    staff_id BIGINT NOT NULL,

    report_date DATE NOT NULL,

    sales_amount DECIMAL(12,2) DEFAULT 0,

    orders_served INT DEFAULT 0,

    customer_rating DECIMAL(5,2) DEFAULT 0,

    bonus_amount DECIMAL(12,2) DEFAULT 0,

    FOREIGN KEY (staff_id)
        REFERENCES users(id),

    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);

```

Batch 2 Outcome

Database now supports:

- ✓ Users
- ✓ Customers
- ✓ Suppliers
- ✓ Products
- ✓ Food / Soft Drinks / Alcohol separation
- ✓ Stock Control
- ✓ Orders
- ✓ Payments
- ✓ Asset Register
- ✓ Unsold Food Tracking
- ✓ Deliveries
- ✓ Audit Logs
- ✓ Finance
- ✓ Staff Motivation & Performance

Next Smart Move

Build **Batch 3 — Database Seed Data**, including:

- Super Admin
- Manager
- Cashier
- Waiter
- Chef
- Storekeeper
- Barman
- Sample food menu
- Sample soft drinks
- Sample alcoholic drinks
- Sample suppliers
- Sample customers
- Sample tables
- Sample asset inventory

This allows the system to boot with realistic restaurant data from day one.