
Batch 27 — Local Deployment + Installer Pack

Daniel Macharia <danielmacharia43@gmail.com>
To: <daniel@ics.ac.ke>

Tue, 16 Jun at 08:28

Batch 27 — Local Deployment + Installer Pack

Meat Lovers CIMS powered by YohPal

27A. Final Local Server Folder Layout

```
meat-lovers-cims/  
├── apps/  
│   ├── admin-web/  
│   ├── pos-pwa/  
│   ├── monitoring-web/  
│   └── website/  
├── backend/  
├── database/  
│   ├── migrations/  
│   ├── seeds/  
│   └── backups/  
├── deployment/  
│   ├── nginx/  
│   ├── apache/  
│   ├── scripts/  
│   └── windows/  
├── docs/  
├── .env  
└── README.md
```

27B. Root

.env.example

```
APP_NAME="Meat Lovers CIMS powered by YohPal"  
APP_ENV=local  
APP_DEBUG=true  
APP_URL=http://192.168.1.10  
  
DB_HOST=127.0.0.1  
DB_PORT=3306  
DB_DATABASE=meat_lovers_cims  
DB_USERNAME=root  
DB_PASSWORD=  
  
JWT_SECRET=CHANGE_THIS_LOCAL_SECRET  
  
ADMIN_WEB_URL=http://192.168.1.10/admin  
POS_PWA_URL=http://192.168.1.10/pos  
MONITORING_WEB_URL=http://192.168.1.10/monitoring  
WEBSITE_URL=http://192.168.1.10
```

27C. Frontend

.env.example

Place this in each frontend app:

```
VITE_API_BASE_URL=http://192.168.1.10/api  
VITE_APP_NAME="Meat Lovers CIMS powered by YohPal"
```

Apps:

```
apps/admin-web/.env  
apps/pos-pwa/.env  
apps/monitoring-web/.env  
apps/website/.env
```

27D.

deployment/nginx/meat-lovers-cims.conf

```
server {
    listen 80;
    server_name _;

    root /var/www/meat-lovers-cims/apps/website/dist;
    index index.html;

    location / {
        try_files $uri $uri/ /index.html;
    }

    location /admin {
        alias /var/www/meat-lovers-cims/apps/admin-web/dist;
        try_files $uri $uri/ /admin/index.html;
    }

    location /pos {
        alias /var/www/meat-lovers-cims/apps/pos-pwa/dist;
        try_files $uri $uri/ /pos/index.html;
    }

    location /monitoring {
        alias /var/www/meat-lovers-cims/apps/monitoring-web/dist;
        try_files $uri $uri/ /monitoring/index.html;
    }

    location /api {
        alias /var/www/meat-lovers-cims/backend/public;
        try_files $uri $uri/ /index.php?$query_string;
    }

    location ~ \.php$ {
        include snippets/fastcgi-php.conf;
        fastcgi_pass unix:/run/php/php8.2-fpm.sock;
    }
}
```

27E.

deployment/apache/meat-lovers-cims.conf

```
<VirtualHost *:80>
    ServerName meat-lovers.local
    DocumentRoot /var/www/meat-lovers-cims/apps/website/dist

    Alias /admin /var/www/meat-lovers-cims/apps/admin-web/dist
    Alias /pos /var/www/meat-lovers-cims/apps/pos-pwa/dist
    Alias /monitoring /var/www/meat-lovers-cims/apps/monitoring-web/dist
    Alias /api /var/www/meat-lovers-cims/backend/public

    <Directory /var/www/meat-lovers-cims>
        AllowOverride All
        Require all granted
    </Directory>
</VirtualHost>
```

27F. Ubuntu Local Server Setup

```
sudo apt update
sudo apt install nginx mysql-server php php-fpm php-mysql php-cli unzip curl git nodejs npm -y

sudo mkdir -p /var/www/meat-lovers-cims
sudo cp -r meat-lovers-cims/* /var/www/meat-lovers-cims/

cd /var/www/meat-lovers-cims
cp .env.example .env
```

27G. MySQL Setup

```
sudo mysql

CREATE DATABASE meat_lovers_cims;
CREATE USER 'meat_lovers_user'@'localhost' IDENTIFIED BY 'StrongLocalPassword';
GRANT ALL PRIVILEGES ON meat_lovers_cims.* TO 'meat_lovers_user'@'localhost';
```

```
FLUSH PRIVILEGES;  
EXIT;
```

Update .env:

```
DB_DATABASE=meat_lovers_cims  
DB_USERNAME=meat_lovers_user  
DB_PASSWORD=StrongLocalPassword
```

Run migrations/seeds:

```
mysql -u meat_lovers_user -p meat_lovers_cims < database/migrations/001_initial.sql  
mysql -u meat_lovers_user -p meat_lovers_cims < database/seeds/001_seed.sql
```

Developers must run all migration files in order, then all seed files in order.

27H. Frontend Build Commands

```
cd apps/website  
npm install  
npm run build
```

```
cd ../admin-web  
npm install  
npm run build
```

```
cd ../pos-pwa  
npm install  
npm run build
```

```
cd ../monitoring-web  
npm install  
npm run build
```

27I. Backend Startup Test

```
cd backend  
php -S 0.0.0.0:8000 -t public
```

Test:

```
curl http://localhost:8000/api/monitoring/live-control
```

27J. Apply Nginx Config

```
sudo cp deployment/nginx/meat-lovers-cims.conf /etc/nginx/sites-available/meat-lovers-cims  
sudo ln -s /etc/nginx/sites-available/meat-lovers-cims /etc/nginx/sites-enabled/meat-lovers-cims  
sudo nginx -t  
sudo systemctl restart nginx
```

27K. Backup Script

deployment/scripts/backup_mysql.sh

```
#!/bin/bash
```

```
DATE=$(date +%Y-%m-%d_%H-%M-%S)  
BACKUP_DIR="/var/www/meat-lovers-cims/database/backups"  
DB_NAME="meat_lovers_cims"  
DB_USER="meat_lovers_user"  
DB_PASS="StrongLocalPassword"
```

```
mkdir -p "$BACKUP_DIR"
```

```
mysqldump -u "$DB_USER" -p"$DB_PASS" "$DB_NAME" > "$BACKUP_DIR/meat_lovers_$DATE.sql"
```

```
find "$BACKUP_DIR" -type f -mtime +14 -delete
```

Make executable:

```
chmod +x deployment/scripts/backup_mysql.sh
```

Cron daily backup:

```
crontab -e
```

```
0 23 * * * /var/www/meat-lovers-cims/deployment/scripts/backup_mysql.sh
```

27L. LAN Access Guide

Find server IP:

```
ip addr
```

Example:

192.168.1.10

Access from phones/tablets/computers on same Wi-Fi:

Website: <http://192.168.1.10>
Admin: <http://192.168.1.10/admin>
POS: <http://192.168.1.10/pos>
Monitoring: <http://192.168.1.10/monitoring>
API: <http://192.168.1.10/api>

27M. Production Checklist

- [] MySQL database created
- [] All migrations executed in order
- [] All seeds executed in order
- [] Backend .env configured
- [] Frontend .env files configured
- [] Website build completed
- [] Admin build completed
- [] POS build completed
- [] Monitoring build completed
- [] Nginx/Apache config enabled
- [] LAN IP confirmed
- [] POS opens on waiter phone
- [] Admin opens on manager computer
- [] Monitoring opens on owner screen
- [] Backup script tested
- [] Daily backup cron enabled

Batch 27 Outcome

Local deployment pack now includes:

- ✓ local server folder layout
- ✓ Apache/Nginx config
- ✓ .env templates
- ✓ MySQL setup
- ✓ frontend build commands
- ✓ backend startup instructions
- ✓ backup scripts
- ✓ LAN access guide

Next Smart Move

Build **Batch 28 — Final Developer Run-to-Green Manual**, combining all batches into one strict execution order from database setup to backend, frontend, POS, monitoring, enforcement, backups, LAN launch, and production verification.