



---

## Batch 3 — Database Seed Data

---

Daniel Macharia <danielmacharia43@gmail.com>  
To: <daniel@ics.ac.ke>

Tue, 16 Jun at 08:04

## Batch 3 — Database Seed Data

### Meat Lovers CIMS powered by YohPal

**Objective:** Load realistic starter data so the system can boot with usable users, products, suppliers, customers, tables, and assets.

---

## 3A.

database/seeds/001\_users\_seed.sql

```
INSERT INTO users (
  full_name,
  email,
  phone,
  password_hash,
  role,
  is_active
) VALUES
(
  'Super Admin',
  'admin@meatlovers.local',
  '0700000001',
  '$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION',
  'SUPER_ADMIN',
  TRUE
),
(
  'Restaurant Manager',
  'manager@meatlovers.local',
  '0700000002',
  '$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION',
  'MANAGER',
  TRUE
),
(
  'Main Cashier',
  'cashier@meatlovers.local',
  '0700000003',
  '$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION',
  'CASHIER',
  TRUE
),
(
  'Service Waiter',
  'waiter@meatlovers.local',
  '0700000004',
  '$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION',
  'WAITER',
  TRUE
),
(
  'Kitchen Chef',
  'chef@meatlovers.local',
  '0700000005',
  '$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION',
  'CHEF',
  TRUE
),
(
  'Store Keeper',
  'store@meatlovers.local',
  '0700000006',
  '$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION',
  'STOREKEEPER',
  TRUE
),
(
  'Bar Attendant',
```

```
'bar@meatlovers.local',
'0700000007',
'$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION',
'BARMAN',
TRUE
);
```

---

## 3B.

database/seeds/002\_suppliers\_seed.sql

```
INSERT INTO suppliers (
  supplier_name,
  contact_person,
  phone,
  email,
  physical_address,
  supplier_type,
  status
) VALUES
(
  'Fresh Farm Foods Ltd',
  'Peter Mwangi',
  '0711000001',
  'freshfarm@example.com',
  'Nairobi Wholesale Market',
  'FOOD',
  'ACTIVE'
),
(
  'Prime Butchery Supplies',
  'James Otieno',
  '0711000002',
  'primebutchery@example.com',
  'Nairobi Industrial Area',
  'FOOD',
  'ACTIVE'
),
(
  'Soft Drinks Distributors Ltd',
  'Mary Wanjiku',
  '0711000003',
  'softdrinks@example.com',
  'Nairobi CBD',
  'SOFT_DRINKS',
  'ACTIVE'
),
(
  'Licensed Alcohol Suppliers Ltd',
  'Brian Kariuki',
  '0711000004',
  'alcoholsuppliers@example.com',
  'Nairobi',
  'ALCOHOL',
  'ACTIVE'
),
(
  'General Restaurant Supplies',
  'Lucy Achieng',
  '0711000005',
  'general@example.com',
  'Nairobi',
  'GENERAL',
  'ACTIVE'
);
```

---

## 3C.

database/seeds/003\_products\_food\_seed.sql

```
INSERT INTO products (
  product_name,
  product_category,
  selling_price,
  cost_price,
  barcode,
  is_active
) VALUES
(
  'Beef Choma Plate',
  'FOOD',
```

```

        650.00,
        380.00,
        'FOOD-001',
        TRUE
    ),
    (
        'Chicken Choma Plate',
        'FOOD',
        750.00,
        430.00,
        'FOOD-002',
        TRUE
    ),
    (
        'Pork Ribs Plate',
        'FOOD',
        850.00,
        500.00,
        'FOOD-003',
        TRUE
    ),
    (
        'Ugali',
        'FOOD',
        100.00,
        40.00,
        'FOOD-004',
        TRUE
    ),
    (
        'Chips',
        'FOOD',
        250.00,
        120.00,
        'FOOD-005',
        TRUE
    ),
    (
        'Kachumbari',
        'FOOD',
        100.00,
        40.00,
        'FOOD-006',
        TRUE
    ),
    (
        'Mukimo',
        'FOOD',
        200.00,
        90.00,
        'FOOD-007',
        TRUE
    ),
    (
        'Pilau',
        'FOOD',
        350.00,
        180.00,
        'FOOD-008',
        TRUE
    )
);

```

---

### 3D.

**database/seeds/004\_products\_soft\_drinks\_seed.sql**

```

INSERT INTO products (
    product_name,
    product_category,
    selling_price,
    cost_price,
    barcode,
    is_active
) VALUES
(
    'Coca-Cola 500ml',
    'SOFT_DRINK',
    120.00,
    70.00,
    'SOFT-001',
    TRUE
),
(
    'Fanta 500ml',

```

```

        'SOFT_DRINK',
        120.00,
        70.00,
        'SOFT-002',
        TRUE
    ),
    (
        'Sprite 500ml',
        'SOFT_DRINK',
        120.00,
        70.00,
        'SOFT-003',
        TRUE
    ),
    (
        'Stoney 500ml',
        'SOFT_DRINK',
        120.00,
        70.00,
        'SOFT-004',
        TRUE
    ),
    (
        'Water 500ml',
        'SOFT_DRINK',
        100.00,
        45.00,
        'SOFT-005',
        TRUE
    ),
    (
        'Fresh Juice Glass',
        'SOFT_DRINK',
        200.00,
        90.00,
        'SOFT-006',
        TRUE
    )
);

```

---

### 3E.

database/seeds/005\_products\_alcoholic\_drinks\_seed.sql

```

INSERT INTO products (
    product_name,
    product_category,
    selling_price,
    cost_price,
    barcode,
    is_active
) VALUES
(
    'Tusker Lager',
    'ALCOHOLIC_DRINK',
    300.00,
    190.00,
    'ALC-001',
    TRUE
),
(
    'Tusker Malt',
    'ALCOHOLIC_DRINK',
    350.00,
    220.00,
    'ALC-002',
    TRUE
),
(
    'White Cap',
    'ALCOHOLIC_DRINK',
    350.00,
    220.00,
    'ALC-003',
    TRUE
),
(
    'Guinness',
    'ALCOHOLIC_DRINK',
    350.00,
    230.00,
    'ALC-004',
    TRUE
),
(

```

```

        'Balози',
        'ALCOHOLIC_DRINK',
        300.00,
        190.00,
        'ALC-005',
        TRUE
    ),
    (
        'House Wine Glass',
        'ALCOHOLIC_DRINK',
        450.00,
        260.00,
        'ALC-006',
        TRUE
    )
);

```

---

## 3F.

**database/seeds/006\_stock\_items\_seed.sql**

```

INSERT INTO stock_items (
    product_id,
    current_quantity,
    reorder_level
)
SELECT
    id,
    0,
    10
FROM products;

```

---

## 3G.

**database/seeds/007\_customers\_seed.sql**

```

INSERT INTO customers (
    full_name,
    phone,
    email,
    customer_type,
    loyalty_points,
    notes
) VALUES
    (
        'Walk In Customer',
        NULL,
        NULL,
        'WALK_IN',
        0,
        'Default walk-in customer'
    ),
    (
        'Corporate Client One',
        '0722000001',
        'corporatel@example.com',
        'CORPORATE',
        0,
        'Potential catering and group booking customer'
    ),
    (
        'Regular Customer One',
        '0722000002',
        'regular1@example.com',
        'REGULAR',
        25,
        'Repeat customer'
    ),
    (
        'VIP Customer One',
        '0722000003',
        'vip1@example.com',
        'VIP',
        100,
        'VIP customer for priority service'
    ),
    (
        'Delivery Customer One',
        '0722000004',
        'delivery1@example.com',
        'DELIVERY',
        10,

```

```
    'Customer usually orders for delivery'
);
```

---

### 3H.

**database/migrations/017\_restaurant\_tables.sql**

```
CREATE TABLE restaurant_tables (
  id BIGINT AUTO_INCREMENT PRIMARY KEY,

  table_number VARCHAR(50) UNIQUE NOT NULL,

  table_name VARCHAR(255),

  seating_capacity INT DEFAULT 4,

  table_status ENUM(
    'AVAILABLE',
    'OCCUPIED',
    'RESERVED',
    'DISABLED'
  ) DEFAULT 'AVAILABLE',

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
);
```

---

### 3I.

**database/seeds/008\_restaurant\_tables\_seed.sql**

```
INSERT INTO restaurant_tables (
  table_number,
  table_name,
  seating_capacity,
  table_status
) VALUES
(
  'T01',
  'Table 1',
  4,
  'AVAILABLE'
),
(
  'T02',
  'Table 2',
  4,
  'AVAILABLE'
),
(
  'T03',
  'Table 3',
  4,
  'AVAILABLE'
),
(
  'T04',
  'Table 4',
  6,
  'AVAILABLE'
),
(
  'T05',
  'Table 5',
  6,
  'AVAILABLE'
),
(
  'VIP01',
  'VIP Table 1',
  8,
  'AVAILABLE'
),
(
  'BAR01',
  'Bar Counter 1',
  2,
  'AVAILABLE'
),
(
  'TAKEAWAY',
```

```
'Take Away Counter',
0,
'AVAILABLE '
);
```

---

## 3J.

database/seeds/009\_assets\_seed.sql

```
INSERT INTO assets (
  asset_name,
  asset_category,
  serial_number,
  purchase_cost,
  asset_status
) VALUES
(
  'Main POS Terminal',
  'ICT',
  'ML-POS-001',
  45000.00,
  'ACTIVE'
),
(
  'Kitchen Printer',
  'PRINTER',
  'ML-KITCHEN-PRINTER-001',
  18000.00,
  'ACTIVE'
),
(
  'Bar Printer',
  'PRINTER',
  'ML-BAR-PRINTER-001',
  18000.00,
  'ACTIVE'
),
(
  'Cash Drawer',
  'CASH_CONTROL',
  'ML-CASHDRAWER-001',
  12000.00,
  'ACTIVE'
),
(
  'Deep Freezer',
  'KITCHEN_EQUIPMENT',
  'ML-FREEZER-001',
  85000.00,
  'ACTIVE'
),
(
  'Grill Machine',
  'KITCHEN_EQUIPMENT',
  'ML-GRILL-001',
  120000.00,
  'ACTIVE'
),
(
  'Bar Fridge',
  'BAR_EQUIPMENT',
  'ML-BARFRIDGE-001',
  65000.00,
  'ACTIVE'
),
(
  'CCTV System',
  'SECURITY',
  'ML-CCTV-001',
  95000.00,
  'ACTIVE'
);
```

---

## 3K.

database/seeds/010\_opening\_stock\_movements\_seed.sql

```
INSERT INTO stock_movements (
  product_id,
  movement_type,
  quantity,
```

```

        reference_number,
        notes,
        user_id
    )
SELECT
    p.id,
    'PURCHASE',
    CASE
        WHEN p.product_category = 'FOOD' THEN 20
        WHEN p.product_category = 'SOFT_DRINK' THEN 48
        WHEN p.product_category = 'ALCOHOLIC_DRINK' THEN 36
        ELSE 0
    END,
    'OPENING-STOCK',
    'Opening stock loaded during system setup',
    6
FROM products p;

```

---

## 3L.

**database/seeds/011\_update\_stock\_items\_from\_opening\_stock.sql**

```

UPDATE stock_items si
JOIN (
    SELECT
        product_id,
        SUM(quantity) AS total_quantity
    FROM stock_movements
    WHERE reference_number = 'OPENING-STOCK'
    GROUP BY product_id
) sm ON si.product_id = sm.product_id
SET si.current_quantity = sm.total_quantity;

```

---

## 3M.

**database/seeds/012\_finance\_opening\_seed.sql**

```

INSERT INTO finance_transactions (
    transaction_type,
    category,
    amount,
    reference_number,
    notes,
    created_by
) VALUES
(
    'EXPENSE',
    'OPENING_STOCK',
    150000.00,
    'OPENING-STOCK-COST',
    'Estimated opening stock cost for system testing',
    2
),
(
    'EXPENSE',
    'ASSET_REGISTER',
    458000.00,
    'OPENING-ASSETS',
    'Opening asset register value for system testing',
    2
);

```

---

## 3N.

**database/seeds/013\_seed\_loader.sql**

```

-- Meat Lovers CIMS powered by YohPal
-- Master Seed Loader

SOURCE database/seeds/001_users_seed.sql;
SOURCE database/seeds/002_suppliers_seed.sql;
SOURCE database/seeds/003_products_food_seed.sql;
SOURCE database/seeds/004_products_soft_drinks_seed.sql;
SOURCE database/seeds/005_products_alcoholic_drinks_seed.sql;
SOURCE database/seeds/006_stock_items_seed.sql;
SOURCE database/seeds/007_customers_seed.sql;
SOURCE database/migrations/017_restaurant_tables.sql;
SOURCE database/seeds/008_restaurant_tables_seed.sql;

```

```
SOURCE database/seeds/009_assets_seed.sql;
SOURCE database/seeds/010_opening_stock_movements_seed.sql;
SOURCE database/seeds/011_update_stock_items_from_opening_stock.sql;
SOURCE database/seeds/012_finance_opening_seed.sql;
```

---

## 30.

### docs/SEED\_DATA\_MANUAL.md

# Meat Lovers CIMS powered by YohPal – Seed Data Manual

#### ## Purpose

Seed data allows the system to boot with realistic restaurant data from day one.

#### ## Seeded Users

| Role        | Email                    |
|-------------|--------------------------|
| Super Admin | admin@meatlovers.local   |
| Manager     | manager@meatlovers.local |
| Cashier     | cashier@meatlovers.local |
| Waiter      | waiter@meatlovers.local  |
| Chef        | chef@meatlovers.local    |
| Storekeeper | store@meatlovers.local   |
| Barman      | bar@meatlovers.local     |

#### ## Important Password Rule

The seeded `password\_hash` values are placeholders.

Before real login testing, developers must replace:

```
```text
$2y$10$CHANGE_THIS_HASH_BEFORE_PRODUCTION
```

with a real PHP password hash generated using:

```
password_hash('your-password', PASSWORD_BCRYPT);
```

## Seeded Product Categories

The system separates products into:

1. Food
2. Soft drinks
3. Alcoholic drinks

This supports:

- bar accountability
- kitchen accountability
- stock separation
- sales analysis
- P&L separation

## Seed Execution Order

Run migrations first, then seeds.

Recommended order:

```
SOURCE database/migrations/002_users.sql;
SOURCE database/migrations/003_customers.sql;
SOURCE database/migrations/004_suppliers.sql;
SOURCE database/migrations/005_products.sql;
SOURCE database/migrations/006_stock_items.sql;
SOURCE database/migrations/007_stock_movements.sql;
SOURCE database/migrations/008_orders.sql;
SOURCE database/migrations/009_order_items.sql;
SOURCE database/migrations/010_payments.sql;
SOURCE database/migrations/011_assets.sql;
SOURCE database/migrations/012_unsold_food.sql;
SOURCE database/migrations/013_deliveries.sql;
SOURCE database/migrations/014_audit_logs.sql;
SOURCE database/migrations/015_finance_transactions.sql;
SOURCE database/migrations/016_staff_performance.sql;
SOURCE database/migrations/017_restaurant_tables.sql;
SOURCE database/seeds/013_seed_loader.sql;
```

## Seed Data Purpose

This seed pack allows developers to immediately test:

- login users
- product listing
- food menu
- drinks menu
- supplier listing
- stock opening balance
- table selection
- asset inventory
- finance opening entries
- reports

---

# Batch 3 Outcome

Seed data now supports:

- ✔ Super Admin
- ✔ Manager
- ✔ Cashier
- ✔ Waiter
- ✔ Chef
- ✔ Storekeeper
- ✔ Barman
- ✔ Food menu
- ✔ Soft drinks
- ✔ Alcoholic drinks
- ✔ Suppliers
- ✔ Customers
- ✔ Restaurant tables
- ✔ Assets
- ✔ Opening stock
- ✔ Opening finance entries

# Next Smart Move

Build **\*\*Batch 4 – PHP Backend Foundation\*\***, including:

- backend boot file
- database connection
- response helper
- request helper
- router
- auth controller
- products controller
- suppliers controller
- customers controller
- inventory controller
- orders controller
- payments controller
- reports controller
- monitoring controller