
Batch 6 — PHP Backend Operational Controllers

Daniel Macharia <danielmacharia43@gmail.com>
To: <daniel@ics.ac.ke>

Tue, 16 Jun at 08:06

Batch 6 — PHP Backend Operational Controllers

Meat Lovers CIMS powered by YohPal

6A. Update

backend/routes/api.php

Add imports:

```
use Controllers\BarController;
use Controllers\KitchenController;
use Controllers\DispatchController;
use Controllers\UnsoldFoodController;
use Controllers\AssetsController;
use Controllers\HRMController;
use Controllers\StaffPerformanceController;
use Controllers\FinanceController;
use Controllers\IncomeStatementController;
```

Add routes:

```
$router->get('/api/bar/stock', [BarController::class, 'stock']);
$router->post('/api/bar/stock-issue', [BarController::class, 'stockIssue']);

$router->get('/api/kitchen/orders', [KitchenController::class, 'orders']);
$router->post('/api/kitchen/orders/{id}/mark-ready', [KitchenController::class, 'markReady']);

$router->get('/api/dispatch/orders', [DispatchController::class, 'orders']);
$router->post('/api/dispatch/orders/{id}/dispatch', [DispatchController::class, 'dispatch']);
$router->post('/api/dispatch/orders/{id}/deliver', [DispatchController::class, 'deliver']);

$router->get('/api/unsold-food', [UnsoldFoodController::class, 'index']);
$router->post('/api/unsold-food', [UnsoldFoodController::class, 'store']);

$router->get('/api/assets', [AssetsController::class, 'index']);
$router->post('/api/assets', [AssetsController::class, 'store']);

$router->get('/api/hrm/staff', [HRMController::class, 'staff']);
$router->post('/api/hrm/staff', [HRMController::class, 'storeStaff']);

$router->get('/api/staff-performance', [StaffPerformanceController::class, 'index']);
$router->post('/api/staff-performance', [StaffPerformanceController::class, 'store']);

$router->get('/api/finance/transactions', [FinanceController::class, 'index']);
$router->post('/api/finance/transactions', [FinanceController::class, 'store']);

$router->get('/api/income-statement/daily', [IncomeStatementController::class, 'daily']);
$router->get('/api/income-statement/weekly', [IncomeStatementController::class, 'weekly']);
$router->get('/api/income-statement/monthly', [IncomeStatementController::class, 'monthly']);
$router->get('/api/income-statement/annual', [IncomeStatementController::class, 'annual']);
```

6B.

backend/app/Controllers/BarController.php

<?php

```
declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Request;
use Support\Response;
use Support\AuditLogger;
```

```

class BarController
{
    public function stock(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'BARMAN']);

        $stmt = Database::connection()->query(
            "SELECT
                p.id,
                p.product_name,
                p.product_category,
                si.current_quantity,
                si.reorder_level
            FROM stock_items si
            JOIN products p ON p.id = si.product_id
            WHERE p.product_category = 'ALCOHOLIC_DRINK'
            ORDER BY p.product_name ASC"
        );

        Response::success(['bar_stock' => $stmt->fetchAll()]);
    }

    public function stockIssue(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'BARMAN']);
        $data = Request::body();
        $db = Database::connection();

        $db->beginTransaction();

        $stmt = $db->prepare(
            "INSERT INTO stock_movements
            (product_id, movement_type, quantity, reference_number, notes, user_id)
            VALUES (:product_id, 'BAR_SALE', :quantity, :reference, :notes, :user_id)"
        );

        $stmt->execute([
            'product_id' => $data['product_id'],
            'quantity' => $data['quantity'],
            'reference' => $data['reference_number'] ?? null,
            'notes' => $data['notes'] ?? 'Bar stock issued',
            'user_id' => $user['id'],
        ]);

        $update = $db->prepare(
            "UPDATE stock_items
            SET current_quantity = current_quantity - :quantity
            WHERE product_id = :product_id"
        );

        $update->execute([
            'quantity' => $data['quantity'],
            'product_id' => $data['product_id'],
        ]);

        AuditLogger::log(
            (int) $user['id'],
            'BAR',
            'BAR_STOCK_ISSUE',
            (int) $data['product_id'],
            null,
            $data
        );

        $db->commit();

        Response::success([], 'Bar stock issued');
    }
}

```

6C.

backend/app/Controllers/KitchenController.php

```

<?php

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Response;

```

```

use Support\AuditLogger;

class KitchenController
{
    public function orders(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'CHEF']);

        $stmt = Database::connection()->query(
            "SELECT
                o.id,
                o.order_number,
                o.table_number,
                o.order_status,
                o.created_at
            FROM orders o
            WHERE o.order_status IN ('PENDING', 'PREPARING')
            ORDER BY o.created_at ASC"
        );

        Response::success(['kitchen_orders' => $stmt->fetchAll()]);
    }

    public function markReady(int $orderId): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'CHEF']);

        $stmt = Database::connection()->prepare(
            "UPDATE orders
            SET order_status = 'READY'
            WHERE id = :id"
        );

        $stmt->execute(['id' => $orderId]);

        AuditLogger::log(
            (int) $user['id'],
            'KITCHEN',
            'MARK_ORDER_READY',
            $orderId
        );

        Response::success([], 'Order marked as ready');
    }
}

```

6D.

backend/app/Controllers/DispatchController.php

```

<?php

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Request;
use Support\Response;
use Support\AuditLogger;

class DispatchController
{
    public function orders(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'DISPATCHER']);

        $stmt = Database::connection()->query(
            "SELECT
                d.*,
                o.order_number,
                c.full_name AS customer_name
            FROM deliveries d
            JOIN orders o ON o.id = d.order_id
            JOIN customers c ON c.id = d.customer_id
            ORDER BY d.created_at DESC"
        );

        Response::success(['deliveries' => $stmt->fetchAll()]);
    }

    public function dispatch(int $orderId): void
    {

```

```

$user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'DISPATCHER']);
$data = Request::body();

$stmt = Database::connection()->prepare(
    "UPDATE deliveries
    SET delivery_status = 'DISPATCHED',
        rider_name = :rider_name,
        rider_phone = :rider_phone
    WHERE order_id = :order_id"
);

$stmt->execute([
    'order_id' => $orderId,
    'rider_name' => $data['rider_name'] ?? null,
    'rider_phone' => $data['rider_phone'] ?? null,
]);

AuditLogger::log(
    (int) $user['id'],
    'DISPATCH',
    'DISPATCH_ORDER',
    $orderId,
    null,
    $data
);

Response::success([], 'Order dispatched');
}

public function deliver(int $orderId): void
{
    $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'DISPATCHER']);

    $stmt = Database::connection()->prepare(
        "UPDATE deliveries
        SET delivery_status = 'DELIVERED'
        WHERE order_id = :order_id"
    );

    $stmt->execute(['order_id' => $orderId]);

    AuditLogger::log(
        (int) $user['id'],
        'DISPATCH',
        'MARK_DELIVERED',
        $orderId
    );

    Response::success([], 'Order marked as delivered');
}
}

```

6E.

backend/app/Controllers/UnsoldFoodController.php

```

<?php

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Request;
use Support\Response;
use Support\AuditLogger;

class UnsoldFoodController
{
    public function index(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'CHEF']);

        $stmt = Database::connection()->query(
            "SELECT
            uf.*,
            p.product_name,
            u.full_name AS declared_by_name
            FROM unsold_food uf
            JOIN products p ON p.id = uf.product_id
            LEFT JOIN users u ON u.id = uf.declared_by
            ORDER BY uf.created_at DESC"
        );
    }
}

```

```

        Response::success(['unsold_food' => $stmt->fetchAll()]);
    }

    public function store(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'CHEF']);
        $data = Request::body();

        $stmt = Database::connection()->prepare(
            'INSERT INTO unsold_food
            (product_id, quantity, reason, declared_by)
            VALUES (:product_id, :quantity, :reason, :declared_by)'
        );

        $stmt->execute([
            'product_id' => $data['product_id'],
            'quantity' => $data['quantity'],
            'reason' => $data['reason'] ?? null,
            'declared_by' => $user['id'],
        ]);

        AuditLogger::log(
            (int) $user['id'],
            'UNSOLD_FOOD',
            'DECLARE_UNSOLD_FOOD',
            (int) $data['product_id'],
            null,
            $data
        );

        Response::success([], 'Unsold food declared');
    }
}

```

6F.

backend/app/Controllers/AssetsController.php

```

<?php

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Request;
use Support\Response;
use Support\AuditLogger;

class AssetsController
{
    public function index(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'ACCOUNTANT']);

        $stmt = Database::connection()->query(
            'SELECT * FROM assets ORDER BY created_at DESC'
        );

        Response::success(['assets' => $stmt->fetchAll()]);
    }

    public function store(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'ACCOUNTANT']);
        $data = Request::body();

        $stmt = Database::connection()->prepare(
            'INSERT INTO assets
            (asset_name, asset_category, serial_number, purchase_cost, asset_status)
            VALUES (:name, :category, :serial, :cost, :status)'
        );

        $stmt->execute([
            'name' => $data['asset_name'],
            'category' => $data['asset_category'] ?? null,
            'serial' => $data['serial_number'] ?? null,
            'cost' => $data['purchase_cost'] ?? 0,
            'status' => $data['asset_status'] ?? 'ACTIVE',
        ]);

        AuditLogger::log(

```

```

        (int) $user['id'],
        'ASSETS',
        'CREATE_ASSET',
        null,
        null,
        $data
    );

    Response::success([], 'Asset created');
}
}

```

6G.

backend/app/Controllers/HRMController.php

```

<?php

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Request;
use Support\Response;
use Support\AuditLogger;

class HRMController
{
    public function staff(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

        $stmt = Database::connection()->query(
            "SELECT
                id,
                full_name,
                email,
                phone,
                role,
                is_active,
                created_at
            FROM users
            ORDER BY created_at DESC"
        );

        Response::success(['staff' => $stmt->fetchAll()]);
    }

    public function storeStaff(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);
        $data = Request::body();

        $passwordHash = password_hash(
            $data['password'] ?? 'ChangeMe123',
            PASSWORD_BCRYPT
        );

        $stmt = Database::connection()->prepare(
            'INSERT INTO users
            (full_name, email, phone, password_hash, role, is_active)
            VALUES (:name, :email, :phone, :password_hash, :role, 1)'
        );

        $stmt->execute([
            'name' => $data['full_name'],
            'email' => $data['email'] ?? null,
            'phone' => $data['phone'] ?? null,
            'password_hash' => $passwordHash,
            'role' => $data['role'],
        ]);

        AuditLogger::log(
            (int) $user['id'],
            'HRM',
            'CREATE_STAFF',
            null,
            null,
            [
                'full_name' => $data['full_name'],
                'email' => $data['email'] ?? null,
                'phone' => $data['phone'] ?? null,
            ]
        );
    }
}

```

```

        'role' => $data['role'],
    ]
    );
    Response::success([], 'Staff user created');
}
}

```

6H.

backend/app/Controllers/StaffPerformanceController.php

```

<?php

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Request;
use Support\Response;
use Support\AuditLogger;

class StaffPerformanceController
{
    public function index(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);

        $stmt = Database::connection()->query(
            "SELECT
                sp.*,
                u.full_name AS staff_name,
                u.role
            FROM staff_performance sp
            JOIN users u ON u.id = sp.staff_id
            ORDER BY sp.report_date DESC"
        );

        Response::success(['staff_performance' => $stmt->fetchAll()]);
    }

    public function store(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'HR']);
        $data = Request::body();

        $stmt = Database::connection()->prepare(
            'INSERT INTO staff_performance
            (staff_id, report_date, sales_amount, orders_served, customer_rating, bonus_amount)
            VALUES (:staff_id, :report_date, :sales_amount, :orders_served, :rating, :bonus)'
        );

        $stmt->execute([
            'staff_id' => $data['staff_id'],
            'report_date' => $data['report_date'],
            'sales_amount' => $data['sales_amount'] ?? 0,
            'orders_served' => $data['orders_served'] ?? 0,
            'rating' => $data['customer_rating'] ?? 0,
            'bonus' => $data['bonus_amount'] ?? 0,
        ]);

        AuditLogger::log(
            (int) $user['id'],
            'STAFF_PERFORMANCE',
            'CREATE PERFORMANCE RECORD',
            (int) $data['staff_id'],
            null,
            $data
        );

        Response::success([], 'Staff performance record created');
    }
}

```

6I.

backend/app/Controllers/FinanceController.php

```

<?php

```

```

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Request;
use Support\Response;
use Support\AuditLogger;

class FinanceController
{
    public function index(): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'ACCOUNTANT']);

        $stmt = Database::connection()->query(
            "SELECT
                ft.*,
                u.full_name AS created_by_name
            FROM finance_transactions ft
            LEFT JOIN users u ON u.id = ft.created_by
            ORDER BY ft.created_at DESC"
        );

        Response::success(['finance_transactions' => $stmt->fetchAll()]);
    }

    public function store(): void
    {
        $user = Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'ACCOUNTANT']);
        $data = Request::body();

        $stmt = Database::connection()->prepare(
            'INSERT INTO finance_transactions
            (transaction_type, category, amount, reference_number, notes, created_by)
            VALUES (:type, :category, :amount, :reference, :notes, :created_by)'
        );

        $stmt->execute([
            'type' => $data['transaction_type'],
            'category' => $data['category'] ?? null,
            'amount' => $data['amount'],
            'reference' => $data['reference_number'] ?? null,
            'notes' => $data['notes'] ?? null,
            'created_by' => $user['id'],
        ]);

        AuditLogger::log(
            (int) $user['id'],
            'FINANCE',
            'CREATE_FINANCE_TRANSACTION',
            null,
            null,
            $data
        );

        Response::success([], 'Finance transaction created');
    }
}

```

6J.

backend/app/Controllers/IncomeStatementController.php

```

<?php

declare(strict_types=1);

namespace Controllers;

use Support\Auth;
use Support\Database;
use Support\Response;

class IncomeStatementController
{
    public function daily(): void
    {
        $this->statement("DATE(created_at) = CURDATE()", 'Daily income statement');
    }

    public function weekly(): void
    {

```



```

        $this->statement("YEARWEEK(created_at, 1) = YEARWEEK(CURDATE(), 1)", 'Weekly income statement');
    }

    public function monthly(): void
    {
        $this->statement("YEAR(created_at) = YEAR(CURDATE()) AND MONTH(created_at) = MONTH(CURDATE())",
'Monthly income statement');
    }

    public function annual(): void
    {
        $this->statement("YEAR(created_at) = YEAR(CURDATE())", 'Annual income statement');
    }

    private function statement(string $where, string $label): void
    {
        Auth::requireRole(['SUPER_ADMIN', 'ADMIN', 'MANAGER', 'ACCOUNTANT']);

        $db = Database::connection();

        $income = $db->query(
            "SELECT COALESCE(SUM(amount), 0) AS total
            FROM finance_transactions
            WHERE transaction_type = 'INCOME'
            AND $where"
        )->fetch();

        $expenses = $db->query(
            "SELECT COALESCE(SUM(amount), 0) AS total
            FROM finance_transactions
            WHERE transaction_type = 'EXPENSE'
            AND $where"
        )->fetch();

        $sales = $db->query(
            "SELECT COALESCE(SUM(total_amount), 0) AS total
            FROM orders
            WHERE order_status = 'PAID'
            AND $where"
        )->fetch();

        $totalIncome = (float) $income['total'] + (float) $sales['total'];
        $totalExpenses = (float) $expenses['total'];
        $profit = $totalIncome - $totalExpenses;

        Response::success([
            'label' => $label,
            'sales_income' => (float) $sales['total'],
            'other_income' => (float) $income['total'],
            'total_income' => $totalIncome,
            'total_expenses' => $totalExpenses,
            'net_profit' => $profit,
        ]);
    }
}

```

Batch 6 Outcome

Backend now includes operational controllers for:

- ✔ Bar
- ✔ Kitchen
- ✔ Dispatch
- ✔ Unsold cooked food
- ✔ Asset inventory
- ✔ HRM
- ✔ Staff performance
- ✔ Finance
- ✔ Daily income statement
- ✔ Weekly income statement
- ✔ Monthly income statement
- ✔ Annual income statement

Next Smart Move

Build **Batch 7 — Website Customer Acquisition App**, including:

- customer-facing homepage
- AI-enabled lead capture page
- food menu page

- soft drinks page
- alcoholic drinks page
- offers page
- catering enquiry page
- delivery enquiry page
- customer feedback page
- website API integration layer