

Demo Script — Showing Gap Sense in 10 Minutes

For whoever demonstrates the app to a colleague, supervisor or stakeholder. Exact button names are in **bold**. Read it once before the meeting; keep it open on a laptop during it.

Before the meeting

- [] Gap Sense installed on your own phone (the native app, not Safari).
- [] Volume at about two-thirds. The silent switch position does not matter.
- [] Open the app once so the first-run tutorial is already dismissed.
- [] If you want the other person to hold a working copy during the demo, see **Getting it onto a second phone** at the end. Do that part first.

1. The idea, in 30 seconds

Say:

"When you cross a street with no signal, the question is: do I have enough

time before that car reaches me? To answer it you need to know how long your

own crossing takes, not as a number of seconds, but as a feeling. Sighted

people get this from watching. Gap Sense builds that feeling through sound and

vibration. It never shows a number."

2. Unlock it with example times (20 seconds)

On the home screen, under the four numbered parts, tap **Try it now with example times**.

Say:

"Normally the O&M instructor times the person's crossing and sets the times

in the app, or sends them a link. For a demo I am loading example times:

four seconds for the first half of the street, eight for the full street.

The app says out loud that these are examples, not mine."

The app opens the practice screen.

3. Practise my timing, the core of the app (3 minutes)

Hold the phone so they can hear it.

1. Tap the big button. It reads **BEGIN**. Say: "I am stepping off the kerb."
2. Wait about four seconds. Tap again. It now reads **MARK**. Say: "I think I have reached the middle."
3. Wait about four more seconds. Tap again. Say: "I think I have arrived."
4. The button reads **REPLAY** and the playback starts by itself.

Then explain what they heard:

"You heard my taps as plain tones. Then at each correct moment, either a

short bright chime, meaning I was within half a second, or a long low buzz,

meaning I was outside it. What matters is the distance between my tone and the

reference tone. If they land together, I was on time. The further apart, the

further off I was. That distance is the lesson. Nobody counts."

Do it twice more, once deliberately early, once deliberately late, so they hear the chime and the buzz in contrast.

4. Vibration for DeafBlind users (2 minutes)

Tap the **person** icon, then **Accessibility**. Turn on **Vibrate on cue**. Tap **Test haptic pulse** and hand them the phone.

Say:

"Three signals by touch alone. One heavy knock: your own tap. Three knocks:

within the margin. One long buzz, almost half a second: outside it. For a

DeafBlind user this is the whole interface. Apple does not allow vibration

from a web page on iPhone, which is the single reason this had to become an

installed app."

Point out the output modes while you are here: **Audio only**, **Audio and visual**, **Visual only**. And the text-size and colour options.

5. The other three parts, described not performed (2 minutes)

Go back to the home screen.

- **Where the times come from:** "In real use the instructor times at least three crossings, uses the longest, and sets the times in Settings or sends a link. The app never asks the student to measure."
- **Time it from a signal:** "Same skill, but the app starts the clock. Press Ready, wait, two blips, then press when your crossing time is up. At a kerb nobody hands you the start." If there is time, do one round.
- **Compare practice:** "The app plays a sample warning time as a sound that grows louder like a car. The user says whether it is shorter than, about the same as, or longer than their own crossing, by button or by swiping up or down. Shorter means do not go. Then both play together so they feel the difference. This can be practised anywhere." If there is time, tap **Play a sample warning time** and do two rounds.
- **At the street:** "From a safe spot, the user taps when they first hear a car and again when it passes. The app says whether that car left enough time and replays the two durations together. An optional, experimental noise check can flag measurements taken in a noisy moment."

6. Progress, sharing and privacy (1 minute)

- **Progress:** practice history, kept on the phone only.
- **Settings** → **Share time settings:** an instructor measures a student's times once and sends a link. Opening it writes the times, the margin, the instructor's email and a short client code into the student's copy. Never a name.
- No account, no sign-in, no network. The microphone is used only if the optional noise check is switched on, and then only to measure loudness.

7. Where the project stands (30 seconds)

"The iPhone build has passed Apple's Beta App Review. One public TestFlight

link installs it on any iPhone in about two minutes. The Android build is

ready as a file. The participant guide, install guide and facilitator script

are written."

The link: <<https://testflight.apple.com/join/wYreYpF6>>

Questions you may get

"Why not just show seconds?" Counting replaces feeling. People who count stop learning the duration in their body, and at a real kerb they will not be counting. The distance between the sounds teaches the duration directly.

"How accurate are the sounds?" Playback is scheduled by the audio engine to the millisecond. The margin is the tolerance; the instructor chooses it. There is an experimental option that tightens it as someone improves, off by default.

"Does it work in the browser?" Everything except vibration. On iPhone, Safari cannot vibrate at all. That is why there is a native app.

"What data do you collect?" None. Everything stays on the phone. If a participant wants to share results, the app shows them the message and they send it themselves.

"How will participants install it?" iPhone: a TestFlight link, about two minutes. Android: a download link to the app file. There is a one-page install guide for each.

Getting it onto a second phone today

Android. Send the download link <<https://github.com/meazizul/Gap-Sense-Crossing-Practice/releases/download/v1.0-build2/GapSense-android-debug.apk>>. They open it, allow installs from that source once, and tap **Install**. Two minutes.

iPhone, before the TestFlight review is approved. Two routes:

1. **Internal tester**, no cable, about five minutes, needs their Apple ID email. In App Store Connect, **Users and Access** → **+**: enter their name and Apple ID email, choose the **Developer** role, tick the Gap Sense app, send the invitation. They accept the email, install **TestFlight** from the App Store and sign in. Gap Sense appears, because the internal **Research Team** group already holds the build and distributes automatically. Internal testing does not wait for Beta App Review.
2. **Cable from the development Mac**, about five minutes, no Apple ID needed. Their iPhone must have **Developer Mode** on (Settings → Privacy & Security → Developer Mode, then restart). Plug it in, tap **Trust**, and the build is installed directly. It stays valid for a year.

iPhone. Send them the TestFlight public link

<<https://testflight.apple.com/join/wYreYpF6>>. They install TestFlight from the App Store if they do not have it, open the link, tap Accept, tap Install. Two minutes. The internal-tester and cable routes below are no longer needed.