


3



exam $((a+a) + (a+a)) - ((a+a) - a)$

$t_1 = a$

$t_2 = a$

$t_3 = t_1 + t_2$

~~$t_4 = t_3 - a$~~

$t_4 = \text{minus } t_1$

$t_5 = t_3 + t_4$

$t_6 = t_3$

$t_7 = t_3$

$t_8 = t_6 + t_7$

$t_9 = \text{minus } t_5$

$t_{10} = t_8 + t_9$


	OP	arg 1	arg 2	result
(0)	=	a		t_1
(1)	=	a		t_2
(2)	+	t_1	t_2	t_3
(3)	minus	t_1		t_4
(4)	+	t_3	t_4	t_5
(5)	=	t_3		t_6
(6)	=	t_3		t_7
(7)	+	t_6	t_7	t_8
(8)	min	t_5		t_9
(9)	+	t_8	t_9	t_{10}
(10)				

67

	op	arg 1	arg 2
(0)	=	a	
(1)	=	a	
(2)	+	to (0)	to (1)
(3)	union	to (0)	
(4)	+	(2)	(3)
(5)	=	(2)	
(6)	=	(2)	
(7)	+	(5)	(6)
(8)	union	(2)	
(9)	+	(7)	(8)

2

Name	Type	Data type
n	variable	float
v	variable	float
m	array	int
main	function	void



Name	Type	Data type
angCount	ang	int
angValues	ang	ang char
t	variable	float
v	variable	int



Name	Type	Data type
i	variable	int
s	float variable	float
c	variable	int



Name	Type	Data type
j	variable	int
v	variable array	int
count	variable	int
re p	variable	float

Name	Type	Data type
m	float	float
	float	v
	int	w
	float	w
	↓	↑

data type	Type	Name
int	pro	two pro
val	pro	val/pro
float	val/pro	f
int	val/pro	w
	↓	↑


data type	Type	Name
int	val/pro	i
float	val/pro	f
int	val/pro	w

D

~~offset~~

[T]

offset = 104



T. value = 48

