


Answer to the question no 3



(a)

$$\begin{aligned}
 t_0 &= a + a \rightarrow 0 \\
 t_1 &= t_0 + a \rightarrow 1 \\
 t_2 &= t_0 + t_0 \rightarrow 2 \\
 t_3 &= t_2 - t_1 \rightarrow 3
 \end{aligned}$$

(b) quadruples and triples

op	arg 1	arg 2	result
+	a	a	t ₀
+	t ₀	a	t ₁
+	t ₀	t ₀	t ₂
-	t ₂	t ₁	t ₃

Triple

	op	arg 1	arg 2
0	+	a	a
1	+	(0)	a
2	+	(0)	(0)
3	-	(2)	(1)

Answer to the question no 2

when cpu is executing $n = n + m$ the active symbol table is.

Global variables

~~$x \Rightarrow \text{float} \quad [\text{var}]$~~
 ~~$y \Rightarrow \text{float} \quad [\text{var}]$~~
 ~~$m \Rightarrow \text{int}[10][20] \quad [\text{var}]$~~
 ~~$\text{main} \rightarrow \text{void} \quad [\text{function}]$~~

inside the main scope :

$\text{arg count} \Rightarrow \text{int}$	$\text{count} \Rightarrow \text{int}$
$\text{arg val} \Rightarrow \text{char}$	$m \Rightarrow \text{float}$
$x \Rightarrow \text{float}$	
$m \Rightarrow \text{int}[10][20]$	
$t \Rightarrow \text{float}$	
$n \Rightarrow \text{int}$	
$i \Rightarrow \text{int}$	
$s \Rightarrow \text{float}$	
$e \Rightarrow \text{int}$	
$j \Rightarrow \text{int}$	
$v \Rightarrow \text{int}$	

Answer to the question no 1

record { float [2] [3] a; int b; } P;

offset = 0 0 4 8 4

