

24



Name: Sadman Shaki'b

Sec: 08


ID: 21301074.

$$\text{offset} = 0.585 \times 104.$$

t = ~~8~~ float int
w = 8. 4




Ans to the ques no: 2



Ans to the ques no: 3.

$$((a+a)+(a+a))-((a+a)-a).$$



So,

$$((a+a)+(a+a))-((a+a)-a).$$

$$\Rightarrow 0) T_1 = a + a$$

$$1) T_2 = T_1 - a. \quad [(a+a)-a]$$

$$2) ~~T_2~~ T_3 = T_1 + T_1$$

$$3) T_4 = T_3 - T_2.$$

Now, $(a - (a + a)) - ((a + a) + (a + a))$

Quadruples:

OP	arg 1	arg 2	Result.
+	a	a	T ₁
-	T ₁	a	T ₂
+	T ₁	T ₁	T ₃
-	T ₃	T ₂	T ₄

10

Triples: $(a - (a + a)) - ((a + a) + (a + a))$

OP	arg 1	arg 2.
+	a	a
-	(0)	a
+	(0)	(0).
-	(2)	(1).

$a + a = T_1$ (0, 1)

$a - T_1 = T_2$ (1)

$T_1 + T_1 = T_3$ (2)

$T_3 - T_2 = T_4$ (1)