


25

NAME: MYSHA MALIHA ANNISA
ID : 21101243
Section : 07
CSE420 FINAL

(1) record { float[2][3] a; int b; } p;

t = float int
n = 8 4
p Offset = 0 48 + 4 = 52




a	float	0
b	int	4
a	float	4 + 48 = 52


(2)

(1)

```
float z = 0.0;
float v = 0.0;
int[10][20] m
void main (int argCount, char*[] argv) {
    x = toFloat(argv[1]);
    m = readMatrixFromFile(argv[2]);
    float t = 1.0;
    int r = 10;
    for (int i = 0; i < r; i += 1) {
        float s = 0.0;
        int c = 20;
        for (int j = 0; j < c; j += 1) {
            int v = m[i][j];
            int count = 0;
            float r = 1.0;
            while (count < v) {
                count += 1;
                float m = sqrt(x);
                r = r * m;
            }
            s = s + r;
        }
        printLn(s);
        t = t * s;
    }
    printLn(t);
}
```



OL



$(a+a)+(a+a)-((a+a)-a)$

④ Three Address code:

- 0 $t_1 = (a+a)$
- 1 $t_2 = t_1 - a$
- 2 $t_3 = t_1 - t_2$
- 3 $t_4 = t_1 + t_3$

⑤ Quadruple

	op	arg1	arg2	result
(0)	+	a	a	t_1
(1)	-	t_1	a	t_2
(2)	-	t_1	t_2	t_3
(3)	+	t_1	t_3	t_4

Triple

	op	arg1	arg2
(0)	+	a	a
(1)	-	(0)	a
(2)	-	(0)	(1)
(3)	+	(0)	(2)

