

Fall' 23

CSE420: Final ~~B100B~~

Name: Quazi Adibur Rahman
Adib


ID: 21241056

Sec: 7


26.5

Answer to the question no: 1


Input: record {float [2][3] a; int b;} P;



offset
0
48
52
104



t	w
float	8
int	4



20x2
8

Answer to the Question no: 2

~~z: float, 0~~
~~y: float, 0~~
~~m: array(10, array(20, int), 0)~~
~~main: ~~int, char*~~ [] → void, 0~~


argCount: int, 1
argValues: char*[], 1
~~z: float, 1~~
~~m: int[][], 1~~
~~t: float, 1~~
~~r: int, 1~~

i: int, 2
s: float, 2
c: int, 2

j: int, 2
v: int[][], 3
count: int, 3
r: float, 3

m: float, 4

Answer to the question no. 3



So, the exp is: $\{(a+a)+a\} - \{(a+a)-a\}$

$$t_1 = a + a$$

$$t_2 = t_1 + a$$

$$t_3 = a + a$$

$$t_4 = t_3 - a$$

$$t_5 = t_2 - t_4$$

b

Quadruples

#	OP	Arg1	Arg2	Result
			a	t1
(0)	+	a	a	t2
(1)	+	t1	a	t3
(2)	+	a	a	t4
(3)	-	t3	t4	t5
(4)	-	t2	t4	

~~Table~~
Triple:

#	OP	Arg1	Arg2
(0)	+	a	a
(1)	+	(0)	a
(2)	+	a	a
(3)	-	(2)	a
(4)	-	(1)	(3)