

FINAL EXAM

CSE 420

NAME: Swaiya Binte Akbar

STUDENT ID: 20301007


SECTION: 07

23




Answer To The Question NO: 1

record { float [2] [3] a; int b; } P;

08



Answer To The Question No:2



08


```

1 float x = 0.0;
  float v = 0.0;
  int [10][20] m;
  void main(int argc, char *[] argv, values) {
    x = to float(argv[1]);
    2 m = readMatrixFromFile(argv[2]);
    float t = 1.0
    int n = 10
    for (int i = 0; i < n; i += 1) {
      float s = 0.0;
      3 int e = 20;
      for (int j = 0; j < e; j += 1) {
        int v = m[i][j];
        int count = 0
        4 float p = 1.0;
        while (count < v) {
          count += 1;
          5 float m = sqrt(n);
          p = n * m
        }
        s = s + n;
      }
      print(s);
      t = t * s;
    }
    print(t);
  }

```

Answer To The Question NO: 3

3(a)



3(b)

$$t_1 = u \text{ minus } a$$

$$t_2 = a + a$$

$$t_3 = t_2 - t_1$$

$$t_4 = t_2 + t_2 \cdot a + a$$

$$t_5 = t_4 + t_2$$

$$t_6 = t_5 - t_3$$

3(b)

Q quadruples

	op	arg1	arg2	result
(0)	uninit	a		t1
(1)	+	a	a	t2
(2)	-	t2	t1	t3
(3)	+	a	a	t4
(4)	+	t4	t2	t5
(5)	-	t5	t3	t6

Triples

	op	arg1	arg2
(0)	uminus	a	
(1)	+	a	a
(2)	-	(1)	(0)
(3)	+	a	a
(4)	+	(3)	(1)
(5)	-	(4)	(2)