

PNEUMATIC AND HYDRAULIC DRIVE LAB

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان التمهيني

The needle valve consists of a flow control valve and check valve

Select one:

☒ True

☐ False

You are logged in as 31615018527 رزقي محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

12

answered

out of 1.50

question

Pressure control valve is used for

Select one:

- ☐ a. Entry and exit of the cylinder
- ☐ b. Control the speed of the cylinder
- ☒ c. Control the power of the cylinder
- ☐ d. None of the above

template=152981&page=15

PNEUMATIC AND HYDRAULIC DRIVE LAB.

HYDRAULIC DRIVE LAB.-1 » General » الامتحان النصلي

The PLC type used in the pneumatic control system is Siemens 2000.

Select one:

- ☐ True
- ☒ False

You are logged in as 31615018527 روى محمد عبد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

C AND HYDRAULIC DRIVE

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصفي

Directional control valve is used for

Select one:

- ☐ a. Entry and exit of the cylinder
- ☐ b. Control the speed of the cylinder
- ☐ c. Control the power of the cylinder
- ☐ d. None of the above

You are logged in as 31615018527 رامي محمد سعد عثمان (Logout)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 > General > الأسئلة العامة

In an experiment (Control a Hydraulic system of a double acting cylinder) the directional control valve is controlled by

Select one:

- ☐ a. All of them
- ☒ b. Electric relays and electric push buttons
- ☐ c. PLC controller
- ☐ d. Pneumatic push buttons and the pneumatic limit switch

You are logged in as 31615016527 (Log out)
2020/2016/31615016527-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 - General - [الأسئلة المتكررة](#)

The _____ converts the compressed air energy into mechanical energy in the form of linear movement in pre-determined way.

Select one:

- ☐ a. Piston cylinders
- ☐ b. Double acting cylinders
- ☐ c. Hydraulic pumps
- ☒ d. Single acting cylinders

Next page

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 > General > الاسئلة العامة

The directional control valve used in the manipulated experiment to control the movement of the rotary axis (movement A) is:

Select one:

- ☐ a. 4/3 Proportional directional control valve controlled by electrical signal
- ☐ b. 4/2 Proportional directional control valve controlled by hydraulic signal
- ☐ c. 5/2 Directional control valve controlled by electrical signal
- ☐ d. 4/2 Directional control valve controlled by electrical signal

You are logged in as 31019018027 (Log Out)
2020/05/15 13:00:00 PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.

HYDRAULIC DRIVE LAB.-1 ► General ► الأملحان للتصلي

The symbol (2 or A) is used in the directional control valve to indicate

Select one:

- ☐ a. Control pilot line
- ☒ b. (Working line: outlet
- ☐ c. Power supply
- ☐ d. Drain / exhaust

You are logged in as 31615018527 روى محمد عثمان (Log out)
2020/2019-3-30163572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 > General > الأسئلة العامة

11

Question

الأسئلة العامة

Answer

The directional control valve used in the manipulated experiment to control the movement of the gripper (movement K) is:

Select one:

- a. 4/3 Directional control valve controlled by a Hydraulic signal
- b. 4/3 Directional control valve controlled by electrical signal
- c. 4/3 Proportional directional control valve controlled by electrical signal
- d. 5/2 Directional control valve controlled by electrical signal

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 > General > الأسئلة العامة

A one-way valve that lets air into the reservoir of a compressor, but doesn't let it out, is a

Select one:

- ☐ a. Receiver valve
- ☐ b. Three way valve
- ☐ c. Control valve
- ☒ d. Check valve

You are logged in as 31615018527 (Log out)
2025/2019-3-30/133072-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 > General > الأسئلة المتكررة

A one-way valve that lets air into the reservoir of a compressor, but doesn't let it out, is a

Select one:

- ☐ a. Receiver valve
- ☐ b. Three way valve
- ☐ c. Control valve
- ☒ d. Check valve

You are logged in as 31615018527 (Log out)
2023/2019-3-30/133072-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

php?attempt=1529811&page=1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1


PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 » General » الاستعداد للتصلي

The pressure relief valve used in

Select one:

- ☐ a. Control or reduce pressure in the system
- ☐ b. All of them
- ☐ c. To protect pressure vessels and equipment from stresses those exceed their design limits
- ☐ d. Safety valve

You are logged in as 31615018527 (Log out)
2020/2015-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1




on 4

answered

out of 1.50

question



In the following drawing

K-1 and K-2 are connected in parallel with S1 and S2 for

Select one:

- ☐ a. To convert the circuit from jogging mode to continuous mode
- ☐ b. None of above
- ☐ c. To convert the circuit from continuous mode to jogging mode
- ☐ d. To distribute the voltage
- ☐ e. none of them



PNEUMATIC AND HYDRAULIC DRIVE LAB

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصفي

Pneumatic and hydraulic drive are used for

Select one:

- ☐ a. None of the above
- ☐ b. Control the direction of the cylinders
- ☐ c. Converting fluid pressure into movement energy
- ☐ d. Fluid pressure through external force

You are logged in as 31615018527 روى محمد عبد عشر (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

attempt=152581

31

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 » General » الامتحان التمهيني


In an experiment (Control a Hydraulic system of a double acting cylinder) the directional control valve is controlled by

Select one:

- ☐ a. All of them
- ☐ b. Electric relays and electric push buttons
- ☐ c. PLC controller
- ☐ d. Pneumatic push buttons and the pneumatic limit switch

You are logged in as 31615018527 رواف محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1





The following symbols represent to

Select one:

- ☐ a.
 - (1) Check valve
 - (2) relief valve
 - (3) needle valve
 - (4) 3/2 way directional control valve
- ☐ b.
 - (1) Check valve
 - (2) relief valve
 - (3) needle valve
 - (4) 2/3 way directional control valve
- ☐ c.
 - (1) Flow valve
 - (2) throttle valve
 - (3) pressure valve
 - (4) 2/3way directional control valve
- ☐ d.
 - (1) Check valve
 - (2) throttle valve
 - (3) needle valve
 - (4) 3/2way directional control valve

PNEUMATIC AND HYDRAULIC DRIVE LAB

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصفي

Pneumatic systems can support three kinds of motion; they are

Select one:

- ☐ a. Linear, reciprocating, and rotary motion
- ☐ b. Linear, flowing, and rotary motion
- ☐ c. Linear, reciprocating, and random motion
- ☐ d. Linear, zigzag, and spiral motion

You are logged in as 31615018527 رضى محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

The symbol (3 or T) is used in the directional control valve to indicate

Select one:

- ☐ a. Control pilot line
- ☐ b. Power supply
- ☐ c. Working line (outlet)
- ☐ d. Drain / exhaust

You are logged in as 31615018527 روى محمد سعد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1


Marked out of 1.50

 Flag question

The following symbols represent to

Select one:

- ☒ a.
- (1) Check valve
 - (2) relief valve
 - (3) needle valve
 - (4) 3/2 way directional control valve
- ☐ b.
- (1) Check valve
 - (2) relief valve
 - (3) needle valve
 - (4) 2/3 way directional control valve
- ☐ c.
- (1) Flow valve
 - (2) throttle valve
 - (3) pressure valve
 - (4) 2/3way directional control valve
- ☐ d.
- (1) Check valve



In the following drawing

K 1 and k2 is connect in parallel with S1 and S2 for

Select one:

- ☐ a. To convert the circuit from continuous mod to jogging mood
- ☐ b. None of above
- ☐ c. For safe
- ☐ d. To distribute the voltage
- ☐ e. To convert the circuit from jogging mood to continuous mod

Home ▶ Second Semester 2021/2020 ▶
2021/2020-2-30103572-PNEUMATIC AND
HYDRAULIC DRIVE LAB.-1 ▶

General ▶

الامتحان النصفى لمختبر القيادة الرئوية والهيدروليكية 31-3-
2021 الساعة 15.00-15.30

Question 11

Not yet answered

Marked out of 1.50

Flag question

The PLC type used in the pneumatic control system is Siemens 2000

Select one:

☐ True

☒ False

Next page

QUIZ NAVIGATION

1

2

3

4

5

6

7


8

Not yet answered

Marked out of 1.50

Flag question

In the hydraulics circuit shown the control device is



Select one:

- ☐ a. 5/2 directional control valve
- ☐ b. 3/2 directional control valves operated by push-buttons
- ☐ c. Double acting pneumatic cylinder
- ☐ d. Flow control valve

**Question 12**

Not yet answered

Marked out of 1.50

 Flag question

Flow control valve is used for

Select one:

- ☒ a.
Control the power of the cylinder
- ☐ b.
None of the above
- ☐ c.
Entry and exit of the cylinder
- ☐ d.
Control the speed of the cylinder

[Next page](#)



غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

The pressure relief valve used in

اختر أحد الخيارات

- a. All of them ☒
- b. Safety valve ☐
- c. To protect pressure vessels and equipment from stresses those exceed their design limits ☐
- d. Control or reduce pressure in the system ☐

الصفحة التالية

تنقل الاختبار

8	7	6	5	4	3	2	1
16	15	14	13	12	11	10	9
				20	19	18	17

.. إنهاء المحاولة


Not yet answered

Marked out of 1.50

 Flag question

In the symbol below

p :



Select one:

- ☐ a. Supply input
- ☐ b. Output (working line)
- ☒ c. Electrical Solinoid
- ☐ d. Internal core

[Next page](#)

QUIZ NAVIGATION



Question 14

Not yet answered

Marked out of 1.50

 Flag question

The pressure relief valve used in

Select one:

- ☐ a. Control or reduce pressure in the system
- ☐ b. To protect pressure vessels and equipment from stresses those exceed their design limits
- ☒ c. All of them
- ☐ d. Safety valve

[Next page](#)**QUIZ NAVIGATION**

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-202

1 PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572 Sec
الإسحاق التتالي لمختبر القيادة الهوائية والهيدروليكية

A one-way valve that lets air into the reservoir of a compressor, but doesn't let it out, is a

اختر أحد الخيارات

- a. Check valve ☒
- b. Control valve ☐
- c. Receiver valve ☐
- d. Three way valve ☐


تم تحويل صفحة 31615018081 محمد مكيود محمد الفتح (تسجيل الخروج)

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572

C AND HYDRAULIC DRIVE LAB.-

العام < PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103

The symbol represents to



اختر احد الخيارات

- a. relief valve ☐
- b. Tow position valve ☐
- c. Needle valve ☐
- d. check valve ☐
- e. pressure sequence valve ☒

تم بحولك بصفحة 31615018081 محمد محمود محمد الفليح (تسجيل)
ND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572

الامتحان النصفى لمختبر القيادة الرئوية والهيدروليكية 3-31-
2021 الساعة 15.00-15.30


Question 1

Not yet answered

Marked out of 1.50

 Flag question

The symbol represents to



Select one:

- ☐ a. Hydraulic motor with hydraulic pump
- ☐ b. none of them
- ☒ c. Electrical motor with hydraulic pump
- ☐ d. Electrical motor with hydraulic supply

Next page

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2

علم < PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572 < Second Se

Pneumatic and hydraulic drive are used for

اختر احد الخيارات

- a. None of the above ☐
- b. Control the direction of the cylinders ☐
- c. Fluid pressure through external force ☐
- d. Converting fluid pressure into movement energy ☒

8	7	
16	15	1


تم بحالته بصفة 31615018081 محمد محمود محمد الفاضل
PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-

الامتحان التصفيي العام PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572

In the symbol below

A and B



أجزاء الخيارات


- a. Output (working line) ☐
- b. Supply Input ☐
- c. Internal core ☐
- d. Electrical Solinoid ☒

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-

الامتحان التصفيي العام PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572

In the symbol below


A and B



اختر احد الخيارات

- a. Output (working line) ☐
- b. Supply Input ☐
- c. Internal core ☐
- d. Electrical Solinoid ☒

In the hydraulics circuit shown the actuator device is



Select one:

- ☐ a. Double acting pneumatic cylinder
- ☒ b. 3/2 directional control valves operated by push-buttons
- ☐ c. 5/2 directional control valve
- ☐ d. Flow control valve

Next page


QUIZ NAVIGATION

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021

الاسم: عام PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572 Second

The symbol represents to



اختر احد الخيارات

- a ☐ directional control valve controlled by electrical signal 2/5
- b ☐ directional control valve controlled by pneumatic signal 2/5
- c ☐ directional control valve controlled by electrical signal 5/2
- d ☒ directional control valve controlled by pneumatic signal 5/2

HYDRAULIC DRIVE LAB.-1 ▶

General ▶

الامتحان النصفى لمختبر القيادة الرئوية والهيدروليكية 31-3-

الساعة 15.30-15.00 2021

Question 4

Not yet answered

Marked out of 1.50

 Flag question

The program is entered for plc in the ladder diagram language

Select one:

☒ True☐ False[Next page](#)

QUIZ NAVIGATION

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

The throttle valve consists of a flange | +

attempt=1529811/page=10

PNEUMATIC AND HYDRAULIC DRIVE LAB

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان التصلي

The throttle valve is used to control fluid flow in one direction only

Select one:

- ☐ True
- ☐ False

You are logged in as 31615018527 رضى محمد سعد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصفي

12

answered

out of 1.50

question

Pressure control valve is used for

Select one:

- ☐ a. Entry and exit of the cylinder
- ☐ b. Control the speed of the cylinder
- ☐ c. Control the power of the cylinder
- ☐ d. None of the above

attempt=152701&page=12

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 » General » الإمتحان التمهيني

A one-way valve that lets air into the reservoir of a compressor, but doesn't let it out, is a

Select one:

- ☐ a. Receiver valve
- ☐ b. Three way valve
- ☐ c. Control valve
- ☐ d. Check valve

You are logged in as 31615018527 (Log out)
2020/2019-3-30100572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

The symbol (2 or A) is used in the directional control valve to indicate

Select one:

- ☐ a. Control pilot line
- ☐ b. (Working line (outlet
- ☐ c. Power supply
- ☐ d. Drain / exhaust

You are logged in as 31615018527 رزي محمد سعيد هشام (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 » General » الإمتحان العملي

The _____ converts the compressed air energy into mechanical energy in the form of linear movement in one direction only

Select one:

- ☐ a. Piston cylinders
- ☐ b. Double acting cylinders
- ☐ c. Hydraulic pumps
- ☐ d. Single acting cylinders

Next page

contains the compressed air lines. ✕ | +

(tempt=152981&page=15

PNEUMATIC AND HYDRAULIC DRIVE LAB.

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

The PLC type used in the pneumatic control system is Siemens 2000

Select one:

- ☐ True
- ☐ False

You are logged in as 31615018527 رؤى محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصفي

5/2 way directional control valve has

Select one:

- ☐ a. 5 ports 2 positions
- ☐ b. 5 ports 5 positions
- ☐ c. 2 ports 5 positions
- ☐ d. 2 ports 2 positions

You are logged in as 31615018527 روى محمد سعيد عثمان (Logout)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 » General » الأسئلة المتبقية

18

answered

out of 1.5k

questions

The directional control valve used in the manipulated experiment to control the movement of the gripper (movement K) is

Select one:

- ☐ a. 4/2 Directional control valve controlled by a hydraulic signal
- ☐ b. 4/2 Directional control valve controlled by electrical signal
- ☐ c. 4/3 Proportional directional control valve controlled by electrical signal
- ☐ d. 5/2 Directional control valve controlled by electrical signal

2 way directional control valve x | G The directional control valve uses x | +
attempt=152981&page=18

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

We used a check valve with experimental control in the manipulated experiment.
To keep the last step

Select one:

- ☐ True
☐ False

You are logged in as 31615018527 روى محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

Flow control valve is used for

Select one:

- ☐ a.
Control the speed of the cylinder
- ☐ b.
None of the above
- ☐ c.
Control the power of the cylinder
- ☐ d.
Entry and exit of the cylinder

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

2-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ▶ General ▶ 15.30-15.00 الساعة 2021-3-31


Question 5

Not yet answered

Marked out of 1.50

Flag question


The symbol represents to



Select one:

- ☐ a. Hydraulic motor with hydraulic pump
- ☒ b. Electrical motor with hydraulic pump
- ☐ c. Electrical motor with hydraulic supply
- ☐ d. none of them

You are logged in as 31715018027 محمد يحيى علي المرحوم (Log out)
2021/2020-2-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1



PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

2-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ▶ General ▶ 15.30-15.00 الساعة 2021-3-31


Question 5

Not yet answered

Marked out of 1.50

Flag question


The symbol represents to



Select one:

- ☐ a. Hydraulic motor with hydraulic pump
- ☒ b. Electrical motor with hydraulic pump
- ☐ c. Electrical motor with hydraulic supply
- ☐ d. none of them

You are logged in as 31715018027 محمد يحيى علي المرحوم (Log out)
2021/2020-2-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1



03572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

2021/2020-2-30/03572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 General 15.30-15.00 لمدة 3-31 دقيقة اختبار القدرة على التحمل 31/15018027

Question 6

Not yet answered

Marked out of 1.50

Flag question

The directional control valve (in pneumatic control experiment with PLC) is connected to the PLC input and the limit switch to the output

Select one:

☐ True

☒ False


You are logged in as 31715018027 (Log out)

2021/2020-2-30/03572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

Next

C AND HYDRAULIC DRIVE LAB.-1-20

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1-2021/2020-2-30103572



How can we extend the cylinder

اختر احد الخيارات

- a. By activating both roller levers S1 and S2 together ☐
- b. By actuating roller lever valve S2 ☐
- c. By activating Push button valve S0 and roller lever S1 at the same time ☒
- d. By actuating roller lever valve S1 ☐


3	4	5	6	7	8
9	10	11	12	13	14
15	16	17	18	19	20

Question 7

Not yet answered
Marked out of 1.00

Flag question

In the symbol below
A and B



Select one:

- ☐ a. Supply input
- ☒ b. Output (working line)
- ☐ c. Internal core
- ☐ d. Electrical Solenoid

Activate Windows
Go to Settings to activate Windows.

Next

PNEUMATIC AND HYDRAULIC DRIVE LAB.

PNEUMATIC AND HYDRAULIC DRIVE LAB - 1-2021-2022-2-28

ie (in pneumatic control experiment with PLC) is connected to the PLC input and the limit switch to the output.

www.elsevier.com/locate/jmb



© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 115–122

31615018081 - هندسة ميكانيكية (مستوى البكالوريوس)
PNEUMATIC AND HYDRAULIC DRIVE LAB -1-2021-2020-2-30108572


Not yet answered

Marked out of 1.50

 Flag question

In the symbol below

A and B :



Select one:

- ☐ a. Electrical Solinoid
- ☐ b. Internal core
- ☒ c. Output (working line)
- ☐ d. Supply input

Next page

QUIZ NAVIGATION

1

2

3

4


5

6

7

8

In the hydraulics circuit shown the final element device is



Select one:

- ☐ a. Flow control valve
- ☐ b. 5/2 directional control valve
- ☒ c. 3/2 directional control valves operated by push-buttons
- ☐ d. Double acting pneumatic cylinder

Next page



s2.ebalqa.courses/nfetn



سؤال 16


غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

In the symbol below

: A and B



اختر أحد الخيارات

- a. Supply input ☐
- b. Internal core ☐
- c. Output (working line) ☒
- d. Electrical Solinoid ☐

الصفحة التالية

نقل الاختيار

8	7	6	5	4	3	2	1
16	15	14	13	12	11	10	9
				20	19	18	17


Question 8

Not yet answered

Marked out of 1.50

Flag question

In the hydraulics circuit shown the final element device is



Select one:

- ☒ a. 5/2 directional control valve
- ☐ b. Double acting pneumatic cylinder
- ☐ c. Flow control valve
- ☐ d. 3/2 directional control valves operated by push buttons



سؤال 6

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

Pneumatic systems can support three kinds of motion; they are

اختر أحد الخيارات

- a. Linear, flowing, and rotary motion ☐
- b. Linear, zigzag, and spiral motion ☐
- c. Linear, reciprocating, and rotary motion ☐
- d. Linear, reciprocating, and random motion ☒

الصفحة التالية

تنقل الاختبار

8	7	6	5	4	3	2	1
16	15	14	13	12	11	10	9

The throttle valve controls the flow of fluid in one direction only.

attempt = 15/29818page = 10

PNEUMATIC AND HYDRAULIC DRIVE LAB

HYDRAULIC DRIVE LAB.-1 » General » الامتحان التمهيني

The throttle valve is used to control fluid flow in one direction only

Select one:

- ☐ True
- ☐ False

You are logged in as 31616018527 رضى محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

attempt / T52021

31

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 > General > الامتحان التمهيني

In an experiment (Control a hydraulic system of a double acting cylinder) the directional control valve is controlled by

Select one:

- ☐ a. All of them
- ☐ b. Electric relays and electric push buttons
- ☐ c. PLC controller
- ☐ d. Pneumatic push buttons and the pneumatic limit switch

You are logged in as 31015010527 ر.و.ي. محمد محمد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1



PNEUMATIC AND HYDRAULIC DRIVE

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان التصلي

5/2 way directional control valve has

Select one:

- ☐ a. 5 ports 2 positions
- ☐ b. 5 ports 5 positions
- ☐ c. 2 ports 5 positions
- ☐ d. 2 ports 2 positions

You are logged in as 31615018527 (Lo
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRI

الامتداد الزمني للمعجم

length=15/3818page=12

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 » General » الامتحان التمهيدى

A one-way valve that lets air into the reservoir of a compressor, but doesn't let it out, is a

Select one:

- ☐ a. Receiver valve
- ☐ b. Three way valve
- ☐ c. Control valve
- ☐ d. Check valve

You are logged in as 31615018527 د. محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

Flow control valve is used for

Select one:

- ☐ a.
Control the speed of the cylinder
- ☐ b.
None of the above
- ☐ c.
Control the power of the cylinder
- ☐ d.
Entry and exit of the cylinder

PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصلي

Flow control valve is used for

Select one:

- ☐ a.
Control the speed of the cylinder
- ☐ b.
None of the above
- ☐ c.
Control the power of the cylinder
- ☐ d.
Entry and exit of the cylinder

15/2/2018/page=1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 > General > الامتحان العملي

The pressure relief valve used in

Select one:

- ☒ a. Control or reduce pressure in the system
- ☐ b. All of them
- ☐ c. To protect pressure vessels and equipment from stresses those exceed their design limits
- ☐ d. Safety valve

You are logged in as 31615016527 (Log out)
2020/2018-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصفي

12

answered

out of 1.50

question

Pressure control valve is used for

Select one:

- ☐ a. Entry and exit of the cylinder
- ☐ b. Control the speed of the cylinder
- ☐ c. Control the power of the cylinder
- ☐ d. None of the above

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1


HYDRAULIC DRIVE LAB.-1 > General > (الأسئلة العامة)

The directional control valve used in the manipulated experiment to control the movement of the rotary axis (movement A) is

Select one:

- ☐ a. 4/3 Proportional directional control valve controlled by electrical signal
- ☐ b. 4/2 Proportional directional control valve controlled by hydraulic signal
- ☐ c. 5/2 Directional control valve controlled by electrical signal
- ☐ d. 4/2 Directional control valve controlled by electrical signal

You are logged in as 31615016527 (Log out)
2020/20/04/3-00/00072-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1



PNEUMATIC AND HYDRAULIC DRIVE LAB.-1


HYDRAULIC DRIVE LAB.-1 > General > (الأسئلة العامة)

The directional control valve used in the manipulated experiment to control the movement of the rotary axis (movement A) is

Select one:

- ☐ a. 4/3 Proportional directional control valve controlled by electrical signal
- ☐ b. 4/2 Proportional directional control valve controlled by hydraulic signal
- ☐ c. 5/2 Directional control valve controlled by electrical signal
- ☐ d. 4/2 Directional control valve controlled by electrical signal

You are logged in as 31615016527 (Log out)
2020/20/04/3-00/00072-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1



the directional control valve - x | the directional control valve - x | +

attempt=152981&page=18

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان العملي

We used a check valve with experimental control in the manipulated experiment
To keep the last step

Select one:

- ☐ True
☐ False

You are logged in as 31615018527 (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB

HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان التصليفي

Pneumatic systems can support three kinds of motion; they are

Select one:

- ☐ a. Linear, reciprocating, and rotary motion
- ☐ b. Linear, flowing, and rotary motion
- ☐ c. Linear, reciprocating, and random motion
- ☐ d. Linear, zigzag, and spiral motion

You are logged in as 31615018527 ردي محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

PNEUMATIC AND HYDRAULIC DRIVE LAB

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان التمهيلي

Pneumatic and hydraulic drive are used for

Select one:

- ☐ a. None of the above
- ☐ b. Control the direction of the cylinders
- ☐ c. Converting fluid pressure into movement energy
- ☐ d. Fluid pressure through external force

You are logged in as 31615018527 رزقي محمد سعد حسن (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

C AND HYDRAULIC DRIVE


HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان النصفي

Directional control valve is used for

Select one:

- ☐ a. Entry and exit of the cylinder
- ☐ b. Control the speed of the cylinder
- ☐ c. Control the power of the cylinder
- ☐ d. None of the above

You are logged in as 31615018527 روي محمد سعد عثمان (Logout)
2020/2019-3-30 103572-PNEUMATIC AND HYDRAULIC DRIVE



The following symbols represent to

Select one:

- ☐ a.
 - (1) Check valve
 - (2) relief valve
 - (3) needle valve
 - (4) 3/2 way directional control valve
- ☐ b.
 - (1) Check valve
 - (2) relief valve
 - (3) needle valve
 - (4) 2/3 way directional control valve
- ☐ c.
 - (1) Flow valve
 - (2) throttle valve
 - (3) pressure valve
 - (4) 2/3way directional control valve
- ☐ d.
 - (1) Check valve
 - (2) throttle valve
 - (3) needle valve
 - (4) 3/2way directional control valve

p/attempt=1529818?page=6

PNEUMATIC AND HYDRAULIC DRIVE LAB.-

PNEUMATIC AND HYDRAULIC DRIVE LAB.-1 ► General ► الامتحان التمهيدى

The symbol (3 or T) is used in the directional control valve to indicate

Select one:

- ☐ a. Control pilot line
- ☐ b. Power supply
- ☐ c. Working line (outlet)
- ☐ d. Drain / exhaust

You are logged in as 31615018527 روى محمد سعيد عثمان (Log out)
2020/2019-3-30103572-PNEUMATIC AND HYDRAULIC DRIVE LAB.-1

HYDRAULIC DRIVE LAB.-1 ▶

General ▶

الامتحان النصفى لاختبر القيادة الرئوية والهيدروليكية 3-31-
2021 الساعة 15.00-15.30

Question 7

Not yet answered

Marked out of 1.50

 Flag question

Pressure control valve is used for

Select one:

- ☒ a. Control the speed of the cylinder
- ☐ b. None of the above
- ☐ c. Control the power of the cylinder
- ☐ d. Entry and exit of the cylinder

[Next page](#)**QUIZ NAVIGATION**