

The revised BIS testing charges for IS 9968(Pt-2):2002 effective from 24-03-2017

BIS CENTRAL LABORATORY

(Electrical Department)

Our Ref: CL/E/IS 9968

18th Oct 2016

**TESTING CHARGES FOR IS 9968 (Part –II):1981 EL;ASTOMER INSULATED CABLES
PART II FOR WORKING VOLTAGE FROM 3.3 KV UPTO & INCLUDING 33 KV**

S.NO.	TESTS	MAN-HOURS
1.	General construction identification & marking	1
2.	Conductor	
	a) Diameter of wires	½
	b) Resistance to test	1
	c) Annealing test for Copper	1
	d) Persulphate test for copper	1
	e) Wrapping test for Aluminium	½
	f) Tensile strength for aluminium	1
3.	Radial thickness of insulation	½
4.	Radial thickness of inner sheath	½
5.	Radial thickness of outer sheath	½
6.	Physical test on insulation	

	a) Before ageing	1 ½
	i) Tensile strength & Elongation	
	b) After ageing in air over (Long time test)	2
	ii) Tensile strength & elongation	
7.	Physical test on inner sheath (General purpose for HOFR elastimeric compound)	
	a) Before ageing	
	i) Tensile strength and elongation	1 ½
	b) Oil resistance	
	ii) Tensile strength and elongation	2
8.	Physical test on outer sheath (Heavy duty HOFR elastimeric compound)	
	a) Before ageing	
	i) Tensile strength and elongation at break	1 ½
	ii) Tear Resistance	1
	iii) Tensile stress at 200 Percent elongation	1
	b) Oil Resistance	
	i) Tensile strength & elongation	2
9.	Physical test on inner Sheath (Type 5PVC compound)	
	i) Tensile strength I elongation	1 ½
	ii) Shrinkage	1
	iii) Hot deformation	1
	iv) Ageing	1
10.	Physical test on outer Sheath	

(Type 5 or 8 PVC Compound)

	i) Tensile strength I elongation	1 ½
	ii) Shrinkage	1
	iii) Hot deformation	1
	iv) Ageing	1
11.	Insulation Resistance at room temperature	1
12.	Insulation Resistance at operation temperature	1
13.	Dielectric power factor as a function of Voltage	1
14.	Dielectric power factor as a function of temperature	1
15.	High voltage test for four hours	1
16.	Test on steel armour wire/strips	4 ½
17.	Test on non magnetic armour wire/strips	2
	PREPARATION OF TEST REPORT	½
	TOTAL TIME :	41

Testing charges per man-hour are Rs. 300.00.

Electricity consumption: 250 Units @ Rs.9.00 per unit = Rs.2250.00

Hence complete testing charges for the product are: Rs.(41x300)+Rs.2250=Rs.14550.00

NOTE :

1. Testing charges have been computed only for tests for which testing facility is available at CL.

2. The testing charges given above are for single core cables. The multi core cables, additional charges at the rate of 25% for each additional core shall be levied above the rated single core charges for the additional tests.

3. IS 9968:Part 2:2002 permits the use of Elastomer or PVS for Inner Sheath or Outer Sheath. This does not cause any difference in testing charges.

K. R. Sharma

(LO-A)

OIC(E)

Head(CL)

As decided by CA, Complete testing charges are Rs.14450 for single core cables.

Excluding Partial discharge test, bending test followed by partial discharge test, Heating cycle test followed by partial discharge test, impulse withstand test.

For each additional core extra charges @25 % for each additional core shall be levied.

(Kshitij Bathla)
SC.B, LPPD

Head, LPPD
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1985 01 11

TESTING CHARGES FOR IS 9968(Part-II):1981 ELASTOMER INSULATED CABLES
PART II FOR WORKING VOLTAGE FROM 3.3 KV UPTO & INCLUDING 11 KV

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General construction, identification & marking	Sec. III & IV	1
2.	Conductor	3	
	a) Diameter of wires		½
	b) Resistance to test		1
	c) Annealing test for Copper		1
	d) Persulphate test for copper	1	
	e) Wrapping test for Aluminium		½
	f) Tensile strength for aluminium	1	
3.	Radial thickness of insulation	11.2	½
4.	Radial thickness of inner sheath	15.2	½
5.	Radial thickness of outer sheath	17.2	½
6.	Physical test on insulation	18.6	
	a) Before ageing		1½

i) Tensile strength

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

elongation

b) After ageing in air over (Long time test) 2

ii) Tensile strength & elongation

7. Physical test on inner sheath (General purpose for HOFR elastimeric compound) 9.1

a) Before ageing

i) Tensile strength and elongation 1½

b) Oil resistance

ii) Tensile strength & elongation 2

8. Physical test on outer sheath (Heavy duty HOFR elastomeric compound) 9.2

a) Before ageing

i) Tensile strength and elongation at break 1½

ii) Tear Resistance 1

(iii) Tensile stress at 200 percent elongation 1

b) Oil Resistance

i) Tensile strength & elongation 2

S NO	TESTS	CLAUSE REF.	MAN-HOURS
9.	Physical test on inner Sheath (Type 5PVC compound)	9.1.1	
	i) Tensile strength I elongation	1½	
	ii) Shrinkage	1	
	iii) Hot deformation	1	
	iv) Ageing	1	
10.	Physical test on outer Sheath (Type 5 or 8PVC compound)	9.2.1	
	i) Tensile strength I elongation	1½	
	ii) Shrinkage	1	
	iii) Hot deformation	1	
	iv) Ageing	1	
11.	Insulation Resistance at room temperature	18.7	1
12.	Insulation resistance at operation temperature	18.12	1
13.	Dielectric power factor as a function of Voltage	18.10	1
14.	Dielectric power factor as a function of temperature	18.11	1
15.	High voltage test for four hours	18.14	1
16.	Test on steel armour wire/strips	16	4½
17.	Test on non magnetic armour wire/strip	16	2

PREPARATION OF TEST REPORT

½

TOTAL TIME : 41

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.3075.00

NOTE:-

- a) The testing charges given above are for single core cables. The multicore cables, additional charges at the rate of 25% for each additional core shall be levied above the rated single core charges for the additional tests
- b) At present facility is not available in CL for carrying out
i) Short time heat ageing test by air-bomb method (18.6.2.1)
ii) Partial discharge test (18.8)
iii) Bending test followed by partial discharge test (18.9)
iv) Heat cycle test followed by partial discharge test (18.3) & (v) optional test (18.4)

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 9971:1981 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

OUR REF : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 9971:1981 LACTIC ACID, FOOD GRADE.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Identification	2.2	½
	i) Solubility	2.2.1	
	ii) Test for acid	2.2.2	
3.	Purity (C ₃ H ₆ O ₃)	2.4 i) of table 1	1
4.	Sulphated Ash	ii) "	3
5.	Chlorides	iii) "	½
6.	Sulphates (as SO ₄)	iv) "	4
7.	Citric, Oxalic, phosphoric and tartaric acids	v) "	½
8.	Sugars	vi) "	½
9.	Readily Carbomizable substances	vii) "	½
10.	Volatile fatty acids	viii) "	½
11.	Cyamide	ix) "	1
12.	Methanol	x) "	1½
13.	Iron (as Fe)	xi) "	1
14.	Heavy metals (as Pb)	xii) "	4
15.	Arsenic (as As)	xiii) "	2
16.	Packing, & marking	3.1 & 3.3	½
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 22

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : **Rs.6600.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1991 03 20

TESTING CHARGES FOR IS 9971:1981 LACTIC ACID, FOOD GRADE.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Identification	2.2	½
	i) Solubility	2.2.1	
	ii) Test for acid	2.2.2	
3.	Purity (C ₃ H ₆ O ₃)	2.4 i) of table 1	1
4.	Sulphated Ash	ii) "	3
5.	Chlorides	iii) "	½
6.	Sulphates (as SO ₄)	iv) "	4
7.	Citric, Oxalic, phosphoric and tartaric acids	v) "	½
8.	Sugars	vi) "	½
9.	Readily Carbomizable substances	vii) "	½
10.	Volatile fatty acids	viii) "	½
11.	Cyamide	ix) "	1
12.	Methanol	x) "	1½
13.	Iron (as Fe)	xi) "	1
14.	Heavy metals (as Pb)	xii) "	4
15.	Arsenic (as As)	xiii) "	2
16.	Packing, & marking	3.1 & 3.3	½

PREPARATION OF TEST REPORT

½

TOTAL TIME : 22

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : **Rs.1650.00**

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1992 03 12

TESTING CHARGES FOR IS 10013 (PART-II):1981 WATER SOLUBLE TYPE WOOD PRESERVATIVES PART-II COPPER CHROME-ARSENIC (CCA) WOOD PRESERVATIVE.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Arsenic Pentoxide content	2.1	2½
----	---------------------------	-----	----

2.	Copper sulphate content		2
----	-------------------------	--	---

3.	Sodium Dichrome OR Potassium Dichromate		1½
----	---	--	----

	PREPARATION OF TEST REPORT		½
--	----------------------------	--	---

TOTAL TIME :			7
--------------	--	--	---

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.525.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD

The BIS testing charges for IS 10025:1981 effective from 12-02-2018
BIS NROL Mohali

OUR REF: NROL

29-09-2017

TESTING CHARGES FOR IS 10025:1981 POLISH LIQUID (WHITE) FOR CANVAS FOOTWEAR

Sr.No.	Requirements	Clause ref. of IS	Man-Hours	Electricity Power Consumption (KWH)	Consumable
1.	Composition Description		½		
2.	Odour		½		
3.	Colour		½		
4.	Consistency		½		
5.	Stability		1		
6.	Applicability		1		52.00
7.	Soluble colouring matter		1		
8.	Non-Volatile matter		1	4K _w x 9.00=36.00	
9.	ph		1	4K _w x 9.00=36.00	52.00
10.	Keeping Quality		7		
	PREPARATION OF TEST REPORT		1		
Total			15	72.00	104.00

Electricity cost @ ₹ 9.00 per kwh

Testing charges per man-hour are ₹ 300.00.

Hence complete testing charges for the product are: **Total ₹ 4676.00 (Rounding off to ₹ 4680.00)**

As decided by Competent Authority, the testing charges for the product are Rs 4680/-

(Ankita Tripathi)
Sc.B, LPPD

HLPPD
DDG (Labs)

[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1986 11 06

TESTING CHARGES FOR IS 10038:1981 TEXTURED PLANT PROTEIN FOODS
PREPARED BY EXTRUSION COOKING

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Raw Material (if tested) (Determination of protein)	3.1 & 3.5	3
2.	Description	3.2	½
3.	Water Absorption capacity	3.3	1
4.	Texture Stability	3.4	1½
5.	Protein	3.6 & i) of table 1	2
6.	Moisture	ii)	1
7.	Calories per 100 g	iii)	1
8.	Total ash	iv)	2
9.	Acid Insoluble Ash	v)	1
10.	Crude Fiber (on dry basis)	vi)	3
11.	Total Bacterial count	vii)	3
12.	Coliform count	viii)	3
13.	Salmonella, bacteria	ix)	3
14.	Protein efficiency ratio	3.6.1	Facilities not available at present at CL.
15.	*Aflatoxin	3.6.2	do
16.	*Gossypol	3.6.3	do
17.	*Urease activity	3.6.4	do
18.	*Oxalic Acid	3.6.5	do

TOTAL TIME : 26

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product excluding raw material testing are : Rs.1950.00

If protein in the raw material is determined, additional amount of Rs.225.00 shall be chargeable.

To be determined when flours of groundnut, cottonseed, soys and sesame respectively are used in making the TPPF.

Facilities for protein efficiency ratio, Aflatoxin, gossypol, urease activity and oxalic acid are presently not available in CL

APPROVED BY THE COMPETENT AUTHORITY.

_BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1988 11 30

TESTING CHARGES FOR IS 10051:1981 PVC INSULATED/WINDING WIRES FOR
SUBMERSIBLE MOTORS FOR 105°C OPERATION.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dia meter of conductor	4.1	½
2.	Elongation test on conductor	7.2	½
3.	Resistance test on conductor	7.3	1
4.	Overall diameter of wire	5.4	½
5.	Thickness of insulation	5.3	½
6.	Physical tests for insulation	7.5	2
7.	Ageing test on insulation	7.5	1
8.	Shrinkage test	7.5	½
9.	Hot deformation test	7.5	1
10.	Heat shock test	7.5	1
11.	Long term heat ageing test	7.5	12
12.	Softness number	7.5	Presently facility not available at CL.
13.	High voltage test	7.6	1
14.	Insulation resistance	7.8	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		23

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product excluding softness number are : Rs.1725.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1987 03 26

TESTING CHARGES FOR IS 10074:1982 COMPACTION MOULD ASSEMBLY FOR
LIGHT AND HEAVY COMPACTION TEST FOR SOILS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Material for	2.1	
	a) Mould	As per IS 318:1962	
	b) Collar	do IS 292:1961	
	c) Base plate	do IS 513:1973 only observation to be reported.	
2.	Construction, type and Dimensions	3.1, 4.1 & 4.2	5

PREPARATION OF TEST REPORT ½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product excluding material testing are : Rs.450.00

If samples for material are received separately and to be tested, charges shall be livable as per the relevant Indian Standard Specifications to which the testing is done.

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10080:1982 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 10080:1982 VIBRATION MACHINE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material of components	2.1	1½
2.	Construction	3.1, 3.2 & 3.3	3
3.	Mould (as per IS 10086:1982)	3.4	6
	PREPARATION OF TEST REPORT		½
		TOTAL TIME :	11

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : **Rs.3300.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1990 08 20

TESTING CHARGES FOR IS 10080:1982 VIBRATION MACHINE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material of components	2.1	1½
2.	Construction	3.1, 3.2 & 3.3	3
3.	Mould (as per IS 10086:1982)	3.4	6
PREPARATION OF TEST REPORT			½
TOTAL TIME :			11

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.825.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10086:1982 effective from 24-03-2017

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

TESTING CHARGES FOR IS 10086:1982 Amnd-5
Moulds for use in tests of cement and concrete

SI.No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of Consumable including reference material wherever applicable
1.	Material	3	As per relevant ISS		

Remarks: Testing charges for the material shall be levied as per relevant ISS referred.

CA may kindly approve.

**Anita Goel
LO-B**

Sc -B (Chem)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 2016 12 09

TESTING CHARGES FOR IS 10086:1982 (Amnd-5) MOULDS FOR USE IN TESTS OF CEMENT AND CONCRETE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions & Tolerances	4	
	a) Cube Moulds of 50, 100, 150, 225 & 300 mm sizes	Table 2	6
	b) Cylindrical mould of 150 mm diameter & 300 mm height	Table 3	6
	c) Beam Moulds of 100 x 100 x 500 mm and 150 x 150 x 700mm	Table 4	8

d) Bar moulds of 25 x 25 mm Table 5 8
size 250 mm off active
length

e) Mould of 75 x 75 mm size 8
150 to 300 mm length

2. Tamping Red 6.1 4

3. Gauging Trowel 6.2 4

4. Trowel 6.3 4

PREPARATION OF TEST REPORT 1

TOTAL TIME : 49

Testing charges per man-hour are Rs. 300.00. Hence Testing Charges are Rs. 14700.00 and material testing charges as per relevant referred ISs.

OIC (Mech)

OIC (QA)

Head (CL)

DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1990 08 20

TESTING CHARGES FOR IS 10086:1982 MOULDS FOR USE IN TESTS OF CEMENT
AND CONCRETE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
*1.	Dimensions & Tolerances	4	
	a) Cube Moulds of 50, 100, 150, 225 & 300 mm sizes	Table 2	6
	b) Cylindrical mould of 150 mm diameter & 300 mm height	Table 3	6
	c) Base Moulds of 100 x 100 x 500 mm and 150 x 150 x 700mm	Table 4	8
	d) Bar moulds of 25 x 25 mm size 250 mm off active length	Table 5	8
	e) Mould of 75 x 75 mm size 150 to 300 mm length		8
2.	Tamping Rod	6.1	4
3.	Gauging Trowel	6.2	4
4.	Trowel	6.3	4
	PREPARATION OF TEST REPORT		½

Testing charges per man-hour are Rs. 75.00.

Testing charges will be levied depending upon the tests to be carried out.

Note:- *Facility of Planeness of surface not available at CL.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)

Our Ref : Lab/14:0

2001-05-22

TESTING CHARGES FOR IS 10109:1981 OIL PRESSURE STOVES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Capacities	3.1	0.5
2.	Shape & Dimensions	5.1 to 5.4	0.5
3.	Construction	6.1 to 6.7	1
4.	Strength	6.8	1
5.	Workmanship & finish	7.1 to 7.4	6
6.	Air pressure test	11.1.1	2
7.	Safety pressure test	11.1.2	2
8.	Bursting pr. Test	11.1.3	2
9.	Thermal efficiency test	11.2	7
10.	Surface temperature	11.3	3.5
11.	Fuel temperature	11.3	3.5
12.	Comb. Efficiency	11.4	0.5
13.	Resistance to draught	11.5	1
14.	Fuel creep	11.6	0.5
15.	Material	4.1 to 4.6	*
16.	Burner Assembly	6.2.1	*

PREPARATION OF TEST REPORT 2

TOTAL TIME : 33

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2475.00

* These shall be tested as per IS 8808 and testing charges shall be leived accordingly.

APPROVED BY THE COMPETENT AUTHORITY.

Testing charges of IS 10116-Boric Acid

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/ Size)	Cl. Ref. of IS	Requirement/ Description	Time* (Hours)	Power Consumption (if intensive) (in Kwh)	Consumable cost (if significant) (in Rupees)	Remarks
10116			2015	Boric Acid-Specification	Special Quality, Technical, Explosive Grade						
						Cl. 4.1,4.2,	Description	0.25	-	-	
						Cl. 4.2,4.3 and 4.4, Table 1	i) Boric acid	1	1	100	
						-do-	ii) Moisture	1	7	-	
						-do-	iii) Water Insoluble Matter	1.5	4	-	
						-do-	iv) Heavy metals	1.5	1	75	
						-do-	v) Iron	1	-	50	
						-do-	vi) Calcium	1	-	50	
						-do-	vii) Arsenic	2	1	50	
						-do-	viii) Sodium	1	1	100	
						-do-	ix) Chloride	1	-	150	
						-do-	x) Sulphate	1	1	50	
						-do-	xi) Phosphate	1	1	75	
							Report Preparation	1			
								14.25	17	700	

Testing Charge for Boric Acid- a) **Special Quality (SQ) Grade**= 13.25x300+10x9+700 =Rs. 4765/-= Rs. 4800/- (Rounded off)

Testing Charge for Boric Acid- b) **Technical (TECH) Grade**= 5.25x300+9x9+300 =Rs. 1956/-= Rs. 2000/- (Rounded off)

Testing Charge for Boric Acid- c) **Explosive Grade**= 6.25x300+9x9+350 =Rs. 2306/-= Rs. 2300/- (Rounded off)

Rajendra
Kumar
Palsania
Lab Officer-
B

OIC(Chem)

Head, CL
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1991 06 14

TESTING CHARGES FOR IS 10119:1982 READY TO USE INSECTICIDES FOR
SPOT APPLICATION (AMENDMENT NO.1&2)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Insecticide content	2.2 Table 1	
	i) Malathion	5	
	ii) Fenthion	5	
	iii) Propoxur	12	
	iv) Lindane	5	
	v) Chlordane	5	
3.	Flash point (Abel)	2.3	1
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 34

Testing charges per man-hour are Rs. 75.00.

The complete testing charges will depend upon the type of Insecticide used.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
The revised BIS testing charges for IS 10124 (Pt-1):2009 effective from 07-11-2016

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

22 June 2016

TESTING CHARGES FOR IS 10124 (PT.1):2009 FABRICATED PVC-U FITTINGS
FOR PORTABLE WATER SUPPLIES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

IS 10124 (Part-1):1988 GENERAL REQUIREMENTS

1.	Material	3	As per IS 4985
2.	Socket length and diameter at mid-point of socket length	5.1	1½
3.	Opacity	6.1	1
4.	Shorttern hydraulic test	6.2	2
	PREPARATION OF TEST REPORT		½

TOTAL TIME :	----- 5 -----
--------------	---------------------

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs.1500.00

Material testing, if required, shall have charges as per IS 4985:1988

Mitrasen Verma,

OIC (M)

Head(CL) - DDG (Labs) may kindly approve the testing charges.

As decided by Competent Authority, the testing charges for the product are Rs.1500.00

(Kshitij Bathla)
Sc.B, LPPD

HLPPD/DDG (Labs)

The revised BIS testing charges for IS 10124 (Pt-2):2009 effective from 24-03-2017

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

22-11-2016

IS 10124 (Part-2):2009 (Amnd-nil) Fabricated PVC-U Fittings for Potable Water Supplies - Specification
Part 2 Specific Requirements for Sockets

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General Requirements	3.1	4*
2.	Shape and dimensions	3.2.2	1
3.	Marking	4.1	1
TOTAL TIME :			6

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs.1800.00

*requirement as per IS 10124 (pt-1).

Material testing, if required, shall have charges as per IS 4985.

Mehtab Singh
LO-A

OIC (Mech)
OIC(QA)
Head (CL)
DDGL

Please Refer to Revised Testing Charges mentioned above

[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1991 05 07

TESTING CHARGES FOR IS 10124 (PT.1 TO 13):1988 FABRICATED FITTINGS
FOR PORTABLE WATER SUPPLIES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

IS 10124 (Part-1):1988 GENERAL REQUIREMENTS

1.	Material (if required to be tested (PVC pipes used)	2.1	As per IS 4985:1988
2.	Socket length and diameter at mid-point of socket length	4.1	1½
3.	Opacity	5.1	1
4.	Shorttern hydraulic test	5.2	2

PREPARATION OF TEST REPORT ½

TOTAL TIME : 5

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.375.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-2):1988 SPECIFIC REQUIREMENTS FOR SOCKETS

1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.2.2	1
3.	Marking	3.1	½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.450.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-3):1988 SPECIFIC REQUIREMENTS FOR STRAIGHT REDUCER

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.2.2	1½
3.	Marking	3.1	½

TOTAL TIME : 7

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.525.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-4):1988 SPECIFIC REQUIREMENTS FOR CAP

1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.2.2	1
3.	Marking	3.1	½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.450.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-5):1988 SPECIFIC REQUIREMENTS FOR EQUALITIES

1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.2.2	1
3.	Marking	3.1	½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.450.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-6):1988 SPECIFIC REQUIREMENTS FOR FANGED TAIL
PIECES WITH METALLIC FLAINGES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.2.2 & 2.2.3	2
3.	Material of metal flanges (if tested)	2.2.4 As per IS 210:1978 (for grade FG 150)	
4.	Marking	3.1 ½	
TOTAL TIME :			7

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.525.00

Material of metallic flange, if to be tested, shall have charges as ☐
per IS 210 : 1978 Material of tail piece, if to the tested, shall ☐
have charges as per IS : 4985:1988

_IS 10124 (Part-7):1988 SPECIFIC REQUIREMENTS FOR THREADED ADAPTORS__

1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.3.2	2
3.	Marking	3.1 ½	
TOTAL TIME :			7

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.525.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-8):1988 SPECIFIC REQUIREMENTS FOR 90_ø_ BENDS_

1. General Requirements	2.1	4½
2. Shape and dimensions	2.2	1
3. Marking	3.1	½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.450.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-9):1988 SPECIFIC REQUIREMENTS FOR 60° BENDS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.2	1
3.	Marking	3.1	½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.450.00

Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-10):1988 SPECIFIC REQUIREMENTS FOR 45° BENDS

1. General Requirements	2.1	4½
2. Shape and dimensions	2.2	1
3. Marking	3.1	½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.450.00
Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-11):1988 SPECIFIC REQUIREMENTS FOR 30° BENDS

1. General Requirements	2.1	4½
2. Shape and dimensions	2.2	1
3. Marking	3.1	½

TOTAL TIME : 6

cont...5

: 5 :

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.450.00
Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-12):1988 SPECIFIC REQUIREMENTS FOR 22½° BENDS

S NO	TESTS	CLAUSE REF.	MAN-HOURS

1.	General Requirements	2.1	4½
2.	Shape and dimensions	2.2	1
3.	Marking	3.1	½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.450.00
Material testing, if required, shall have charges as per IS 4985:1988

IS 10124 (Part-13):1988 SPECIFIC REQUIREMENTS FOR 11½° BENDS

1. General Requirements	2.1	4½
-------------------------	-----	----

2. Shape and dimensions 2.2 1

3. Marking 3.1 ½

TOTAL TIME : 6

Testing charges per man-hour are Rs. 75.00

Hence complete testing charges for the product are : Rs.450.00

Material testing, if required, shall have charges as per IS 4085:1988

APPROVED BY THE COMPETENT AUTHORITY.

_BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1987 04 20

TESTING CHARGES FOR IS 10126:1986 SPARKLERS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	5.1	1
2.	Length, mass & Diameter	5.2	1
3.	Burning rate	5.3	1
4.	Residue on burning	5.4	½
5.	Chlorate contents	5.5	½
6.	Damp proofness	5.6	1
7.	Material of wire	5.7	1
8.	Test for stability	5.8	1
PREPARATION OF TEST REPORT			½
TOTAL TIME :			8

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.600.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1992 07 29

TESTING CHARGES FOR IS 10146:1982 POLYETHYLENE FOR ITS SAFE USE IN
CONTACT WITH FOODSTUFFS, PHARMACEUTICALS AND DRINKING WATERS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Basic Material and Resin	3.1 & 3.2	As per relevant ISS
2.	Pigments & Colorants	3.3	do
3.	Overall Migration	3.4	3
4.	Packing & Marking	4	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		4

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.300.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1990 09 14

TESTING CHARGES FOR IS 10198:1982 CARBON STEEL, SAFETY RAZOR BLADE
(INCORPORATING AMENDMENT NO. 1&2)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Type	3.1	½
2.	Chemical composition	4.1	
	a) Carbon	1	
	b) Manganese	1½	
	c) Silicon	2½	
	d) Sulphur	2	
	e) Phosphorus	2	
	f) Chromium	2½	
3.	Shape and dimensions	5	6
4.	Workmanship and finish	6	2
5.	Hardness test	9.1	2
6.	Flexibility test	9.2	1
7.	Microscopic examination	9.3	1
8.	Final level angle test	9.4	1
9.	Performance test	9.5	2
10.	Visual examination	A-2	½
11.	Marking & Packing	10 & 11	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		29

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2175.00

NOTE:- In case separate steel strip is received and tested to check conformity to IS 9476:1980 charges shall be levied as per IS 9476:1980.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

2001 05 22

TESTING CHARGES FOR IS 10204:1982 PORTABLE FIRE
EXTINGUISHERS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Capacity	2.1	0.5
2.	Materials	4	
	i) Steel Sheets	4.	*As per IS 513:94
	ii) Lead Tin bronze	4.1	*As per IS 318:81
	iii) Extruded brass	4.3	*As per IS 319:89
	iv) Rubber	4.4	*As per IS 5382:85
	V) Plastics	4.5	As per Appendix B of IS 10204
	vi) Spring	4.6	*As per IS 4454:81
	vii) Piercer	4.7	*As per IS 6528:95
	viii)Hose	4.8	2
	ix) Syphon tube	4.9	*As per IS 407:81/ IS 3601:84
3.	Shape	5	0.5
4.	Construction	6.1 to 6.10	10
5.	Charge	7	*As per IS 4989(pt.2):84
6.	Testing Connection	8	1
7.	Anti corrosive treatment	9	
	i) Visual		0.5
	ii) Material		*As per ISS
8.	Painting(Except confirming to IS 3537)	10	0.5
9.	Test requirements	11	4
PREPARATION OF TEST REPORT			3
TOTAL TIME :			22

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1650.00 excluding for *

* Materials if supplied shall be tested as per relevant ISS as mentioned above and charges shall be levied accordingly. The testing charges for all these ISS have already been approved.

APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 10212(P-1):1986 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/10212-1

13-

03-2018

Based on the inputs received from testing section, the testing charges as per **IS 10212 (Part-1):1986 (Amnd-1)**

GENERAL REQUIREMENTS FOR PACKAGES OF EXPLOSIVES: PART 1 COMMERCIAL HIGH EXPLOSIVES is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
1.	Bursting Strength	Cl. 5.3 & Table-2	*	-	-	-
2.	Water absorption	Cl. 5.3 & Table-2	1	-	-	-
3.	Dimension	Appendix A	1	-	-	-
	Report Preparation		1	-	-	-
	Total		3	-	-	-

*Test facility not available at CL.

Testing charges = 3 x 300 = Rs. 900.00 excluding Bursting Strength.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 900/- excluding bursting strength.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 10228:1982 effective from 12-02-2018
BUREAU OF INDIAN STANDARDS
Patna Branch Office Laboratory

TESTING CHARGES FOR IS 10228:1982 ; SCHOOL BAG

Sl No.	TESTS	CLAUSE REF.	MAN- HOURS
1	Shape & Dimensions	3	2
2.	Material	4	As per relevant ISS
3.	Manufacture, Workmanship and Finish	5	1
4.	Tests	7	
	a) Drop	7.1	2
	b) Handle snatch	7.2	2
5.	Marking & Packing	8 & 9	1
	PREPARATION OF TEST REPORT		1
		Total time :	----- 9

Testing charges per man- hour are Rs. 300/-

Hence complete testing charges for the product are: Rs. 2700/-

As decided by Competent Authority, the testing charges for the product are Rs 2700/- + charges as per relevant ISS.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1992 05 21

TESTING CHARGES FOR IS 10228:1982 SCHOOL BAG

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Shape & Dimensions	3	1½
2.	Material	4 AS per relevant ISS (Complete test facilities not available at CL.)	
3.	Manufacture, Workmanship and Finish	5	1
4.	_ Tests_	7	
	a) Drop	7.1	1½
	b) Handle snatch	7.2	2
5.	Marking & Packing	8 & 9	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :	7	

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.525.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10238:2001 effective from 24-03-2017

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

22-11-2016

TESTING CHARGES FOR IS 10238:2001 Fasteners - Threaded Steel Fastener - Step Bolts for Steel Structures

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Dimensions & Tolerance	3	1½
2.	Grade	4	5*
3.	Mechanical properties	5	
	a) Tensile Test	4	
	b) Hardness Test	2	
4.	Cantilever test	10	5*
5.	General requirements for nuts	7	½
6.	Galvanizing test for nuts and bolts	8	5
	PREPARATION OF TEST REPORT		1
	TOTAL TIME :		24

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs.7200.00

*complete test facility not available.

APPROVED BY THE COMPETENT AUTHORITY.

Mehtab Singh
LO-A

OIC (Mech)
OIC(QA)
Head (CL)
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1990 10 09

TESTING CHARGES FOR IS 10238:1982 STEP BOLTS FOR STEEL STRUCTURES
(INCORPORATING UPTO AMENDMENT NO.3)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions & Tolerance	2	1½
2.	Grade	3 5 (Complete testing facilities not available at CL)	
3.	Mechanical properties	4	
	a) Tensile Test	4	
	b) Hardness Test	2	
4.	Cantilever test	7 5 (Complete testing facilities not available at CL)	
5.	General requirements for nuts	6.1	½
6.	Galvanizing test for nuts and bolts	6.2	5
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		24

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1800.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1994 01 17

TESTING CHARGES FOR 2,4-D ETHYL ESTER EC AS PER IS 10243:1993

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.2	½
2.	Identity Test	3.3	6
3.	Cold Test	3.4.1	1
4.	Flash point (Abel)	3.4.2	1
5.	Emulsion stability	3.4.3	1
6.	Heat stability	3.4.4	5½
7.	2, 4-D Ethyl Ester content	3.5.1	6
8.	Free 2, 4-D	3.5.2	1
PREPARATION OF TEST REPORT			½

TOTAL TIME : 23

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows

i) When material has not crossed half of its shelf-life :Rs.1650.00

ii) When material has crossed half of its shelf-life :Rs.1275.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:

|

**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 10243:1993 – 2,4-D ETHYL
ESTER EC

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2	0.5
2	Identity Test	3.3	2
3	Cold test	3.4.1	0.5
4	Flash Point(Abel)	3.4.2	0.5
5	Emulsion Stability	3.4.3	0.5
6	2,4-D Ethyl Ester Content	3.5.1	2.5
7	Free 2,4 D	3.5.2	1
PREPARATION OF TEST REPORT			1
TOTAL TIME			8.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2550/-
COST OF CRM	Rs. 200/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2750/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

17 Apr 2006

TESTING CHARGES FOR 2,4-D ETHYL ESTER (WP) AS PER IS 10244:92

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of consumables including reference material where- ever applicable
A.	TEST PARAMETERS				
1.	Description	3.2	0.5		
2.	Identity test	3.3	6	6kwh	200.00
3.	2,4-D content	3.4, table1, item no.i)	6	6kwh	200.00
4.	Sieving after accelerated storage	3.4, table 1, item no.ii)	1	1kwh	--
5.	Suspensibility	3.4, table 1, item no.iii)	7	6kwh	200.00
6.	Free acidity	3.4, table 1, item no.iv)	2	-	100.00
7.	Wettability	3.4, table 1, item no.v)	0.5	-	-
B.	Electricity power consumed			19kwh	
C.	Cost of Consumables/CRMs				700.00
D.	PREPARATION OF TEST REPORT		1		
	TOTAL	TIME	24		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.75x24+19x4+700 = Rs.2576/- (rounded Rs.2580..00)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1984 03 14

TESTING CHARGES FOR IS 10258:1982 STERILE HYPODERMIC SYRINGES FOR
SINGLE USE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material & Manufacture	3 & 4	½
2.	*Freedom from pyrogenic material	5 Facilities not available in CL	
3.	*Abnormal toxicity	6	-do-
4.	Freedom from extraneous material	7	½
5.	Limits for extractable matter		
	a) pH of syringe	8.2.1 & 8.2.2	1
	b) Alkalinity of glass	8.2.3	3½
	c) Limits for extractable metals (Pb,Sn,Zn, Fe,Cd estimation)	8.3	10
6.	*Effect of lubricants	9	Facilities not available in CL
7.	Size & dimensions of syringe	10	1½
8.	Nozzle	11	½
9.	Graduations,position of scale numbering, finger and position	12 , 13 & 14	1
10.	Dead space volume	15	½
11.	Leakage test	16	
	a) Between luer nozzle and needle hub	³ _—	
	b) Between barrel and piston	³ _—	1
12.	Sterility test	17	As per IS 10150:1981

13. Packing & Marking	18 & 19	½
-----------------------	---------	---

PREPARATION OF TEST REPORT

TOTAL TIME : 21

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1575.00 plus the charges as per IS:10150:1981 for sterility test.

* Charges for the tests for which facilities do not exist in CL have not been included.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1983 11 08

TESTING CHARGES FOR IS 10269:1982 HAEMOCYTOMETER COUNTING CHAMBER
CLINICAL AND DIAGNOSTIC APPARATUS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Design and Dimensions	3.1 & 3.2	2
2.	Transverse and longitudinal grooves	4 & 5	1
3.	Flatness of upper surfaces of slides	6.1 & 6.2	2
4.	Depth of chamber	7.1 & 7.2	$\frac{1}{2}$
5.	Rulings (Position, type and accuracy)	6.1, 8.2 & 8.3	2
6.	Methalyze markings & films	8.4	$\frac{1}{2}$
7.	Cover Glasses	9.1 to 9.5	2
8.	Pipettes (if supplied alongwith haemocytometer)	9.6 As per IS 3742:1966	
	PREPARATION OF TEST REPORT		$\frac{1}{2}$

TOTAL TIME : 11

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product excluding pipettes (Sl. No. 8) are : Rs.825.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q. A. DEPARTMENT]

OUR REF : LAB/14:O

2002 01 07

TESTING CHARGES FOR IS 10319:1982 ETHION EMULSIFIABLE CONCENTRATES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Cold Test	2.2.2	1
2.	Flash Point	2.2.3	1
3.	Emulation stability	2.2.4	1
4.	Ethane content (By IR)	2.3.1	6
5.	Acidity	2.3.2	1

PREPARATION OF TEST REPORT 0.5

TOTAL TIME (Rounded) 11

The cost of CRM Rs.200.00

Testing charges per man-hour are Rs. 75.00. Hence complete testing charges for the product are :
Rs.1025.00(Including cost of CRM)

DG may kindly approve.

(V.K. Sethi)
TS(QA)

D&H(QA)
DDGL
ADGT
DG

REVISED TESTING CHARGES IS PLACED BELOW:

**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 10319:1982 – ETHION EC

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.2.1	0.5
2	Cold test	2.2.2	0.5
3	Flash Point(Abel)	2.2.3	0.5
4	Emulsion Stability	2.2.4	0.5
5	Ethion Content	2.3.1	2.5
6	Acidity/Alkalinity	2.3.2	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	6.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1950/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2450/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

The BIS testing charges for IS 10322 (Part 5/Sec 1):2012effective from 27-11-2018

BUREAU OF INDIAN STANDARDS

(Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC/10322-5-1

Date: 02/11/2018

Testing Charges for **Fixed General Purpose Luminaires** as per **IS 10322 (Part 5/Sec 1):2012**

Sl. No.	Characteristics	Clause No. IS 10322-5-1 (IS 10322-1)	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ Rs.300/-	kWh	Cost @ Rs.9/-		
1	Marking	6 (3)	5				1,500.00
2	Construction (Pl. see Note-1)	7 (4)	50	600	5,400.00		20,400.00
3	Creepage distances and clearances	8 (11)	2				600.00
4	Provision for earthing	9 (7)	4				1,200.00
5	Terminals	10 (14&15)	29				8,700.00
6	External and internal wiring	11 (5)	7				2,100.00
7	Protection against electric shock	12 (8)	4				1,200.00
8	Endurance tests and thermal tests	13 (12)	32	200	1,800.00		11,400.00
9	Resistance to dust and moisture	14 (9)	22	100	900.00		7,500.00
10	Insulation resistance and electric strength	15 (10)	6				1,800.00
11	Resistance to heat, fire and tracking (Pl. see Note-2)	16 (13)	8				2,400.00
12	Photometric test (Pl. see Note-3)	17					0.00
13	Preparation of Test Report		4				1,200.00
TOTAL			173		8,100.00		60,000.00

Note:

- 1) Excluding Vibration Test as per Cl. 4.20 & UV Radiation as per Cl. 4.24 of IS 10322-1.
- 2) Excluding Needle Flame Test as per Cl. 13.3.1 of IS 10322-1.
- 3) Excluding Photometric Test as per Cl. 17 of IS 10322-5-1.

Testing charge per man-hour is Rs.300.00. Hence testing charges for **Fixed General Purpose Luminaires** are:

Total : 173 X 300.00 + 8,100.00 = **Rs. 60,000.00**

(V Ravichandar)
OIC(E)

HBNBOL
HLPPD
DDGL

The BIS testing charges for IS 10322 (Part 5/Sec 2):2012effective from 27-11-2018

BUREAU OF INDIAN STANDARDS

(Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC/10322-5-2

Date: 02/11/2018

Testing Charges for **Recessed Luminaires** as per **IS 10322 (Part 5/Sec 2):2012**

Sl. No.	Characteristics	Clause No. IS 10322-5-2 (IS 10322-1)	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ Rs.300/-	kWh	Cost @ Rs.9/-		
1	Marking	6 (3)	5				1,500.00
2	Construction (Pl. see Note-1)	7 (4)	50	600	5,400.00		20,400.00
3	Creepage distances and clearances	8 (11)	2				600.00
4	Provision for earthing	9 (7)	4				1,200.00
5	Terminals	10 (14&15)	29				8,700.00
6	External and internal wiring	11 (5)	7				2,100.00
7	Protection against electric shock	12	1				300.00
8	Endurance tests and thermal tests	13 (12)	32	200	1,800.00		11,400.00
9	Resistance to dust and moisture	14 (9)	22	100	900.00		7,500.00
10	Insulation resistance and electric strength	15 (10)	6				1,800.00
11	Resistance to heat, fire and tracking (Pl. see Note-2)	16 (13)	8				2,400.00
12	Photometric test (Pl. see Note-3)	17					0.00
13	Preparation of Test Report		4				1,200.00
TOTAL			170		8,100.00		59,100.00

Note:

- 1) Excluding Vibration Test as per Cl. 4.20 & UV Radiation as per Cl. 4.24 of IS 10322-1.
- 2) Excluding Needle Flame Test as per Cl. 13.3.1 of IS 10322-1.
- 3) Excluding Photometric Test as per Cl. 17 of IS 10322-5-2.

Testing charge per man-hour is Rs.300.00. Hence testing charges for **Recessed Luminaires** are:

Total : 170 X 300.00 + 8,100.00 = **Rs. 59,100.00**

(V Ravichandar)
OIC(E)

HBNBOL
HLPPD
DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 59,100/- excluding vibration test, UV radiation test, needle flame test and photometric test.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDGL

The BIS testing charges for IS 10322 (Part 5/Sec 3):2012effective from 27-11-2018

BUREAU OF INDIAN STANDARDS

(Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC/10322-5-3

Date: 02/11/2018

Testing Charges for **Luminaires for Road & Street Lighting** as per **IS 10322 (Part 5/Sec 3):2012**

Sl. No.	Characteristics	Clause No. IS 10322-5-3 (IS 10322-1)	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ Rs.300/-	kWh	Cost @ Rs.9/-		
1	Marking	6 (3)	5				1,500.00
2	Construction (Pl. see Note-1)	7 (4)	59	600	5,400.00		23,100.00
3	Creepage distances and clearances	8 (11)	2				600.00
4	Provision for earthing	9 (7)	4				1,200.00
5	Terminals	10 (14&15)	29				8,700.00
6	External and internal wiring	11 (5)	7				2,100.00
7	Protection against electric shock	12 (8)	4				1,200.00
8	Endurance tests and thermal tests	13 (12)	32	200	1,800.00		11,400.00
9	Resistance to dust and moisture	14 (9)	22	100	900.00		7,500.00
10	Insulation resistance and electric strength	15 (10)	6				1,800.00
11	Resistance to heat, fire and tracking (Pl. see Note-2)	16 (13)	8				2,400.00
12	Photometric test (Pl. see Note-3)	17					0.00
13	Preparation of Test Report		4				1,200.00
TOTAL			182		8,100.00		62,700.00

Note:

- 1) Excluding Vibration Test as per Cl. 4.20 & UV Radiation as per Cl. 4.24 of IS 10322-1.
- 2) Excluding Needle Flame Test as per Cl. 13.3.1 of IS 10322-1.
- 3) Excluding Photometric Test as per Cl. 17 of IS 10322-5-3.

Testing charge per man-hour is Rs.300.00. Hence testing charges for **Luminaires for Road & Street Lighting** are:

Total : 182 X 300.00 + 8,100.00 = **Rs. 62,700.00**

(V Ravichandar)
OIC(E)

HBNBOL
HLPPD
DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 62,700/- excluding vibration test, UV radiation test, needle flame test and photometric test.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDGL

The BIS testing charges for IS 10322 (Part 5/Sec 5):2013effective from 27-11-2018

BUREAU OF INDIAN STANDARDS (Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC/10322-5-5

Date: 02/11/2018

Testing Charges for **Floodlights** as per **IS 10322 (Part 5/Sec 5): 2013**

Sl. No.	Characteristics	Clause No. IS 10322-5-5 (IS 10322-1)	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ Rs.300/-	kWh	Cost @ Rs.9/-		
1	Marking	6 (3)	5				1,500.00
2	Construction (Pl. see Note-1)	7 (4)	59	600	5,400.00		23,100.00
3	Creepage distances and clearances	8 (11)	2				600.00
4	Provision for earthing	9 (7)	4				1,200.00
5	Terminals	10 (14&15)	29				8,700.00
6	External and internal wiring	11 (5)	7				2,100.00
7	Protection against electric shock	12 (8)	4				1,200.00
8	Endurance tests and thermal tests	13 (12)	32	200	1,800.00		11,400.00
9	Resistance to dust and moisture	14 (9)	22	100	900.00		7,500.00
10	Insulation resistance and electric strength	15 (10)	6				1,800.00
11	Resistance to heat, fire and tracking (Pl. see Note-2)	16 (13)	8				2,400.00
12	Photometric test (Pl. see Note-3)	17					0.00
13	Preparation of Test Report		4				1,200.00
TOTAL			182		8,100.00		62,700.00

Note:

- 1) Excluding Vibration Test as per Cl. 4.20 & UV Radiation as per Cl. 4.24 of IS 10322-1.
- 2) Excluding Needle Flame Test as per Cl. 13.3.1 of IS 10322-1.
- 3) Excluding Photometric Test as per Cl. 17 of IS 10322-5-5.

Testing charge per man-hour is Rs.300.00. Hence testing charges for **Floodlights** are:

Total : 182 X 300.00 + 8,100.00 = **Rs. 62,700.00**

(V Ravichandar)
OIC(E)

HBNBOL
HLPPD
DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 62,700/- excluding vibration test, UV radiation test, needle flame test and photometric test.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDGL

The BIS testing charges for IS 10322 (Part 5/Sec 6):2013effective from 27-11-2018

BUREAU OF INDIAN STANDARDS (Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC/10322-5-6

Date: 02/11/2018

Testing Charges for **Handlamps** as per **IS 10322 (Part 5/Sec 6): 2013**

Sl. No.	Characteristics	Clause No. IS 10322-5-6 (IS 10322-1)	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
				Cost @ Rs.300/-	kWh Cost @ Rs.9/-		
1	Marking	6 (3)	5				1,500.00
2	Construction (Pl. see Note-1)	7 (4)	59	600	5,400.00		23,100.00
3	Creepage distances and clearances	8 (11)	2				600.00
4	Provision for earthing	9 (7)	4				1,200.00
5	Terminals	10 (14&15)	29				8,700.00
6	External and internal wiring	11 (5)	7				2,100.00
7	Protection against electric shock	12 (8)	4				1,200.00
8	Endurance tests and thermal tests	13 (12)	32	200	1,800.00		11,400.00
9	Resistance to dust and moisture	14 (9)	22	100	900.00		7,500.00
10	Insulation resistance and electric strength	15 (10)	6				1,800.00
11	Resistance to heat, fire and tracking (Pl. see Note-2)	16 (13)	8				2,400.00
12	Preparation of Test Report		4				1,200.00
TOTAL			182		8,100.00		62,700.00

Note:

- 1) Excluding Vibration Test as per Cl. 4.20 & UV Radiation as per Cl. 4.24 of IS 10322-1.
- 2) Excluding Needle Flame Test as per Cl. 13.3.1 of IS 10322-1.

Testing charge per man-hour is Rs.300.00. Hence testing charges for **Handlamps** are:

Total : 182 X 300.00 + 8,100.00 = **Rs. 62,700.00**

(V Ravichandar)
OIC(E)

HBNBOL
HLPPD
DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 62,700/- excluding vibration test, UV radiation test, needle flame test.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDGL

The BIS testing charges for IS 10322 (Part 5/Sec 7):2017 effective from 27-11-2018

BUREAU OF INDIAN STANDARDS (Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC/10322-5-7

Date: 02/11/2018

Testing Charges for Lighting Chains as per IS 10322 (Part 5/Sec 7): 2017

Sl. No.	Characteristics	Clause No. IS 10322-5-7 (IS 10322-1)	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ Rs.300/-	kWh	Cost @ Rs.9/-		
1	Marking	6 (3)	5				1,500.00
2	Construction (Pl. see Note-1)	7 (4)	59	600	5,400.00		23,100.00
3	Creepage distances and clearances	8 (11)	2				600.00
4	Provision for earthing	9 (7)	4				1,200.00
5	Terminals	10 (15)	20				6,000.00
6	External and internal wiring	11 (5)	7				2,100.00
7	Protection against electric shock	12 (8)	4				1,200.00
8	Endurance tests and thermal tests	13 (12)	32	200	1,800.00		11,400.00
9	Resistance to dust and moisture	14 (9)	22	100	900.00		7,500.00
10	Insulation resistance and electric strength	15 (10)	6				1,800.00
11	Resistance to heat, fire and tracking (Pl. see Note-2)	16 (13)	8				2,400.00
12	Preparation of Test Report		4				1,200.00
TOTAL			173		8,100.00		60,000.00

Note:

- 1) Excluding Vibration Test as per Cl. 4.20 & UV Radiation as per Cl. 4.24 of IS 10322-1.
- 2) Excluding Needle Flame Test as per Cl. 13.3.1 of IS 10322-1.

Testing charge per man-hour is Rs.300.00. Hence testing charges for **Lighting Chains** are:

Total : 173 X 300.00 + 8,100.00 = **Rs. 60,000.00**

(V Ravichandar)
OIC(E)

HBNBOL
HLPPD
DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 60,000/- excluding vibration test, UV radiation test, needle flame test.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDGL

The BIS testing charges for IS 10322 (Part 5/Sec 8):2013 effective from 27-11-2018

BUREAU OF INDIAN STANDARDS (Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC/10322-5-8

Date: 02/11/2018

Testing Charges for Emergency Lighting as per IS 10322 (Part 5/Sec 8): 2013

Sl. No.	Characteristics	Clause No. IS 10322-5-8 (IS 10322-1)	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
				Cost @ Rs.300/-	kWh Cost @ Rs.9/-		
1	Marking	6 (3)	5				1,500.00
2	Construction (Pl. see Note-1)	7 (4)	59	600	5,400.00		23,100.00
3	Creepage distances and clearances	8 (11)	2				600.00
4	Provision for earthing	9 (7)	4				1,200.00
5	Terminals	10 (14&15)	29				8,700.00
6	External and internal wiring	11	1				300.00
7	Protection against electric shock	12 (8)	4				1,200.00
8	Endurance tests and thermal tests	13 (12)	32	200	1,800.00		11,400.00
9	Resistance to dust and moisture	14 (9)	22	100	900.00		7,500.00
10	Insulation resistance and electric strength	15 (10)	6				1,800.00
11	Resistance to heat, fire and tracking (Pl. see Note-2)	16 (13)	8				2,400.00
12	Functional safety (Pl. see Note-3)	17					
13	Changeover operation	18					
14	High temperature operation	19					
15	Battery chargers for self-contained emergency luminaires	20	3				900.00
16	Test devices for emergency operation	21	3				900.00
17	Rest mode and inhibition mode facilities	22	3				900.00
18	Preparation of Test Report		4				1,200.00
TOTAL			185		8,100.00		63,600.00

Note:

- 1) Excluding Vibration Test as per Cl. 4.20 & UV Radiation as per Cl. 4.24 of IS 10322-1.
- 2) Excluding Needle Flame Test as per Cl. 13.3.1 of IS 10322-1.
- 3) Excluding the tests at Sl. No. 12, 13 & 14.

Testing charge per man-hour is Rs.300.00. Hence testing charges for **Emergency Lighting** are:

Total : 185 X 300.00 + 8,100.00 = **Rs. 63,600.00**

(V Ravichandar)

OIC(E)

HBNBOL

HLPPD

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 63,600/- excluding vibration test, UV radiation test, Needle flame test, Functional safety, Changeover operation and high temperature operation

(Ankita Tripathi)

Sc.B, LPPD

HLPPD

DDGL

The revised BIS testing charges for IS 10325:2000 effective from 24-03-2017

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

TESTING CHARGES FOR IS 10325:2000, Amnd-Nil

SQUARE TINGS 15 LTR/KG FOR GHEE, VANASPATI, EDIBLE OILS & BAKERY SHORTENINGS

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of Consumable including reference material wherever applicable
1.	Chemical composition	4.2.1.1			
	i) Thickness of coating		4	6	50.00
	PREPARATION OF TEST REPORT		1		
	TOTAL	:	5	6	50.00

Testing charges per man-hour Rs.300.00

Electricity power consumption Rs.9.00 per KWH

Hence complete testing charges for the product is Rs.1604/-

CA may kindly approve.

Rakesh Meena

LO-B

OIC (Chem)

Head, CL

OUR REF : LAB/14:O

19 Oct 2016

TESTING CHARGES FOR IS 10325:2000 SQUARE TINS 15 LTR/KG FOR GHEE, VANASPATI, EDIBLE OILS & BAKERY SHORTENINGS (SECOND REVISION)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions & Tolerance	4.1	1
2.	Material	4.2	
	a) Tin-plate		
	i) Thickness of Tin plate and handle wire	4.2.1 & 4.2.2	½

ii) Thickness of coating	4.2.1.1	4
b) Solder (if to be tested)	4.2.3.	5
3. Manufacture	4.3.1, 4.3.2, 4.3.3 & 4.3.4	1
4. Internal & Outside Finish	4.3.7 & 4.3.8	½
5. Air Pressure Test	5.1	2
6. Handle full Test	5.2	½
7. Hydraulic pressure Test	5.3	2
PREPARATION OF TEST REPORT		½

TOTAL TIME :

17

Testing charges per man-hour are Rs. 300.00.

Hence testing charges for the product are:Rs.5100.00

Testing charges for Solder, if separate solder sample is received for testing, shall be Rs.1500.00

(Om Prakash)

Lo-A

OIC,Mech
OIC (QA)
Head (CL)
DDGL

As decided by the CA, testing charges are Rs.3700/- (excluding Solder testing) and Rs.1500/- for solder testing.

Kshitij Bathla

Sc.B, LPPD

Head, LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1991 01 30

TESTING CHARGES FOR IS 10325:1989 SQUARE TINGS 15 KG FOR CHEE,
VANASPATI, EDIBLE OILS & BACERY SHORTENINGS (FIRST REVISION)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions & Tolerance	4.1	1
2.	Material	4.2	
	a) Tin-plate		
	i) Thickness of Tin plate and handle wire	4.2.1 & 4.2.2	½
	ii) Thickness of coating	4.2.1.1	4
	b) Solder (if to be tested)	4.2.3.	5
3.	Manufacture	4.3.1, 4.3.2, 4.3.3 & 4.3.4	1
4.	Internal & Outside Finish	4.3.7 & 4.3.8	½
5.	Air Pressure Test	5.1	2
6.	Handle full Test	5.2	½
7.	Hydraulic pressure Test	5.3	2
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 17

Testing charges per man-hour are Rs. 75.00.

Hence testing charges for the product excluding solder testing are :

Rs.900.00

Testing charges for Solder, if separate solder sample is received for testing, shall be Rs.375.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1985 12 19

TESTING CHARGES FOR IS 10339:1982 GHEE AND EDIBLE OILS TINS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions	3.1 & 3.2.1	1
2.	Material		
	a) Thickness of Tin Coating	3.2.2	2
	b) Thickness of tin plate of closure components	3.2.3	
	c) Thickness of undertagger (if provided)	3.2.4 ^{1/2}	
	d) Solder (if separated sample is received)	3.2.5	10
3.	Manufacture	3.3, 3.5 & 3.6	1
4.	Air Pressure Test	3.7	2
	PREPARATION OF TEST REPORT		1/2

TOTAL TIME : 17

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.525.00 the additional charges for Solder testing (if separate sample received for testing) shall be Rs.750.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

05 June 2006

TESTING CHARGES FOR CARBON & LOW ALLOY STEEL INVESTMENT CASTINGS FOR GENERAL APPLICATIONS AS PER IS 10343:1999 (For grade 1A, 2A, 3A, 4A, 2Q, 3Q, 4Q, 5N & 6N)

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of consumables including reference material where- ever applicable
A.	TEST PARAMETERS				
1..	Carbon	8.1, Table 1	2		
2.	Manganese	-- do --	3		
3.	Phosphorous	-- do --	3		
4.	Sulphur	-- do --	2		
5.	Silicon	-- do --	3		
6.	Workmanship & Finish	9	1		
7.	Freedom from defects	10			
8.	Metallographic test	13	*		
9.	Mechanical tests	14, Table 2			
	a) Tensile strength	14.1	6		
	b) Yield stress				
	c) Elongation				
	d) Izod impact		6		
10.	Non-Destructive test	15.1 to 15.3	*		
B.	Electricity power consumed			31kwh=31 units	
C.	Cost of Consumables/CRMs				250.00
D.	PREPARATION OF TEST REPORT		2		
	TOTAL	TIME	27.5h = 28h rounded		

- Testing charges for the tests as mentioned will be charged separately, if required.

Testing charges per man-hour are Rs.75.00. Hence, the complete testing charges for the product are:
Total Rs.75x28+124+250 = Rs.2474.00 (Rs.2475.00 rounded off)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

05 June 2006

TESTING CHARGES FOR CARBON & LOW ALLOY STEEL INVESTMENT CASTINGS FOR GENERAL APPLICATIONS AS PER IS 10343:1999 (For grade 8Q, 9Q, 13Q, 18Q & 22Q)

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of consumables including reference material where- ever applicable
A.	TEST PARAMETERS				
1..	Carbon	8.1, Table 1	2		
2.	Manganese	-- do --	3		
3.	Phosphorous	-- do --	3		
4.	Sulphur	-- do --	2		
5.	Silicon	-- do --	3		
6.	Nickel	-- do --	3		
7.	Chromium	-- do--	3		
8.	Molybdenum	-- do --	3		
9.	Workmanship & Finish	9	1		
10.	Freedom from defects	10			
11.	Metallographic test	13			
12.	Mechanical tests	14, Table 2	*		
	a) Tensile strength	14.1	6		
	b) Yield stress				
	c) Elongation				
	d) Izod impact		6		
13.	Non-Destructive test	15.1 to 15.3	*		
B.	Electricity power consumed			50 kwh=50 unit	
C.	Cost of Consumables/CRMs				Rs.400.00
D.	PREPARATION OF TEST REPORT		2		
	TOTAL	TIME	37h		

- Testing charges for the tests as mentioned will be charged separately, if required.

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges.

$$\text{Total Rs. } 75 \times 37 + 50 \times 4 + 400 = \text{Rs.} 3375.00$$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

05 June 2006

TESTING CHARGES FOR CARBON & LOW ALLOY STEEL INVESTMENT CASTINGS FOR GENERAL APPLICATIONS AS PER IS 10343:1999

Sl..No.	Characteristics	Clause no.	Man-Hours				
A.	TEST PARAMETERS		Gr.12Q	19Q	14Q	15Q	16Q & 17Q
1..	Carbon	8.1, Table 1	2	2			-
2.	Manganese	-- do --	3	3			-
3.	Phosphorous	-- do --	3	3			3
4.	Sulphur	-- do --	2	2			2
5.	Silicon	-- do --	3	3			3
6.	Nickel	-- do --	3	-			-
7.	Chromium	-- do--	-	3			-
8.	Molybdenum	-- do --	3	-			-
9.	Vanadium	-- do --	-	3			-
10.	Workmanship & Finish	9	1	1			1
11.	Freedom from defects	10					
12.	Metallographic test *	13					
13.	Mechanical tests	14, Table 2					
	a) Tensile strength	14.1	6	6			6
	b) Yield stress						
	c) Elongation						
	d) Izod impact		6	6			6
14.	Non-Destructive test *	15.1 to 15.3					
B.	Electricity power consumed					56kwh	
C.	Cost of Consumables/CRMs						450.00
D.	PREPARATION OF TEST REPORT		2	2			2
	TOTAL	TIME	32	34			23

- Testing charges for the tests as mentioned will be charged separately, if required.

Testing charges per man-hour are Rs.75.00.

Total Rs.32X75+56X4+450 = Rs.3074 for Grade 12Q

34x75+56x4+450 = Rs.3224 for Grade 19Q

23x75+56x4+450 = Rs.2399 for Grade 14Q, 15Q, 16Q & 17Q

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

05 June 2006

TESTING CHARGES FOR CARBON & LOW ALLOY STEEL INVESTMENT CASTINGS FOR GENERAL APPLICATIONS AS PER IS 10343:1999

Sl..No.	Characteristics	Clause no.	Man-Hours			
A.	TEST PARAMETERS		Gr.7N	10N&11N	20Q&21Q	23A
1..	Carbon	8.1, Table 1	2	2	2	2
2.	Manganese	-- do --	3	3	3	3
3.	Phosphorous	-- do --	3	3	3	3
4.	Sulphur	-- do --	2	2	2	2
5.	Silicon	-- do --	3	3	3	3
6.	Nickel	-- do --	3	-	-	-
7.	Chromium	-- do--	-	-	3	3
8.	Molybdenum	-- do --	-	3	3	-
10.	Workmanship & Finish	9	1	1	1	1
11.	Freedom from defects	10				
12.	Metallographic test *	13				
13.	Mechanical tests	14, Table 2				
	a) Tensile strength	14.1	6	6	6	6
	b) Yield stress					
	c) Elongation					
	d) Izod impact		6	6	6	6
14.	Non-Destructive test *	15.1 to 15.3				
B.	Electricity power consumed				50 kwh=50 uni	
C.	Cost of Consumables/CRMs				Rs.400.00	
D.	PREPARATION OF TEST REPORT		31	31	34	31
TOTAL		TIME				

- Testing charges for the tests as mentioned will be charged separately, if required.

Testing charges per man-hour are Rs.75.00.

Total Rs. $31 \times 75 + 50 \times 4 + 400 =$ Rs.2925 for grades 7N,10N,11N & 23A
 $34 \times 75 + 50 \times 4 + 400 =$ Rs.3150 for grades 20Q & 21Q

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

D&H(QA)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

19

TESTING CHARGES FOR IS 10348:1982 FOOTWEAR FOR STEEL PLANTS

S NO	TESTS	CLAU SE REF.	MAN-HOURS	
			TYPE 1	TYPE 2
1.	Shape & Design	4.1	½	½
2.	Materials:			
	a) Material for upper	4.2.1	As per IS 578:71	As per IS 518:71
	b) Binding material (Cotton tape)	4.2.2	2	2
	c) Reinforcing material (Rubberized fabric)	4.2.3		
	i) Thread/dm		½	½
	ii) Breaking strength		2	2
	d) Bottom material	4.2.4		
	i) Relative density		1	1
	ii) Hardness		1	1
	iii) Flexing resistance		1½	1½
	iv) Change in initial hardness after accelerated ageing for 24 hrs at 100_ø_ _ñ_ 1_ø_C		1½	1½

e) Thread for upper closing 4.2.5 As Per IS 1720 : 1978

f) Steel toe cap 4.2.7 As per IS 5852 : 1977

S NO	TESTS	CLAUSE REF.	MAN-HOURS	
	i) Impact test of steel toe cap on finished footwear	4.2.7.1	1½	1½
	g) Fabric Laces	4.2.8	2	2
3.	Components thickness	4.3	1	1
4.	Adhesion of rubber foxing	4.4	1½	1½
5.	Manufacture	4.5	3	3
6.	Finish	4.6	1	1
7.	Ageing	4.7	1	1
8.	Mass	4.8	½	½
PREPARATION OF TEST REPORT			½	½
TOTAL TIME :			22	22

Testing charges per man-hour are Rs. 75.00.

Hence testing charges for the product shall be levied as per the test carried out.

APPROVED BY THE COMPETENT AUTHORITY.

Testing charges as per IS 10350 (2020): Powder
Hair Dye – Specification (BIS CENTRAL
LABORATORY, SAHIBABAD [CHEMICAL DEPARTMENT])

S.no.	Parameter	Clause no.	Man hour	Electricity consumption (in kwh)	Consumable scost
1	Description	Cl. No. 4.1	0.5	-	-
2	pH of 5 percent (m/m) solution in water	Table 1 , Cl no. 4.5 , s.no. (i)	0.5	-	-
3	a) Active matter as PPD content, percent by mass (m/m) b) Calculated active matter (as PPD) in the solution after recommended dilution with water/diluent, percent by mass, Max	a) Table 1 , Cl no. 4.5 , s.no. (ii) b) Table 2, Cl no. 4.6, s.no. (i)	5	10	350
4	Heavy metals (as Pb), parts per million, Max	Table 1 , Cl no. 4.5 , s.no. (iv)	2	-	50
5	Arsenic (as As ₂ O ₃), parts per million, Max	Table 1 , Cl no. 4.5 , s.no. (v)	2	-	50
6	Preparation of Test report	-	1	-	-
7	Total		11	10	450

Electricity Cost : Rs. 9.00 per kwh

Testing charges per man-hour are Rs. 300.00

Hence complete testing charges for the product are: Rs. [(11 × 300) + (10 × 9) + 450] = Rs.3,840 /-

OIC (testing section)

Head (Lab)

DDGL

The revised BIS testing charges for IS 10350:(2020): Powder Hair Dye is given above

BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]

TESTING CHARGES FOR IS 10350:1999, Amnd-3
POWDER HAIR DYES

S No	Tests	Clause Ref	Man-Hours
1.	Description	4.1	0.5
2.	pH of 5 percent solution in water	4.4 ,Table 1(i)	1
3.	Total active matter (dye content)	4.4,Table 1(ii)	3
4.	Heavy Metals as Lead (Pb)	4.4,Table 1(iv)	2
5.	Arsenic (as As ₂ O ₃)	4.4,Table 1(vii)	2
PREPARATION OF TEST REPORT			0.5
Total Time :			9.0

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are: Rs.9x300=Rs 2700/-

CA may kindly approve.
Kumar

Praveen

T. A.

Sc-B (Chem)

OIC (Chem)
Head, CL

As decided by CA, testing charges are Rs. 2700/-.

(Ankita Tripathi)
Sc.B, LPPD

Head, LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above
BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1988 05 11

TESTING CHARGES FOR IS 10350:1982 POWDER HAIR DYES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	0.5
2.	pH of 5 percent solution in water	2.5 & i) of table 1	1
3.	Total active matter (dye content). percent by mass, Max	2.5 & ii) of table 1	3
PREPARATION OF TEST REPORT			0.5
TOTAL TIME :			5

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.375.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1984 09 05

TESTING CHARGES FOR IS 10369:1982 ETHION, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Ethane content, percent by mass, (IR method)	i) of table 1	12
3.	Acidity (as H ₂ SO ₄)	ii) of table 1	1
4.	Moisture	iii) of table 1	2
PREPARATION OF TEST REPORT			½

TOTAL TIME :	----- 16 -----
--------------	----------------------

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1200.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

**TESTING CHARGES FOR IS 10369:1982 - ETHION
TECHNICAL**

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.1	0.5
2	Ethion Content	2.2, i) of Table 1	2.5
3	Acidity	2.2, ii) of Table 1	1
4	Moisture Content	2.2, iii) of Table 1	1
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		6

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1800/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2300/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BUREAU OF INDIAN STANDARDS
NORTHERN REGIONAL LABORATORY

OUR REF: NRL/ Testing Charges

Date: 12-12-2023

Testing charges for IS 10484:2021 (Paneer)

Sr.No.	Requirements	Clause ref. of IS	Man-Hours	Electricity Power Consumption (KWH)	Consumable
A. TEST PARAMETERS					
1.	Colour and appearance	Cl. 5.1	0.5	-	-
2.	Flavour	Cl. 5.2			
3.	Body and texture	Cl. 5.3			
4.	Moisture	Cl. 5.6	2	5	-
5.	Protein		4	10	200.00
6.	Fat		5	5	200.00
7.	Titratable Acidity	Cl. 5.6	1	1	50.00
8.	Ash		2	10	-
9.	Coliform Count		4	24	100.00
10.	Staphylococcus aureus (Coagulase positive)	Cl. 5.6	5	72	300.00
11.	Yeast and Mold count		2	24	100.00
12.	Escherichia coli		4	24	225.00
13.	Salmonella sp.		4	144	450.00
14.	Listeria monocytogenes		5	120	450.00
15.	Aerobic Plate Count		4	72	90.00
B. POWER CONSUMPTION –					
1.FOR STERILIZATION AND DECONTAMINATION				41KWH=41 units	
2.ELECTRICITY POWER CONSUMED				511 KWH=511 units	
C. COST OF CONSUMABLES/CRMs					2165.00
D. PREPARATION OF TEST REPORT			2		
Total		42.5hr			

Electricity cost @ ₹ 9.00 per kwh

Testing charges per man-hour are ₹ 300.00.

Hence complete testing charges for the product are: Total ₹ (42.5x300)+(552x9)+2165 = ₹ 19,883.00/-

Rounded off to ₹ 19,890.00/-

Kapil Kumar/Deepali

TA(Lab.)

OIC (Chemical & Microbiology)

HNRL

DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

6 Jan 2009

TESTING CHARGES FOR DRINKING WATER AS PER IS 10500:1991.

Sl.No.	Characteristics	Clause No.	Man-hours @75/	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
				Kwh	Cost @ 4/-		
	A. TEST PARAMETERS						
1.	Bacterial Examination	3.2.1	3	70	280	300.00	805.00
2.	<u>Essential Characteristics</u>	3.1, Table-1					
	i) Colour	-- do --	1	--		50	125.00
	ii) Odour	-- do --	0.5	--		--	75.00
	iii) Taste	-- do --	0.5	--		--	
	iv) Turbidity	-- do --	0.5	--		--	75.00
	v) pH value	-- do --	0.5	--		--	
	vi) Total hardness	-- do --	2	--		100	250.00
	vii) Iron	-- do --	1	1	4	100	179.00
	viii) Chloride	-- do --	1	--		100	175.00
	ix) Residual free chlorine	-- do --	1	1	4	50	129.00
	x) Fluoride	-- do --	2	--		50	200.00
	<u>Desirable Characteristics</u>						
	xi) Dissolved solids	-- do --	1	4	16	--	91.00
	xii) Calcium	-- do --	1	1	4	100	179.00
	xiii) Magnesium	-- do --	1	1	4	100	179.00
	xiv) Copper	-- do --	1	2	8	100	183.00
	xv) Manganese	-- do --	1	1	4	100	179.00
	xvi) Sulphate	-- do --	2	1	4	50	204.00
	xvii) Nitrate	-- do --	4	1	4	50	354.00
	xviii) Phenolic compounds	-- do --	4	1	4	50	354.00
	xix) Mercury	-- do --	2	1	4	100	254.00
	xx) Cadmium	-- do --	2	2	8	100	258.00
	xxi) Selenium	-- do --	2	1	4	100	254.00
	xxii) Arsenic	-- do --	2	1	4	100	254.00
	xxiii) Cyanide	-- do --	1	1	4	50	129.00
	xxiv) Lead	-- do --	2	2	8	100	258.00
	xxv) Zinc	-- do --	1	1	4	100	179.00
	xxvi) Anionic detergent	-- do --	5	1	4	200	579.00
	xxvii) Chromium	-- do --	1	2	8	100	183.00
	xxviii) Mineral oil	-- do --	1	1	4	50	129.00
	xxix) Radioactive materials *	-- do --	-	-		-	--
	xxx) Alkalinity	-- do --	1	-		25	100.00
	xxxi) Aluminium	-- do --	1	1	4	100	179.00
	xxxii) Boron	-- do --	2	1	4	50	204.00
	B. PREPARATION OF TEST REPORT	-	2				150.00
	TOTAL TIME		53	99		2475	6846.00

* Testing facility not available for the test mentioned.

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs. $75 \times 53 + 99 \times 4 + 2475 = \text{Rs.}6846.00$ (excluding radioactive material test)

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

DQA
H (CQAPD)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1984 05 29

TESTING CHARGES FOR IS 10507:1983 PADDY SEPARATOR

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Performance Requirements	5.1	1
2.	Moisture content	A-1.1	1
3.	Running in and preliminary adjustments	A-2	1
4.	Test at no load	A-3	½
5.	Test at load including preparation and analysis of sample	A-4	2
6.	Long run test	A-5	5
7.	Constructional requirements	6	1
8.	Workmanship & Finish and other requirements	7 & 8	1
PREPARATION OF TEST REPORT			½

TOTAL TIME : 13

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.975.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10508:2007 effective from 07-11-2016

BIS CENTRAL LABORATORY
(Q.A. Department)

TESTING CHARGES AS PER IS 10508:2007, Amnd-Nil "PHOSPHORIC ACID, FOOD GRADE — SPECIFICATION"

S No	Tests	Clause Ref	Man-Hours
1.	Description	3.1	0.5
2.	Phosphates	3.2	1
3.	a) Purity	3.3(i)	1
	b) Nitrates	3.3 (ii)	1
	c) Volatile	3.3 (iii)	1
	d) Chlorides	3.3(iv)	1
	e) Sulphates	3.3(v)	1
	f) Fluoride	3.3 (vi)	1
	g) Arsenic	3.3 (vii)	2
	h) Lead	3.3(viii)	2
	i) Heavy metals	3.3 (ix)	2
	Test Report Preparation		1
		Total	14.5

Testing charges per man-hour are Rs. 300.00.

Total testing charges = 14.5x300+10x50(Consumables)=Rs 4850/-

CA may kindly approve.

Praveen Kumar
T. A.

OIC (Chem)

Head(CL) - DDG (Labs) may kindly approve the testing charges.

As decided by Competent Authority, the testing charges for the product are Rs.4850.00

(P. Rajesh)
Sc.E, LPPD

HLPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

28 Oct 2004

TESTING CHARGES FOR PHOSPHORIC ACID FOOD GRADE AS PER IS 10508:1983

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	Description	2.1	0.5		
2.	Identification	2.2	1		
3.	Specific gravity	2.3	1		
4. i)	Purity	2.4(table 1)	1		
ii)	Fluoride	2.4	Testing facility not available		
iii)	Total Heavy metals	2.4	2		
iv)	Lead	2.4	2		
v)	Arsenic	2.4	2		
PREPARATION OF TEST REPORT			1.5		
TOTAL			TIME	11h	

Testing charges per man-hour are Rs.75.00. Hence, complete testing charges for the product except Fluoride test are Rs.75x11=Rs.825.00

The proposal is made on the basis of information received from chemical lab.

DDGL may kindly approve.

(B.M. Gupta)
TS(QA)

D&H(QA)
DDGL

Testing Charges of Baby Toilet Soap as per IS 10523:2014

Sl. No.	Parameters	Man Hour	Testing charges as per Man Hour	Electricity used in KWH	Cost of Electricity	Cost of Consumables	Total Cost of Parameter
1	Description (Cl.4.1)	1	300	0	0	0	300
2	Requirements as per Table 1 (Cl.4.3)						
(i)	Total fatty matter	5	1500	8	72	500	2072
(ii)	Moisture and volatile matter (at 105°C)	2	600	1	9	50	659
(iii)	Matter insoluble in alcohol,	2	600	10	90	200	890
(iv)	Matter insoluble in water,	1	300	4	36	100	436
(v)	Free caustic alkali, as Sodium Hydroxide (NaOH)	3	900	10	90	300	1290
(vi)	Chlorides, as Sodium Chloride (NaCl),	2	600	0	0	500	1100
(vii)	Free Carbonate alkali,	2	600	4	36	500	1136
(viii)	Free from rosin	1	300	0	0	200	500
(ix)	Free from grit	1	300	0	0	0	300
(x)	Nickel content	2	600	0	0	500	1100
(xi)	Iron content	2	600	0	0	500	1100
(xii)	Copper (as Cu) content,	2	600	0	0	500	1100
3	Calculation of results: (Cl.4.3.1), Recalculation of total fatty matter	1	300	0	0	0	300
4	Test Report Formation	1	300	0	0	0	300
				Total Testing Charges of the Product=			12583

Sushil Jaisinghani, LO

OIC (Chem-2)
Head -
CL,
OIC
(QA)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1987 11 20

TESTING CHARGES FOR IS 10557:1983 PAPER TYPE ROLLS FOR DATA
PROCESSING

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material and construction	3	
	a) Visual examination	3.1	½
	b) pH value of water extract	i) of table 1	½
	c) Chloride content	ii)	1
	d) Sulphate content	iii)	1
	e) Glycerin content	iv)	2
	f) Ash content	v)	1
	g) Substance	vi)	1½
	h) Bursting strength	vii)	1
	i) Tensile strength and elongation at break	viii) & ix) table 1	2½
	j) Brittleness	x)	2½
	k) Opacity	xi)	1
	l) Dimensional gain	xii)	1
2.	Qualities of paper		
	a) Workability on m/c	3.2.1	
	b) Dimensional stability	3.2.2	
	c) Punchability	3.2.3, 5.1.4	1
	d) Printability	3.2.4, 5.1.2	
	e) Finish & colour	3.3 & 3.4	
3.	Core protection	3.5	½
4.	Dimensions and finish	4.1, 5.1.1	2
5.	Tape end marking and tightness of coiling	5.1.5, 5.1.6	1
6.	Climatic tests of tape rolls	8.5	5
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 26

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1950.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10577:1982 effective from 24-03-2017

**BIS CENTRAL LABORATORY
(Q.A. Department)**

TESTING CHARGES FOR IS 10577:1982 (SPECIFICATION FOR LANCING PIPES)

Sr. No.	Characteristics	Clause No.	Man Hours	Electricity	Consumables	Remarks
1.	Dimensions and Mass	6 & 7		2		Available
2.	Joints*	10.1		--		* Testing Facility is not Available at CL.
3.	Tensile Test	13.2	4	10 kWh		Available
4.	Bend Test	13.3	2	5 kWh		Available
5.	Drift Test	13.4.1		2	5 kWh	Available
6.	Taper Screw Plug Test*	13.4.2		--		* Testing Facility is not Available at CL.
7.	Workmanship	14		0.5		Available
8.	Preparation of Test Report		1			
Total Man-Hours			11.5	20 kWh		

Testing Charges per man-hour are Rs. 300/- and Electricity Charges are @ Rs. 9.00 per unit

Total Testing Charges for Mechanical Tests = $11.5 \times 300 + 20 \times 9$ = Rs. 3630 (**Rounded off Rs.3650.00**) **Excluding tests on joints.**

(G.K. Mehta)
TA

OIC (M)
OIC(QA)
Head, CL
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O **1997-01-20**

TESTING CHARGES FOR IS 10633:1986 VANASPATHI

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description and clarity	3	1
2.	Presence of sesame oil	3.4	2
3.	Freedom from a) Argemone oil	3.5 2	

b) Mineral oil	2
c) Castor oil	2
d) Animal fat	8

4. Requirement as per Table 1 3.7

i) Moisture	"	1	
ii) Acid Value	"	1	
iii) Unsaponifiable matter	"	2.5	
iv) Melting point	"	0.5	
v) Refractive index at 60_ø_C	"	1	
vi) Synthetic vitamin A	"		
a) Qualitative determination	"	1	
b) Quantitative determination	"	8	
vii) Determination of Nickel in Vanaspati			4

PREPARATION OF TEST REPORT 0.5

____Testing charges per man-hour are Rs. 75.00. Hence complete testing charges for the product are as follows.

- a) While Vit A is determined qualitatively Rs.2400.00
- b) While Vit A is determined quantitatively Rs.2925.00

____DDGL may kindly approve.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 1993 10 04

TESTING CHARGES FOR IS 10646:1991 CEMENT CONCRETE TILES FOR CANAL LINING

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Dimensions	4 ½	
2.	Shape	6 1	
3.	Flexural strength	7 2 (Testing facilities not available at CL.)	
4.	Marking	8 ½	

PREPARATION OF TEST REPORT

 $\frac{1}{2}$ -----
TOTAL TIME : 5

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs. 375.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABA
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1985 07 23

TESTING CHARGES FOR IS 10647:1983 WHEEL BEARING GREASE

S NO TESTS CLAUSE REF. MAN-HOURS-----
1. General Requirements 2.1 $\frac{1}{2}$

2. Composition (Raw material) 2.3

i) Kinematic viscosity
in Cst At 100°C 2ii) Flash point, Cleveland 1
(Open) cup °C Min3. Consistency of the grease 2.2 & i) of table 1
at 25 °C $\pm$ 0.5 °C

a) Unworked penetration 1

b) 60 strokes 1 $\frac{1}{2}$

c) 10,000 strokes 2

4. Drop point °C _Min_ ii) " 1

5.	Free acidity (as Oelic acid)	iii)	1
6.	Free alkalinity (as NaOH)	iv)	1
7.	Copper strip corrosion at 100° C for 24 hrs.	v)	2
8.	Water content	vi)	1
9.	Soap content	vii)	3
10.	Oxidation stability (100 h), deep in pressure	viii)	Facility not avail- able at CL.
11.	Thermal stability 30 h at 100° C percent oil separated	ix)	2

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

12.	Leakage and deposit forming tendencies (wheel bearing test)	x)	
	a) Leakage by mass b) Deposit in the wheel bearing races on the rollers	Facilities not available at CL.	
	c) Evidence of abnormal changes in the consistency or structure of the material.		
	d) Indication of dry running of races		
13.	Roll stability test, 4h, change in consistency	xi) of table 1	do
14.	Keeping quality (shelf life)	2.4	20

PREPARATION OF TEST REPORT	½
----------------------------	---

TOTAL TIME :	39
--------------	----

Testing charges per man-hour are Rs. 75.00.
Hence testing charges for the product are : Rs.1500.00

Testing facilities for test at Sl. No. 10, 12 & 13 are at present not available in CL.

Testing charges for keeping quality shall be Rs.1575.00 additional

excluding the charges for tests for which facilities are not available in CL.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 1993 06 15

TESTING CHARGES FOR IS 10654:1991 STERILE HYPODERMIC NEEDLES FOR
SINGLE USE (SECOND REVISION)_

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material and manufacture	4 & 5	½
2.	Freedom from pyrogenic material	6	7*
3.	Test for abnormal toxicity	7	7*
4.	Freedom from extraneous matter	8	½
5.	Limits for extractable matter	9	
	a) Limits for acidity or Alkalinity	9.2	1
	b) Unit for extractable metal	9.3	10
6.	Conical fittings	13.1	1
7.	Colour of Hub & Finish	13.2 & 13.3	½
8.	Sheath	14	½
9.	Dimensions of needle tube	15.2	2
10.	Needle point	15.3	2
11.	Freedom from defects	15.4	1
12.	Resistance to corrosion	15.5	3
13.	Stiffness	15.6	1
14.	Resistance to breakage	15.7	1
15.	Test requirements for	16	

a) Bond between hub and needle tube	16.1	1
-------------------------------------	------	---

16. Packing 17 1

17. Sterility	18	7*
---------------	----	----

TOTAL TIME : 50

* Testing Facilities are not available at CL.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 1987 11 12

TESTING CHARGES FOR IS 10655:1983 RUBBER STEAM HOSE (TYPE-3 ONLY)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Material and construction	4.1 4.2	½
----	---------------------------	---------	---

2. Dimensions	4.3	1½
3. Tensile strength of lining & cover	4.4	4
4. Adhesion	4.5	1½
5. Hydrostatic test	4.6	1
6. *Resistance to Steam	4.7	
i) Steam treatment		5
ii) Bend test		1
iii) Reduction in properties (bursting pressure, tensile and elongation)		5

PREPARATION OF TEST REPORT ½

TOTAL TIME : 20

Testing charges per man-hour are Rs. 75.00.
complete testing charges for the product are : Rs.1500.00

*Facility does not exist at central laboratory.

Note:- Presently facilities for Resistance to steam Test as not inclusive of this test.

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10658:1999 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS:10658:1999 HIGHER CAPACITY DRY POWDER FIRE EXT.

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Materials				
	a) Body	5.1, Table 1		as per IS 1079/ 2041/ 2062/ 2002	
	b) Neck Ring	5.1, Table 1		as per IS 318/ 1239/ 6912	
	c) Nozzle	5.1, Table 1		as per IS 291/ 319/ 318/ 7328/ 4450	
	d) Cup	5.1, Table 1		as per IS 318/ 319	
	e) Drain plug	5.1, Table 1		as per IS 318/ 319	
	f) Rubber washer	5.1, Table 1		as per IS 5382/ 10658	
	g) Valve	5.1, Table 1		as per IS 3224	
	h) Syphon tube	5.1, Table 1		as per IS 1239/ 3601	
2.	Body, Neck ring	6.1 & 6.2	2		
3.	Cap & Washer	6.3 & 6.4	1		
4.	Expansion space	6.5	2		
5.	Discharge hose	6.6	3		
6.	Cylinder	6.7	3		
7.	Copper tubing	6.8	2.5		
8.	Nozzle & Fitting	6.9	1		
9.	Actuation mechanism	6.10			
10.	Drain plugs	6.11	1		
11.	Dry powder	6.12		as per IS 4308/ 14609	
12.	Syphon tube	6.13 & 6.14	1.5		
13.	Anticorrosive treatment	7.1	1		
14.	Painting	8.1	0.5		
15.	Performance test	9.1	2		
16.	Hydraulic test	9.2	2		
17.	Bursting test	9.3	1		
18.	Wheeled carriage	10	0.5		

CALCULATION & PREPARATION OF TEST REPORT 3

TOTAL TIME 27

Contd/-p-2

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs.8100.00** (excluding material test).

Material testing charges shall be levied for individual material as per relevant ISS.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

05 March 2004

TESTING CHARGES FOR IS:10658:1999 HIGHER CAPACITY DRY POWDER FIRE EXT.

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Materials				
	a) Body	5.1, Table 1		as per IS 1079/ 2041/ 2062/ 2002	
	b) Neck Ring	5.1, Table 1		as per IS 318/ 1239/ 6912	
	c) Nozzle	5.1, Table 1		as per IS 291/ 319/ 318/ 7328/ 4450	
	d) Cup	5.1, Table 1		as per IS 318/ 319	
	e) Drain plug	5.1, Table 1		as per IS 318/ 319	
	f) Rubber washer	5.1, Table 1		as per IS 5382/ 10658	
	g) Valve	5.1, Table 1		as per IS 3224	
	h) Syphon tube	5.1, Table 1		as per IS 1239/ 3601	
2.	Body, Neck ring	6.1 & 6.2	2		
3.	Cap & Washer	6.3 & 6.4	1		
4.	Expansion space	6.5	2		
5.	Discharge hose	6.6	3		
6.	Cylinder	6.7	3		
7.	Copper tubing	6.8	2.5		
8.	Nozzle & Fitting	6.9	1		
9.	Actuation mechanism	6.10			
10.	Drain plugs	6.11	1		
11.	Dry powder	6.12		as per IS 4308/ 14609	
12.	Syphon tube	6.13 & 6.14	1.5		
13.	Anticorrosive treatment	7.1	1		
14.	Painting	8.1	0.5		
15.	Performance test	9.1	2		
16.	Hydraulic test	9.2	2		
17.	Bursting test	9.3	1		
18.	Wheeled carriage	10	0.5		
CALCULATION & PREPARATION OF TEST REPORT			3		

TOTAL TIME			27		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.2025.00 (excluding material test).

Material testing charges shall be levied for individual material as per relevant ISS.

The proposal is made on the basis of information received from concerned testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)

DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1986 02 21

TESTING CHARGES FOR IS 10665:1982 SAFETY RUBBER ANKLE BOOTS FOR
WINERS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Shape and design	3.1	½
2.	Height of boot	3.2	½
3.	Materials	3.3	
	a) Bleached cotton drill lining for upper	3.3.1	
	i) Threads per dm, warp/weft		1
	ii) Breaking strength, warp/weft		2
	b) Vamp & quarter reinforcement counter and other rubber components	i) to xv) of table 1	2
	c) Bottom material & rubber components	3.3.2 & 3.4.2	
	i) Sole		10
	ii) Heel		4
	iii) Body		6
	iv) Foxing		3
	v) Steel toe cap	3.3.3	As per IS 5862:1977 for Type 2
	vi) Snap fasteners	3.4.3	½
4.	Manufacture	3.5	2
5.	Physical requirements		

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

	i) Heat treatment	3.6.1	1
	ii) Hardness	3.6.2	Covered in 3(b) above
	iii) Flexing endurance for	3.6.3	do

sole

iv) Flexing endurance for upper		3
v) Adhesion	3.6.4	1
vi) Thickness	3.6.5	$\frac{1}{2}$
vii) Leakage resistance	3.6.6	$\frac{1}{2}$
viii) Impact resistance	3.6.7	$\frac{1}{2}$

PREPARATION OF TEST REPORT	$\frac{1}{2}$
----------------------------	---------------

TOTAL TIME :	39
--------------	----

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.2925.00

However, steel toe caps used shall conforming to Type 2 of IS 5852 : 1977, if these are to be tested, the charges shall be as per the conformity standard.

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10701:2012 effective from 24-03-2017

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 22-11-2016

TESTING CHARGES FOR IS 10701:2012 STRUCTURAL PLYWOOD

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material		
a)	Timber	4.1	1
b)	Adhesive (to be tested when independent sample received)	4.2	As per IS 848 (For type BWP)
2.	Plywood (to conform to BMP grade of IS 303)	5	As per IS 303
3.	Preservative treatment	6	1
4.	Manufacture	7.1.1 & 7.1.2	1½
5.	Quality requirement	7.1.4	1
6.	Constructional details	7.2 to 7.4	1
7.	Dimensions & Tolerances	8	½
8.	Workmanship & finish	9	½
9.	Tests		
a)	Moisture content	11.2	1½
b)	Glue shear strength (dry)	11.3	2
c)	Resistance to water	11.4	4
d)	Resistance to micro-organism	11.5	3
e)	Preservative retention	11.9	As per IS 5539
f)	Tensile strength	11.6	2
g)	Compressive strength	11.7.1	2
h)	Bending strength	11.7.1	2

S NO	TESTS	CLAUSE REF.	MAN-HOURS
j)	Panel shear strength	11.7.1	2
k)	Plate shear strength (Modulus of rigidity)	11.7.1	2
m)	Rolling shear strength	11.7.1	2
n)	Wet Bending Strength	11.8	2
	PREPARATION OF TEST REPORT		1
	TOTAL TIME :		32

Testing charges per man-hour are Rs. 300.00.

Testing charges for testing = Rs.9600.00 + charges for as per referred ISs.

APPROVED BY THE COMPETENT AUTHORITY.

Mehtab Singh
LO-A

OIC (Mech)
OIC(QA)
Head (CL)
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1989 02 27

TESTING CHARGES FOR IS 10701:1983 STRUCTURAL PLYWOOD

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material		
	a) Timber	3.1	1
	b) Adhesive (to be tested when independent sample received)	3.2	As per IS848:1974 (For type BWP)
2.	Plywood (to conform to BMP grade of IS 303 : 1975)	4	As per IS 303 : 1975
3.	Preservative treatment	5	1
4.	Manufacture	6.1.1 & 6.1.2	1½
5.	Quality requirement	6.1.3	1
6.	Constructional details	6.2 to 6.4	1
7.	Dimensions & Tolerances	7	½
8.	Workmanship & finish	8	½
9.	Tests		
	a) Moisture content	9.2.1	1½
	b) Glue shear strength (dry)	9.2.2	2
	c) Resistance to water	9.2.3	4
	d) Resistance to micro-organism	9.2.4	3
	e) Preservative retention	9.2.5	As per IS 5539:1969 (as per applicable type)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

f) Tensile strength	9.2.6	2
g) Compressive strength	9.2.7.1 & table 3	2
h) Bending strength	do	2
j) Panel shear strength	do	2
k) Plate shear strength (Modulus of rigidity)	do	2
l) Rolling shear strength	do	2

PREPARATION OF TEST REPORT ½

TOTAL TIME :	30

Testing charges per man-hour are Rs. 75.00.

Testing charges for testing structural plywood excluding material (adhesive and plywood), are Rs.2250.00 + charges for preservative retention test as per IS 5539:1969. If independent sample of adhesive & plywood used in manufacture of structural plywood are received for testing, they shall attract charge as per respective ISS against which is tested.

APPROVED BY THE COMPETENT AUTHORITY.

Bureau of Indian Standards

ERL

Mechanical Testing charges for IS 10702: 2023

Sl No	IS/ Clause No	Requirement / Characteristic	Man-Hour spent in testing (in hours)	Man-Hour cost of testing @ 300/-	Power Consumption (in KWh)	Cost of Power @ Rs 10 per unit	Consumables required (Approx. Cost in Rs.)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)	(VII)	(VIII)	(IX)	(X)	(XI)
	4	Category and Type	0.25	75	-		-	5	
	4.1.1	Bottom Material	0.25	75	-		-	5	
	4.1.2 & 4.1.3	Strap Material	0.25	75	-		-	5	
	4.4, Table 1	Compression set at constant stress	3	900	-		-	900	Annex D
	4.4, Table 1	Split tear strength	2	600	2	20	-	20	Annex E
	4.4, Table 1	Shrinkage	2	600	2	20	-	20	Annex F
	4.4, Table 1	Abrasion resistance	3	900	1	10	500	410	IS 3400 (Part 3)
	4.4, Table 1	Flexing resistance	2	600	5	50	-	50	IS 3400 (Part 16)
	4.4, Table 1	Hydrolysis resistance	5	1500	5	50	-	550	IS 15298 (Part 1)
0	4.4, Table 2	Breaking strength of Strap to strap and Toe portion to strap	4	1200	4	40	-	240	Annex G
1	4.4, Table 2	Elongation at break	2	600	-		-	600	Annex G
2	4.4, Table 3	Toe post attachment strength	2	600	2	20	-	20	Annex H
3	4.4, Table 3	Attachment strength of rear strap	2	600	2	20	-	20	Annex H
4	4.4, Table	Inter layer bond	1	300	1	10	-	10	IS 15298 (Part

	3	strength							1)
5		Report Preparation	2	00	-		-	00	
		Total	30.75	225	24	40	500	965	

Total Man hour charges (30.75 hours):

Rs. 9225.00

Cost of Power:

Rs. 240.00

Consumable Cost:

Rs 500.00

Testing charges for the product for mechanical parameter:

Rs. 9965.00

Chemical Testing charges for IS 10702: 2023

SL. No.	Is/Clause No.	Requirement/Characteristic	Manhours spent in testing	Manhour cost of testing	Power Consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total Cost of Test	Remarks
1	2	3	4	5=4xRs.300	6	7=6xRs10.00	8	9=5+7+8	10
1	Chemical requirements: Clause 4.4, Table 1, S.No vii & Clause 4.4, Table 2, S.No ii (Table 1 of IS 17011)	Aromatic amines released from Azo dyes	5	1500	10	100	4000	5600	Test performed by LCMSMS
2	Chemical requirements: Clause 4.4, Table 1, S.No vii & Clause 4.4, Table 2, S.No ii (Table 1 of IS 17011)	Formaldehyde (free or released by partial hydrolysis)	3	900	5	50	100	1050	
3	Chemical requirements: Clause 4.4, Table 1, S.No vii & Clause 4.4, Table 2, S.No ii (Table 1 of IS 17011)	Organotin Compounds	4	1200	5	50	100	1350	
4	Chemical requirements: Clause 4.4, Table 1, S.No vii & Clause 4.4, Table 2, S.No ii (Table 1 of IS 17011)	Allergenic and carcinogenic disperse dyes	10	3000	10	100	900	4000	Test performed by LCMSMS
5	Chemical requirements: Clause 4.4, Table 1, S.No vii & Clause 4.4, Table 2, S.No ii (Table 1 of IS 17011)	Dimethyl fumarate (DMFU)	5	1500	10	100	200	1800	Test performed by GCMSMS
6	Chemical requirements: Clause 4.4, Table 1, S.No vii & Clause 4.4, Table 2, S.No ii (Table 1 of IS 17011)	Phthalates (each individual phthalate)	5	1500	10	100	200	1800	Test performed by GCMSMS
7	Chemical requirements: Clause 4.4, Table 1, S.No vii & Clause 4.4, Table 2, S.No ii (Table 1 of IS 17011)	Nickel on skin Contact (in case of Miscellaneous metal parts)	8	2400	20	200	500	3100	
8	Clause 4.4, Table 1, S.No viii & Clause 4.4, Table 2, S.No iii	Lead content (as Pb)	1	300	5	50	50	400	
9		Preparation of test report	1	300				300	

10	Total Test charges (tentative) for chemical parameters for strap material or bottom material: Rs. 19,400 /- including Nickel on skin Contact; and Rs. 16,300 /- excluding Nickel on skin Contact
----	---

Nirbhay Ranjan
LO(Mech)

Ramesh Naidu Poluparthi
(LO, Chem)

OIC(SC)

H(ERL)

DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1986 02 13

TESTING CHARGES FOR IS 10702:1985 RUBBER HAWAII CHAPPAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material	3.1	½
2.	Size and thickness	3.2 & 3.3	½
3.	Physical requirements for bottom material	3.4 & table 1	
	a) Relative density	i) of table 1	1
	b) Hardness, shore A durometer (skin hardness)	ii) of table 1	1
	c) Change in hardness after ageing at 100 ± 1° C for 24 hrs	iii) "	2
	d) Compression set at constant stress	iv) "	2
	e) Split tear strength	v) "	2

- f) Room temperature shrinkage at $27 \pm 2^\circ \text{C}$ for 2 weeks vi) " $1\frac{1}{2}$
- g) Flexing resistance, no. of cycles
- i) Initial crack and
- ii) Cut growth at the end of 100000 cycles vii) " 2
- h) Shrinkage test at $100 \pm 1^\circ \text{C}$ for 1 hour viii) " 1

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

4. Physical requirements for strap rubber 3.4 & table 2
- a) Relative density i) of table 2 1
- b) Tensile strength & elongation ii) " 2
- c) Hardness (IRHD) iv) " 1
- d) Change in initial hardness after accelerated ageing for 24 hrs. at $100 \pm 1^\circ \text{C}$. v) " 2
- e) Flexing resistance, no. of cycles vi) " 2
- i) Initial crack
- ii) Cut growth at the end of 120000 cycles.
- f) Tear strength vii) 2
- g) Thickness of wings, stud dia and stud both viii) " 1
- h) Breaking strength ix) " $1\frac{1}{2}$

PREPARATION OF TEST REPORT $\frac{1}{2}$

TOTAL TIME : 27

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product both bottom material

and strap rubber are : Rs.1950.00

APPROVED BY THE COMPETENT AUTHORITY.

Testing Charges as per IS 10702:2023 (Amendment -1)Hawai Chappal

No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.4.4 (Table 1 vii) (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1									
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)									
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl. 4.4 (Table 1 viii)				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total (in INR)=	2040

OIC (Chem)

Head (CL)

OIC (QA)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 1993 10 11

TESTING CHARGES FOR ELECTRICALLY BONDED ROAD & RAIL TANKER HOSE OF
RUBBER, RESISTANT TO PETROLEUM PRODUCTS AS PER 10733:1983.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Materials	4.1	
	i) Lining	4.1.1	½
	ii) Reinforcement	4.1.2	½
	iii) Helical wire	4.1.3	½
	iv) Electrical bonding	4.1.4	½
	v) Cover	4.1.5	½
	vi) End connections	4.1.6	½
2.	Dimensions:	4.3	
	i) Bore size	4.3.1	1½
	ii) Mass	4.3.2	½
	iii) Length	4.3.3	½
	iv) Thickness of Lining & cover	4.3.4	3
3.	Tensile strength of Lining & cover & elongation	4.4	4
4.	Accelerated ageing	4.5	5
5.	Adhesion Test	4.6	1½
6.	Swelling test	4.7	5

S NO	TESTS	CLAUSE REF.	MAN-HOURS
7.	Fuel soluble matter	4.8	5

8.	Resistance to vacuum	4.9	1
		Facility not avail- able at CL	
9.	Hydrostatic pressure test	4.10.	3
10.	Electrical bonding	4.11	½
11.	Marking & Packing	5	½

PREPARATION OF TEST REPORT

½

TOTAL TIME : 35

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2625.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10748:2004 effective from 24-03-2017

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

TESTING CHARGES FOR IS 10748:2004, Amnd-1 HOT ROLLED STEEL STRIP FOR WELDED TUBES AND PIPES

SI.No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of Consumable including reference material wherever applicable
--------	-----------------	------------	-----------	--------------------------------	---

1.	Chemical composition	Table 1 (Clauses 7.1 & 7.2)			
	i) Carbon	2	6		50.00
	ii) Sulphur	2	6		50.00
	iii) Phosphorus	3	6		50.00
	iv) Manganese	3	6		50.00

PREPARATION OF TEST REPORT 1

TOTAL	:	11	24	200.00
-------	---	----	----	--------

Testing charges per man-hour Rs.300.00

Electricity power consumption Rs.9.00 per KWH

Hence complete testing charges for the product are as follows:

i) For grade 1,2&3 = 3716 /-, Rounded off to Rs.3750/-

ii) For grade 4,5 & 6 including Micro alloying elements = 6728/-, Rounded off to Rs.6750/-

Remarks: Testing charges for each of the elements other than Table-1 (Silicon, Aluminum, Nitrogen etc.) will be Rs.1004/-

CA may kindly approve.

**Rakesh Meena
LO-B**

OIC (Chem)

BIS- Central Laboratory
Mechanical Laboratory

Sub. Proposal for the Time Estimate for Hot Rolled Steel Strip For Welded
: Tubes & Pipes.

IS 10748 :
2004

Sl.No.	Characteristics	Clause No./ Table	Man-hours	Electric Power required(kwh)	Consumable Cost (Rs)	Test facility at CL Available/Not avail.
1	Tensile Test	8	5	10 kWh		A

2	Bend Test	9	2	2.5 kWh		A
3	Freedom From Defects	11	0.5	---		A
4	Dimensions & Tolerances	12 &13	2	---		A
Preparation of test report & calculations			1.0	---		

Total

10.5
Hrs

+ 12.5
kwh

=

Rs
3262.5

Note :

Rounded off to Rs.3300.00

- 1 Above estimate is only for Mechanical Testing .
- 2 Sample size for testing required : 500 mm length X 2 Pcs + Chemical testing

OIC(Mech)

OIC(QA)
Head, CL

LO(B)
Mech.Lab

As decided by the CA, testing charges are Rs.7050/- (For Grade-1, 2 & 3).
Rs.10050/- (For Grade 4, 5 & 6 including Micro alloying elements)

(Kshitij Bathla)
Sc.B, LPPD

Head, LPPD
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1998-03-09

TESTING CHARGES FOR IS 10748:1995 HOT ROLLED STEEL SKELP/STRIP FOR
WELDED TUBES AND PIPES

S NO	TESTS	CLAUSE REF.	MAN-HOURS	
			Gr 1,2&3	Gr 1,2&3
1.	Chemical composition	7, Table 1		
	a) Carbon	1	1	
	b) Manganese	2.5	2.5	
	c) Sulphur	2	2	
	d) Phosphorus	2	2	
	e) Carbon equivalent	-	0.5	
2.	Tensile test	8	4	4
3.	Bend test	9	2.5	2.5
4.	Dimensions & Tolerances	12 & 13	1	1
	PREPARATION OF TEST REPORT		1	1
	TOTAL TIME : (Rounded)		16	17

Testing charges per man-hour are Rs. 75.00. Hence complete testing charges for the product are follows:

1. Grade 1,2 & 3 Rs.1200.00 (For each grade)
2. Grade 4 & 5 Rs.1275.00 (For each grade)

The revised BIS testing charges for IS 10758:1983 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS 10758:1983 DE-ODOURIZING-CUM-DISINFECTANT
FLUIDS**

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Volatile matter	3.2	1½
3.	Steam volatile oil	3.2.1	3
4.	Stability after dilution	3.3	2
5.	Persistence of odour	3.4	½
6.	Flash point (Abel)	3.5	1
7.	Germicidal Value	3.6	10
8.	Packing & Marking	4.1 & 4.2	½
	PREPARATION OF TEST REPORT		½

TOTAL TIME: 20

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs.**6000.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 1993 04 07

TESTING CHARGES FOR IS 10758:1983 DE-ODOURIZING-CUM-DISINFECTANT
FLUIDS

S NO TESTS CLAUSE REF. MAN-HOURS

1.	Description	3.1	½
2.	Volatile matter	3.2	1½
3.	Steam volatile oil	3.2.1	3
4.	Stability after dilution	3.3	2
5.	Persistance of odour	3.4	½
6.	Flash point (Abel)	3.5	1
7.	Germicidal Value	3.6	10
8.	Packing & Marking	4.1 & 4.2	½

PREPARATION OF TEST REPORT ½

TOTAL TIME : 20

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : 13334

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 1990 12 05

TESTING CHARGES FOR IS 10787:1984 HOT ROLLED MICRO-ALLOYED STEEL
PLATE, SHEET & STRIP FOR THE MANUFACTURE OF FLOW PRESSURE LIQUEFIABLE
GAS CYLINDERS (AMENDMENT NO.1)

S NO TESTS CLAUSE REF. MAN-HOURS

1.	Chemical composition	5	
	a) Carbon	1	
	b) Manganese	2½	
	c) Sulphur	2	
	d) Phosphorus	2	

e) Micro-alloying elements		
i) Niobium (Nb)		6½
ii) Vanadium		6½
iii) Titanium		1½
f) Extra for silicon when steel is silicon killed.		2½
g) Extra for aluminium when steel is aluminium killed or Si-Al killed		2
2. Tensile test	6	3
3. *Cupping test	7	½
4. Bend test	8	2
5. Strange embrittlement test	9	3
6. Freedom from defects	11	½
7. Dimensions & Tolerance	12	1
PREPARATION OF TEST REPORT		½

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for physical tests are : Rs.825.00

For chemical test the testing charges shall be levied depending • upon the elements required to tested.

*Testing facilities not available at Cl.

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 10805:1986 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS 10805:1986 FOOT VALVES, REFLEX VALVES OR
NON-RETURN VALVES AND BORE VALVES TO BE USED IN SUCTION LINES OF
AGRICULTURAL PUMPING SYSTEMS._**

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2, 4.2 & 4.3	2
2.	Coating	5	1
3.	Seat list	6.1.1	½
4.	Housing list	6.1.2	1
5.	K-Valve list	6.2	10
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 15

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : **Rs.4500.00**

DDDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1990 03 19

TESTING CHARGES FOR IS 10805:1986 FOOT VALVES, REFLEX VALVES OR
NON-RETURN VALVES AND BORE VALVES TO BE USED IN SUCTION LINES OF
AGRICULTURAL PUMPING SYSTEMS._

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2, 4.2 & 4.3	2
2.	Coating	5	1
3.	Seat list	6.1.1	½
4.	Housing list	6.1.2	1
5.	K-Valve list	6.2	10
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 15

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1125.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1986 06 28

TESTING CHARGES FOR IS 10813:1984 SOAP JELLY FOR LAUNRY PURPOSES.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description, lather forming tendency, homogeneity on storage at 32 ⁰ C, odour	3.1 to 3.4	½
2.	Non Separation of liquid at 0 ⁰ C	3.5	1
3.	Total fatty matter	3.6 & i) of table 1	3
4.	Mater insoluble in water	ii)	1½
5.	Free caustic alkali (as NaOH)	iii)	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		8

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.600.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O 1988 04 05

TESTING CHARGES FOR IS 10840:1986 BLOW MOULDED HDPE CONTAINERS FOR
VANASPATI

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material		
	a) Container		
	i) HDPE basis resin, pigments	3.1	As per IS 10146:1982

and colorant (if separate samples are received)

ii) Melt flow index and density of HDPE used	3.2	3
b) Handle and closure-melt flow index and density	3.2	3
c) Inner Seal	3.3	½
2. Manufacture	4.1 & 4.2	½
3. Capacity	5.1	1
4. Container mass	5.2	½
5. Shape and dimensions	5.3	½
6. Wall thickness	5.4	½
7. Closure leakage test	6.1	1
8. Drop impact test	6.2	1½
9. Stacking test	6.3	1½
10. Handle pull test	6.4	1

S NO	TESTS	CLAUSE REF.	MAN-HOURS
11.	Ink adhesion of printed container	6.5	1
12.	Product resistance of printed container	6.6	1
13.	Migration test	6.7	2
PREPARATION OF TEST REPORT			½

TOTAL TIME : 23

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product excluding test Sl. No. 19 are : Rs.1725.00 additional charges shall be levied for this test, if required, as per IS 10146:1982.

APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 10889:2004 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/10889

13.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 10889:2004 (Amnd-nil)**

HIGH DENSITY POLYETHYLENE FILMS is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
4.	General	Cl. 6.1	1	-	-	-
5.	Film Form	Cl. 6.1.2	0.5	-	-	-
6.	Odour	Cl. 6.1.3	0.5	-	-	-
7.	Density	Cl. 6.1.4	*	-	-	-
8.	Melt Flow Rate	Cl. 6.1.5	4	10	-	-
9.	Black Film	Cl. 6.1.6	*	-	-	-
10.	Dimensional Requirement	Cl. 6.2	2	-	-	-
11.	Yield Tolerance	Cl. 6.3	*	-	-	-
12.	Tensile Strength and Elongation	Cl. 6.4.1 & Cl. 6.4.2	4	10	-	-
13.	Impact Resistance	Cl. 6.4.3	4	10	-	-
	Report Preparation		2	-	-	-
	Total		18	30	-	-

*Test facility not available at CL.

Testing charges = $18 \times 300 + 30 \times 9$ = Rs. 5670.00 (excluding Density, Black film and Yield tolerance)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 5670/- excluding density, black film and yield tolerance.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 10891(P-1):2001 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/10891-1

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 10891 (Part-1):2001 (Amnd-nil)**

STEEL WIRE ROPE FOR AERIAL ROPEWAYS SPECIFICATION is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
14.	Rope size and tolerance	Cl. 4	1	-	-	-
15.	Minimum breaking force	Cl. 5	2.5	-	-	-
16.	General requirements	Cl. 6	*	-	-	-
17.	Lubrication	Cl. 8	0.5	-	-	-
18.	Tests	Cl. 9	*	-	-	-
	Report Preparation		1	-	-	-
	Total		5	-	-	-

*Testing charges as per referred ISS.

Testing charges = 5 x 300 = Rs. 1500.00 + Testing charges as per referred ISS.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1500/- + testing charges as per referred ISS.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

Our Ref : WRL / TC / **Chemical / IS 10904-1984**

Date : **13-02-2024**

Subject : Testing Charges For IS 10904-1984 Sodium Fluoride, Technical

S No	Test	Clause Reference	Man Hour	Electricity Consumed KWh	Cost of Consumable including Reference Material wherever applicable
1	Description	2.1	0.5 Hr	---	---
2.	Sodium Fluoride, (as NaF), % by mass.	2.2 (Table-1, Sl No i)	5 Hr	---	300.00
3	Silica (as Na ₂ SiF ₆), % by mass.	2.2 (Table-1, Sl No ii)	3 Hr	5	300.00
4	Sulphate (as Na ₂ SO ₄), % by mass.	2.2 (Table-1, Sl No iii)	2.5 Hr	---	300.00
5	Carbonate (as Na ₂ CO ₃), % by mass.	2.2 (Table-1, Sl No iv)	0.5 Hr	---	300.00
6	Insoluble Matter, % by mass.	2.2 (Table-1, Sl No v)	0.5 Hr	---	---
7	Sieve Analysis	2.3	0.5 Hr	---	---
08	Test Report Prep ⁿ		1 Hr		

Total Man Hour 13.5 Hr

Electricity Consumed KWh 5 Units

Rate ` 15.00 per Unit

Cost of Consumables ` 1,200.00

Testing Charges per Man-Hour ` 300.00

Hence Complete Testing Charges for the Product (13.5 x 300.00) + (05 x 15.00) + 1,200.00
` 5,325.00

Rounded Off to ` 5,300.00

Submitted for approval please.

(Mahendra Kamble)
Laboratory Officer

OIC (Chem) – Testing Charges may please be approved.

Head (WRL)

Head (LPPD)

The revised BIS testing charges for IS 10908:1991 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref: LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS: 10908:1991 FLEXIBLE RUBBER TUBING FOR LPG

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	General, Workmanship & Finish	4.1 & 4.2	1
2.	Diameter & Wall Thickness	4.3.1&4.3.2	2
3.	Grip Strength	4.4	6
4.	Pressure Test	4.5	2
5.	Shore Hardness Test	4.6	1
6.	Accelerated Ageing Test	4.7	2
7.	Flexibility Test	4.8	4
8.	Crushing Test	4.9	1.5
9.	Resistance to n-pantane	4.10	5
10.	Resistance to Ozone	4.11	*
11.	Burning Behaviour	4.12	1
PREPARATION OF TEST REPORT			0.5

TOTAL TIME			26

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs.7800.00** (excluding testing charges for Resistance to Ozone test).

* Testing facility not available at CL for Resistance for Ozone test.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/14:0

2001-06-13

TESTING CHARGES FOR IS: 10908:1991 FLEXIBLE RUBBER TUBING FOR LPG

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
3.	General, Workmanship & Finish	4.1 & 4.2	1
4.	Diameter & Wall Thickness	4.3.1&4.3.2	2
3.	Grip Strength	4.4	6
4.	Pressure Test	4.5	2
5.	Shore Hardness Test	4.6	1
6.	Accelerated Ageing Test	4.7	2
7.	Flexibility Test	4.8	4
8.	Crushing Test	4.9	1.5
9.	Resistance to n-pentane	4.10	5
10.	Resistance to Ozone	4.11	*
11.	Burning Behaviour	4.12	1

PREPARATION OF TEST REPORT 0.5

TOTAL TIME 26

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.1950.00.

* Testing charges for resistance for Ozone are Rs.1800.00 which are being levied by IRMRA, Thane, A Govt.Lab, which is BIS recognized lab.

DG may kindly approve.

(V.K. Sethi)
TS(QA)

D&H(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1989 02 06

TESTING CHARGES FOR IS 10921:1984 CARPET YARN MADE FROM VIRGIN WOOL

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Manufacturer	2.1	1
2.	i) Count of yarn, tex	4.1 & i) of table 1	1
	ii) Fiber length	ii) "	1
	iii) Fiber		
	a) Hairiness grade	iii) "	4
	b) Fineness grade		
	iv) Twist		
	a) Direction of twist	iv) "	2
	b) Twist factor		
	v) Wool content	v) "	3
	vi) Extractable matter	vi) "	2
	vii) Invoice mass	vii) "	2
	viii) Colour fastness (for dyed yarn)	viii) " Facilities not available at CL.	
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 17

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1275.00

For dyed yarn additional test for colour fastness shall be carried •
out and extra charges shall be levied for that.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

29 Sept 2010

TESTING CHARGES FOR CASTRATORS AS PER IS 10940:1984.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Shape & Dimensions	2. Fig.1	4	-	-	-	300.00
2.	Material *	3	-	-	-	-	
3.	Requirements	4	1	-	-	-	75.00
4.	Hardness	5	2	-	-	-	150.00
5.	Corrosion Resistance test	6	5	10	90	-	465.00
6.	Tests for plastic handles	6.1	5	10	90	-	465.00
7.	Impact test	6.2	1	-	-	-	75.00
8.	Functional test	6.3	1	-	-	-	75.00
	PREPARATION OF TEST REPORT		1				75.00
	TOTAL		20	20	180		1680.00

* Testing charges for material test shall be charged separately as per relevant ISS.

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product excluding material test are:

Total Rs.75x20 + 20x9 = Rs.1680.00

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:O

1985 12 19

TESTING CHARGES FOR IS 10950 PHENTHOATE DUSTING POWDERS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Phenthoate content	2.2 &i) of Table 1	8
3.	Sieving requirements	" ii) "	1
4.	Bulk density after compacting	" iii) "	½
5.	Acidity/Alkalinity	" iv) "	1
PREPARATION OF TEST REPORT			½
TOTAL TIME :			12

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.900.00

APPROVED BY THE COMPETENT AUTHORITY

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1988 02 22

TESTING CHARGES FOR IS 11010:1984 ZIRAM COLLOIDAL SUSPENSION

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Description	2.1	½
2.	Ziram content	2.2 & i) of table 1	3
3.	Suspensibility	" ii) "	3
4.	Colloidal content	" iii) "	3
5.	pH of suspension at 27_ø_C	" iv) "	1

PREPARATION OF TEST REPORT ½

TOTAL TIME : 11

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.825.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 11010:1984 – ZIRAM COLLOIDAL SUSPENSION

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.1	0.5
2	Ziram Content	2.2, i) of Table 1	3
3	Suspensibility	2.2, ii) of Table 1	4
4	Colloidal Content	2.2, iii) of Table 1	2
5	pH of Suspension	2.2, iv) of Table 1	0.5
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	11

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 3300/-
COST OF CRM	Rs. 200/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3500/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 05 22

TESTING CHARGES FOR IS 11047:1984 POSTAL GREEN CASH BAGS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Manufacture	2	
	(i) Material	2.1 & 2.2	4½
	(ii) Seam	2.3	½
	(iii) Tabs	2.4	½
	(iv) Thread	2.5	5
	(v) Loops	2.6	1
	(vi) Mouth Reinforcing	2.7	½
	(vii) Freedom from defects	2.8	½
2.	Requirements	3	
	(i) General make-up	3.1 & Fig. 1	3
	(ii) Size, Designation and other related details	3.2, 3.3 & Table 1	3
	(iii) Colour fastness	3.4 (Facilities not available at CL.)	7
	(iv) Packing & Marking	4	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		22

Testing charges per man-hour are Rs. 75.00. Hence complete testing charges for the product are : Rs.1650.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 05 22

TESTING CHARGES FOR IS 11048:1984 POSTAL RED ACCOUNTS BAGS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Manufacture	2	
	(i) Material	2.1 & 2.2	4½
	(ii) Seam	2.3	½
	(iii) Thread	2.4	5
	(iv) Mouth Reinforcing	2.5	½
	(v) Freedom from defects	2.8	½
2.	Requirements	3	
	(i) General make-up	3.1 & Fig. 1 1	
	(ii) Size, Designation and other related details	3.2, 3.3 & Table 1	
	(iii) Colour fastness	3.4 (Facilities not avail- able at CL.)	7
3.	Packing & Marking	4	½

PREPARATION OF TEST REPORT ½

TOTAL TIME : 20

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1500.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 05 22

TESTING CHARGES FOR IS 11055:1984 COTTON BLUE AIRMAIL BAGS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1. Manufacture	2	
(i) Material	2.1 & 2.2	4½
(ii) Seam	2.3	½
(iii) Tabs	2.4	½
(iv) Thread	2.5	5
(v) Loops	2.6 & table 1	1
(vi) Mouth Reinforcing	2.7	½
(vii) Freedom from defects	2.9	½
(viii) Marking on the bag	2.8	

2. Requirements	3	
(i) General	3.1 & 3.2	½
(ii) Colour fastness	3.4	7 (Facilities not available at CL.)

PREPARATION OF TEST REPORT ½

TOTAL TIME : 21

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1575.00

APPROVED BY THE COMPETENT AUTHORITY.
BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

**BIS CTCC, Sahibabad
Quality Assurance Section**

Ref: CL/QA/79

12.11.14

Subject: Testing Charges for Industrial Safety Nets as per IS 11057:1984

Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing	Power consumption (If intensive) in KWh	Cost of Power	Consumables required (Approx Cost in Rs.)	Total charges for each test (in Rs.)	Test facility availability (Y/N)
2	3	4	5=4*300	6	7=6*15	8	9=5+7+8	
Construction	3	1	300	---	---	---	300	Y
Dimensions	4	1	300	---	---	---	300	Y

Finish	5	0.5	150	---	---	---	150	N
Drop Test	6.3 & 6.4, Appendix A	2.5	750	---	---	---	750	N
Breaking Strength	6.5, Appendix A	3	900	---	---	---	900	Y
Preparation of Test Report	---	0.5	150	---	---	---	150	--
Total	---	8.5	2550	---	---	---	2550	---

Testing charges per man hour are Rs.300

Hence testing charges for the product are = Rs.2550/-

= Rs.2550/- (Rupees Two Thousand Five Hundred Fifty only)

(Adbhut Singh)
OIC QA

Sc- F & Head (CTCC)

Sc-F & Head PP&C (T&C)

Sc-G & DDG (T&C)

OUR REF. : LAB/14:O

1992 05 22

TESTING CHARGES FOR IS 11063:1984 METOXIURON WP

S NO	TESTS	CLAUSE REF.	MAN-HOURS	
1.	Metokuron content	Table 1, cl,2.3	6	
2.	Sieving requirement	--- do ---	1	
3.	Suspensibility	--- do ---	8	
4.	Wettability	--- do ---		0.5
5.	Acidity or alkalinity	--- do ---	1	

PREPARATION OF TEST REPORT 2

TOTAL TIME : 19

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1425.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 11087:1986 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR MICR CHEQUE PAPER AS PER IS 11087:1986.

Testing per man-	Sl.No	Characteristics	Clause No.	Man- hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	charges hour are
				@ 300/-	Kwh	Cost @ 9/-		
		A. TEST PARAMETERS						
	1.	Description	3.1	0.5	-	-	-	
	2.	Substance	3.3	5	2	18		
	3.	Thickness	3.4	1	-	-	-	
	4.	Size	3.5	1	-	-	-	
	5.	Smoothness	3.6, Table 1	1	-	-	-	
	6.	Porosity	--do--	1	1	9	-	
	7.	Opacity	--do--	0.5	1	9	-	
	8.	Wax pick	--do--	1	-	-	-	
	9.	Tearing strength	--do--	1	-	-	-	
	10.	Stiffness	--do--	1	1	9	-	
	11.	Colour	3.7	0.5	-	-	-	
	12.	Water mark	3.8	0.5	-	-	-	
	13.	Sensitizaation	3.9	2	1	9	200	
		PREPARATION OF TEST REPORT		1				
		TOTAL		17	6	54	200	

Rs.300.00. Hence testing charges for the product are:

Total Rs.17x300+6x9+200 =5354.00 (Rounded to **Rs.5355.00**)

DDGL may kindly approve.

(P.Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref : CL/QA/79

05 Jan 2010

TESTING CHARGES FOR MICR CHEQUE PAPER AS PER IS 11087:1986.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.1	0.5	-	-	-	37.50
2.	Substance	3.3	5	2	18		393.00
3.	Thickness	3.4	1	-	-	-	75.00
4.	Size	3.5	1	-	-	-	75.00
5.	Smoothness	3.6, Table 1	1	-	-	-	75.00
6.	Porosity	--do--	1	1	9	-	84.00
7.	Opacity	--do--	0.5	1	9	-	46.50
8.	Wax pick	--do--	1	-	-	-	75.00
9.	Tearing strength	--do--	1	-	-	-	75.00
10.	Stiffness	--do--	1	1	9	-	84.00
11.	Colour	3.7	0.5	-	-	-	37.50
12.	Water mark	3.8	0.5	-	-	-	37.50
13.	Sensitizaation	3.9	2	1	9	200	359.00
	PREPARATION OF TEST REPORT		1				75.00
	TOTAL		17	6	54	200	1529.00

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs.17x75+6x9+200 =1529.00 (Rounded to Rs.1530.00)

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)

Head-CL

H (CQAPD)

Sc.G (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1995-11-13

TESTING CHARGES FOR 11156:1985 INFANT FORMULAE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Description	3.1	
	General Examination		1
	+ Linoleate	3	
	+ Vitamin E	*	
2.	Flavour & Taste	3.5	½
3.	Bacterial count	3.6.1	3
4.	Coliform count	3.6.2	3
5.	Moisture	3.7 & i) of table 1	1
6.	Total Milk Protein	" ii) "	3
7.	Total fat	" iii) "	2
8.	Total ash & acid insoluble ash	" iv) & v) "	3
9.	Solubility	" vi) "	2
10.	Vitamin A(as retianol)	" vii) "	5
11.	Vitamin D(to be calculated on declared content basis)	" viii) "	--
12.	Iron	" ix) "	2
13.	Packing & Marking	4	½

14. Optional requirements

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

a) Thiamine	3.2 & i) of Table 2		
b) Nicotinamide	" ii) "		
c) Riboflavin	" iii) "		
d) Vitamin B6	" iv) "		
e) Vitamin B12	" v) "		
f) Folic acid	" vi) "		
g) Pantothenic acid	" vii) "		
h) Biotin	" viii) "		

i) Vitamin C	" ix) "	2
j) Vitamin K	" x) "	*
k) Copper	" xi) "	2
l) Iodine	" xii) "	2
m) Manganese	" xiii) "	2
n) Zinc	" xiv) "	2

PREPARATION OF TEST REPORT $\frac{1}{2}$

G.TOTAL TIME : 40

Note :- FNA - Facilities not available.

Testing charges per man-hour are Rs. 75.00.

Testing charges for obligatory requirements, excluding Vitamen E for which facilities are not available at CL, are Rs.2250/-. Facilities for all the optional requirements are available presently, five requirements out of 14 may be tested and charges for these tests are Rs.825/-.

* Facilities not available.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O 19

TESTING CHARGES FOR IS 11170:1985 PERFORMANCE REQUIREMENTS
FOR CONSTANT SPEED COMPRESSION IGNITION (DIESEL) ENGINES FOR
AGRICULTURAL PURPOSES (UPTO 7.10KW)

S NO TESTS CLAUSE REF. MAN-HOURS

3.55 KW 7.10 KW

1. Preparation for testing 3.1 (a)

- | | | |
|----------------------------|----|----|
| a) Dismantling | | |
| b) Dimensions | | |
| C) Re-assembly & mounting | 39 | 39 |
| *d) Running in the engine | | |
| e) Service required,if any | | |

2.	*Preliminary run	3.1 (b)	11½	11½
3.	Initial performance test including governing test	3.1 (c)	29	31½
4.	*Endurance test, 32 cycle of 16 h each	3.1 (d)	109	109
5.	Final performance test, including governing test	3.1 (e)	29	31½
6.	Final inspection test	3.1 (f)	27	27
7.	Lubricating oil consumption test	3.1 (g)	1	1
8.	Mechanical efficiency	3.1 (h)	Testing facilities not available at CL	

Cost of diesel and mobile oil at the present rate :

S NO	TESTS	CLAUSE REF.	MAN-HOURS	
a)	3.55 kw (5 hp)	83½	--	
b)	7.1 kw (10 hp)	--	167	
	PREPARATION OF TEST REPORT		2	2

G. TOTAL TIME : 331 420

—

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :

- 1 For 3.55 kw (5 hp) :Rs.24825.00 Excluding Mechanical efficiency test for which facilities do not exist in CL.
- 2.For 7.1 kw (10 hp) :Rs.31500.00

* Running in the time of the engine depends upon the time declared by the manufacturer, If it is more then 8 hours the testing charges shall be enhanched accordingly.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1985 11 28

TESTING CHARGES FOR IS 11217:1984 ULTRAMARINE BLUE FOR USE IN
TEXTILE INDUSTRY

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Visual examination	2.1	½
2.	Identification	2.2	½
3.	Matter insoluble in water	2.3 & i) of table 1	1
4.	Volatile matter	" ii) "	1
5.	Residue on IS sieve	" iii) "	1
6.	Soluble organic colouring matter	" iv) "	1
7.	*Reflectance	2.4.1	2½
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 8

* Tests can be carried out provided standard cloth in made available.

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.600.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 07 08

TESTING CHARGES FOR IS 11225:1985 LEATHER SAFETY SHOES FOR
WOMEN WORKERS IN THE MINES & STEEL PLANTS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Marking & packing	4.1 & 4.2	0.5
2.	Shape & Dimensions	3.1	0.5
3.	Upper material	3.2.1 AS per IS 538:1985 (20h)	
4.	Binding material	3.2.2	0.5
5.	Bottom material	3.2.3 & Table 1	--
	i) Relative density	-do-	1
	ii) Hardness	-do-	1
	iii) Flexing resistance	-do-	4
	iv) Change in hardness	-do-	2
6.	Threads for upper closing	3.2.4 As per IS 1720:1978 (14 h)	
7.	Bottom filling material	3.2.5	0.5
8.	Steel toe cap	3.2.6 As per IS 5852:1992 (6 h)	
	i) Impact test	3.2.6.1	0.5
9.	Fabric laces	3.2.7	1
10.	Components:Thickness (If supplied separately)	3.3	2
11.	Thickness of rubber sole & heel	3.3.1	1
12.	Adhesion test	3.4	1
13.	Manufacture & Finish	3.5 & 3.6	2

i) Eyelets (If supplied) 3.5.1.2 As per IS 5041
 :1978 (2h)

14. Ageing 3.7 1

15. Mass 3.8 0.5

SAMPLING & PREPARATION OF THE TEST REPORT 2

TOTAL TIME : 55

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :

a) For finished product :Rs.1575.00

b) For all raw material, :Rs.3150.00
 if supplied separately

APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 11226:1993 effective from 16-05-2018**BUREAU OF INDIAN STANDARDS****EROL, Kolkata****Our Ref: EROL/M/TC(11226)****31.10.2017****IS-11226:1993 Leather safety footwear having direct moulded rubber sole**

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)x Rs.300	(VI)	(VII)=(VI)x Rs.10	(VIII)	(IX)	(X)
1	5.2	Material	--						
2	5.2.1	Upper Leather	12	3600	4	40	200	3840	IS 5677
3	5.2.2	Insole leather	4	1200				1200	IS 5867
4	5.2.3	Stiffener	1	300				300	IS 7554
5	5.2.4	Lining material	1	600				600	IS 3840
6	5.2.5	Threads	5	2400	2	20	100	2520	IS 1720
7	5.2.6	Grinders	0.5	150				150	
8	5.2.6.1	Lasting tacks	0.5	150				150	
9	5.2.6.2	Shanks	1	300				300	IS 10945
10	5.2.6.3	Eyelets	2	600				600	IS 5041
11	5.2.7	Cotton Newar	2	600				600	IS 1895
12	5.2.8	Toe compound	1	300				300	
13	5.2.9	Laces	2	600	2	20		620	IS 4778
14	5.2.10	Steel Toe Cap	8	2400				2400	IS 5852
15	5.2.11	Sole and Heel	22	6600	4	40		6640	3400(1,2,4, 9,16)
16	5.3 & 5.4.2	Components	3	900				900	
17	5.4.1	Construction	2	600				600	
18	5.4.3	Upper closing for type-1	2	600				600	
19	5.4.4	Upper closing for type-2	2	600				600	
20	5.4.5	Upper closing for type-3	2	600				600	
21	5.4.6	Lasting tacks	1	300				300	
22	5.4.7	Moulding of rubber sole	2	600				600	
23	5.4.8	Workmanship and Finish	1	300				300	
24	5.5	mass	1	300				300	
25	5.6	Performance Test	2	600				600	
26	5.7	Adhesion test on mould	4	1200*				1200*	TF not available
27	7	Marking	1	300				300	
28		Report	2	600				600	

Testing Charges for the product: 26520/- excluding Adhesion test on mould.**(A Chakrabarti)
OIC(Mechanical)****H(EROL)**

H(LPPD)
DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 26520/- excluding adhesion test on mould.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1989 03 31

TESTING CHARGES FOR IS 11227:1985 GELATIN FOR SIZING OF PAPER

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description and Packing & Marking	3.1, 4.1, 4.2	½
2.	pH	3.2 & i) of Table 1	1
3.	Total Ash	" ii) "	2
4.	Gel strength	" iii) " Presently facilities not available at CL	
5.	Viscosity at 40 ⁰ C	" iv) "	2
6.	Chloride (as NaCl)	" v) "	1
7.	Keeping Quality	" vi) "	2
8.	Insoluble matter	" vii) "	1
9.	Water absorption	" viii) "	1½
10.	Grease content	" ix) "	2
PREPARATION OF TEST REPORT			½
TOTAL TIME :			14

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1050.00
excluding the test for which facility not exist in CL.

APPROVED BY THE COMPETENT AUTHORITY.
BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 07 06

TESTING CHARGES FOR IS 11231:1985 MILK BREAD

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1. Description	4.1	½
2. Volume/weight ratio	4.1.1	2
3. Requirements as per Table 1 :_		
i) Total solids content	4.3	1
ii) pH of bread	4.3	1
iii) Acid insoluble ash	4.3	2
iv) Non-fat milk solids	4.3	4
v) Curde fibre	4.3	4
vi) Alcoholic Acidity	4.3	1

PREPARATION OF THE TEST REPORT ½

TOTAL TIME : 16

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1200.00

APPROVED BY THE COMPETENT AUTHORITY.

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

14 Feb 2005

TESTING CHARGES FOR PORTABLE LPG APPLIANCES AS PER IS 11241:1985 OPERATING AT VAPOUR PRESSURE WITH AMDT.NO.1

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	Construction	3	0.5		
2.	Materials	4	8	54 kwh	Rs.100/- cost of chemical& distilled water
3.	Design for maintenance	5	0.5		
4.	Stability	6	1		

5.	Inlet connection	7	0.5	
6.	Finish	8	5.5	for vitrous enameled/plated finish
			0.5	for other finishes
7.	Valves	9	1	
8.	Injector jets	11	0.5	
9.	Gas containers	15	As per IS 4093:81 for non-refillable gas container	
			As per IS 7142:74 or IS 12586:88 for Refillable gas container	
10.	Gas soundness	16	1	
11.	Performance	17		Rs.100/- for LPG
	a) Ignition & Flame travel	18	1	
	*b) Flame stability	19	1	
	c) Resistance to draught	20	1	
	d) Combustion	21	2	
	*e) Surface temperature	22	1	
	*f) Max heat output for portable space heaters	23	can not be assessed as test method is not specified in ISS	
	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	26h for vitrous enameled/plated finish	
			20.5h for finish other than vitrous/plated	

TESTING CHARGES FOR PORTABLE LPG APPLIANCES AS PER IS 11241:1985 OPERATING AT VAPOUR PRESSURE WITH AMDT.NO.1

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges + cost of consumables.

Total Rs. 26x75+54x4+200 i.e. Rs.2366 rounded off Rs.2370.00
(for vitreous enameled/plated finish)

Rs. 20.5x75+54x4+200 i.e. Rs.1953.50 rounded off Rs.1955.00
(for other than vitreous enameled/plated finish)

* Testing facility not available at CL for tests at S.No.11 b), e) &f)

** Testing charges for gas containers at S.No.9 shall be as per relevant ISS.

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 03 19

TESTING CHARGES FOR IS 11248:1985, POLYESTER BLEND SUITINGS FOR
UNIFORMS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Manufacture	2	
	a) Yarn	2.1	½
	b) Cloth	2.3	
2.	Requirements		
	a) Count of Yarn	3.1 Table 1(i)	1
	i) Warp		
	ii) Weft		
	b) Threads /dm	3.1 Table 1(ii)	1
	i) Warp		
	ii) Weft		
	c) Blend composition	3.1 Table 1(iii)	2
	i) Polyester		
	ii) Cotton		
	d) Mass	3.1 Table 1(iv)	½
	e) Breaking load	3.1 Table 1(v)	2
	i) Warpway		
	ii) Weftway		
	f) Length	3.1 Table 1(vi)	
		½	
	g) Width	3.1 Table 1(vii)	
	h) Relaxation Shrinkage	3.1 Table 1(viii)	1
	i) Warpway		
	ii) weftway		

2.	i) Shrinkage when heated	3.1 Table 1(ix)	1
----	--------------------------	-----------------	---

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

	j) pH value of aqueous extract (cold method)	3.1 Table 1(x)	1
	k) Water solubles	3.1 Table 1(xi)	1

l) Crease recovery angle	3.1 Table 1(xii)	Facility not available at CL
m) Colour fastness to (Xenon lamp method)	3.1 Table 1(xiii)	
i) Light	-do-	-do-
ii) Washing	-do-	1
iii) Perspiration	-do-	1
iv) Rubbing	-do-	Testing facility not available at CL
n) Pilling	3.1 Table 1(xiv)	-do-
3. Detection of flaws	3.2	2
4. General appearance,luster, feel and shade	3.3	½
5. Marking & packing	5 & 6	½

PREPARATION OF TEST REPORT ½

TOTAL TIME : 17

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1275.00
excluding the tests for which facilities do not exist in CL.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

5 June 2006

TESTING CHARGES FOR CORROSION RESISTANT HIGH ALLOY STEEL, Ni-Base & COBALT BASE INVESTMENT CASTINGS FOR SEVERE APPLICATIONS AS PER IS 11286:1995

Sl..No.	Characteristics	Clause no.	Man-Hours			
A.	TEST PARAMETERS		Gr.1	Gr.2	Gr.3	Gr.5
1..	Carbon	8.1, Table 1	2	2	2	2
2.	Manganese	-- do --	3	3	3	3
3.	Phosphorous	-- do --	3	3	3	3
4.	Sulphur	-- do --	2	2	2	2
5.	Silicon	-- do --	3	3	3	3
6.	Nickel	-- do --	3	3	-	-
7.	Chromium	-- do--	3	3	-	3

8.	Molybdenum	-- do --	3	3	3	3
9.	Vanadium	-- do --	-	-	-	3
10.	Copper	-- do --	-	3	3	-
11.	Iron	-- do --	-	-	3	3
12.	Workmanship & Finish	9	1			
13.	Freedom from defects	10				
14. *	Metallographic test	13				
15.	Mechanical tests	13.3, Table 2				
	a) Tensile strength	14.1	6			
	b) Yield stress					
	c) Elongation					
	d) Brinell Hardness	13.4	3			
	e) Impact test & bend test	13.5	6			
16. *	Non-Destructive test	14.1 to 14.3				
17. *	Additional tests	15				
B.	Electricity power consumed				69kwh=69 units	
C.	Cost of Consumables/CRMs				550.00	
D.	PREPARATION OF TEST REPORT		2	2	2	2
	TOTAL	TIME	40	43	40	43

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges.

Total Rs.40x75+69x4+550 = Rs.3826 for grade 1 & 3 and
43x75+69x4+550 = Rs.4051 for grade 2&5.

* Testing charges for the tests mentioned will be charged separately, if required.

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

5 June 2006

TESTING CHARGES FOR CORROSION RESISTANT HIGH ALLOY STEEL, Ni-Base & COBALT BASE INVESTMENT CASTINGS FOR SEVERE APPLICATIONS AS PER IS 11286:1995

Sl.No.	Characteristics	Clause no.	Man-Hours		
A.	TEST PARAMETERS		Gr.6	Gr.4A&4B	Gr.7&8
1..	Carbon	8.1, Table 1	2	2	2
2.	Manganese	-- do --	3	3	3
3.	Phosphorous	-- do --	3	3	3
4.	Sulphur	-- do --	2	2	2
5.	Silicon	-- do --	3	3	3
6.	Nickel	-- do --	3	-	3
7.	Chromium	-- do--	3	-	3
8.	Molybdenum	-- do --	3	-	-
9.	Tungsten	-- do --	-	-	-
10.	Copper	-- do --	-	3	-
11.	Iron	-- do --	3	3	3
12.	Workmanship & Finish	9	1		
13.	Freedom from defects	10			
14. *	Metallographic test	13			
15.	Mechanical tests	13.3, Table 2			

	a) Tensile strength	14.1	6		
	b) Yield stress				
	c) Elongation				
	d) Brinell Hardness	13.4	3		
	e) Impact test & bend test	13.5	6		
16. *	Non-Destructive test	14.1 to 14.3			
17. *	Additional tests	15			
B.	Electricity power consumed				69 kwh=69 units
C.	Cost of Consumables/CRMs				550.00
D.	PREPARATION OF TEST REPORT	2	2	2	
	TOTAL	TIME	43	37	40

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges.

Total Rs.43x75+69x4+550 = Rs.4051.00 for Grade 6,
37x75+69x4+550 = Rs.3601.00 for Grades 4A & 4B
40x75+69x4+550 = Rs.3826 for Grades 7&8

* Testing charges for the tests mentioned will be charged separately, if required.

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)

DDGL

The revised BIS testing charges for IS 11313:2007 effective from 12-02-2018
BUREAU OF INDIAN STANDARDS
WROL, Mumbai

Our Ref.: WROL/TC/Mechanical/ IS 11313:2007
November 2017

27

Testing charges for Hydraulic Power Sprayer as per IS 11313:2007 including Amendment No. Nil

Sr. No.	Tests	Cl. Ref.	Man Hours
A	Mechanical Test		
1.	Constructional Requirement	Cl 5	8
2.	Discharge Rate	Cl 6.1	4
3.	Volumetric Efficiency	Cl 6.2	4
4.	Power Requirement	Cl 6.3	2
5.	Maximum Achievable pressure	Cl 6.4	4
6.	Endurance Test	Cl 6.5	12
7.	Test for Gasket	Cl 5.13	2
8.	Workmanship and Finish	Cl 9	1
9.	Marking	Cl 10	0.5
10.	Preparation of Test Report		1
	Total Man Hours		38.5

Electric Power Consumed(@Rs 15 per Unit) 120 units **Rs 1800.00**

Testing Charges per Manhours (@Rs 300/-per Manhour) 38.5 hrs **Rs 11550.00**

Total Testing Charges(Excluding material test) **Rs 13350.00**

K.H.Subramanian
LO A, Mechanical

OIC(Mech Lab)

Head WROL

Head LPPD

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 13350/- + charges as per relevant ISS excluding material test.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above
BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/Lab/14:0

2001-10-04

TESTING CHARGES FOR IS: 11313:1985 HYDRAULIC POWER SPRAYER

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Constructional Requirement	5	8
2.	Discharge Rate	4.1	4
3.	Volumetric Efficiency	4.2	4
4.	Endurance Test	4.3	12
5.	Test for Gasket	5.16	2
PREPARATION OF TEST REPORT			1
TOTAL TIME			31

Electricity charges for endurance test @ 2.2 Kw motor x 50 = 110 Kw x 4 = Rs.440.00

Testing charges per man hour is Rs.75.00. Hence complete testing charges for the product are Rs.2765.00

DG may kindly approve.

(V.K. Sethi)
TS(QA)

DCL(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 03 16

TESTING CHARGES FOR IS 11320:1985 GLASS FIBER ROVINGS FOR THE
REINFORCEMENT OF POLYESTER AND EPOXIDE RESIN SYSTEMS

S NO	TEST	CLAUSE REF.	MAN-HOURS		
			Type 1	Type 2	Type 3
1.	Material	2.1	½	½	½
2.	Requirements	4			
	a) Manufacture	4.1	½	½	½
	b) Roving tex	4.1.1 Tab.1, App A	1	1	1
	c) Moisture content	do App B	1	1	1
	d) Loss on ignition	do App C	1	1	1
	e) Cross breaking strength				
	i) Preparation of the test specimen	do App D (Cl.D-1&D-2)	Testing facilities not available at CL		
	ii) Dry $\frac{3}{3}$	do App D	2	2	2
	Wet $\frac{3}{3}$	(Cl,D-3,D-4,D-5)			
	f) Conductivity of water extract	do App E	1	1	1
3.	Defects & Impurities	4.2	½	½	½
4.	Keeping property	4.3	8	8	8
5.	Packing & Marking	6.1 & 6.2	½	½	½
	PREPARATION OF TEST REPORT		½	½	½
	TOTAL TIME :		17	17	17

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :

- a) Type 1 :Rs.675.00 $\frac{3}{3}$ Excluding the test for which facil-
- b) Type 2 :Rs.675.00 $\frac{3}{3}$ ity does not exist in CL, and the
- c) Type 3 :Rs.675.00 $\frac{3}{3}$ Keeping property.

Test charges for the keeping property shall be Rs. 600.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1986 08 12

TESTING CHARGES FOR IS 11352:1985 FLEXIBLE PACKS FOR THE PACKING
OF EDIBLE OILS AND VANASPATHI

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Material	3.1	$\frac{1}{2}$
2.	Construction	3.2	
3.	Stack load test	3.3.1	1
4.	Drop test	3.3.2	1 $\frac{1}{2}$
5.	Storage test	3.4.1	5
6.	Migration	3.4.2	2
7.	Ink adhesion of printed pouches	3.4.3	1
8.	Product resistance of printed pouches	3.4.4	1
9.	Workmanship	4.1	$\frac{1}{2}$

PREPARATION OF TEST REPORT $\frac{1}{2}$

TOTAL TIME : 13

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.975.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS LABORATORY POLICY & PLANNING DEPTT

Our Ref: LPPD/52:2

25.05.2015

**TESTING CHARGES FOR IS 11375:1985 - GROUNDNUT OIL FOR
COSMETIC INDUSTRY**

SL.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
-----	-----------------	------------	-----------

No.			Type 1	Type 2
1	Description	3.1 & 3.2	0.5	0.5
2	Admixture with Other Oils	3.3	11	11
3	Moisture and Insoluble Impurities	7.1 & 3.4, (i) of Table 1	3	3
4	Colour	7.1 & 3.4, (ii) of Table 1	0.5	0.5
5	Refractive Index	7.1 & 3.4, (iii) of Table 1	1	1
6	Relative Density	7.1 & 3.4, (iv) of Table 1	0.5	0.5
7	Saponification Value	7.1 & 3.4, (v) of Table 1	2	2
8	Iodine Value	7.1 & 3.4, (vi) of Table 1	2	2
9	Acid Value	7.1 & 3.4, (vii) of Table 1	1	1
10	Unsaponifiable Matter	7.1 & 3.4, (viii) of Table 1	3	3
11	Bellier Turbidity Temperature	7.1 & 3.4, (ix) of Table 1	3	3
12	Flash Point	7.1 & 3.4, (x) of Table 1	2	-
13	Test for Rancidity	7.1 & 3.4, (xi) of Table 1	0.5	0.5
14	Peroxide Value	7.1 & 3.4, (xii) of Table 1	1	1
PREPARATION OF TEST REPORT			1	1
TOTAL TIME			32	30

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)

Rs. 9600/-

Rs. 9000/-

COST OF CONCUMABLES

Rs. 500/-

Rs. 500/-

COMPLETE TESTING CHARGES FOR THE PRODUCT

Rs. 10100/-

Rs. 9500/-

DDGL may kindly approve.

**Varsha Gupta
Sc-B**

Head (LPPD)

DDG (Labs)

BIS LABORATORY POLICY & PLANNING DEPTT

Our Ref: LPPD/52:2

25.05.2015

TESTING CHARGES FOR IS 11376:1985 - SESAME OIL FOR COSMETIC INDUSTRY

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS	
			Type 1	Type 2
1	Description	3.1 & 3.2	0.5	0.5
2	Admixture with Other Oils	3.3	11	11
3	Moisture and Insoluble Impurities	7.1 & 3.4, (i) of Table 1	3	3

4	Colour	7.1 & 3.4, (ii) of Table 1	0.5	0.5
5	Refractive Index	7.1 & 3.4, (iii) of Table 1	1	1
6	Relative Density	7.1 & 3.4, (iv) of Table 1	0.5	0.5
7	Saponification Value	7.1 & 3.4, (v) of Table 1	2	2
8	Iodine Value	7.1 & 3.4, (vi) of Table 1	2	2
9	Acid Value	7.1 & 3.4, (vii) of Table 1	1	1
10	Unsaponifiable Matter	7.1 & 3.4, (viii) of Table 1	3	3
11	Bellier Turbidity Test	7.1 & 3.4, (ix) of Table 1	3	3
12	Flash Point	7.1 & 3.4, (x) of Table 1	2	-
13	Test for Rancidity	7.1 & 3.4, (xi) of Table 1	0.5	0.5
14	Peroxide Value	7.1 & 3.4, (xii) of Table 1	1	1

PREPARATION OF TEST REPORT	1	1
TOTAL TIME	32	30

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 9600/-	Rs. 9000/-
COST OF CONCUMABLES	Rs. 500/-	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 10100/-	Rs. 9500/-

DDGL may kindly approve.

Varsha Gupta
Sc-
B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O 1987 11 24

TESTING CHARGES FOR IS 11400:1985 HYPODERMIC SYRINGES INTERCHANGEABLE TYPE FOR GENERAL PURPOSES

S NO	TESTS	CLAUSe REF.	MAN-HOURS
1.	Physical observation	3.1, 4.2, 4.3, & 6	2
2.	Capacity	3.2 & Table 1	2
3.	Dimensions	3.2, 3.3, Table 1 & Table 2 ,4.4	2
4.	Nozzle	4.1	1½
5.	Thermal shock test	5.1 & 8.3 of IS 3235	2

:1980

6.	Corrosion test	"	8.4	"	2½
7.	Permanency of marking	"	8.5	"	2½
8.	Dry heat test	"	8.6	"	1½
9.	Alkalinity test	"	8.7	"	3½
10.	Leakage test	"	8.8	"	2
11.	Test for entrapped fluid	"	8.9	"	1
12.	Interchangeability test	"	8.10	"	3
13.	Freedom from striae and strain	"	8.11	"	½

PREPARATION OF TEST REPORT ½

TOTAL TIME : 27

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2025.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS LABORATORY POLICY & PLANNING DEPTT**Our Ref: LPPD/52:2****25.05.2015****TESTING CHARGES FOR IS 11470:1985 - COCONUT OIL FOR COSMETIC INDUSTRY**

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS	
			Type 1	Type 2
1	Description	3.1	0.5	0.5
2	Clarity	3.2	0.5	0.5
3	Admixture with Other Oils	3.3	11	11
4	Moisture and Insoluble Impurities	3.4, (i) of Table 1	3	3
5	Colour	3.4, (ii) of Table 1	0.5	0.5
6	Refractive Index	3.4, (iii) of Table 1	1	1
7	Relative Density	3.4, (iv) of Table 1	0.5	0.5
8	Saponification Value	3.4, (v) of Table 1	2	2
9	Iodine Value	3.4, (vi) of Table 1	2	2
10	Acid Value	3.4, (vii) of Table 1	1	1
11	Unsaponifiable Matter	3.4, (viii) of Table 1	3	3
12	Polenske Value	3.4, (ix) of Table 1	4	4
13	Flash Point	3.4, (x) of Table 1	2	-
14	Test for Rancidity	3.4, (xi) of Table 1	0.5	0.5
PREPARATION OF TEST REPORT			1	1
TOTAL TIME			32.5	30.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)

Rs. 9750/-

Rs. 9150/-

COST OF CONSUMABLES

Rs. 1000/-

Rs. 1000/-

COMPLETE TESTING CHARGES FOR THE PRODUCT

Rs. 10750/-

Rs. 10150/-

DDGL may kindly approve.

Varsha Gupta

Sc-B

Head (LPPD)**DDG (Labs)**BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 03 15

TESTING CHARGES FOR IS 11480:1985 DOMESTIC GRILLERS FOR USE WITH
LIQUEFIED PETROLEUM GASES (INCORPORATING AMENDMENT NO.1)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material (Analysis and Mercurous Nitrate test)	4, section 1 of IS 5116 :1985	9½
2.	Design for Maintenance	5	1
3.	Rigidity & Stability	6	½
4.	Workmanship & Finish	7	
	a) Workmanship & Finish	7.1	5½
	b) External Finish	7.2	½
	c) Plastic components test	7.3	1
5.	Gas Taps	8	1
6.	Injector jets	9.1	½
7.	Burners	10.1	½
8.	Burner support	11.1	½
9.	Drip trays	12	½
10.	Grill design	13	½
11.	Gas soundness	14	1
12.	Strength Test	15	½
13.	Pan supports	16	½

S NO	TESTS	CLAUSE REF.	MAN-HOURS
14.	Gas inlet connections	17	1
15.	Gas consumption	19	3
16.	Ignition, Flame Travel & Flame stability	20	1
17.	Noise control	21	½
18.	Flash back	22	1
19.	Resistance to Draught	23	1
20.	Performance Test	24.1	2

21. Formation of Soot	24.2	1
22. Combustion	25	2
23. Fire Hazard & Limiting Temperatures	26	2
24. Thermal Efficiency of Boiling Burners	27	3
25. Instruction & Marking	30 & 31	½
PREPARATION OF TEST REPORT		1

TOTAL TIME : 43

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.3225.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O 1994 09 08

TESTING CHARGES FOR IS 11483:1985 PAPER CAPS FOR TOY PISTOL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Manufacture	4.1, 4.1.1, 4.1.2, 4.1.3, 4.1.4 & 4.1.5	11½ hrs
2.	Functional Requirements	4.2	2 hrs
3.	Report preparation		½ hrs

TOTAL TIME : 14 hrs

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1050.00

APPROVED BY THE COMPETENT AUTHORITY.

**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

25.05.2015

**TESTING CHARGES FOR IS 11486:1985 - CASTOR OIL FOR COSMETIC
INDUSTRY**

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.1	0.5
2	Clarity	3.2	1.5
3	Admixture with Other Oils	3.3	2.5
4	Colour	3.4, (i) of Table 1	0.5
5	Relative Density	3.4, (ii) of Table 1	0.5
6	Refractive Index	3.4, (iii) of Table 1	1
7	Critical Solution Temperature	3.4, (iv) of Table 1	0.5
8	Acid Value	3.4, (v) of Table 1	1
9	Saponification Value	3.4, (vi) of Table 1	2
10	Unsaponifiable Matter	3.4, (vii) of Table 1	3
11	Acetyl Value	3.4, (viii) of Table 1	2.5
12	Iodine Value	3.4, (ix) of Table 1	2
13	Moisture and Volatile Matter	3.4, (x) of Table 1	1
14	Test for Rancidity	3.4, (xi) of Table 1	0.5
15	Test for Detection of Cold Pressed/Hot Pressed Oil	3.4, (xii) of Table 1	2.5
16	Peroxide Value	3.4, (xiii) of Table 1	1
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		23.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 7050/-
COST OF CONSUMABLE	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 7550/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O 1992 10 15

TESTING CHARGES FOR IS 11511:1985 BOBBIN CARRIER FOR JUTE SPINNING
FRAMES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Material (Tube,cup & clip)	2.1 & 2.2	½
----	-------------------------------	-----------	---

2.	Dimensions	3.1	2
----	------------	-----	---

3.	Hardness	3.2	1
----	----------	-----	---

4.	Other requirements & Marking	3.3 & 4	1
----	---------------------------------	---------	---

PREPARATION OF TEST REPORT	½
----------------------------	---

TOTAL TIME :	5
--------------	---

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.375.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 11513:2011 effective from 24-03-2017

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

TESTING CHARGES FOR IS- 11513:2011, Amend-1
HOT ROLLED CARBON STEEL STRIP FOR COLD ROLLING

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity Consumed Power kwh	Cost of Consumable including reference material wherever applicable
1.	Chemical Composition	As per Clause 6, table -1			
	i) Carbon		2	6	50.00
	ii) Sulphur		2	6	50.00
	iii) Phosphorus		3	6	50.00
	iv) Manganese		3	6	50.00
	PREPARATION OF TEST REPORT			1	
	Total		11	24	200.00

Testing charges per man-hour Rs.300.00

Electricity power consumption Rs.9.00 per KWH

Hence complete testing charges for the product: - 3716/-, Rounded off to Rs.3750/-

Remarks:

- i) For 'MA (micro-alloying)' requirement, Testing charges will be Rs. 1004/- for each element required.
- ii) Testing charges for each elements other than Table 1 (B, Ti, Nb, V, Al, Si, Cu, N) will be Rs. 1004/-

CA may kindly approve.

**Rakesh Meena
LO-B**

Sc-B (Chem)
OIC (Chem)
OIC(QA)

BIS- CentralLaboratory
Mechanical Laboratory

Sub. : Proposal for the Time Estimate for Hot Rolled Carbon Steel Strip For Cold Rolling purposes.

IS 11513 : 2011

Sl.No.	Characteristics	Clause No./ Table	Man-hours	Electric Power required(kwh)	Consumable Cost (Rs)	Test facility at CL Available/Not avail.
1	Freedom From Defects	8	0.5	---		A

2	Dimensions & Tolerances	9	3	---		A
3	Weight	10	0.5	---		A
Preparation of test report & calculations			1	---		

Total

5 Hrs

=

Rs 1500

Note :

Above estimate is only for Mechanical

1 Testing .

Sample size for testing required : 500 mm length X 1 Pc + Chemical

2 testing

OIC(Mech)

OIC(QA)

Head, CL

LO(B)

Mech.Lab

As decided by CA, testing charges are Rs.5250/- and Rs.1004/- for each micro alloying element.

(Kshitij Bathla)

Sc.B, LPPD

Head, LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1989 11 17

TESTING CHARGES FOR IS 11513:1985 HOT ROLLED CARBON STEEL STRIP FOR
COLD ROLLING PURPOSES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Manufacture(Visual examination)	4	0.5
2.	Chemical composition	5	
	Carbon	1	
	Manganese	1.5	
	Sulphur	2	
	Phosphorus	2	
	Silicon (applicable for Si-killed steel only)	2.5	
	Nitrogen(applicable only when steel is rimming or semi-killed or not fully killed by aluminium alone)		3.5
	Aluminium(Applicable in case of steel killed by aluminium alone)		3
	Copper (In case of copper bearing steel only)		2
3.	Tensile, yield stress & elongation	6	2
4.	Bend test	7	1
5.	Freedom from defect	9	0.5
6.	Dimensions	10	0.5
7.	Mass	11	0.5
	PREPARATION OF TEST REPORT		0.5

TOTAL TIME : 23

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :

- a) For Si-killed steel only :Rs.1050.00
- b) For rimming or semi-killed or not fully killed by aluminium steel strip. :Rs.1125.00
- c) For aluminium -killed steel strips. :Rs.1125.00
- d) For Cu-bearing steel strips :Rs. 1050.00

The revised BIS testing charges for IS 11536:2007 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

08-07-2016

TESTING CHARGES FOR PROCESSED CEREAL BASED WEANING FOOD AS PER IS 11536:2007

Sl No	Characteristics	Cl.No	Man-hours	Electricity (kWH)	consumables (if applicable)
A	TEST PARAMETERS				
1	Description	4	0.5		
2	Flavour and Odour	5.7	0.5		
3	Bacteriological requirements				
	i) Bacterial Count	5.8.1	4	42	25
	ii) Coliform Count	5.8.2	4	13	25
	iii) Yeast & Mould	5.8.3	3	70	25
	iv) Salmonella & Shigella	5.8.4	8	130	300
	v) Escherichia Coli	5.8.5	4	13	25
	vi) Staphylococcus aureus	5.8.6	5	24	100
4	Requirements as per Table-1	5.9			
	i) Moisture (Table1)		2	3	
	ii) total protien		3	2	200
	iii) total Carbohydrates		2	3	200
	iv) Total Ash		2	9	
	v) Acid insoluble ash		2	9	50
	vi) Iron		2	2	250
	vii) Vitamin A		5	3	400
	viii) Vitamin C		3		600
	ix) Added Vitamin D				
	x) Thiamin				
	xi) Riboflavin				
	xii) Niacin				
	xiii) Folic acid		12	54	450
	xiv) Crude fibre		5	5	25
	xv) Zinc		2	1	150
	xvi) Heavy metals				
	a) Lead		2	2	200
	b) Copper		2	1	150
	c) Arsenic		2	2	250
	d) Tin		2	1	100
	e) Cadmium		2	2	200
5	Aflatoxin	5.1	8	1	800
B.	PREPARATION OF TEST REPORT		2	0	
	TOTAL		89	392	4525
	Rate of testing charges per man-hour				75
	Hence testing charges for the product is $89 \times 75 + 392 \times 9 + 4525 =$				14728.00

As decided, the testing charges have been doubled and the complete testing charges are $2 \times 14728 = \text{Rs.}29456.00$ (Rounded off to Rs.29460.00)

DDGL may kindly approve.

(P. Rajesh))
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

23 March 2011

TESTING CHARGES FOR PROCESSED CEREAL BASED WEANING FOOD AS PER IS 11536:2007

Sl No	Characteristics	Cl.No	Man-hours	Electricity (kWH)	consumables (if applicable)	Total	
A	TEST PARAMETERS						
1	Description	4	0.5			37.5	
2	Flavour and Odour	5.7	0.5			37.5	
3	Bacteriological requirements					0	
	i) Bacterial Count	5.8.1	4	42	25	703	
	ii) Coliform Count	5.8.2	4	13	25	442	
	iii) Yeast & Mould	5.8.3	3	70	25	880	
	iv) Salmonella & Shigella	5.8.4	8	130	300	2070	
	v) Escherichia Coli	5.8.5	4	13	25	442	
	vi) Staphylococcus aureus	5.8.6	5	24	100	691	
4	Requirements as per Table-1	5.9				0	
	i) Moisture (Table1)		2	3		177	
	ii) total protien		3	2	200	443	
	iii) total Carbohydrates		2	3	200	377	
	iv) Total Ash		2	9		231	
	v) Acid insoluble ash		2	9	50	281	
	vi) Iron		2	2	250	418	
	vii) Vitamin A		5	3	400	802	
	viii) Vitamin C		3		600	825	
	ix) Added Vitamin D	Quantity added to be declared by the manufacturer					
	x) Thiamin						
	xi) Riboflavin						
	xii) Niacin						
	xiii) Folic acid		12	54	450	1836	
	xiv) Crude fibre		5	5	25	445	
	xv) Zinc		2	1	150	309	
	xvi) Heavy metals					0	
	a) Lead		2	2	200	368	
	b) Copper		2	1	150	309	
	c) Arsenic		2	2	250	418	
	d) Tin		2	1	100	259	
	e) Cadmium		2	2	200	368	
5	Aflatoxin	5.1	8	1	800	1409	
B.	PREPARATION OF TEST REPORT		2	0		150	
	TOTAL		89	392	4525	14728	
	The above testing charges cover requirements for all testing other than for eco-mark						
	Rate of testing charges per man-hour				75		
	Hence testing charges for the product is $89 \times 75 + 392 \times 9 + 4525 =$				14728		
	<i>(Rs. fourteen thousand seven hundred and twenty-eight only)</i>						
						OIC (QA)	
	<u>Head-CL</u>						

	<u>Head-CQAPD</u>						
	<u>Sc-G (Labs)</u>						

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O 1991 07 26

TESTING CHARGES FOR IS 11551:1986 GLASS FIBRE CHOPPED STRAND MAT
FOR THE REINFORCEMENT OF POLYESTER RESIN SYSTEMS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Manufacture	3.1	1
2.	Defects & Impurities	3.2	½
3.	Width	3.3 & Table 1	½
4.	Moisture content	-do-	1
5.	Loss on Ignition	-do-	1½
6.	Average mass per unit area	-do-	½
7.	Percentage variation in mass per unit area	-do-	1½
8.	Cross-breaking strength of laminate	-do-	25
9.	Conductivity of water extract	-do-	1½
10.	Packing & Marking	4.1	½
11.	Keeping properties	3.4	33½

TOTAL TIME : 68

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.5100.00

APPROVED BY THE COMPETENT AUTHORITY

The BIS testing charges for IS 11552:2008 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/11552

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 11552:2008 (Amnd-2)**

LIQUID NITROGEN VESSELS OF CAPACITY UP TO 75 LITRES is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
19.	Material of construction	Cl. 3.1	*	-	-	-
20.	Construction	Cl. 3.2	4	-	-	-
21.	Leak tightness test	Cl. 4.2.9	**	-	-	-
22.	Water Capacity	Cl. 5.1	2	-	-	-
23.	Requirements for refrigeration and storage applications	Cl. 10	-	-	-	-
	a. Dividing device/location device	Cl. 10.1	1	-	-	-
	b. Stoppers	Cl. 10.2	1	-	-	-
	c. Evaporation loss	Cl. 10.3	**	-	-	-
	d. Performance test	Cl. 10.4	**	-	-	-
	e. Vibration test	Cl. 10.5	**	-	-	-
24.	Requirements for transport applications	Cl. 11	-	-	-	-
	a. Support	Cl. 11.1	1	-	-	-
	b. Stoppers	Cl. 11.2	1	-	-	-
	c. Evaporation loss	Cl. 11.3	**	-	-	-
	d. Performance test	Cl. 11.4	**	-	-	-
	e. Vibration test	Cl. 11.4	**	-	-	-
	f. Rubber bottom	Cl. 11.5	1	-	-	-
25.	Accessories	Cl. 12	**	-	-	-
	Report Preparation		1	-	-	-
	Total		12	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 12 x 300 = Rs. 3600.00 + testing charges as per referred ISS (excluding Leak tightness test, Evaporation loss, Performance test, Vibration test and Accessories)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 3600/- + testing charges as per referred ISS (excluding leak tightness test, evaporation loss, performance test, vibration test and accessories).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 11569:1986 effective from 12-02-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/11569

29.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 11569:1986 (Amnd-1)**

CERVICAL COLLAR is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
26.	Materials	Cl. 2	1	-	-	*
27.	Shape and Dimensions	Cl. 3	1	-	-	-
28.	Workmanship and Finish	Cl. 4	0.5	-	-	-
	Report Preparation		1	-	-	-
	Total		3.5	-	-	-

*For Cl. 2.5 and Cl. 2.6: Man-hours and testing facility only for Visual Test/Observation.

Testing charges = 3.5 x 300 = Rs. 1050.00.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 1050/- (Cl. 2.5 & Cl. 2.6 only for Visual Test/Observation)

(Ankita Tripathi)

Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 03 20

TESTING CHARGES FOR IS 11584:1986 HIGH DENSITY POLYETHYLENE (HDPE) •
CRATES FOR MILK SATCHETS (AMENDMENT NO.1)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Material	2.2	As per grade HDPE 54 MA OF IS 7328
----	----------	-----	---------------------------------------

2.	Shape & dimensions	2.3	1
----	--------------------	-----	---

3.	Mass	2.4	$\frac{1}{2}$
----	------	-----	---------------

4.	Appearance & Surface finish	2.5	
----	-----------------------------	-----	--

5.

5.	*Resistance to stress	2.7	2
----	-----------------------	-----	---

6.	*Resistance to applied load	2.8	2
----	-----------------------------	-----	---

7. *Strength

*a)	Resistance to drop	2.9.1	2
-----	--------------------	-------	---

*b)	Resistance to low temp.drop	2.9.2	1
-----	-----------------------------	-------	---

8.	*Dimensional stability	2.10	2
----	------------------------	------	---

PREPARATION OF TEST REPORT			$\frac{1}{2}$
----------------------------	--	--	---------------

TOTAL TIME :			11
--------------	--	--	----

NOTE :-Testing facilities not available at CL for the tests marked(*)

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.825.00

APPROVED BY THE COMPETENT AUTHORITY.

Bureau of Indian Standards
Eastern Regional Laboratory

Ref: EROL/SC/11587

Date: 20.08.2022

Sub: Tentative Testing Charges for IS 11587:1986, Structural Weather Resistant Steels

SL.No.	Is/Claus e No.	Requirement/ Characteristic	Manhour s spent in testing	Manhour cost of testing	Power Consumption (if intensive)	Cost of power	Consumabl e cost (if significant)	Total Cost of Test	Remarks
1	2	3	4	5=4xRs.3 00	6	7=6xRs 10.00	8	9=5+7+8	10
1	8	Tensile Test	5	1500	10	100	0	1600	
2	9	Bend Test	3	900	10	100	0	1000	
3	10	Impact test	3	900	10	100	0	1000	
4	11	Flattening test	3	900	10	100	0	1000	
5	12	Freedom from defects	1	300	0	0	0	300	
6	13	Dimensions	2	600	0	0	0	600	
7	Cl. 5.1	Carbon	2	600	6	60	50	710	
8	Cl. 5.1	Sulphur	2	600	6	60	50	710	
9	Cl. 5.1	Phosphorus	3	900	6	60	60	1020	
10	Cl. 5.1	Manganese	3	900	6	60	50	1010	
11	Cl. 5.1	Silicon	3	900	5	50	50	1000	
12	Cl. 5.1	Chromium	3	900	5	50	50	1000	
13	Cl. 5.1	Nickel	3	900	5	50	50	1000	
14	Cl. 5.1	Copper	3	900	5	50	50	1000	
15	Cl. 5.1	Vanadium	3	900	5	50	50	1000	
		Preparation of test report.	1	300				300	

Total Man-hours : 43 h

Testing Charges for Mechanical testing for the product is: Rs 5600/- (rounded off to nearest Rs 50/-)

Testing charges for Chemical parameters in Table 1 is Rs. 8600/- (rounded off to nearest 50/-).

- Note:**1. Sample size for Chemical testing required: 100gm of drillings.
2. Sample size for Mechanical testing required: 1 m length .

Submitted for kind consideration & approval please.

-sd/-
(Supai Tudu)
OIC-SC

Head(EROL)DDGL

The BIS testing charges for IS 11646(P-2):1986 effective from 12-02-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/11646-2

29.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 11646 (Part-2):1986 (Amnd-2)**

CANE FOR VISUALLY HANDICAPPED - PART 2: FOLDING TYPE is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
29.	Shape and Dimension	Cl. 2	0.5	-	-	-
30.	Materials	Cl. 3	0.5	-	-	-
31.	Construction	Cl. 4	2	-	-	-
32.	Workmanship and Finish	Cl. 5	0.5	-	-	-
33.	Endurance Test	Cl. 6.1	10	-	-	-
	Report Preparation		1	-	-	-
	Total		14.5	-	-	-

Testing charges = 14.5 x 300 = Rs. 4350.00.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 4350/-

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 11652:2000 effective from 28-11-2016

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

04 Nov 2016

TESTING CHARGES FOR IS 11652:2000 HIGH DENSITY POLYETHYLENE (HDPE)/PP
WOVEN SACKS FOR PACKING CEMENT

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Fabric	4.1	½
2.	Sack	4.2 & 4.2.1	1
3.	Seams	4.3 & 4.3.1	1
4.	Valve for filling of Sacks and nominal capacity	4.4 & 4.5	1
5.	Requirement	6 & Table 1	
	a. Dimensions	6 & i) of the Table 1	2
	b. Ends/ dm	" ii) "	½
	c. Picks/dm	" iii) "	½
	d. Mass of sack	" iv) "	1
	e. Average Breaking Strength of fabric	" v) "	2
	f. Elongation at break of fabric	" vi) "	2
	g. Average Breaking Strength of Top and bottom seam	" vii) "	2

PREPARATION OF TEST REPORT 1

TOTAL TIME : 14½

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs.4350.00

Sheesh

Pal

(LO-

A)

OIC(M)

Head, CL - DDGL may kindly approve the testing charges

As approved by CA, the complete testing charges for the product are Rs.4350.00

(Kshitij Bathla)
Sc.B, LPPD

Revised testing charges for the product are as mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1989 07 03

TESTING CHARGES FOR IS 11652:1986 HIGH DENSITY POLYETHYLENE (HDPE)
WOVEN SACKS FOR PACKING CEMENT

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Fabric	3.1	2
2.	Sack	3.2 & 3.2.1	1
3.	Seams & Valve for filling of sacks	3.3 & 3.4	1½
4.	Breaking load of the stitching thread	3.3.1	½
5.	Capacity	3.5	½
6.	Dimensions	4.1 & i) of the Table 1	2
7.	Ends/ dm	" ii) "	½
8.	Picks/dm	" iii) "	½
9.	Mass per bags	" iv) "	1½
10.	Breaking load of Fabric	" v) "	2
11.	Breaking load of seam	" vi) "	1
PREPARATION OF TEST REPORT			½

TOTAL TIME : 14

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1050.00

APPROVED BY THE COMPETENT AUTHORITY

The revised BIS testing charges for IS 11673:1992 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 11673:1992 SODIUM HYPOCHLORITE SOLUTION

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	5.1	½
2.	Requirements as per Table 1		
	a) Relative density	5.3	2
	b) Available Chlorine	- do -	3
	c) Total Chlorine	- do -	5
	d) Free Alkali	- do -	4
	e) Free Sodium Carbonate	- do -	5
	f) Iron	- do -	2
	g) Sodium Chlorate	- do -	3
3.	Report preparation		½
TOTAL TIME :			25

Testing charges per man-hour are Rs. 3000.00.

Hence complete testing charges for the product are : **Rs.7500.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above
BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 09 08

TESTING CHARGES FOR IS 11673:1992 SODIUM HYPOCHLORITE SOLUTION

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	5.1	½
2.	Requirements as per Table 1		
	a) Relative density	5.3	2
	b) Available Chlorine	- do -	3
	c) Total Chlorine	- do -	5
	d) Free Alkali	- do -	4
	e) Free Sodium Carbonate	- do -	5
	f) Iron	- do -	2
	g) Sodium Chlorate	- do -	3
3.	Report preparation		½
TOTAL TIME :			25

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1875.00

APPROVED BY THE COMPETENT AUTHORITY.

BUREAU OF INDIAN STANDARDS

Testing Charge of IS 11673: Part 1: 2019 - Sodium hypochlorite solution

Sl. No.	Parameter	Man Hour	Charges of Man Hour	Electricity	Electricity Charges	Consumable	Total
1	Description (Cl.5.1)	0.5	150	-	-	-	150
2	Keeping Quality (Cl.5.2)	3	900	-	-	100	1000
3	Requirements as per Table 1, Cl.5.3						
i)	Relative density (at 25°/25°C)	2	600	1	9	50	659
ii)	Available chlorine(as Cl ₂),	3	900	-	-	100	1000
iii)	Total chlorine,	5	1500	-	-	100	1600
iv)	Free alkali (as NaOH),	4	1200	-	-	100	1300
v)	Free sodium carbonate (as Na ₂ CO ₃)	5	1500	-	-	200	1700
vi)	Iron (as Fe),	2	600	-	-	50	650
vii)	Sodium chlorate (as NaClO ₃)	3	900	-	-	100	1000
4	Test Report Preparation	1	300	-	-	-	300
						Total=	9359

Sushil Jaisinghani, LO

OIC (Chem-2)

Head

(CL)

OIC

(QA)

**Testing Charges of IS 11673: Part 2: 2019 - Sodium hypochlorite solution - Specification:
Part 2 water treatment use**

Sl. No.	Parameter	Man Hour	Charges of Man Hour	Electricity	Electricity Charges	Consumable	Total
1	Description (Cl.4.1)	0.5	150	-	-	-	150
2	Keeping Quality (Cl.4.2)	3	900	-	-	100	1000
3	Requirements as per Table 1, Cl.4.3						
i)	Relative density (at 25°/25°C)	2	600	1	9	50	659
ii)	Available chlorine(as Cl ₂),	3	900	-	-	100	1000
iii)	Total chlorine(as Cl ₂),	5	1500	-	-	100	1600
iv)	Free alkali (as NaOH),	4	1200	-	-	100	1300
v)	Free sodium carbonate, (as Na ₂ CO ₃)	5	1500	-	-	200	1700
vi)	Iron (as Fe),	2	600	-	-	50	650
vii)	Sodium chlorate (as NaClO ₃)	3	900	-	-	100	1000
viii)	Lead (as Pb), ppm, Max	2	600	1	9	500	1109
ix)	Arsenic (as As), ppm, Max	3	900	1	9	500	1409
x)	Mercury (as Hg), ppm, Max	3	900	1	9	500	1409
xi)	Manganese (as Mn), ppm, Max	2	600	1	9	500	1109
xii)	Total Chromium (as Cr), ppm, Max	2	600	1	9	500	1109
xiii)	Cadmium (as Cd), ppm, Max	2	600	1	9	500	1109
xiv)	Selenium (as Se), ppm, Max	3	900	1	9	500	1409
4	Test Report Preparation	1	300	-	-	-	300
						Total=	18022

Sushil Jaisinghani,

LO

OIC (Chem-2)

Head

(CL)

OIC

(QA)

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
34.	Dimensions	Cl. 2	1.5	-	-	-
35.	Material	Cl. 3	*	-	-	-
36.	Functional requirements	Cl. 4	1	-	-	-
37.	Constructional requirements	Cl. 5	1	-	-	-
38.	Workmanship and finish	Cl. 6	0.5	-	-	Visual tests only
39.	Tests	Cl. 7	-	-	-	-
	a. Cyclic test	Cl. 7.1	**	-	-	-
	b. Load test	Cl. 7.2	**	-	-	-
	Report Preparation		1	-	-	-
	Total		5	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 5 x 300 = Rs. 1500.00 + testing charges as per referred ISS (excluding Cyclic and Load test) (only visual test for Cl. 6)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1500/- + testing charges as per referred ISS (excluding cyclic and load test) (only visual test for Cl. 6).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 11722:1986 effective from 24-03-2017

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

Testing Charges for IS – 11722:1986 Amendment No. - 5

SPECIFICATION FOR THIN WALLED FLEXIBLE QUICK COUPLING PIPES

SI.No. Characteristics Clause no. Man- Electricity Cost of
Consumable Hours Power including
reference
Consumed material wherever
applicable

1. Material 2.1 As per relevant ISS

Remarks: Testing charges for the Material shall be as per relevant ISS referred.

CA may kindly approve.

Goel

Anita

LO-B

Sc-B (Chem)

OIC (Chem)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

22-11-2016

TESTING CHARGES FOR IS 11722:1986 (Amnd-5) THIN WALLED FLEXIBLE QUICK
COUPLING PIPES

----- S NO TESTS
CLAUSE REF. MAN-HOURS

1. Workmanship & Finish 5 ½
2. Dimensions 6, 7 & 8 1

3. Galvanizing and Zinc coating mass	9	2
4. Leakage test of coupler joints	10.3	1½
5. Angularity of joint	11	1
6. Straightness	12	½
7. Flattening test	13.1	2
8. Tensile test	13.2	4
9. Hydraulic test	14	Facility not available

PREPARATION OF TEST REPORT 1½

TOTAL TIME : 14

Testing charges per man-hour are Rs. 300.00.

Cost of Consumables = 500.00

Electric Power consumed = 10kWh

Hence complete testing charges for the product are : $14 \times 300 + 10 \times 9 + 500 = 4790.00$, Rounded off to Rs.4800/-

excluding the test for which facility does not exist at CL and the material tests.

Mehtab Singh
LO-A

OIC (Mech)

OIC(QA)

Head (CL)

As decided by CA, testing charges are Rs.4800/- (excluding Hydraulic test) and material testing charges as per relevant referred ISS.

Bathla)

(Kshitij

SC.B, LPPD

Head, LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1988 04 07

TESTING CHARGES FOR IS 11722:1986 THIN WALLED FLEXIBLE QUICK
COUPLING PIPES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
As per IS 513:1973 to be tested)	for 'O' grade		1. Material (If required) 2
2.	Workmanship & Finish	5	1/2
3.	Dimensions	6, 7 & 8	1
4.	Galvanizing and Zinc coating mass	9	1
5.	Leakage test of coupler joints	10.3	1 1/2
6.	Angularity of joint	11	1
7.	Straightness	12	1/2
8.	Flattening test	13.1	1
9.	Tensile test	13.2	2
10.	Hydraulic test	14	Facility not available At Central Laboratory
	PREPARATION OF TEST REPORT		1/2
	TOTAL TIME :		9

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.675.00
excluding the test for which facility does not exist at CL and the
material tests.

Material, if tested, shall attract charges as per referred Indian Standard specification, ie IS 513 : 1973.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1989 08 11

TESTING CHARGES FOR IS 11752:1986 SODIUM METABISULPHITE,
PHOTOGRAPHIC GRADE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Purity(as SO ₂ content)	2.2 & i) of table 1	1½
3.	pH of 5% solution	" ii) "	1
4.	Matter insoluble in water, Calcium, magnesium and Ammonium hydroxide precipitates	" iii) "	1½
5.	Matter insoluble in water	" iv) "	1
6.	Iron (as Fe)	" v) "	2
7.	Heavy metals (as Pb)	" vi) "	2
8.	Appearance of solution	" vii) "	½
9.	Thiosulphate content (as Na ₂ S ₂ O ₃)	" viii) "	1½
10.	Reaction to ammoniacal silver nitrate	" ix) "	1
PREPARATION OF TEST REPORT			½

TOTAL TIME : 13

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.975.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

1999-11-22

TESTING CHARGES FOR IS 11784;1986 CARBARYL BHC (GAMA) GRANULES

SL. NO.	CHARACTERISTICS	CLAU SE NO.	MAN-HOURS
1.	Sieving requirement	2.2.2	2
2.	Dust	2.2.3	1
3.	Moisture content	2.2.5	3
4.	Carbaryl content	2.3.1	12
5.	Gamma Isomer content	2.3.1]	
6.	Acidity or alkalinity	2.3.2	1
PREPARATION OF TEST REPORT			2
TOTAL TIME:			---
			21

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.1575.00.

DG may kindly approve.

Sd/-
(V.K. Sethi)
TS(QA)

DCL(QA) Sd/- 11/25
DDGL Sd/-12/03
ADGT Sd/-12/07
DG Sd/-

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1989 07 26

TESTING CHARGES FOR IS 11785:1986 CAPTAN (WETTABLE POWDER) WP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Captan content	2.3 & i) of table 1	4
3.	Sieving requirements		
	a) Before accelerated storage	2.3 & ii) of Table 1	1
	b) After accelerated storage		1½
4.	Suspensibility		
	a) Before accelerated storage	2.3 & iii) of Table 1	4½
	b) After accelerated storage		5
5.	Wettability	" iv) "	½
6.	Acidity (as H ₂ SO ₄) or Alkalinity (as NaOH)	" v) "	1
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 18

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are :

If the product has not crossed half shelf life: Rs.975/-

If the product has crossed half shelf life: Rs.900/-

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 11785:1986 – CAPTAN WP

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.1	0.5
2	Captan Content	2.3, i) of Table 1	2.5
3	Seiving Requirement	2.3, ii) of Table 1	1
4	Suspensibility	2.3, iii) of Table 1	4
5	Wettability	2.3, iv) of Table 1	0.5
6	Acidity	2.3, v) of Table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	10.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 3150/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3650/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

17 Jan 2008

TESTING CHARGES FOR DIAPHRAGM TYPE VALVES FOR GENERAL PURPOSES AS PER IS 11791:1986

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Types	3	0.5	
2.	Nom. Dia. & Sizes	4	0.5	
3.	Min. working pressure	5	0.5	
4.	Pr./Temp. Rating	6	0.5	
5.	Design & Manufacturing			
	a) Bodies	8.1	5	
	b) Bonnets	8.2	0.5	
	c) Body & Bonnet joints	8.3	1.5	
	d) Stem	8.4	1.5	
	e) Diaphragm	8.5	1	
	f) Fasteners	8.6	-	as per IS 4218
	g) Hand Wheels	8.7	0.5	
6.	Pressure tests			
	a) Shell test (Hydrostatic)	9.1	2	
	b) Seat test (Hydrostatic)	9.2	4	
B.	Electricity power consumed			-
C.	Cost of Consumables/CRMs			
	-			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	19hrs	

Testing charges per man-hour are Rs.75.00. Hence testing charges for the products is:

Total Rs.75x19 = Rs.1425.00 (excluding tests for fasteners at Sl.No.5 f) above.

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

Head (CL)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 05 21

TESTING CHARGES FOR IS 11815:1986`POLYESTER BLEND SHIRTING
FOR UNIFORMS'

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Manufacture	2	
	a) Yarn	2.1 $\frac{3}{-}$	$\frac{1}{2}$
	b) Cloth	2.2 $\frac{3}{-}$	
2.	Requirements	3.1 & Table 1	
	a) Approx. count of warp and weft yarns	i) of table 1	$1\frac{1}{2}$
	b) Threads	ii) "	$\frac{1}{2}$
	i) Warp		
	ii) Weft		
	c) Blend composition	iii) "	3
	i) Polyester		
	ii) cotton		
	d) Mass	iv) "	1

e) Shrinkage/elongation	v)	"	2
i) Warp			
ii) Weft			
f) Breaking load	vi)	"	2
i) Warpway			
ii) Weftway			
g) Length	vii)	"	
		$\frac{1}{2}$	
h) Width	viii)	"	
i) Relaxation shrinkage	ix)	"	2
j) pH value of aqueous	x)	"	1

S NO	TESTS	CLAU SE REF.	MAN-HOURS
------	-------	--------------	-----------

extract

k) Water solubles	xi)	"	2
l) Colour fastness*	xii)	"	15
m) Pilling	xiii)	"	1

3. Marking & Packing 4 & 5 $\frac{1}{2}$

PREPARATION OF TEST REPORT $\frac{1}{2}$

TOTAL TIME : 33

Asterisk (*) indicates non-availability of complete test • facilities.

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2475.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 03 02

TESTING CHARGES FOR IS 11832:1986 CUT IRONS AND CAP-IRONS FOR
CARPENTERS' METAL BODIED BENCH PLANES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions	3.1	2
2.	Tolerances		
	a) Cut iron	3.2.1	1
	b) Cap iron	3.2.2	1
3.	Material		
	a) Cut iron	4.1	
	b) Cap iron	4.2	As per IS 1570 (Pt. 1):78
4.	Hardness	5	1
5.	Designation & Marking	6 & 10	½
6.	Manufacture & Workmanship	7	½
7.	Performance test	8	1
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 8

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.600.00 Plus
the testing charges for the relevant ISS referred.

The revised BIS testing charges for IS 11833:1986 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/11833

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 11833:1986**

(Amnd-4)

SPECIFICATION FOR DRY POWDER FIRE EXTINGUISHER FOR METAL FIRES as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
40.	Capacity	Cl. 2	1	-	-	-
41.	Principle	Cl. 3		-	-	-
42.	Materials	Cl. 4	*	-	-	-
43.	Shape and dimensions	Cl. 5	2	-	-	-
44.	Construction	Cl. 6	1	-	-	-
45.	Expansion space	Cl. 7	2	-	-	-
46.	Applicator	Cl. 8	0.5	-	-	-
47.	Anticorrosive treatment	Cl. 9	**	-	-	-
48.	Dry powder charge	Cl. 10	*	-	-	-
49.	Painting	Cl. 11	**	-	-	-
50.	Test requirement	Cl. 12	-	-	-	-
	a. Discharge	Cl. 12.1	1	-	-	-
	b. Internal hydraulic pressure	Cl. 12.2	1	-	-	-
	Report Preparation		2	-	-	-
	Total		10.5	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 10.5 x 300 = Rs. 3150.00 + testing charges as per referred ISS (excluding Anticorrosive treatment and Painting)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 3150/- + testing charges as per referred ISS (excluding Anticorrosive treatment and Painting).

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref:CL/QA/79

4 June 2004

TESTING CHARGES FOR IS 11833:1986 Dry Powder fire extinguisher for metal fires

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Material	4, Table 1	As per respective ISS in Table 1		
2.	Shape and Diemensions	5.1	2	2	
	i) Neck Ring	5.2			
	ii) Cap	5.3			
	iii) Hose	5.4			
	iv) Weel	5.5			
	v) Drain Plug	5.6			
3.	Construction	6.1 to 6.6	4		
4.	Expansion Space	7.1	2 .5		
5.	Applicator	8.1	1		
*6.	Anticorrosive	9.1			
	i) visual inspection		0.5		
	ii) Lead tin Alloy coating		5		
	iii) Phosphating		As per IS 3618:66		
7.	Dry Powder	10.1	As per IS 4861:84		
8.	Painting	11.1	0.5		
9.	Test Requirement	12.1	2 .5		
10.	Hydraulic Pressure Test	12.2	2		

CALCULATION & PREPARATION OF TEST REPORT 2

TOTAL TIME -----
26

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product except material are :

- | | | |
|-----|---|------------|
| i) | In case lead tin alloy coating | Rs.1950.00 |
| ii) | In case of phosphating (21x75)+600 | Rs.2175.00 |
| | (TC for phosphating test as per IS 3618:66) | |

Material testing charges are as per relevant ISS.

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)

DDGL

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1988 06 21

TESTING CHARGES FOR IS 11844:1987 CORRUGATED FIBRE BOARD BOXES FOR
TRANSPORT PACKAGING OF APPLES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material		
	a) Craft paper or Craft liner and adhesive	3.1, 3.2	½
	b) Staple wire	3.3	½
2.	Manufacture, workmanship & Finish	4.1 to 4.4	1½
3.	Dimensions	4.5	1½
4.	Corrugated fibre board Requirements & tests		
	a) Burst Strength	5.1 & i) of table 1	Facilities not available at CL
	b) Puncture Resistance	5.2 & ii) of Table 1	- do -
	c) Water absorption	5.3 & (iii) of table 1	2
	d) Compression strength	5.4 & i) of table 1	Facilities not available at CL.
	e) Flap Test	5.5 & v) of table 1	½
	PREPARATION OF TEST REPORT		½
TOTAL TIME :			7

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.525.00
excluding those tests for which facilities do not exist in CL.

APPROVED BY THE COMPETENT AUTHORITY.
BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

TESTING CHARGES FOR IS 11883:1986 READY MIXED PAINT, BRUSHING, RED •
OXIDE, PRIMING FOR METALS.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Composition	3.1	
	a) Pigment content	3.1 (a)	4
	i) Red oxide, natural or manufactured	3.1 (a)	3
	b) Argillaceous matter	3.1 (b)	Testing method not specified
	c) Binder	3.1 (c)	
	d) Volatiles	3.1 (d)	1
2.	Resistance to salt spray	3.2	2
3.	Mass in kg/10 liters	3.3	½
4.	Requirements as per Table 1	3.4	
	i) Drying time		
	a) Surface dry _3_		½
	b) Hard dry		
	ii) Consistency _		½
	iii) Finish _		
	iv) Wet opacity		½
	v) Colour		½
	vi) Water content		3
	vii) Scratch hardness		½

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

	viii) Flexibility & adhesion		½
	ix) Protection against		2

corrosion

x) Flash point 1

xi) Keeping property 11

PREPARATION OF TEST REPORT 1

TOTAL TIME : 29

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2175.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O 1988 02 17

TESTING CHARGES FOR IS 11884:1986 FIRE RESISTANT BRATTICE SHEETING
MADE FROM UNSUPPORTED PLASTICS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General Requirements	3.1	½
2.	Thickness	3.2	5
3.	Width and tolerance	3.3	½
4.	Eyelets spacing	3.4	½
5.	Breaking load and elongation at break	3.5.1	3
6.	Tear strength	3.5.2	3
7.	*Fire resistance	3.5.3	1
8.	*Electrical resistance test	3.5.4	-
PREPARATION OF TEST REPORT			½

TOTAL TIME : 14

(* Testing facilities not available at CL)

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1050.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 11951:2009 effective from 12-02-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/11951

13.10.2017

Based on the inputs received from testing section, the testing charges as per **IS 11951:2009 (Amnd-nil)**

PUMPSET FOR DESERT COOLERS is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
51.	General Requirements	Cl. 5.1 & 5.2	2	-	-	-
52.	Dimensions	Cl. 2	2	-	-	-
53.	Material	Cl. 3	*	-	-	-
54.	Prime Mover	Cl. 4	2	-	-	-
55.	Discharge	Cl. 6.1	2	-	-	-
56.	Endurance Test	Cl. 6.3	12	-	-	-
57.	Test for Motors	As per IS 996	30	-	-	-
	Report Preparation		2			
	Total		52	-	-	

*Raw materials if supplied shall be tested as per relevant ISS.

Testing charges = 52 x 300 = Rs. 15870.00 + testing charges as per relevant ISS

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 15870/- + charges as per relevant ISS

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY

(Q.A. DEPARTMENT)

2001 07 03

Our Ref: CL/QA/14:0

TESTING CHARGES FOR IS 11951:1991 PUMPS FOR DESERT COOLERS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	General requirements	5.1 & 5.2	2
2.	Dimensions	2	2
3.	Material	3	*
4.	Prime mover	4	2
5.	Discharge	6.1	2
6.	Endurance test	6.3	12
7.	Test for motors as per IS 996 --		30
	PREPARATION OF TEST REPORT		2

		TOTAL TIME	52

Electricity consumed : 30 units @ Rs. 4.00 per unit Rs. 120.00

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs. 4020.00.

* Raw materials if supplied shall be tested as per relevant ISS and testing Charges levied accordingly.

DG may please approve.

(V.K.Sethi)
TS (QA)

DCL(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1988 03 15

TESTING CHARGES FOR IS 11968:1986 DOG FEEDS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Moisture	2.2 & i) of Table 1	1
3.	Crude protein	" ii) "	3
4.	Crude fat	" iii) "	2
5.	Crude fibre	" iv) "	3
6.	Acid insoluble ash	" v) "	1½
7.	Calcium (as Ca), percent by mass	" vi) "	3
8.	Available phosphorus (as P ₂ O ₅)	" vii) "	4
9.	Sodium chloride, percent by mass	" viii) "	3
PREPARATION OF TEST REPORT			½

TOTAL TIME : 22

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1650.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

TESTING CHARGES FOR IS 11995:1987 ISOPROTURON WP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1 -	
2.	Identity test	2.2 1	
3.	Isoproturon content by HPLC or UV-Vis	2.4 & i) of Table 1	6
4.	Sieving test	" ii) "	1
5.	Suspensibility after accelerated storage	" iii) "	6
6.	Wettability	" iv) "	0.5
7.	Acidity/Alkalinity	" v) "	1
PREPARATION OF TEST REPORT			0.5

TOTAL TIME : 16

Cost of CRM:Rs.200.00

Testing charges per man-hour are Rs. 75.00. Hence complete testing charges for the product are : Rs. .00 (including cost of CRM)

DG may kindly approve.

(V.K. Sethi)
TS(QA)

D&H(QA)
DDGL
ADGT
DG

REVISED TESTING CHARGES IS PLACED BELOW:

↓
**BIS LABORATORY POLICY & PLANNING
DEPTT**

TESTING CHARGES FOR IS 11995:1987 – ISOPROTURON
WP

SL. No.	CHARACTERISTICS	CLAUSe NO.	MAN-HOURS
1	Description	2.1	0.5
2	Isoproturon Content	2.4, i) of Table 1	2.5
3	Seiving Requirement	2.4, ii) of Table 1	1
4	Suspensibility	2.4, iii) of Table 1	4
5	Wettability	2.4, iv) of Table 1	0.5
6	Acidity	2.4, v) of Table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	10.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 3150/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3650/-

DDGL may kindly approve.

Varsha Gupta
Sc-B**Head (LPPD)**
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1987 12 15

TESTING CHARGES FOR IS 11996:1987 DELTAMETHRIN, EMULSIFIABLE
CONCENTRATE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.2.1	½
2.	Cold Test	2.2.2	1
3.	Flash Point	2.2.3	1
4.	Emulsion stability	2.2.4	1
5.	Deltamethrin content (Bromine method)	2.3.1	4
6.	Acidity and/or Alkalinity	2.3.2	1
7.	Heat Stability tests	2.2.5	7½
PREPARATION OF TEST REPORT			½

TOTAL TIME : 17

Testing charges per man-hour are Rs. 75.00.

NOTE: 1. The material shall not be put to heat stability tests, if
it has crossed half of its shelf life as declared on the •
container.

2. Deltamethrin content may be determined either (a) by HPLC
method or (b) by Bromine method. However, in the case of
dispute, HPLC shall be the referee method.

3. Facilities for HPLC method are, presently, not available •
at Central Laboratory.

Testing charges, (using Bromine method, for determining deltamethrin •
content) shall be as under:

i) Complete testing including heat stability test :Rs.1275.00

ii) For tests excluding Heat stability :Rs.675.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 11997:1987 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref: LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 11997:1987 FENVALERATE EC

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.2.1	-
2.	Cold test	2.2.2	1
3.	Flash point	2.2.3	1
4.	Emulsion stability	2.2.4	1
5.	Fenvalerate content	2.3.1	
	a) By HPLC not available in Central Lab.	Facilities presently	6
	or b) By GLC		6
6.	Acidity/ Alkalinity	2.3.2	1
7.	After heat stability test	2.2.5	-
	PREPARATION OF TEST REPORT		0.5
	TOTAL TIME:		16.5
	Cost of CRM :Rs.200.00		

Testing charges per man-hour are Rs. 300.00. Hence, complete testing charges are Rs.**5150.00**

DG may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

2001 12 20

TESTING CHARGES FOR IS 11997:1987 FENVALERATE EC				S NO	TESTS	CLAUSE REF.
MAN-HOURS						
1.	Description	2.2.1	-			
2.	Cold test	2.2.2	1			
3.	Flash point	2.2.3	1			
4.	Emulsion stability	2.2.4	1			
5.	Fenvalerate content	2.3.1				
	a) By HPLC	Facilities presently not available in Central Lab.		6		
	or					
	b) By GLC		6			
6.	Acidity/ Alkalinity	2.3.2	1			
7.	After heat stability test	2.2.5	-			
PREPARATION OF TEST REPORT				0.5		
TOTAL TIME :			---			
Cost of CRM :Rs.200.00						

Testing charges per man-hour are Rs. 75.00.
DG may kindly approve.

(V.K. Sethi)
TS(QA)

D&H(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1986 06 16

TESTING CHARGES FOR IS 12003:1987 FENVALERATE, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Fenvalerate content	2.2 & i) of Table 1	
	a) By GLC	12	
	or		
	b) By UV spectrophotometer	12	
	or		
	c) By HPLC	Facilities presently not available at Central Lab.	
3.	Acidity (as H ₂ SO ₄)	2.2 & ii) of Table 1	1
4.	Material insoluble in acetone	2.2 & iii) of Table 1	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :	15	

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1125.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

TESTING CHARGES FOR IS 12004:1987 ISOPROTURON, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Description	2.1	½
2.	Identity test	2.2	13
3.	Isoproturon content	2.3 & i) of table 1	
	a) By Basic Hydrolysis method		4
	b) BY UV Spectrophotometric method		12
4.	Water content	2.3 & ii) of table 1	2
5.	Melting range	" iii) "	1
6.	Acidity/Alkalinity	" iv) "	1

PREPARATION OF TEST REPORT ½

NOTE :- 1. Isoproturon content may be determined either (i) By UV Spectrophotometric method; or (ii) By HPLC method ;or (iii) By Basic Hydrolysis method, However, only first two methods are the referee methods, In case of dispute.

2. Facilities for HPLC method are, presently, not available in the Central Laboratory.

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :

i) Using Hydrolysis method for Isoproturon content : Rs.1650.00

ii) Using UV Spectrophotometric method for Isoproturon : Rs.2250.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:

**BIS LABORATORY POLICY & PLANNING
DEPTT**

TESTING CHARGES FOR IS 12004:1987 – ISOPROTURON
TECHNICAL

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.1	0.5
2	Isoproturon Content	2.3, i) of table 1	2.5
3	Water Content	2.3, ii) of table 1	1
4	Melting Point	2.3, iii) of table 1	1
6	Acidity / Alkalinity	2.3, iv) & v) of table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	7

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2100/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2600/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1987 12 15

TESTING CHARGES FOR IS 12005:1987 DELTAMETHRIN, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

- | | | | |
|----|--|---------------------|---|
| 1. | Description | 2.1 | ½ |
| 2. | Deltamethrin content
(Bromine method) | 2.2 & i) of Table 1 | 4 |
| 3. | Melting Point °C | " ii) " | 1 |
| 4. | Optical rotation | " iii) " | 1 |

PREPARATION OF TEST REPORT ½

TOTAL TIME : 7

NOTE:- Deltamethrin content may be determined either (a) by HPLC • method or (b) By Bromine method. However facilities for HPLC method are, presently, not available at Central Laboratory.

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.525.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:

**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 12005:1987 - DELTAMETHRIN TECHNICAL

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.1	0.5
2	Deltamethrin Content	2.2, i) of Table 1	2.5
3	Melting Point	2.2, ii) of Table 1	1
4	Optical Rotation	2.2, iii) of Table 1	1
5	Acid Chloride	2.2, iv) of Table 1	0.5
6	Acid + Anhydride	2.2, v) of Table 1	1.5
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	8

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2400/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2900/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 11 19

TESTING CHARGES FOR IS 12012:1987 GAS TAPS FOR DOMESTIC AND
COMMERCIAL LIQUEFIED PETROLEUM GAS BURNING APPLIANCES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1. General requirements

a) Taper Plug			
i) Dimensions	Fig. 3 of IS 5116 :1985	1½	
ii) Test covered in clauses	4.2, 4.3, 4.4, 4.5, 4.10, 4.11, 4.12, 1.14, 4.15	1	
iii) Mercurous nitrate test	4 of IS 5116:1985	1	
b) Taper & Operating diameter of tap.	4.7	1	

2. Material (Body of the Tap) 5 1

3. Spring 6 ½

4. Connections 7.1 1

5. Gas soundness 8.1 1

6. Mechanical performance test 9

a) Safety latch	9.1	1	
b) Mechanical strength (Torque test, Bending moment test)	9.2	2	

S NO	TESTS	CLAUSE REF.	MAN-HOURS
7.	Endurance test	10	
	i) Cycling Test & Static Test	10.3 & 10.4	6
	ii) Accelerated Ageing test	10.5	6
8.	Finish	12.1	½
9.	Marking	13.1	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		25

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1875.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 11 13

TESTING CHARGES FOR IS 12015:1987 CYPERMETHRIN, TECHNICAL (UPTO
AMENDMENT NO.2)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	1
2.	Cypermethrin content	2.1 & (i) of Table 1	
	a) By GLC method or		12
	b) By UV Spectrophotometer		12
	or		
	c) BY HPLC method		12
3.	Acidity (as H ₂ SO ₄)	2.2&(ii)	" 1
4.	Moisture content	" (iii)	" 2
5.	Cis-trans Ratio	" (iv)	" 6
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		23

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1725.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 12015:1987 - CYPERMETHRIN, TECHNICAL

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.1	0.5
2	Cypermethrin Content	2.2, i) of Table 1	2.5
3	Acidity	2.2, ii) of Table 1	1
4	Moisture	2.2, iii) of Table 1	1
5	Cis-trans Ratio	2.2, iv) of Table 1	2.5
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	8.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2550/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3050/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

2002 01 08

TESTING CHARGES FOR IS 12016:1987 CYPERMETHRIN EC

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Cold test	2.2.2	1
2.	Flash point	2.2.3	1
3.	Emulsion stability	2.2.4	1
4.	Cypermethrin content	2.3.1	
	a) By GLC method		6
	or		
	b) By UV Spectroscopic method		6
	or		
	c) By HPLC method		6
5.	Acidity	2.3.2	1
PREPARATION OF TEST REPORT			0.5

TOTAL TIME : (Rounded) 11

Cost of CRM : Rs.200.00

Testing charges per man-hour are Rs. 75.00. Hence complete testing charges for the product are : Rs.1025.00 (Including cost of CRM)

DG may kindly approve.

(V.K. Sethi)
TS(QA)

D&H(QA)
DDGL
ADGT
DG

REVISED TESTING CHARGES IS PLACED BELOW:

↓
**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 12016:1987 - CYPERMETHRIN
EC

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.2.1	0.5
2	Cold test	2.2.2	0.5
3	Flash Point(Abel)	2.2.3	0.5
4	Emulsion Stability	2.2.4	0.5
5	Cypermethrin Content	2.3.1	2.5
6	Acidity	2.3.2	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	6.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1950/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2450/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1988 05 11

TESTING CHARGES FOR IS 12017:1987 CYPERMETHRIN, TECHNICAL
CONCENTRATE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	2.1	½
2.	Cypermethrin content	2.2 & (i) of Table 1	
	a) By GLC method or		12
	b) By UV Spectrophotometer		12
	or		
	c) BY HPLC method	Facilities not available in Central Lab.	
3.	Acidity	" (ii) "	1
4.	Moisture content	(iii) "	2
5.	Relative density	" (iv) "	1½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		18

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1350.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

**TESTING CHARGES FOR IS 12017:1987 - CYPERMETHRIN TECHNICAL
CONCENTRATE**

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	2.1	0.5
2	Cypermethrin Content	2.2, i) of Table 1	2.5
3	Acidity	2.2, ii) of Table 1	1
4	Moisture Content	2.2, iii) of Table 1	1
5	Relative Density	2.2, iv) of Table 1	1
6	Cis-Trans Ratio	2.2, v) of Table 1	2.5
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	9.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2850/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3350/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

4June 2004

TESTING CHARGES FOR IS:12027:1987 SILICON BASED WATER REPELLENTS

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Consistency	4	1		
2.	Early Water replency	5.2	5		
3.	Absorption of water	5.3	5		
4.	Evaporation of water	5.4	3		
5.	Durability	5.5	17		
	PREPARATION OF TEST REPORT		1		

	TOTAL TIME		32		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.2400.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1988 04 19

TESTING CHARGES FOR IS 12076:1986 PRECIPITATED SILICA FOR RUBBER
INDUSTRY

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Silica	2.2 & i) of table 1	5
2.	Residue on sieve	" ii) "	1
3.	pH	" iii) "	1
4.	Moisture	" iv) "	1
5.	Loss on ignition	" v) "	1½
6.	Total copper	" vi) "	5
7.	Total manganese	" vii) "	3
8.	Total Iron	" viii) "	2
9.	Relative density	" ix) "	4
10.	Bulk density	" x) "	2
11.	B.E.T. surface area	" xi) "	2

PREPARATION OF TEST REPORT ½

TOTAL TIME : 28

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2100.00

APPROVED BY THE COMPETENT AUTHORITY.
BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1995 02 26

TESTING CHARGES FOR IS 12088:1987 BONE PLATE DYNAMIC COMPRESSION

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions	2	1
2.	Tensile Test	3	5
3.	Workmanship and Finish	4	½
4.	Corrosion Resistance test	5	1
PREPARATION OF TEST REPORT			1

TOTAL TIME : 9

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs675.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

TESTING CHARGES FOR IS 12089:1989 GRANULATED SLAG FOR THE
MANUFACTURE OF PORTLAND SLAG CEMENT

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Physical state of aggregation & proportion of lumps	3.1	3
2.	_Composition_		
	a) Manganese oxide $\frac{3}{-}$		3½
	b) Magnesium oxide $\frac{3}{-}$	3.2	Covered in(d) below
	c) Sulphide Sulphur $\frac{3}{-}$		2½
	d) Ratio of major oxides in percentage	3.3	14
	e) Insoluble Residue	3.4	1½
	f) Glass content	3.4.1	6
3.	Moisture content	4.5 & App. B	4
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 35

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2625.00

APPROVED BY THE COMPETENT AUTHORITY.

BUREAU OF INDIAN STANDARDS
Western Regional Laboratory

Testing Charges for IS 12100: 1987
(High density polyethylene (HDPE) woven sacks for packing flour)

Sl. No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing (Rs.)	Remark (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(V) I x Rs.10	(VIII)	(IX)	(X)
1	2.4	Seam	2	600				600	
2	2.5	Mouth of the Sack	1	300				300	
3	3.1 & Table 1	Breaking strength of fabric	5	1500				1500	IS1969 (P-1)
	3.1 & Table 1	Seam breaking strength	4	1200				1200	IS 9030
4	3.2	Dimension	3	900				900	
5	3.4	Mass	3	900				900	Appendix A of IS 12100
6		Electrical energy consumed	----	-----	15	150		150	
7		Preparation of Test report	2	600				600	
Total Testing Charges in Rs.								6150.00/-	

Testing Charges for IS 12100: 1987 = Rs. 6150.00/- excluding material requirements.

S.D. Warsi
LO (M)

Anoop Singh
LO (M)

OIC (M)

H (WRL)

The BIS testing charges for IS 12109:1987 effective from 12-02-2018

BIS NROL Mohali

Our Ref: NROL/Mech/12109

20 SEPT 2017

**DRAFT PROPOSAL FOR TESTING CHARGES FOR LIGHT DUTY SEWING MACHINE
HEAD AS PER IS 12109:1987**

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 300/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Construction and Function	2					
a.	<i>Arm and bed material</i>	2.1	As per respective ISS as detailed in cl 2.1				
b.	<i>Other requirements</i>	2.2 to 2.7	2.0				600.00
2.	FINISH	3					
a.	<i>Body</i>	3.1	0.5	-	-	-	150.00
b.	<i>Components</i>	3.2	5	-	-	150.00	1650.00
3.	SEWING MECHANISM	4	2.0	-	-	-	600.00
4.	LUBRICATION	5	0.5	-	-	-	150.00
4.	ACCURACY REQUIREMENTS	6	2.0	-	-	-	600.00
5.	DURABILITY REQUIREMENTS	7	2.5	3	27	-	777.00
6.	SEWING REQUIREMENTS	8	2.0	-	-	-	600.00
7.	ACCESSORIES	9	0.5	-	-	-	150.00
	PREPARATION OF TEST REPORT		2	-	-	-	600.00
	TOTAL		19	3	27	150.00	5877.00

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are:

Total Rs. $19 \times 300 + 3 \times 9 + 150.00 =$ Rs. 5877.00 Plus materials as per respective ISS.

LO-B / LO-A

OIC (M)
HNROL

HLPPD

**As decided by Competent Authority, the testing charges for the product are Rs 5880/- +
Materials as per**

respective ISS

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 01 19

TESTING CHARGES FOR IS 12154:1987 LIGHTWEIGHT JUTE BAGS
FOR PACKING CEMENT

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1. General requirements

a) Fabric	3.1	2
b) Bags	3.2	½
c) Seam	3.3 & 3.3.1	2

2. Specific requirements

a) Sacking		
i) Ends/dm	4, & Table 1 & 3	
ii) Picks/dm,	14.4 of IS : 3	1
	9113:1979 3	

b) Dimensions

i) Outside length of bags	4, Table 1 & 3	
ii) Outside width of bags	14.3.2 of IS 3	1½
iii) Valve--A) Effective size	:9113:1979 3	
B) Size of valve	Table 1 3	
flap	3	

c) Mass per bag	Table 1 & ½	
	Cl.14.5.2	
	of IS:9113:1979	

d) Breaking strength of	Table 1 & 2	
sacking (ravelled strip	14.6.2 of	
method)	IS :9113:1979	
i) Warpway		
ii) Weftway		

e) Breaking strength	Table 1 & 2	
of seam	A-2	
i) Side		
ii) Top		

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

3. Requirements for Bales

*a) Total no.of bags per bale 4.2 & Table 2 2

*b) Contract mass of a bale,kg -- do -- $\frac{1}{2}$

*c) Corrected net mass of a bale -- do -- $\frac{1}{2}$
Cl.14.1 of
IS :9113:1979

4. Moisture Regain 4.2 & Table 2 Including in
14.2 of IS:9113 Fabric at Sl.
:1979 No. 1

5. Oil content on dry 4.2 & Table 2 1
Deoiled material basis 14.7 of IS :
9113-1979

PREPARATION OF TEST REPORT $\frac{1}{2}$

TOTAL TIME : 16

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.975.00
In the case of bales additional charges of Rs.225.00 shall be
levied.

APPROVED BY THE COMPETENT AUTHORITY.

BIS- Northern Regional Laboratory
(Mechanical Laboratory)

IS 12171:2024 - Cotton Bales - Specification
:-

Date
20-01-

2025

Sub. : Testing charges for IS 12171:2024 (Amendment NIL)

Sl.No.	Characteristics	Clause No./ Table	Man- hours	Electric Power	Consumable	Test facility at NRL
				required(kwh)	Cost (Rs)	Available/Not avail.
A.	Requirements	Cl 5				
1	Staple Length	Cl 5.1.1	1	2	50	Available
2	Trash Content	Cl 5.1.2	1	7	0	Available
3	Moisture Content	Cl 5.1.3	1	2	0	Available
4	Strength of Fibre	Cl 5.1.4	2	9	50	Available
5	Micronaire Value	Cl 5.1.5	1	7	50	Available
B	Preparation of Test report		1			
C	TOTAL		7	27	150	

Total Time = 7 Hours

1)	Man Hour	-	7	Hours x 300	=	Rs	2100.00
2)	Electric Power Required	-	27	kWh x 9	=	Rs	243.00
3)	Cost of Consumables	-				Rs	<u>150.00</u>
4)	Grand total cost			Total	=	Rs	<u>2493.00</u>

Therefore, complete testing charges shall be Rs. 2500/-
(rounding off to nearest hundred)

5) Quantity required - 500 gm of cotton (Min.)

OIC(Mech)

OIC (QA)

Head (NRL)

DDG (Lab.)

Sd/-
(Manish Bisht)
(Lab Officer)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/14:0

1997.06.24

TESTING CHARGES FOR IS 12187:1987 COFFERS

SL. NO	CHARACTERISTICS	CLAUSE NO.	MAN-HOUR
1.	Size & Dimensions	2	3
2.	Material	3	4
3.	Construction & workmanship	4	6
4.	Internal Fixtures	5	0.5
5.	Painting	6	0.5
6.	Testing (including preparation of samples)	3 (Appendix A)	5
PREPARATION OF TEST REPORT			3
TOTAL TIME			22

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the product are Rs.1650.00

DDGL may kindly approve.

(V.K. Sethi)
TS (QA)

DCL(QA)
DDGL
TS(QA)

The revised BIS testing charges for IS 12225:1997 effective from 24-03-2017

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

2016 12 09

TESTING CHARGES FOR IS 12225:1997 (Amnd – 2) JET CENTRIFUGAL PUMP
COMBINATION

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Type		4.1 to 4.3 ½
2.	Centrifugal pumps	5.1 or IS 9079	AS per IS 6595(Pt-1)
5.	Prime Mover		
	i) Motor Drive	5.2.1	As per IS 9079
	ii) Engine Drive	5.2.2	As per IS 7347 or IS 10001 or IS 11170
	iii) Coupled and Belt Driven Set	5.2.3	As per IS 7347 or IS 10001 or IS 11170
6.	Material of Construction	6	
	i) Nozzle	As per referred ISs	
	ii) Venturi	As per referred ISs	
	iii) Foot Valve		As per referred ISs
	iv) Strainer of foot valve	As per referred ISs	(In absence of specif ic requirements, only visual identification would be possible.)
	v) Jet pump body	As per referred ISs	
	vi) Impeller		As per referred ISs
	vii) Pressure Regulating Valve		
	a) Body	As per referred ISs	

b) Diaphragm(Neoprene Rubber) 1

c) Valve seat As per referred ISs

viii) Slip Coupling (optional)

a) Body As per referred ISs

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

b) Sealing ring(Neoprene Rubber)	1
----------------------------------	---

ix) Packer head/Duplex head	As per referred ISs
-----------------------------	---------------------

7. Selection of Centrifugal Jet Pump As per referred ISs

6. Performance Characteristics 8 Testing charges for jet Centrifugal pump

7. Testing 9 Combination shall be Levied as per the referred IS Specification for Centrifugal pump & Prime Mover.

PREPARATION OF TEST REPORT 1

TOTAL TIME : 3½

Testing charges per man-hour are Rs. 300.00.

Testing charges shall be Rs. 1050.00 + Charges for the tests carried out as per the relevant ISS referred to.

(Hare Ram)
LO-A

OIC (Mech)
OIC (QA)
Head (CL)
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 12 31

TESTING CHARGES FOR IS 12225:1987 JET CENTRIFUGAL PUMP COMBINATION

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Centrifugal pumps	4.1 AS per IS 6595:1980 or IS 9079:1979	
2.	Prime Mover (Any of(i) or (ii) 4.2		
	i) Electric drive 4.2.1		
	a) Three phase squirrel cage Induction Motor or	As per IS 7538 :1975	
	b) Single phase/Universal electric motor	As per IS 9960:1979	
	ii) Engine Drive 4.2.2		
	a) Compression Ignitin (Diesel) Engine or	As per IS 11170:1985	
	b) Spark Ignition Engine	AS per IS 7347:1974	
3.	Material of Construction 5		
	i) Nozzle	As per IS 304:1981_	
	ii) Venturi	or IS 318:1981	
	iii) Foot Valve		
	iv) Strainer of foot valve	In absence of specif- ic requirements,only visual identification would be possible.	
	v) Jet pump body	As per IS 210:1978 or IS 318:1981	

vi) Pressure Regulating Valve

S NO	TESTS	CLAUSE REF.	MAN-HOURS
	a) Body	AS per IS 210:1978 or IS 304:1981 or IS 318:1981	
	b) Diaphragm(Neoprene Rubber)		½
	c) Valve seat	As per IS 318:1981	

vii) Slip Coupling (optional)

a) Body	As per IS 210 :1978
b) Sealing ring(Neoprene Rubber)	½

viii) Packer head/Duplex head As per IS 210:1978

4. Performance Characteristics Testing charges for jet Centrifugal pump

5. Testing Combination shall be Levied as per the referre IS Specific-ation fo Centrifugal pump & Prime Mover.

PREPARATION OF TEST REPORT ½

TOTAL TIME : 2

Testing charges per man-hour are Rs. 75.00.

Testing charges shall be for the tests carried out as per the relevant ISS referred to.

APPROVED BY THE COMPETENT AUTHORITY.

Bureau of Indian Standards
Central Laboratory
(Mechanical)

Our Ref: CL/QA/79
2016

15 Dec

TESTING CHARGES FOR IS 12227:2002 STERILE SINGLE USE SYRINGES WITH OR WITHOUT NEEDLE, FOR INSULIN

Sl. No.	Charecteristics	Clause No.	Man-Hours
1.	Type	4	0.5
2.	Freedom from extraneous matter	5	0.5
3.	Limit for extractable Chemical	6 (Annex-A)	
4.	Lubrication of Syringes and Needles	7	0.5
5.	Range of Sizes	8	1
6.	Graduated Scale	9	1
7.	Barrel	10	1
8.	Piston	11	
	a. General	11.1 (Annex-B)	
	2		
	b. Fiducial Line	11.2	1.5
	c. Fit of Piston and Barrel	11.3 (Annex-C)	
	1		
9.	Nozzle	12	1.5
10.	Needle	13 (Annex-D)	4
11.	Performance of assembled Syringe	14	
	a. Dead Space	14.1 (Annex-E)	
	0.5		
	b. Freedom from leakage of needle	14.2 (Annex-F & G)	2
	c. Liquid and Air leakage past piston	14.3 (Annex-F & B)	2
	PREPARATION OF TEST REPORT		
	1		
		TOTAL TIME	20

Testing Charges per man-hour are Rs. 300.00. Hence testing charges for the product is 300x20 = Rs. 6000.00

Hare Ram
LO-A

OIC (Mech)
OIC (QA)
Head (CL)
DDGL

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

Date 07-12-2016

TESTING CHARGES FOR IS 12227:2002/ ISO 8537:1991 Amendment 1 – STERILE SINGLE USE SYRINGES, WITH OR WITHOUT NEEDLES, FOR INSULIN

	Sl. No.	Requirements	Cl. Ref. of IS	Time (Hours)	Power (KWH)
		Consumable			
1.	Extract Preparation	Cl. 6.1	1	9	-
2.	Limits for Acidity or Alkalinity	Cl. 6.1	0.5	0.5	
	50				
3.	Limits for extractable Metals				
	a. Lead	Cl. 6.2	1	2	100
	b. Tin	Cl. 6.2	1	2	150
	c. Zinc	Cl. 6.2	1	1	100
	d. Iron	Cl. 6.2	1	1	100
	e. Cadmium	Cl. 6.2	1	2	100
4.	Preparation of Report		1		
	Total		7.5	17	600

Total Testing Charges Rs. = 7.5 X 300 + 17.5 X 9 + 600 = 3007.50 (Rounded off Rs. 3000.00)

CA may kindly approve.

Rajendra
K.Palsania
LO-B

OIC (Chem)

OIC (QA)

As decided by the competent authority, testing charges have been fixed only for test facilities which exists at CL, hence complete testing charges are ₹ 5100/- (Excluding Performance of assembled syringe tests, needle test, conical fitting test on nozzle ,test on Piston/plunger assembly)

Bathla)

(Kshitij

Head, LPPD

Sc.B, LPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 03 27

TESTING CHARGES FOR IS 12231:1987 UNPLASTICIZED PVC PIPES FOR USE IN
SUCTION & DELIVERY LINES OF AGRICULTURAL PUMP SET.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions of pipes	5 & Table 1	1½
2.	Visual Appearance	6.1	1
3.	Opacity	6.2	2
4.	Effect on water	6.3	
	a) Effect on Comp. of water		7
	b) Organotion	3	
	c) Extractability Test	5	

		(Testing facility not available at CL)	
5. Reversion Test	6.4	3	
6. Resistance to Sulphuric acid	6.5	2	
		(Testing facility not available at CL)	
7. Friction Test	6.6	10 (TFNA)	
8. Vacuum test	6.7	2 (TFNA)	
9. Internal Hydrostatic pressure test	7.1 & Table 2		
a) Type Test		84	
b) Acceptance test		5	
10. Impact Strength	7.2	3½	
11. Effect on sun light	8	5	
12. Supply of pipes	9	½	
13. Marking	11	½	

PREPARATION OF TEST REPORT 1

TOTAL TIME : 136

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.10,200.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12232(P-1):1996 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref:LPPD/54:1
2016

10-03-

**TESTING CHARGES FOR IS: 12232(P-1):1996 IRRIGATION EQUIPMENT-
ROTATING SPRINKLER**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	General Requirements	4	
	a) Material	4.1	1
	b) Construction & Workmanship	4.2 of IS 12232(p-1)	2
	c) Threaded Connection	4.3	1
2.	Strength Test	6	
	a) Test of construction & parts	6.1	3
	b) Test of resistance of threaded connections		
	i) Threaded connection	6.2.1.	2
	ii) Nozzle threaded internal	6.2.2.	2
	c) Test of resistance to Hydrostatic pressure at ambient temperature	6.3	4
	d) Test of resistance to Hydrostatic pressure at High temperature	6.4	4
	e) Test for water Tightness	6.5	
	i) Water tightness of sprinkler	6.5.1	4
	ii) Water tightness of Nozzle	6.5.2	4
3.	Operating tests		
	a) Test of uniformity of rotation speed	7.1	2
	b) Test of uniformity of flow rate	7.2	4
	c) Test of distribution characteristic	7.3	
	i) All Sprinkler	7.3.1	6
	ii) Sprinkler with flow rates greater than 250 l/h	7.3.2	6
	d) Test of effective diameter coverage	7.4	2
	e) Test of Trajectory Height (for Sprinkler with low trajectory only)	7.5	2
	f) Test of range of effective pressure	7.6	2
4.	Durability test	8	20
	PREPARATION OF TEST REPORT		6

	TOTAL MAN HOURS:		
	i) For all test except durability test		
	-All sprinklers		51h
	-sprinkler with flowrate greater than 250 l/h		57h

ii) Durability test
(Total duration of the test is 2000h)

20h

Testing charges per man hour is Rs.75.00. In addition to the man hour electric power consumption for each test is estimated separately @ Rs.4.00 per unit.

Total Electricity consumption

i)	For all tests excluding durability test	180 kwh
ii)	For durability test	3000 kwh

Hence testing charges for the product are as follows:

For all test excluding durability test

-for all sprinklers- $-(75 \times 51) + (180 \times 4) = 4545.00$

-for sprinklers with flow rate greater than 250 l/h $-(75 \times 57) + (4 \times 180) = 4935.00$

For durability test $-(75 \times 20) + (3000 \times 4) = 13500.00$

As decided, the testing charges have been doubled and the complete testing charges are :

For all test excluding durability test

-for all sprinklers- = Rs.9090.00.00

-for sprinklers with flow rate greater than 250 l/h = Rs.9870.00

For durability test =Rs.27100.00

DDGL may kindly approve.

(P. Rajesh)
ScEC, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref:CL/QA/Lab/14:0

2003-11-05

TESTING CHARGES FOR IS: 12232(P-1):1996 IRRIGATION EQUIPMENT-ROTATING SPRINKLER

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	General Requirements	4	
	a) Material	4.1	1
	b) Construction & Workmanship	4.2 of IS 12232(p-1)	2
	c) Threaded Connection	4.3	1
2.	Strength Test	6	
	a) Test of construction & parts	6.1	3
	b) Test of resistance of threaded connections		
	i) Threaded connection	6.2.1.	2
	ii) Nozzle threaded internal	6.2.2.	2
	c) Test of resistance to Hydrostatic pressure at ambient temperature	6.3	4
	d) Test of resistance to Hydrostatic pressure at High temperature	6.4	4
	e) Test for water Tightness	6.5	
	i) Water tightness of sprinkler	6.5.1	4
	ii) Water tightness of Nozzle	6.5.2	4
3.	Operating tests		
	a) Test of uniformity of rotation speed	7.1	2
	b) Test of uniformity of flow rate	7.2	4
	c) Test of distribution characteristic	7.3	
	i) All Sprinkler	7.3.1	6
	ii) Sprinkler with flow rates greater than 250 l/h	7.3.2	6
	d) Test of effective diameter coverage	7.4	2
	f) Test of Trajectory Height (for Sprinkler with low trajectory only)	7.5	2
	f) Test of range of effective pressure	7.6	2
4.	Durability test	8	20
	PREPARATION OF TEST REPORT		6

	TOTAL MAN HOURS:		
	i) For all test except durability test		
	-All sprinklers		51h
	-sprinkler with flowrate greater than 250 l/h		57h
	ii) Durability test		20h
	(Total duration of the test is 2000h)		

Testing charges per man hour is Rs.75.00. In addition to the man hour electric power consumption for each test is estimated separately @ Rs.4.00 per unit.

Total Electricity consumption

- | | | |
|-----|---|----------|
| i) | For all tests excluding durability test | 180 kwh |
| ii) | For durability test | 3000 kwh |

Hence testing charges for the product are as follows:

For all test excluding durability test

-for all sprinklers- $-(75 \times 51) + (180 \times 4) = 4545.00$

-for sprinklers with flow rate greater than 250 l/h $-(75 \times 57) + (4 \times 180) = 4935.00$

For durability test $-(75 \times 20) + (3000 \times 4) = 13500.00$

DDGL may kindly approve.

(Veer Singh)
TS (QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 12234:1988 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1
2016

10-03-

TESTING CHARGES FOR IS 12234:1988 PLASTIC EQUILIBRIUM FLOAT VALVES FOR COLD WATER SERVICES

S NO	TESTS	CLAUSE REF.	MAN-HOURS	
			HORIZONTAL INLET SHANK TYPE	VERTICAL INLET SHANK TYPE
1.	Type & nominal size	2 & 3	½	½
2.	Manufacture & workmanship	5	1½	1½
3.	Construction & Dimension	6.1 to 6.4 & 6.6 to 6.9	1½	1½
4.	Inlet shank screw threads & Back nut threads	6.5 & 6.10	Conforming to IS 2643 (part-3)1975	
5.	Performance test			
	a) Hydraulic & shut-off- test	7.1	2	2
	b) Antisiphonage Test	7.2	5	5
	c) Flow Test	7.3	1½	1½
	d) Endurance test	7.4	8	8
	PREPARATION OF TEST REPORT		1	1
		TOTAL TIME :	21	21

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are as follows :-

- a) Horizontal inlet shank type :Rs. 6300.00
- b) Vertical inlet shank type :Rs. 6300.00

Plus the testing charges for he relevant ISS referred to.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1988 08 18

TESTING CHARGES FOR IS 12234:1988 PLASTIC EQUILIBRIUM FLOAT VALVES
FOR COLD WATER SERVICES

S NO	TESTS	CLAUSE REF.	HORIZONTAL INLET SHANK TYPE	VERTICAL INLET SHANK TYPE	MAN-HOURS
1.	Type & nominal size	2 & 3	½	½	
2.	Manufacture & workmanship	5	1½	1½	
3.	Construction & Dimension	6.1 to 6.4 & 6.6 to 6.9	1½	1½	
4.	Inlet shank screw threads & Back nut threads	6.5 & 6.10	Conforming to IS 2643 (part-3)1975		
5.	Performance test				
	a) Hydraulic & shut-off- test	7.1	2	2	
	b) Antisiphonage Test	7.2	5	5	
	c) Flow Test	7.3	1½	1½	
	d) Endurance test	7.4	8	8	
	PREPARATION OF TEST REPORT				1 1
	TOTAL TIME :		21	21	

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :-

- a) Horizontal inlet shank type :Rs. 1575.00
- b) Vertical inlet shank type :Rs. 1575.00

Plus the testing charges for he relevant ISS referred to.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY**(Q.A. Department)**

Our Ref: Lab/14:0

1998-01-02

**TESTING CHARGES FOR IS 12236:87 PAPER PAGE ROLLS FOR ADDING
MACHINES/CALCULATORS**

SL. NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
	Materials		
	i) Paper	3.1	18*
	ii) Carbon Paper onetime	3.2	3**
	iii) Adding Machines/Calculator rolls	3.3	
	iv) Defects	3.3.1]	
	Construction		
	i) Reeling	3.4.1]	0.5
	ii) Central core	3.4.2]	
	iii) Carbon-less copy	3.5	0.5
	Dimensions		
	a) Paper roll		
	i) Outer diameter & width	4.1(a)]	
	b) Central core	]]	1
	Thickness/Inner dia/length	4.1(b)]	
	Climatic Tests		
	i) Dry heat		1.5
	ii) Damp heat cyclic(1 st cycle)		1.5
	iii) Cold		1
	iv) Damp heat cyclic(remaining cycle)		1.5
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		30

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.2250.00.

*To be tested as per IS 1848:91 writing & printing papers.

**To be tested as per IS 9055:79 One time carbon paper.

DDGL may kindly approve.

Sd/-
(V.K. Sethi)
TS(QA)

DCL(QA) Sd/- 01/06

Testing Charges as per IS 12254 :2021(Amendment -1) Polyvinylchloride PVC Industrial Boots

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.6.3 (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl.6.2				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20400

OIC (Chem)

Head (CL)

OIC (QA)

The revised BIS testing charges for IS 12254:1993 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS 12254:1993 POLYVINYL CHLORIDE (PVC)
INDUSTRIAL BOOTS**

<u>SL. .</u>	<u>CHARACTERISTICS</u>	<u>CLAUSE NO.</u>	<u>MAN-HOUR</u>
<u>NO</u>			
1.	Fabric breaking load	4.1	1
2.	eyelet and laces	4.2	1
3.	Steel toe cap	4.3	2
4.	Thickness	5.3	1
5.	Hardness	5.4	0.5
6.	Relative density	5.5	1
7.	Volatility	5.6	2
8.	Lead content	5.7	2
9.	Tensile requirements	5.8	6
10.	Resistance to cut growth	5.9	2
11.	Resistance to flexing for upper	5.10	*
12.	Leg height	5.11	0.5
13.	Leakage resistance	5.12	4
14.	Cold flex temperature		*
15.	Performance		2
PREPARATION OF TEST REPORT			1
TOTAL TIME			26

Testing charges per man-hour is Rs.300.00. Hence complete testing charges for the product are
Rs.7800.00

*Testing facilities are not available at CL presently for these tests.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/14:0

2000-08-17

TESTING CHARGES FOR IS 12254:1993 POLYVINYL CHLORIDE (PVC)
INDUSTRIAL BOOTS

SL. . NO	CHARACTERISTICS	CLAUSE NO.	MAN-HOUR
1.	Fabric breaking load	4.1	1
2.	eyelet and laces	4.2	1
3.	Steel toe cap	4.3	2
4.	Thickness	5.3	1
5.	Hardness	5.4	0.5
6.	Relative density	5.5	1
7.	Volatility	5.6	2
8.	Lead content	5.7	2
9.	Tensile requirements	5.8	6
10.	Resistance to cut growth	5.9	2
11.	Resistance to flexing for upper	5.10	*
12.	Leg height	5.11	0.5
13.	Leakage resistance	5.12	4
14.	Cold flex temperature		*
15.	Performance		2
PREPARATION OF TEST REPORT			1
TOTAL TIME			26

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the product are Rs.1950.00

*Testing facilities are not available at CL presently for these tests.

DG may kindly approve.

(V.K. Sethi)
TS (QA)

DCL(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY, SAHIBABAD
[Q. A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 10 09

TESTING CHARGES FOR IS 12269:1987, 53 GRADE ORDINARY PORTLAND CEMENT

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Chemical Requirements	4.1	
	a) Ratio of percentage of lime to percentage of silica, alumina & iron oxide, when calculated by the formula :- $\frac{\text{CaO}-0.7 \text{ SO}_3}{2.8\text{SiO}_2+1.2\text{Al}_2\text{O}_3+0.65\text{Fe}_2\text{O}_3}$	4.1,(i) of Table 1	15
	b) Ratio of percentage of alumina to that of iron oxide	(ii) of Table 1	Covered in (a) above
	c) Insoluble Residue, percent by mass	(iii) "	1.5
	d) Magnesia, percent by mass	(iv) "	2
	e) Total sulphur content calculated as sulphuric Anhydride (SO ₃), percent by mass	(v) "	Covered in (a) above
	f) Total loss on ignition	(vi) "	1
2.	Physical Requirements	5	
	a) Fineness	5.1	2
	b) Soundness	5.2	
	i) By Le Chatelier method		2
	ii) By Autoclave test method		4
S NO	TESTS	CLAUSE REF.	MAN-HOURS

c) Setting Time	5.3	2
d) Compressive strength	5.4	9
e) Transverse strength of plastic mortar (optional)	5.5	5
3. Chloride content for cement used in prestressed concrete structures and long spun reinforced concrete structures, percent by mass.	7.2	3
PREPARATION OF TEST REPORT		0.5

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows:

- a) For chemical requirements :Rs.1725.00
- b) For physical requirements :Rs.1500.00
- c) For transverse strength test :Rs.375.00 (optional)

In case repeat test after aeration is required (in case of failure) to be carried out for soundness additional testing charges shall be levied as follows:

By Le Chatelier method Rs. 150.00

By Autoclave test method Rs. 300.00

NOTE: REVISED TESTING CHARGES PLACED BELOW

PP&C (T&C)

Our Ref : PP&C (T&C)/51:1

26 June 2014

Subject: Revision of BIS testing charges.

BIS Testing charges as prescribed for nine products were reviewed and as decided by the CA, the testing charges for six products have been revised as per the details given in Annex-1. The revised BIS testing charges shall be effective from 01-07-2014 and applicable for samples sent for testing after 01-07-2014.

The above revised BIS testing charges shall not be applicable for outside BIS recognized labs. The outside approved lab who had adopted BIS testing charges would continue to be paid as per the pre-revised rates. The revision of testing charges of OSLs, if any, shall be reviewed and decided in due course.

All Testing Centres/ROs/BOs are advised to note the above for implementation by the said date.

Encl: as above

(Dileep Kumar)
Head, PP&C (T&C)

DDG (T&C)

Circulated to all Heads of T&Cs/ROs/BOs/DDG (Cert.)/CMDs/DDGF

Copy to : **H (ITS)** - With a request to get the circular hosted on BIS Intranet.

REVISED BIS TESTING CHARGES OF IS 12269

IS No	Revised BIS Testing Charges	Remarks
IS 12269	Rs.8500.00	Excluding optional test (Transverse strength) Testing charges for Transverse strength Rs.2000.00

NOTE: REVISED TESTING CHARGES ARE PLACED BELOW:



BUREAU OF INDIAN STANDARDS
[LPPD]

Our Ref: LPPD/51:1

02.09.2015

Sub: Revision of BIS Testing Charges.

BIS Testing charges for seven products have been reviewed and as decided by the CA, the revised testing charges of the same, are given in Annex-1. The revised BIS testing charges for the ISS listed in Annex-1 shall be effective from 01-09-2015 and applicable for samples sent to BIS T&Cs for testing after 30-08-2015.

The above revised BIS testing charges shall not be applicable for outside BIS recognized labs. The outside approved lab who had adopted BIS testing charges

would continue to be paid as per the pre-revised rates. The revision of testing charges of OSLs, if any, shall be reviewed and decided in due course.

All BIS labs/ROs/BOs are advised to note the above for implementation by the said date.

(Dileep Kumar)
Sc. F & Head[LPPD]

Sc. 'G' &DDG(Labs)

Encl. As above.

Circulated to all Heads of Labs/ROs/BOs/DDG(Cert.)/CMDs/DDGF

Copy to : H(ITS)

With a request to get the circular hosted on BIS Intranet.

**Testing Charges for
IS 12269:2013 Ordinary Portland Cement 53 Grade**

(w.e.f. 31 Aug 2015)

S.No.	Clause No.	Requirements/ Characteristics	Manhours spent in Testing (in hrs)	Manhour cost of testing (@ ₹ 300 /manhour)	Power consumption (if intensive) (in kWh)	Cost of power (@ ₹ 9 per kWh)	Consumable cost (if significant)	Total cost of test	Remarks
1	2	3	4	5	6	7	8	9	10
1	5.1 (Table 2)	Chemical Requirements							
a)	(i) of Table 2	Ratio of percentage of lime to percentage of silica, alumina and iron oxide	7.5	₹ 2,250.00	36	₹ 324.00	₹ 500.00	₹ 4,724.00	Batch condition of 6 samples together.
b)	(ii) of Table 2	Ratio of percentage of alumina to that of iron oxide							
c)	(v) of Table 2	Total sulphur content calculated on sulphate anhydride (SO ₃), percent by mass							
d)	(iii) of Table 2	Insoluble residue, percent by mass	0.75	₹ 225.00					
e)	(iv) of Table 2	Magnesia, percent by mass	1	₹ 300.00					
f)	(vi) of Table 2	Loss on Ignition, percent by mass	0.75	₹ 225.00					
g)	(vii) of Table 2	Chloride content, percent by mass	1	₹ 300.00					
h)	(viii) of Table 2	Alkali Content	2	₹ 600.00					
2	6 & Table 3	Physical Requirements							
a)	(i) of Table 3	Fineness	2	₹ 600.00	0	0	0	₹ 600.00	
b)	(ii) of Table 3	Soundness							

		By Le Chatelier Method	1	₹ 300.00	0	0	0	₹ 300.00	
		By Autoclave test method	2	₹ 600.00	2	₹ 18.00	0	₹ 618.00	
c)	(iii) of Table 3	Setting time	1	₹ 300.00	0	0	0	₹ 300.00	
d)	(iv) of Table 3	Compressive Strength	4	₹ 1,200.00	48	₹ 432.00	0	₹ 1,632.00	Batch condition of 10 samples together.
e)	(v) of Table 3	Transverse Strength (Optional)	3.5	₹ 1,050.00	18	₹ 162.00	0	₹ 1,212.00	
3		Preparation of Test Report	1	₹ 300.00	0	0	0	₹ 300.00	
		TOTAL	27.5	₹ 8,250.00	104	₹ 936.00	₹ 500.00	₹ 9,686.00	

Hence, testing charges (rounded to nearest Rs. 50.00) for the product are:

Including Transverse Strength (optional test) test

₹ 9,700.00

Excluding Transverse Strength (optional test) test

₹ 8,500.00

Testing charges (rounded to nearest Rs. 50.00) for only chemical test report:

₹ 4,900.00

Testing charges (rounded to nearest Rs. 50.00) for only physical test report including optional tests:

₹ 4,800.00

Testing charges (rounded to nearest Rs. 50.00) for only physical test report excluding optional tests:

₹ 3,600.00

(Sudheer Bishnoi)
Sc D (LPPD)

Sc F & Head (LPPD)
Sc G & DDG (Labs)

The revised BIS testing charges for IS 12299:1998 effective from 22-08-2017

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/Size)		
12299			1998 Amend.no: 2	DAIRY WHITENER SPECIFICATION			
Cl. Ref. of IS	Requirement/ Description		Time* (Hours)	Power Consumption (if intensive) (in Kwh)	Consumable cost (if significant) (in Rupees)	Remarks #	
Cl. 5.5	<u>Microbiological requirements</u>						
Cl.5.5.1	1. Colony count per gm		4	72 Kwh	90.00		
Cl. 5.5.2	2. Coliform Count per 0.1 gm		4	96 Kwh	140.00		
Cl. 5.5.2	3. E. coli per 0.1 gm		4	24 Kwh	225.00		
Cl. 5.5.2	4. Coagulase positive Staphylococcus aureus / 0.1 gm		5	72 Kwh	300.00		
Cl. 5.5.3	5. Salmonella per 25 gm		4	144 Kwh	450.00		
Power consumption for sterilization & decontamination				41 Kwh		#	
# Power consumption for sterlization & decontamination is applicable to each parameter as well as for whole sample testing.							
	Report preparation		1				
	<u>Chemical Requirements</u>						
Cl. 4	Description Flavour and		0.5		-		
Cl. 5.3	Taste		0.5		-		
Cl. 5.6,Table 1	i) Moisture		1.5	5 Kwh	-		
	ii) Milk Solids(Non fat)		-	-	-		

iii) Insolubility Index	2	2 Kwh	-
iv) Total Ash	1.5	15 Kwh	25.00
v) Milk Fat	4.5	5 Kwh	200.00
vi) Acid insoluble ash	2.5	9 Kwh	50.00
vii) Total Added sugar (as Sucrose)	5	2 Kwh	150.00
Report preparation	1		

Total Testing charges for Microbiological requirements= $22 \times 300.00 + 449 \times 9.00 + 1205.00 = \text{Rs.}11846.00$ (Rounded off to **Rs.11800.00**)

Total Testing charges for Chemical requirements = $19 \times 300.00 + 38 \times 9.00 + 425.00 = \text{Rs.}6467.00$ (Rounded off to **Rs.6500.00**)

Sc. B
(SK)

OIC (Chem)
OIC
(QA)

Rajendra Kumar
Palsania
Lab. Officer-
B

As decided by CA, testing charges are Rs. 18300/-

(Ankita Tripathi)
Sc.B,

LPPD

Head, LPPD
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 12 18

TESTING CHARGES FOR IS 12299:1988 SWEETENED, PARTLY SKIMMED MILK
POWDER

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Flavour and Taste	3.1.1	½
3.	Bacterial count	3.6.1	2
4.	Coliform count	3.6.2	2
5.	Moisture	3.7, (i) of $\frac{3}{-}$ Table 1 $\frac{3}{-}$	1½
6.	Milk solids (non-fat)	3.7(ii) of $\frac{3}{-}$ Table 1 $\frac{3}{-}$	
7.	Solubility	3.7 (iii) of Table 1	1
8.	Total ash (on dry mass basis)	3.7 (iv) of Table 1	1½
9.	Fat	3.7 (v) of Table 1	2
10.	Cane sugar(as sucrose)	3.7 (vi) of Table 1	4
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 16

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1200.00

APPROVED BY THE COMPETENT AUTHORITY

The revised BIS testing charges for IS 12300:1988 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

**TESTING CHARGES FOR IS 12300 : 1988 VALVE FITTINGS FOR SMALL
FREON CYLINDERS**

SL.NO.	CHARACTERISTICS	CLAU SE NO.	MAN-HOURS
1.	Material testing	2	15
2.	Threads checking	3	2 *
3.	Valve outlet connections & dimensions of spindle	4	2
4.	Pneumatic test	6	6
5.	Cycle test	8.2	3
	PREPARATION OF TEST REPORT		1
		TOTAL TIME :	----- 29 -----

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs. **8700.00.**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)**

1999 06 25

Our Ref: Lab/14:0

**TESTING CHARGES FOR IS 12300 : 1988 VALVE FITTINGS FOR SMALL
FREON CYLINDERS**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Material testing	2	15
2.	Threads checking	3	2 *
3.	Valve outlet connections & dimensions of spindle	4	2
4.	Pneumatic test	6	6
5.	Cycle test	8.2	3
	PREPARATION OF TEST REPORT		1
		TOTAL TIME :	----- 29 -----

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs. 2175.00.

* Presently testing facility for this test is not available at CL.

DG may kindly approve.

(V.K.Sethi)
TS (QA)

DCL(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

7 June 2006

TESTING CHARGES FOR PLASTIC CERVICAL COLLAR AS PER IS 12304:1987

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-ever				
applicable				
A.	TEST PARAMETERS			
1.	Shape & Dimensions	2	2	
2.	Requirements	4	3	
3.	Material (Plastic collar) & Sewing thread	3.1(only thickness) 3.2	4	
B.	Electricity power consumed			-
C.	Cost of Consumables/CRMs			
	-			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	10 h	

Note: The polyethylene confirmation to IS 7328:74 can not be carried out as the material has been converted to plastic sheet.

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs. 75 x 8 = Rs.750. 00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)

D&H(QA)**DDGL****The revised BIS testing charges for IS 12330:1988 effective from 15-05-2016****LABORATORY POLICY AND PLANNING DEPTT****Our Ref : LPPD/54:1****10-03-2016****TESTING CHARGES FOR IS 12330:1988, SULPHATE RESISTING CEMENT
(INCORPORATING AMND. NO. 1 AUGUST 1991)**

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

- | | | | |
|----|---|----------------------------|------|
| 1. | Chemical Requirements | 4 | |
| | a) Ratio of percentage of lime to percentage of silica, alumina & iron oxide, when calculated by the formula :-

$\frac{\text{CaO}-0.7 \text{ SO}_3}{2.8\text{SiO}_2+1.2\text{Al}_2\text{O}_3+0.65\text{Fe}_2\text{O}_3}$ | 4.1,(i) of Table 1 | 15 |
| | b) Insoluble Residue, percent by mass | (ii) " | 1½ |
| | c) Magnesia, percent by mass | (iii) " | 2 |
| | d) Total sulphur content calculated as sulphuric Anhydride (SO ₃), percent by mass | (iv) " Covered in(a) above | |
| | e) TricalciumAluminat (C ₃ A) percent by mass | (v) " | -do- |
| | f) TetracalciumAlumino ferrite phase plus twice the tricalcium aluminate (C ₄ AF+ 2C ₃ A) | (vi) " | -do- |
| | g) Total loss on ignition | (vii) " | 1 |
| 2. | Physical Requirements | 5 | |

a) Fineness 5.1 2

S NO	TESTS	CLAUSE REF.	MAN-HOURS
b)	Soundness	5.2	2
i)	BY Le Chatelier method	(Add. 2 hrs for	
	repeat test after		
	aeration,if required)		
	ii) By Autoclave test method		4
		(Add.Rs.4 hrs for	
	repeat test after		
	aeration, if		
	required)		
c) i)	Setting Time	5.3	2
	ii) False set	5.3.1	1
		(If applicable)	
d)	Sulphate Expansion	5.4	4
e)	Compressive strength	5.5	9
f)	Transverse strength of	5.6	5
	plastic mortar (optional)		
PREPARATION OF TEST REPORT			½
TOTAL TIME:			49

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are: **Rs.12900.00** •
excluding the testing charges for false set and transverse strength. In case repeat tests after
aeration, if required, to be carried out for soundness an additional testing charges of Rs.1800.00
shall be levied. Testing charges for 'False set'and transverse strength shall be Rs. 300.00 and Rs.
1500.00 respectively.

DDGL may kindly approved.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 01 17

TESTING CHARGES FOR IS 12330:1988, SULPHATE RESISTING CEMENT
(INCORPORATING AMND. NO. 1 AUGUST 1991)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Chemical Requirements	4	
a)	Ratio of percentage of lime to percentage of silica, alumina & iron oxide, when calculated by the formula :- $\frac{\text{CaO}-0.7 \text{ SO}_3}{2.8\text{SiO}_2+1.2\text{Al}_2\text{O}_3+0.65\text{Fe}_2\text{O}_3}$	4.1,(i) of Table 1	15
b)	Insoluble Residue, percent by mass	(ii) "	1½
c)	Magnesia, percent by mass	(iii) "	2
d)	Total sulphur content calculated as sulphuric Anhydride (SO ₃), percent by mass	(iv) " Covered in(a) above	
e)	Tricalcium Aluminat (C ₃ A) percent by mass	(v) "	-do-
f)	Tetracalcium Alumino ferrite phase plus twice the tricalcium aluminate (C ₄ AF+ 2C ₃ A)	(vi) "	-do-
g)	Total loss on ignition	(vii) "	1
2.	Physical Requirements	5	
a)	Fineness	5.1	2

S NO	TESTS	CLAUSE REF.	MAN-HOURS
b)	Soundness	5.2	2
	i) BY Le Chatelier method	(Add. 2 hrs for repeat test after aeration,if required)	
	ii) By Autoclave test method	(Add.Rs.4 hrs for repeat test after aeration, if required)	4
c) i)	Setting Time	5.3	2
	ii) False set	5.3.1 (If applicable)	1
d)	Sulphate Expansion	5.4	4
e)	Compressive strength	5.5	9
f)	Transverse strength of plastic mortar (optional)	5.6	5
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		49

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.3225.00 • excluding the testing charges for false set and transverse strength. In case repeat tests after aeration, if required, to be carried out for soundness an additional testing charges of Rs.450.00 shall be levied.

Testing charges for 'False set'and transverse strength shall be Rs. 75.00 and Rs. 375.00 respectively.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref:CL/QA/Lab/14:0

2001-02-09

**TESTING CHARGES FOR IS: 12337:1998 MANUALLY OPERATED FERTILIZER
BROADCASTER**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Marking and Packing	7	1
2.	Material	3	1
3.	Constructional Requirements	4	3
4.	Capacity	5	1
5.	Workmanship and Finish	6	1
PREPARATION OF TEST REPORT			1
TOTAL TIME			8

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.600.00.

DG may kindly approve.

(V.K. Sethi)
TS(QA)

DCL(QA)
DDGL
ADGT
DG

The BIS testing charges for IS 12406:2003 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/12406

13.03.2018

Based on the inputs received from testing section, the testing charges as per **IS 12406:2003**

(Amnd-4)

MEDIUM DENSITY FIBRE BOARDS FOR GENERAL PURPOSE -SPECIFICATION is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
58.	Finish	Cl. 7	0.5	-	-	-
59.	Dimension and tolerances	Cl. 8	2	-	-	-
60.	Physical and mechanical requirements	Cl. 5.2, Cl. 9, Cl. 11 and Table-1	-	-	-	-
	a. Density		2	-	-	-
	b. Variation form mean density		0.5	-	-	-
	c. Moisture content		4.5	48	-	-
	d. Variation form mean moisture content		0.5	-	-	-
	e. Water absorption		5	115	80.00	-
	f. Linear expansion		-	-	-	-
	i. General absorption after 24 h soaking		5	115	80.00	Except length and width
	ii. Surface absorption after 2 h soaking		5	95	50.00	-
	g. Modulus of rupture		3	1	-	-
	h. Modulus of elasticity				-	-
	i. Internal bond		2	2	200.00	-
	j. Internal bond		-	-	-	-
	i. After cyclic test		30	600	200.00	-
	ii. After accelerated water resistance test		3	5	200.00	-
	k. Screw withdrawal strength		2	2	400.00	-

	l. Steady state formaldehyde emission value		*	-	-	-
	Report Preparation		1.5	-	-	-
	Total		66.5	983	1210.00	-

*Test facility not available at CL.

Testing charges = $66.5 \times 300 + 983 \times 9 + 1210.00$ = Rs. 30007.00 excluding Steady state formaldehyde emission value and linear expansion for length and width)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 30007/- excluding Steady state formaldehyde emission value and linear expansion for length and width.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1993 04 16

TESTING CHARGES FOR IS 12417:1988 SUCTION APPARATUS,
PEDAL OPERATED

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material	2	2
2.	Construction and Performance Requirements (except Cl. 3.4 & 3.8)	3	5
3.	Vacuum Gauge	3.4 As per Gr. 2 of IS 3624:1979	
4.	Tubing	3.8 As per IS 637:1965	
5.	General Requirements	4	1
6.	Workmanship & Finish	5	1
7.	Nickel Chromium Plating	5.2 & 5.3 As per Gr-2 of IS 4827 :1983 or Gr-2 of IS1068:1985	
8.	Adhesion Test	6	1
9.	Marking	8	½
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 11

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.825.00

Plus the testing charges of the relevant ISS referred to.

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12427:2001 effective from 24-03-2017

BIS CENTRAL LABORATORY, SAHIBABAD

[CHEMICAL DEPARTMENT]

Testing Charges for fasteners – Threaded Steel fasteners – Hexagon Head transmission tower bolts

AS PER IS 12427:2001, Amnd-Nil

SI.No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed	Cost of
	Consumable		KWh		
	including reference				
	material wherever				
	applicable				

Testing as per clause 6.1

2002 Material Chemical composition As per Table 2 of IS 1367(Pt-3):

i)	Carbon	2	6
50.00			
ii)	Sulphur	2	6
50.00			
iii)	Phosphorus	3	6
50.00			
iv)	Boron	3	6
50.00			

PREPARATION OF TEST REPORT 1

Testing charges per man-hour Rs.300.00

Electricity power consumption Rs.9.00 per KWh

Hence complete testing charges for the product:- Rs 3716, Rounded off to Rs.3750/-

Remarks:

- i) Testing charges for each of the elements other than Table will be Rs.1004/-
CA may kindly approve.

Anita

Goel

LO-B

OIC (Chem)

**BIS CENTRAL LABORATORY
(Q.A. Department)**

TESTING CHARGES FOR FASTNERS, HEXAGON TRANSMISSION TOWER BOLTS AS PER IS 12427:2001.

Sl.No.	Characteristics	Clause no.	Man-Hours
A.	TEST PARAMETERS		
1.	Dimensions	3, Table 1&2	2
2.	Mating Nuts	5.1	
	a) Dimensions	3 & Table 1 of IS 14394	2
	b) Proof load test*	8.1 of IS 1367(6)	
	c) Hardness test	8.2 of IS 1367(6)	
	d) Surface integrity test *	8.3 of IS 1367(6)	
	e) Surface finish	4 of IS 14394	5
3.	Mating washers	5.2	
	1		
4.	Mechanical properties	6	
	a) Tensile test for machined test piece	8.1 of IS 1367(3)	
	2		
	b) Tensile test for full size bolt	8.2 of IS 1367(3)	
	2		
	c) Hardness test	8.4 of IS 1367(3)	
	2		
	d) Proof load test*	8.5 of IS 1367(3)	
	e) Wedge load test*	8.6 of IS 1367(3)	
	f) Head soundness test*	8.8 of IS 1367(3)	
	g) Decarburization test*	8.9 of IS 1367(3)	
	h) Retempering test	8.10 of IS 1367(3)	3
	j) Surface discontinuity inspection*	8.11 of IS 1367(3)	
	k) Shear strength test*	6.2	
5.	Finish	7	5
B.	Electricity power consumed		
C.	Cost of Consumables/CRMs		
D.	PREPARATION OF TEST REPORT		
	1		
	TOTAL	TIME	27

TESTING CHARGES FOR FASTNERS, HEXAGON TRANSMISSION TOWER BOLTS AS PER IS 12427:2001.

* Testing facilities for the tests as mentioned are not available at present.

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the products is:

$$\text{Total Rs.} 27 \times 300 = \text{Rs.} 8100.00$$

Mehtab Singh
LO-A

OIC (Mech)
OIC(QA)
Head (CL)

As decided by CA, testing charges are Rs.11850/- excluding Proof load, Head soundness wedge load and decarburization test.

Bathla)

(Kshitij

Sc.B, LPPD

Head, LPPD
DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]**

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

3 Oct 2006

TESTING CHARGES FOR FASTNERS, HEXAGON TRANSMISSION TOWER BOLTS AS PER IS 12427:2001.

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-ever				
applicable				
A.	TEST PARAMETERS			
1.	Dimensions	3, Table 1&2	2	-
	-			
2.	Mating Nuts	5.1		
	a) Dimensions	3 & Table 1 of IS 14394	2	
	b) Proof load test*	8.1 of IS 1367(6)	2	
	c) Hardness test	8.2 of Is 1367(6)	2	
	d) Surface integrity test *	8.3 of IS 1367(6)	5	
	e) Surface finish	4 of IS 14394	5	
3.	Mating washers	5.2	1	
4.	Mechanical properties	6		
	a) Tensile test for machined test piece	8.1 of IS 1367(3)	2	
	b) Tensile test for full size bolt	8.2 of IS 1367(3)	2	
	c) Hardness test	8.4 of IS 1367(3)	2	
	d) Proof load test*	8.5 of IS 1367(3)	2	
	e) Wedge load test*	8.6 of IS 1367(3)	2	
	f) Head soundness test*	8.8 of IS 1367(3)	2	
	g) Decarburization test*	8.9 of IS 1367(3)	2	
	h) Retempering test	8.10 of IS 1367(3)	3	

	j) Surface discontinuity inspection*	8.11 of IS 1367(3)	5
	k) Shear strength test*	6.2	2
5.	Finish	7	5
B.	Electricity power consumed		-
C.	Cost of Consumables/CRMs		-
D.	PREPARATION OF TEST REPORT		1
	TOTAL	TIME	49

TESTING CHARGES FOR FASTNERS, HEXAGON TRANSMISSION TOWER BOLTS AS PER IS 12427:2001.

* Testing facilities for the tests as mentioned are not available at present.

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.49x75= Rs.3675.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)

DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

15 Jan 2010

TESTING CHARGES FOR ZINC WIRE FOR SPRAYED ZINC COATINGS
AS PER IS 12447:1988

Sl. No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
A. TEST PARAMETERS							
1.	Lead (Pb)	5.1, Table 1	3	2 kwh	18.00	50.00	293.00
2.	Cadmium (Cd)	--do--	3	2 kwh	18.00	50.00	293.00
3.	Iron (Fe)	--do--	2	1 kwh	9.00	50.00	209.00
4.	Tin (Sn)	--do--	3	2 kwh	18.00	50.00	293.00
5.	Copper (Cu)	--do--	2	1 kwh	9.00	50.00	209.00
6.	Diameters and Tolerances	6, Table 2	2	-	-	-	150.00
7.	Freedom from defects	8	0.5	-	-	-	37.50
8.	Mechanical properties	9	2.5	-	-	-	187.50
9.	Wrapping test	9.3	1	-	-	-	75.00
PREPARATION OF TEST REPORT			1				75.00
TOTAL			20	8 kwh	72.00	250.00	1822.00

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs. $75 \times 20 + 8 \times 9 + 250 = \text{Rs.}1822.00$

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)

Head-CL

H (CQAPD)

Sc.G (labs)

The revised BIS testing charges for IS 12492:1988 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1
2016

10-03-

TESTING CHARGES FOR IS 12492:1988 THERMOPLASTIC HOSES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Construction		
	a) Lining		
	b) Reinforcement	4.1	1
	c) Cover		
2.	Dimensions		
	a) Bore size	4.2.1	1
	b) Thickness of lining	4.2.2	3
	& cover		
	c) Length	4.2.3	½
3.	Resistance to Liquids	4.3.1 (Testing facilities not available at CL)	3
4.	Loss on mass on heating	4.3.2 (Testing facilities not available at CL)	4
5.	Adhesion Test	4.4.1	3
6.	Pressure Requirements (At proof pressure change in dimension, Bursting pressure)	4.4.2	3
7.	Cold bend Radius	4.4.3	4
8.	Marking	5.1	½
	PREPARATION OF TEST REPORT		½
TOTAL TIME :			24

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : **Rs.7200.00**

DDGL may kindly approve.

Rajesh)

LPPD

Head, LPPD

DDG(Labs)

(P.

Sc.E,

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 04 26

TESTING CHARGES FOR IS 12492:1988 THERMOPLASTIC HOSES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1. Construction

a) Lining	$\frac{3}{-}$		
b) Reinforcement	$\frac{3}{-}$	4.1	1
c) Cover	$\frac{3}{-}$		

2. Dimensions

a) Bore size	4.2.1	1
b) Thickness of lining & cover	4.2.2	3
c) Length	4.2.3	$\frac{1}{2}$

3. Resistance to Liquids	4.3.1	3
	(Testing facilities not available at CL)	

4. Loss on mass on heating	4.3.2	4
	(Testing facilities not available at CL)	

5. Adhesion Test	4.4.1	3
------------------	-------	---

6. Pressure Requirements (At proof pressure change in dimension, Bursting pressure)	4.4.2	3
--	-------	---

7. Cold bend Radius	4.4.3	4
---------------------	-------	---

8. Marking	5.1	$\frac{1}{2}$
------------	-----	---------------

PREPARATION OF TEST REPORT	$\frac{1}{2}$
----------------------------	---------------

TOTAL TIME : 24

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1800.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 05 24

TESTING CHARGES FOR IS 12566:1989 READY-TO-EAT EXTRUDED SNACKS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Moisture, percent by mass,max.	4.4 & 7.1 Table 1	2
2.	Fat (on dry basis) percent by mass, max.	-do-	2
3.	Peroxide value meg oxygen/kg fat, max.	-do-	4
4.	Total Bacterial count/g max.	-do- Facility not available at CL.	
5.	Coliform count/g ,max.	-do-	-do-
6.	Salmonella	-do-	-do-
7.	Shigella	-do-	-do-
8.	E Coli	-do-	-do-
9.	Packing & Marking	5	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		9

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.675.00.
excluding those tests for which testing facilities do not existing
CL.

APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 12285:1988 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/12585

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 12585:1988 (Amnd-1)**

THERMOPLASTIC HOSES (TEXTILE REINFORCED) FOR WATER - GENERAL PURPOSE is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
61.	Construction	Cl. 4.1	1	-	-	-
62.	Dimensions and tolerances	Cl. 4.2	1	-	-	-
63.	Loss in mass on heating	Cl. 4.3.1	*	-	-	-
64.	Adhesion	Cl. 4.3.2	*	-	-	-
65.	Pressure requirement	Cl. 4.3.3	2	-	-	-
66.	Minimum bend radius	Cl. 4.3.4	*	-	-	-
67.	Low temperature flexibility	Cl. 4.3.5	*	-	-	-
	Report Preparation		1	-	-	-
	Total		5	-	-	-

*Test facility not available at CL.

Testing charges = 5 x 300 = Rs. 1500.00 excluding Loss in mass on heating, Adhesion, Minimum bend radius and Low temperature flexibility.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1500/- excluding Loss in mass on heating, Adhesion, Minimum bend radius and Low temperature flexibility.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 12586:1988 effective from 12-02-2018
BUREAU OF INDIAN STANDARDS
WROL, Mumbai

Our Ref.: WROL/TC/Mechanical/ IS 12586
Nov 2017

27

Testing Charges for Brazed Low Carbon Steel gas cylinders not exceeding 13 liter as per IS 12586:2004 including Amendment 4

Sr. No.	Tests	Cl. Ref.	Man Hours
	Mechanical Test (Excluding Material Test)		
1	Fabrication , (Brazing)	Cl.6 , Cl.6.1	0.5
2	Manufacture	Cl.6.2	1
3	Examination of the Cylinders Before Closing-in Operation	Cl.6.3 , Cl.6.3.1,6.3.2,6.3.3,6.3.4	2
4	Water Capacity	Cl.6.4	1
5	Valves	Cl.6.5	0.5
6	Fittings Other than Valves	Cl.6.6	1
7	Foot Ring	Cl.6.7	1
8	Proof Test	Cl.8, Cl.8.1, 8.1.1, 8.1.2	1
9	Leakage Test	Cl.9	1
10	Bursting Test	Cl.10	2
11	Acceptance Test	Cl.11	
	i) Tensile test on plate material	Cl.11.1.1.1	4
	ii) Bend test on plate material	Cl.11.1.1.2	2
12	Brazed Joint Test	Cl.11.2	
	i) Tensile Test of Brazed Joint	Cl.11.2.1	4
	ii) Peel Test	Cl.11.2.2	2
13	Minimum Thickness Test	Cl.11.3	1
14	Marking and colour identification	Cl.12	0.5
15	Colour Identification	Cl.12.2	0.5
16	Preparation of Test Report		1
	Total Man Hours		26

Electric Power Consumed(@Rs 15 per Unit)	58 Units	Rs 870/-
Cost of Consumables		Nil
Testing Charges per Manhours (@Rs 300/-per Manhour)	26 hr	Rs 7800/-

Total Testing Charges (Excluding Material Test) Rs 8670/-

Rupesh Kr. Verma

R R CHIKHALE,

OIC(Mech Lab)

Head WROL

Head LPPD

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 8670/- + charges as per relevant ISS excluding material test.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 12592:2002 effective from 12-02-2018

BIS SRO LABORATORY, CHENNAI-113.
(MECHANICAL SECTION)

Ref: SROL/MECH/TC/IS 12592

Dt.26-09-2017.

Sub: Testing Charges of Precast Concrete Manhole Cover and Frame as per **IS 12592:2002**, reg.

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 07 11

SL NO.	TEST PARAMETERS	Cl. Ref.	Man Hrs	Electricity Power in KWH	Cost of Consumables & materials	REMARKS
1.	Marking	14	1			
2.	Reinforcement, steel fibres	4.4,4.5	2+2=4			
3.	Dimensions:	5.2				
	a) Cover		1			
	b) Frame		1			
4.	a) Edge protection & Finishing	7.4	1			
	b) Lifting Hooks	8	1			
5.	Physical Requirements Load Test:	9	-	-	-	Testing facility not available at SROL.
6.	Reporting / verifying		1			
7.	Total man hrs		10			
8.	Cost of man hrs		10 X @300			= 3000
9.	Cost of power (EB)		0 X @7			= 0
10.	Total Testing charges per sample		8 + 9			= Rs 3000/-

**As decided by Competent Authority, the testing charges for the product are Rs 3000/-
Excluding Load Test**

(Ankita Tripathi)
Sc.B, LPPD

HLPPD
DDG (Labs)

TESTING CHARGES FOR IS 12592(PART-1):1988 PRECAST CONCRETE MANHOLE
COVERS & FRAMES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Visual Inspection	7.1	½
2.	Dimensions	4 & 7.2	2
3.	Load Test	7.3	2
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 5

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.375.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1993 04 19

TESTING CHARGES FOR IS 12592(PART-2):1991 PRECAST CONCRETE MANHOLE
COVER FRAMES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General	8.1	½
2.	Shapes & Dimensions	5.1, 5.2 & 8.2	3
3.	Marking	11	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		5

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.375.00

APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 12594:1988 effective from 16-05-2018
BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)

Ref: CL/QA/Testing Charges/12594

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 12594:1988 (Amnd-1)**

HOT-DIP ZINC COATING ON STRUCTURAL STEEL BARS FOR CONCRETE REINFORCEMENT is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
68.	Material	Cl. 4.1	*	-	-	-
69.	Coating requirements	Cl. 5	-	-	-	-
	a. Mass of zinc coating	Cl. 5.1	2	-	1000.00	-
	b. Freedom from defects	Cl. 5.2	0.5	-	-	-
	c. Adhesion of galvanized coating	Cl. 5.3	0.5	-	-	-
	d. Chromating	Cl. 5.4	**	-	-	-
	Report Preparation		1	-	-	-
	Total		4	-	1000.00	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = $4 \times 300 + 1000.00$ = Rs. 2200/- (excluding Chromating) + testing charges as per referred ISS.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 2200/- (excluding Chromating) + testing charges as per referred ISS.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 12640 (P-1):2016 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/12640-1

13.10.2017

Based on the inputs received from testing section, the testing charges as per **IS 12640 (Part-1):2016 (Amnd-1)**

RESIDUAL CURRENT OPERATED CIRCUIT BREAKERS WITHOUT INTEGRAL OVERCURRENT PROTECTION FOR HOUSEHOLD AND SIMILAR USES (RCCBs) PART 1 GENERAL RULES (SECOND REVISION) is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
70.	Marking and Indelibility of mechanism marking	Cl. 6 & 9.3	1.5	-	-	-
71.	Requirement of construction and operation	-	-	-	-	-
	a. Mechanism	Cl. 8.1.2	0.5	-	-	-
	b. Clearance and Creepage distance	Cl. 8.1.3	1	-	-	-
72.	Reliability of screws, current carrying parts & connections	Cl. 9.4	1	-	-	-
73.	Reliability of screws type terminals for external conductors	Cl. 9.5	3	2	-	-
74.	Protection against electric shock	Cl. 9.6	0.5	2	-	-
75.	Resistance to heat	Cl. 9.13	3	6	-	-
76.	Resistance to abnormal heat and fire	Cl. 9.14	1	2	-	-
77.	Dielectric Properties	Cl. 9.7	2	30		
78.	Temperature Rise Test	Cl. 9.8	3.5	520	-	-
	Report Preparation		1			
	Total		18.0	562	-	-

Testing charges = $18.0 \times 300 + 562 \times 9$ = Rs. 10458.00 (only for seq. A&B for Cl. 6, 8.1.2, 8.1.3, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.13 & 9.14).

OIC (QA)

Head (CL)

DDGL

**As decided by Competent Authority, the testing charges for the product are Rs. 10458.00
(only for seq. A&B for Cl. 6, 8.1.2, 8.1.3, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.13 & 9.14).**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 12650:2003 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR JUTE BAGS FOR PACKING 50 KG FOODGRAINS AS PER IS 12650:2003.

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
onsumables				Consumed
including				kwh
reference				
material				where-
ever				
applicable				
A.	TEST PARAMETERS			
1.	Manufacturer	4.1 to 4.5	6	
2.	Dimension	5.1, Table 1	2	
3.	Connected Mass /Bag	5.1, Table 1	2	
4.	Ends & Picks	-- do --	2	
5.	Corrected mass/bag	-- do --	2	
6.	Avg. Breaking strength	-- do --	4	
7.	Avg. Seam strength	-- do --	5	
8.	Moisture regain	-- do --	1	
9.	Oil content	5.2	5	
B.	Electricity power consumed			4kwh=4units
		-		
C.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	30	

Testing charges per man-hour are Rs.75.00. Hence testing charges for the products is:

Total Rs.30x75+4x9=Rs.2286.00 (Rounded off to Rs.2290.00) excluding the testing charges of
specific requirements for ECO-Mark .)

The proposal is made on the basis of information received from testing lab.

As decided, the testing charges have been doubled and the complete testing charges are 2x2286 = Rs.4572.00 (Rounded off to Rs.4570) excluding the testing charges of specific requirements for ECO-Mark.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

31 Jan 2006

TESTING CHARGES FOR JUTE BAGS FOR PACKING 50 KG FOODGRAINS AS PER IS 12650:2003.

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Manufacturer	4.1 to 4.5	6	
2.	Dimension	5.1, Table 1	2	
3.	Connected Mass /Bag	5.1, Table 1	2	
4.	Ends & Picks	-- do --	2	
5.	Corrected mass/bag	-- do --	2	
6.	Avg. Breaking strength	-- do --	4	
7.	Avg. Seam strength	-- do --	5	
8.	Moisture regain	-- do --	1	
9.	Oil content	5.2	5	
B.	Electricity power consumed			4kwh=4units
C.	Cost of Consumables/CRMs			
	-			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	30	

Testing charges per man-hour are Rs.75.00. Hence testing charges for the products is:

Total Rs.30x75+4x4=Rs.2266.00 (Rs.2270.00 only excluding the testing charges of specific requirements for ECO-Mark .)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 12664 (Pt-1):2003 effective from 22-08-2017

BIS CENTRAL LABORATORY
[Q.A. DEPARTMENT]

OUR REF.: LAB/14:O

2017 05 22

TESTING CHARGES FOR IS 12664(PART-1):2003 (Amnd-nil) ARTIFICIAL LIMBS-SACHFOOT FOR LOWER EXTREMITY PROSTHESIS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Size & Dimensions	6	2
2.	Shapes & Design	7	3
3.	Marking & Packing	8 & 9	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		6

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs.1800.00

Om Prakash
(LO-A)

OIC(Mech)

OIC(QA)

Head (CL)

As decided by CA, testing charges are Rs. 900/-. [Capped at half of the proposed charges (1800/2 = 900)]

Tripathi)

(Ankita

Sc.B,

LPPD

Head, LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

19

TESTING CHARGES FOR IS 12664(PART-1):1989 ARTIFICIAL LIMBS-SACHFOOT
FOR LOWER EXTREMITY PROSTHESIS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Size & Dimensions	4	2
2.	Shapes & Design	5	3
3.	Marking & Packing	6 & 7	½

PREPARATION OF TEST REPORT	½
----------------------------	---

TOTAL TIME :	6
--------------	---

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.450.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 11 23

TESTING CHARGES FOR IS 12685:1989 PENDIMETHALIN, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Pendimethalin content (GLC or Spectrophotometric method)	i) of Table 1	12
3.	Material insoluble in acetone	ii) "	1
4.	Acidity or Alkalinity	iii) "	1
5.	Melting point	iv) "	1
PREPARATION OF TEST REPORT			½
TOTAL TIME :			16

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1200.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12701:1996 effective from 16-05-2018

Testing Charges for IS 12701 : 1996 ROTATIONAL MOULDED POLYETHYLENE

WATER STORAGE TANKS

Physical requirements

S.No	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ 300 /man hour)	Power consumption (if intensive) (in kWh)	Cost of power (@ ` 9 per kWh)	Consumable Cost (if significant)	Total cost of test	Remarks
1	2	3	4	5	6	7	8	9	10
2	5	Types and Features (Dimensions, net and gross capacities and weight of the tank)	4	1200	0	0	0	1200.00	
3	6	Finish	1	300	0	0	0	300.00	
4	7	Performance requirements	0	0	0	0	0	0	
	7.1	Resistance to Deformation	4	1200	0	0	0	1200.00	
	7.2	Resistance to Impact	2	600	0	0	0	600.00	
	7.3	Test for Top Load Resistance	3	900	0		0	900.00	
	7.4	Tensile Strength	4	1200	0	0	0	1200.00	
	7.5	Flexural Modulus	4	1200	0	0	0	1200.00	
5		Preparation of Test Report	1	300	0	0	0	300.00	
		TOTAL	29	8700.00	0	` 0.00	0	6900.00	

Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :

6900.00

Sc. E & HBNBOL

OIC (Mech.)

Testing Charges for IS 12701 : 1996 ROTATIONAL MOULDED POLYETHYLENE

WATER STORAGE TANKS

Chemical Requirement

S. No.	Clouse no.	Requireme nts	Manhours spent in testing (in hrs)	Manhour cost of testing (@300/ manhour)	Power consum ption (in KWh)	Cost of Power (@ 9 per kwh)	Consuma ble cost	Total cost	Remark
1	2	3	4	5	6	7	8	9	
1		Chemical requireme nt							
a	4.2.3 (a)	Percentage of carbon black content	2	600	15	Rs. 135.00	Rs. 100.00	Rs. 2485	
b	4.2.3 (b)	Dispersion of carbon black	3	900					
c	7.6	Overall migration	2	600					
2		Preparation of test report	0.5	150					

Note: Testing charges (rounded to nearest Rs.50.00) for only chemical test report: Rs. 2500.00

OIC(Chem)

HBNBOL

As decided by Competent Authority, the testing charges for the product are Rs. 9385/- + Material Testing charges as per relevant referred ISs

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 04 04

**TESTING CHARGES FOR IS 12701:1989 ROTATIONAL MOULDED POLYETHYLENE
WATER STORAGE TANKS**

S NO	TESTS	CLAU	SE REF.	MAN-HOURS
1.	Material	5.1 & 12.1	As per IS 10146:1982	
2.	a) Percentage of Carbon Black content	5.2 & 9.1.2		2
	b) Dispersion of Carbon black			3
3.	Dimensions	6 & 12.2		6
4.	Fittings	7	1	
5.	Quality of Finish	8		0.5
6.	Overall Migration Test	9.1.1	As per IS 9845:1986	
7.	Resistance to deformation	9.2		3
8.	Resistance to Impact	9.3		0.5
9.	Test for Top load resistance (applicable for tanks with capacity 500 liters & above)	9.4.1		1.5
10.	Tensile Strength	9.5		3
11.	Flexural Strength	9.6		2
12.	Marking	11		0.5
	PREPARATION OF TEST REPORT			0.5

TOTAL TIME : 24

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product excluding the tests a
Sl No.1) & 6) are as follows :-

- a) Below 500 liters capacity :Rs. 1725.00
- b) With capacity 500 liters and above :Rs. 1800.00.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]

Testing Charges for IS – 12709:1994 Amendment No. - 4
GLASS FIBRE REINFORCED PLASTICS (GRP) PIPES, JOINTS AND FITTINGS FOR USE
FOR POTABLE WATER SUPPLY — SPECIFICATION

SI.No.	Characteristics Consumable reference material wherever	Clause no.	Man- Hours	Electricity Power kwh	Cost of including Consumed applicable
1.	Tests to establish potability of water	Cl 16			
	i) Extracts preparation 150	Cl 16.1.1	2	3	
	ii) Smell of extract -	Cl 16.1	0.5	-	
	iii) Clarity of the color of the extract -	Cl 16.1	0.5	-	
	iv) Acidity and Alkalinity -	Cl 16.1	0.5	0.5	1
	v) Global Migration -	Cl 16.1	2	4	
	vi) UV absorbing Material -	Cl 16.1	1	1	
	vii) Heavy Metals	Cl 16.1	Test method not specified		
	viii) Unreacted Monomers (Styrens)	Cl 16.1	Test method not specified		
	ix) Biological Tests	Cl 16.1	Test facility not available at CL		
	PREPARATION OF TEST REPORT			1	
	Total 150.00		7.5	9	

Testing charges per man-hour Rs.300.00

Electricity power consumption Rs.9.00 per KWH

Hence complete testing charges for the product: - 2481/-; Rounded off to 2500/-

CA may kindly approve.

Sc-B (Chem)

OIC (Chem)

The revised BIS testing charges for IS 12709:1994 effective from 22-08-2017

BIS CENTRAL LABORATORY SAHIBABAD

(Q. A. DEPARTMENT)

OUR REF. : LAB/14:0

2016 12 09

TESTING CHARGES FOR IS 12709:1994 (Amnd-5) GLASS-FIBRE REINFORCED
PLASTIC (GRP) PIPES JOINTS AND FITTINGS FOR USE FOR POTABLE WATER
SUPPLY

S.NO.	TESTS	CLAUSE REF.	MAN-HOURS
1.	Materials		6
	a) Resins		6.1
			As per relevant ISs
	b) Glass Fibre Reinforcement	6.2	As per relevant ISs
2.	Dimensions	7	2
3.	Joints	8	
	a) Unrestrained/restrained	8.1 & 8.2	1
	b) Gaskets		8.3
			As per relevant ISs
4.	Workmanship	9	1
5.	Pipe Stiffness	10	Test facility not available
6.	Fittings		11
			1
7.	Hydraulic Test	12	Test facility not available
8.	Longitudinal Strength	13	Test facility not available
9.	Hoop Tensile Strength	14	Test facility not available

10.	Long Term Hydrostatic Design Pressure Test	15	Test facility not available
-----	---	----	--------------------------------

PREPARATION OF TEST REPORT	1
----------------------------	---

Total Time	6
------------	---

Testing charges per man-hour are Rs. 300.00. Hence testing charges are Rs. 1800.00.

(Mehtab
Singh)
LO-A

OIC(Mech)
OIC(QA)
Head(CL)

As decided by CA, testing charges are Rs. 4300/- (excl. pipes stiffness, hydraulic test, Longitudinal strength, Hoop tensile strength, Long term hydrostatic design pressure test and biological tests) and testing charges as per relevant referred ISs 900/-.

Tripathi)	(Ankita
LPPD	Sc.B,
Head, LPPD	
DDGL	

Testing Charge of IS 12744: 2013 - Ready mixed paint, air drying, red oxide - Zinc phosphate, priming

Sl. No.	Requirement / Characteristic	IS / Clause	Man-hours	Man - hour Cost of Testing (@ 300)	Power consumption (in KWH)	Cost of Power @ Rs 9 per unit	Consumables required (Approx Cost in Rs.)
1	Lead restriction (Cl.5.2)	Cl.5.2	2.5	750	5	45	50
2.	Requirement as per Table 1:	Cl.5.6					
i)	Drying Time, Hard dry		0.25	75	-	-	-
ii)	Consistency		0.5	150	-	-	-
iii)	Finish		0.25	75	-	-	50
iv)	Colour in natural day light		0.25	75	-	-	50
v)	Wet Opacity		0.75	225	-	-	-
vi)	Pigment content, percent by mass		5	1500	-	-	-
vii)	Zinc phosphate, percent by mass on pigment		3	900	-	-	-
viii)	Red oxide (as Fe ₂ O ₃), percent by mass on pigment		3	900	-	-	-
ix)	Flexibility and adhesion						
a)	Scratch Hardness (Load 800 g)		0.5	150	-	-	50
b)	Bend Test (with 6.25 mm dia mandrel type 1 apparatus)		0.5	150	-	-	50
x)	Resistance to humidity under conditions of condensation:						
a)	Resistance to humidity (for 7 days)		2	600	84	756	50
b)	Resistance to salt spray (for 96 h)		3	900	48	432	50
xi)	Flash Point, °C		0.75	225	1	9	-
x)	Mass, in kg/10 Liter,		0.5	150	-	-	-
xi)	Keeping properties						
a)	Skinning Test		0.5	150	-	-	-
b)	Settling		0.5	150	-	-	-

c)	Condition of sample after mixing		0.5	150	-	-	-
d)	Examination of Grains		0.5	150	-	-	-
e)	Mass, in kg/10 Liter,		0.5	150	-	-	-
xii)	Preparation of Report		3	900	-	-	-

Total Testing Charges excluding Keeping Properties= Rs. 9317.00/- (7725+1242+350)
Total Testing Charges for Keeping Property testing only= Rs. 1650.00/-

Sushil Jaisinghani, LO

OIC (Chemical)
Head CL
OIC(QA)

The revised BIS testing charges for IS 12751:1989 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref: LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 12751:1989 PENDIMETHALIN EC

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.2.1	½
2.	Cold Test	3.2.2	1
3.	Flash point (Abel)	3.2.3	1
4.	Emulsion Stability	3.2.4	1
5.	Pendimethalin content	3.3.1	12

6. Acidity/Alkalinity 3.4 1

PREPARATION OF TEST REPORT ½

TOTAL TIME: 18

* The Material shall not be put to heat stability tests if it has crossed half of its shelf life as declared on the container.

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are **Rs.5400.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1990 11 23

TESTING CHARGES FOR IS 12751:1989 PENDIMETHALIN EC

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.2.1	½
2.	Cold Test	3.2.2	1
3.	Flash point (Abel)	3.2.3	1
4.	Emulsion Stability	3.2.4	1
5.	Pendimethalin content	3.3.1	12
6.	Acidity/Alkalinity	3.4	1
7.	* Heat stability Tests	3.2.5	15
PREPARATION OF TEST REPORT			½
TOTAL TIME :			32

* The Material shall not be put to heat stability tests if it has crossed half of its shelf life as declared on the container.

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :

- a) Including heat stability tests :Rs.2475.00
- b) Excluding heat stability tests :Rs.1275.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12766:1997 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1
2016

10-03-

TESTING CHARGES FOR IS: 12766:1997 COMPUTER PAPER

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Requirements	4			
	i) Colour	4.1	0.5		
	ii) Paper	4.1.1	As per IS 1848:91		
	iii) Printing	4.1.2	1		
	iv) Parts&Carbon paper	4.2	0.5 + as per IS 9055:79		
	v) Perforation	4.3	0.5		
	vi) Punched feed holes& dimensions	4.4.	2.5		
	vii) Size & Dimensions	4.5	0.5		
2.	As per Table 1	4.6			
	i) Bulk	S.No.1	2.5		
	ii) Moisture content	S.No.2	1.5	1kw for 6h	
	iii) Ash content	S.No.3	1	3kw for 2h	
	iv) tensile index in both direction	S.No.4	2.5	5kw for 1h & 2kw for 6h	
	v) Burst Index	S.No.5	1	0.5 kw for 0.5h	
	vi) Tear Index	S.No.6	1.5		
	vii) one min cobb test	S.No.7	2		
	viii) Opacity	S.No.8	1	0.1 kw for 1h	
	ix) Brightness	S.No.9	0.5	0.1 kw for 1h	
	x) Smoothness	S.No.10	1	0.1 kw or 1h	
	PREPARATION OF TEST REPORT		0.5		
	-----	-----			
	TOTAL TIME (rounded off)		21	29.5	

Testing charges per man-hour are Rs.300.00 + Rs.9.00 per unit for electricity charges. Hence complete testing charges for the product are Rs.6300.00 + Rs.1166.00 = **Rs.7466**, except cl.4.1.2 and cl.4.2 for which testing charges shall be as per relevant ISS.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79
2004

8 Sept

TESTING CHARGES FOR IS: 12766:1997 COMPUTER PAPER

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Requirements	4			
	i) Colour	4.1	0.5		
	ii) Paper	4.1.1	As per IS 1848:91		
	iii) Printing	4.1.2	1		
	iv) Parts&Carbon paper	4.2	0.5 + as per IS 9055:79		
	v) Perforation	4.3	0.5		
	vi) Punched feed holes& dimensions	4.4.	2.5		
	vii) Size & Dimensions	4.5	0.5		
2.	As per Table 1	4.6			
	i) Bulk	S.No.1	2.5		
	ii) Moisture content	S.No.2	1.5	1kw for 6h	
	iii) Ash content	S.No.3	1	3kw for 2h	
	iv) tensile index in both direction	S.No.4	2.5	5kw for 1h & 2kw for 6h	
	v) Burst Index	S.No.5	1	0.5 kw for 0.5h	
	vi) Tear Index	S.No.6	1.5		
	vii) one min cobb test	S.No.7	2		
	viii) Opacity	S.No.8	1	0.1 kw for 1h	
	ix) Brightness	S.No.9	0.5	0.1 kw for 1h	
	x) Smoothness	S.No.10	1	0.1 kw or 1h	
	PREPARATION OF TEST REPORT		0.5		
	-----	-----			
	TOTAL TIME (rounded off)		21	29.5	

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit for electricity charges. Hence complete testing charges for the product are Rs.1575.00 + Rs.118.00 = Rs.1693.00 except cl.4.1.2 and cl.4.2 for which testing charges shall be as per relevant ISS.

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(B.M. Gupta)
TS(QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 12776:2002 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

TESTING CHARGES FOR GALVANIZED STRAND FOR EARTHING AS PER IS 12776.:2002

Sl.No	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable
			@ 300/-	Kwh	Cost @ 9/-	
	A. TEST PARAMETERS					
1.	Construction	5	1	-	-	-
2.	Dimensions	6	1.5	-	-	-
3	Breaking Force & Elongation	8.1 & 8.2	1	1	9	-
4	DC Resistance	8.3	1	0.25	2.25	-
5	Wrapping test	8.4	0.5	-	-	-
6.	Galvanizing test	8.5	3	-	-	50 0ml Sulphuric acid=Rs.150
7.	Torsion test	8.6	1	0.75	6.75	-
	PREPARATION OF TEST REPORT		2			
	TOTAL		11	2.25	20.25	150.00

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are:

Total Rs. $300 \times 11 + 2.25 \times 9 + 150 = 3300 + 20.25 + 150 = \text{Rs.3470}$ (Rounded off)

DDGL may kindly approve.

(P. Rajesh)

Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref : CL/QA/79
2011

10-01-

TESTING CHARGES FOR GALVANIZED STRAND FOR EARTHING AS PER IS 12776.:2002

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Construction	5	1	-	-	-	75.00
2.	Dimensions	6	1.5	-	-	-	112.50
3	Breaking Force & Elongation	8.1 & 8.2	1	1	9	-	84.00
4	DC Resistance	8.3	1	0.25	2.25	-	77.25
5	Wrapping test	8.4	0.5	-	-	-	37.50
6.	Galvanizing test	8.5	3	-	-	50 0ml Sulphuric acid=Rs.150	375.00
7.	Torsion test	8.6	1	0.75	6.75	-	81.75
	PREPARATION OF TEST REPORT		2	0.25	2.25	-	152.25
	TOTAL		11	2.25	20.25	150.00	995.25

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs. $75 \times 11 + 2.25 \times 9 = 845.25 + 150 = 995.25$ (Rounded to Rs.995.00)

The proposal is made on the basis of information received from testing lab.

(K.S.

Arya)

LO-B (QA)
OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

OUR REF. : LAB/14:O

1991 10 13

TESTING CHARGES FOR IS 12785:1989 IRRIGATION EQUIPMENT-STRAINER TYPE
FILTERS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General	4.1	1
2.	Marking	6	
3.	Strainer housing	4.2	1
4.	Connections	4.3	2
5.	Resistance to strainer to internal Hydrostatic Pressure	5.2	4
6.	Resistance to Internal Hydrostatic pressure at high Temperature	5.3	4
7.	Resistance to Strainer Element to buckling or tearing	5.4	4
8.	Tightness of Strainer Element	5.5	2
9.	Clean pressure Drop	5.6	6
PREPARATION OF TEST REPORT			½

TOTAL TIME : 25

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1875.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12786:1989 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1
2016

10-03-

TESTING CHARGES FOR IS 12786:1989 IRRIGATION EQUIPMENT POLYTHYLRENE PIPES FOR IRRIGATION LATERALS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material	4	
	a) Carbon black	4.1 c	
	i) Density	1	
	ii) Volatile Matter	1½	
	iii) Toluene Extract	4	
	b) Carbon black in material		
	i) Percentage of Carbon black	4.2 a	2
	ii) Dispersion of Carbon	4.2 b	3
2.	Dimensions	5	1½
3.	Visual Appearance	6	1
4.	Performance Requirements	7	
	a) Acceptance Test	7.1	5
	b) Quality Test	7.1	8
	c) Reversion Test	7.2	3
	d) Tensile strength	7.3	3
	e) Susceptibility to environmental stress cracking	7.4	3
5.	Marking	11	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		38

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are as follows :-

Testing **charges excluding the material test are :Rs.7800.00**

Testing **charges for the material tests are :Rs.3600.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]**

OUR REF. : LAB/14:O

1990 11 08

**TESTING CHARGES FOR IS 12786:1989 IRRIGATION EQUIPMENT POLYETHYLENE
PIPES FOR IRRIGATION LATERALS**

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material	4	
	a) Carbon black	4.1 c	
	i) Density	1	
	ii) Volatile Matter	1½	
	iii) Toluene Extract	4	
	b) Carbon black in material		
	i) Percentage of Carbon black	4.2 a	2
	ii) Dispersion of Carbon	4.2 b	3
2.	Dimensions	5	1½
3.	Visual Appearance	6	1
4.	Performance Requirements	7	
	a) Acceptance Test	7.1	5
	b) Quality Test	7.1	8
	c) Reversion Test	7.2	3
	d) Tensile strength	7.3	3
	e) Susceptibility to environmental stress cracking	7.4	3
5.	Marking	11	1
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 38

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :-

Testing charges excluding the material test are :Rs.1950.00

Testing charges for the material tests are :Rs.900.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12817:2013 effective from 24-03-2017

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

TESTING CHARGES FOR IS 12817:2013, Amnd-Nil
STAINLESS STEEL BUTT HINGES

SI.No.	Characteristics	Clause no.	Man- Hours	Electricity Power kwh	Cost of including Consumed applicable
reference	material wherever				

1.	Material	4	As per relevant ISS		
----	----------	---	---------------------	--	--

Remarks: Testing charges for the material shall be levied as per relevant ISS referred.

CA may kindly approve.

RakeshMeena

LO-B

Sc -B (Chem)

OIC (Chem)

OIC (QA)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF.: LAB/14:O

2016 12 09

TESTING CHARGES FOR IS 12817:2013 (Amnd-nil) STAINLESS STEEL BUTT HINGES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1. Dimensions & Tolerances	6 & Table 1	4
2. Manufacture	7	2
3. Finish, Marking & packaing	8 ,9 & 10	1
PREPARATION OF TEST REPORT		1
TOTAL TIME :		8

Testing charges per man-hour are Rs. 300.00. Hence testing charges for the product are : Rs.2400.00 and testing charges as per referred ISs.

OIC (Mech)
OIC (QA)
Head (CL)
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 12 06

TESTING CHARGES FOR IS 12817:1989 STAINLESS STEEL BUTT HINGES

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material	3	
	a) Flap	3.1.1	
	i) Mechanical properties	3.1.1	1
	ii) Chemical properties	3.1.1	As per IS 6911:1972
	b) Pin	3.1.2	
	i) Mechanical properties	3.1.2	1
	ii) Chemical properties	3.1.2	As per IS 6528:1972
2.	Dimensions & Tolerances	5 & Table 1	2
3.	Manufacture	6	2
4.	Finish, Marking & packaing	7 ,8 & 9	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		8

Testing charges per man-hour are Rs. 75.00. ŠHence complete testing charges for the product are : Rs.600.00 plus testing charges for the relevant ISS referred to.

APPROVED BY THE COMPETENT AUTHORITY.

The modified BIS testing charges for IS 12818:2010 effective from 01-06-2017

LABORATORY POLICY AND PLANNING DEPTT

OUR REF. : LPPD/51:1

29-05-2017

TESTING CHARGES FOR IS 12818:2010 UNPLASTICIZED PVC SCREEN AND CASTING PIPES FOR BORE/TUBEWELL

S NO	TESTS	CLAUSE REF.	MAN- HOURS
1.	Composition		As per Relevant ISS
2,	Dimensions & Marking	7 & 11	4
3.	Threading of Screen and pipes	8	3
4.	Tests		
	a) Visual Appearance	9.1	
	b) Internal Dia	9.2	3
	c) Specific Gravity	9.3	
	d) Impact Strength	9.4	2
	e) Elastic modulus and tensile Strength	9.5	6
	f) Vicat Softening Temperature	9.6	3

PREPARATION OF TEST REPORT

1/2

TOTAL TIME :

21.5

Testing charges per man-hour are Rs. 300.00.

Hence testing charges for the product are : Rs.6450.00 excluding Effect on water test.

(Kshitij Bathla)
Sc.B, LPPD

HLPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

The revised BIS testing charges for IS 12818:2010 effective from 07-11-2016

BIS CENTRAL LABORATORY, SAHIBABAD

[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

06 05 2016

**TESTING CHARGES FOR IS 12818:2010 UNPLASTICIZED PVC SCREEN AND
CASTING PIPES FOR BORE/TUBEWELL**

S NO HOURS	TESTS	CLAUSE REF.	MAN-
1.	Composition		As per Relevant ISS
2,	Dimensions & Marking	7 & 11	4
3.	Threading of Screen and pipes	8	3
4.	Tests		
	a) Visual Appearance	9.1	
	b) Internal Dia	9.2	3
	c) Specific Gravity	9.3	
	d) Impact Strength	9.4	2
	e) Elastic modulus and tensile Strength	9.5	6
	f) Vicat Softening Temperature	9.6	3
	g) Effect on water	9.7	4
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		26

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : Rs.7800.00

NOTE: The proposal is made on the basis of information received from testing lab.

Mitra Sen Verma

OIC (Mechanical)

OIC (QA)

Head(CL) - DDG (Labs) may kindly approve the testing charges.

As decided by Competent Authority, the testing charges for the product are Rs.7800.00

(P. Rajesh)
Sc.E, LPPD

HLPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 07 30

TESTING CHARGES FOR IS 12818:1992 UNPLASTICIZED PVC SCREEN AND
CASTING PIPES FOR BORE/TUBEWELL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Composition	4	As per Relevant ISS
2.	Dimensions & Marking	7 & 11	4
3.	Threading of Screen and Casting pipes	8	3
4.	Tests		
	a) Visual Appearance	9.1	
	b) Internal Dia	9.2	3
	c) Specific Gravity	9.3	
	d) Impact Strength	9.4	2
	e) Elastic modulus and tensile Strength	9.5	6
	f) Vicat Softening Temperature	9.6	3
	g) Effect on water	9.7	4
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		26

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1950.00

APPROVED BY THE COMPETENT AUTHORITY
BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 11 15

TESTING CHARGES FOR IS 12820:1989 RUBBER GASKETS FOR MECHANICAL
JOINTS AND PUSH ON JOINT FOR USE WITH CAST IRON PIPES & FITTINGS
FOR CARRYING WATER, GAS & SEWAGE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Quality(Hardness)	4.1	1
----	-------------------	-----	---

2.	Dimensions	5.1	2
----	------------	-----	---

3.	Test Report Preparation calculating etc.		1
----	---	--	---

	PREPARATION OF TEST REPORT		½
--	----------------------------	--	---

	TOTAL TIME :		4
--	--------------	--	---

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.300.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12823:1990 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 12823:1990 PRELAMINATED PARTICLE BOARD

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Marking	11	— 7 —
2.	Material	5	
	a) Particle board	5.1	As per IS 3087:1985
	b) Impregnated Base paper	5.2	
	c) Impregnated overlay	5.3	
	d) Finished Foil	5.4	
	(*If supplied separately)		
3.	Manufacture	6	
4.	Finish	7	— 7 —
5.	Dimensions	8	2
6.	Density	10.2	2½
7.	Moisture content	10.3	1½
8.	Water Absorption	10.4	1½
	—Ref.IS		
9.	Swelling in Water	10.5	—3087:1987 3
	—and		
10.	Modulus of Rupture	10.6	—IS 2380 2
11.	Tensile Strength perpendicular the surface	10.7	2½
12.	Tensile strength perpendicular the Surface after aging	10.8	3½
13.	Screw withdrawal strength	10.9	1½

S NO	TESTS	CLAUSE REF.	MAN-HOURS
14.	Abrasian Resistance in CL	10.10 Facilities not available	4
15.	Resistance to steam	10.11	4
16.	Resistance to Cigarette burn	10.13	3
17.	Crack Resistance	10.12	½
18.	Resistance to stain	10.14	2
	PREPARATION OF SAMPLE		8
	PREPARATION OF TEST REPORT		8
	TOTAL TIME:		50

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are: **Rs.15000.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1995 01 09

TESTING CHARGES FOR IS 12823:1990 PRELAMINATED PARTICLE BOARD

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Marking	11	— 7 —
2.	Material	5	
	a) Particle board	5.1	As per IS 3087:1985
	b) Impregnated Base paper	5.2	
	c) Impregnated overlay	5.3	
	d) Finished Foil	5.4	
	(*If supplied separately)		
3.	Manufacture	6	
4.	Finish	7	— 7 —
5.	Dimensions	8	2
6.	Density	10.2	2½
7.	Moisture content	10.3	1½
8.	Water Absorption	10.4	1½
		—Ref.IS	
9.	Swelling in Water	10.5	—3087:1987 3
		—and	
10.	Modulus of Rupture	10.6	—IS 2380 2
11.	Tensile Strength perpendicular the surface	10.7	2½
12.	Tensile strength perpendicular the Surface after aging	10.8	3½
13.	Screw withdrawal strength	10.9	1½

S NO	TESTS	CLAUSE REF.	MAN-HOURS
14.	Abrasian Resistance	10.10 Facilities not available in CL	4
15.	Resistance to steam	10.11	4
16.	Resistance to Cigarette burn	10.13	3
17.	Crack Resistance	10.12	½
18.	Resistance to stain	10.14	2
	PREPARATION OF SAMPLE		8
	PREPARATION OF TEST REPORT		8
	TOTAL TIME :		50

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.3750.00

APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 12866:1989 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS**CENTRAL LABORATORY**

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/12866**13-03-2018**Based on the inputs received from testing section, the testing charges as per **IS 12866:1989****(Amnd-2)****PLASTIC TRANSLUCENT SHEETS MADE FROM THERMOSETTING POLYESTER RESIN (GLASS FIBRE REINFORCED) as below:**

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
79.	Material	Cl. 3	*	-	-	-
80.	Acid number	Cl. 3.3 (c)	1	-	-	-
81.	Profiles, Dimensions and tolerances	Cl. 4	**	-	-	-
82.	Workmanship and finish	Cl. 5	1	-	-	-
83.	Performance requirements	Cl. 6	-	-	-	-
	a. Density	Cl. 6.1	**	-	-	-
	b. Glass content	Cl. 6.2	2	12	-	-
	c. Water absorption	Cl. 6.3	**	-	-	-
	d. Hardness (Barcoal)	Cl. 6.4	**	-	-	-
	e. Bolt shear test	Cl. 6.5	**	-	-	-
	f. Load deflection test	Cl. 6.6	**	-	-	-
	g. Light diffusion	Cl. 6.7	**	-	-	-
	h. Transmission	Cl. 6.8	**	-	-	-
	Report Preparation		1.5	-	-	-
	Total		5.5	12	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = $5.5 \times 300 + 12 \times 9$ = Rs. 1758.00 (only for Acid number, Visual tests and Glass content) + testing charges as per referred ISS**OIC (QA)****Head (CL)****DDGL****As decided by Competent Authority, the testing charges for the product are Rs. 1758/- (only for Acid number, Visual tests and Glass content) + testing charges as per referred ISS.**

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 08 28

TESTING CHARGES FOR IS 12873:1990 COPPER OXYCHLORIDE DP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Constituents	3.1.2	3½
2.	Description	3.2	½
3.	Copper content, percent by mass	3.3, 3.4 & i) of Table 1	3
4.	Suspensibility, percent by mass	3.3 & ii) of Table 1	5
PREPARATION OF TEST REPORT			½
TOTAL TIME :			13

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.975.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12912:1990 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

TESTING CHARGES FOR IS 12912:1990 BROMADIOLONE RB

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Bromadiolon content	3.2	8
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		9

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : **Rs.2700.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1995 03 08

TESTING CHARGES FOR IS 12912:1990 BROMADIOLONE RB

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Description	3.1	½
----	-------------	-----	---

2.	Bromadiolon content	3.2	8
----	---------------------	-----	---

PREPARATION OF TEST REPORT	½
----------------------------	---

TOTAL TIME :	9
--------------	---

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.675.00

APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 12913:1990 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/12913

07.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 12913:1990**

(Amnd-1)

BROMADIOLONE CB is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
84.	Description	Cl. 3.2.	-	-	-	-
85.	Sieving requirements	Cl. 3.3	1	0.5	-	-
86.	Bromadiolone content	Cl. 3.4	8	5	500	-
	Report Preparation		1	-	-	-
	Total		10	5.5	500	-

Testing charges = $10 \times 300 + 4.5 \times 9 + 500.00 = \text{Rs. } 3549.50.$

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 3550/-

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

19

TESTING CHARGES FOR IS 12915:1990 ACEPHATE, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Requirements	3.2 & Table 1	
	i) Acephate content	"	8
	ii) Melting point	"	1
	iii) Matter insoluble in water	"	2
	iv) Acidity	"	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		13

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.975.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 12915:1990 - ACEPHATE,
TECHNICAL

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.1	0.5
2	Acephate Content	3.2, i) of Table 1	2.5
3	Melting Point	3.2, ii) of Table 1	1
4	Material Insoluble in Water	3.2, iii) of Table 1	1
5	Acidity	3.2, iv) of Table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	7

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2100/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2600/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

199407 14

TESTING CHARGES FOR IS 12916:1990 ACEPHATE SP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Requirements	3.3 & Table 1	
	i) Acephate content	"	8
	ii) Acidity	"	1
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		10

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.750.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



BIS LABORATORY POLICY & PLANNING

DEPTT

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 12916:1990 - ACEPHATE SP

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.1	0.5
2	Acephate Content	3.3, i) of Table 1	2.5
3	Acidity	3.3, ii) of Table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1500/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2000/-

DDGL may kindly approve.

Varsha Gupta
Sc-B**Head (LPPD)****DDG (Labs)**

BIS CENTRAL LABORATORY, SAHIBABAD
[Q. A. DEPARTMENT]

OUR REF. : LAB/14:O

2001 03 15

TESTING CHARGES FOR IS 12931:1990 ATRAZINE, WP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Atrazine content, percent by mass	3.3 (i) of Table 1	6
2.	Sieving Requirements, percent by mass	3.3(ii) of Table 1	1
3.	Suspensibility,percent by mass	3.3(iii) of Table 1	8
4.	Acidity (as H ₂ SO ₄), percent by mass or Alkalinity (as NaOH), percent by mass	3.3(iv) of Table 1	1
5.	Wettability,in Seconds	3.3(v) of Table 1	1/2
	PREPARATION OF TEST REPORT		1
	TOTAL TIME :		18

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1350.00 + Rs.200.00= Rs.1550/-

Note The cost of CRM Rs.200/-

V.K. Sethi

APPROVED BY DG

REVISED TESTING CHARGES IS PLACED BELOW:

BIS LABORATORY POLICY & PLANNING

DEPTT

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 12931:1990 – ATRAZINE WP

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2	0.5
2	Atrazine Content	3.3, i) of Table 1	2.5
3	Seiving Requirement	3.3, ii) of Table 1	1
4	Suspensibility	3.3, iii) of Table 1	4
5	Acidity	3.3, iv) of Table 1	1
6	Wettability	3.3, v) of Table 1	0.5
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	10.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 3150/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3650/-

DDGL may kindly approve.

Varsha Gupta
Sc-B**Head (LPPD)****DDG (Labs)**

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 02 08

TESTING CHARGES FOR IS 12932:1990 ATRAZINE, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	$\frac{1}{2}$
2.	Atrazine content, percent by mass	3,2 (i) of Table 1	15
3.	Ionic Chloride content (as NaCl), percent by mass	" (ii) "	2
4.	Moisture content, percent by mass	" (iii) "	2
5.	Melting point, °C	" (iv) "	1
PREPARATION OF TEST REPORT			$\frac{1}{2}$
TOTAL TIME :			21

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1575.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 12932:1990 – ATRAZINE
TECHNICAL

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.1	0.5
2	Atrazine Content	3.2, i) of Table 1	2.5
3	Ionic Chloride Content	3.2, ii) of Table 1	1
4	Moisture Content	3.2, iii) of Table 1	1
5	Melting Point	3.2, iv) of Table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	7

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2100/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2600/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 05 11

TESTING CHARGES FOR IS 12933(PART-I,II&V):1992 SOLAR FLAT PLATE
COLLECTOR

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Components,Dimensions, Assembly and Workmanship	4, 5 & 6	30
2.	Routine Test		
	Liquid collector Static pressure leakage Test	7.1.1	3
3.	Type Test		
	i) Outdoor No Flow Exposure Test	7.2.1	36
	ii) Thermal performance Test	7.2.2	120
4.	Marking	9	0.5
5.	Finalisation & Report preparation	16	
	PREPARATION OF TEST REPORT		0.5
	TOTAL TIME :		206

Testing charges per man-hour are Rs. 75.00. Hence complete
testing charges for the product are : Rs.15,450.00.

Test Facilities are not available at CL with respect to test at
Sl. No. 3(i & ii) above

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 12981:1991 effective from 07-11-2016

BIS CENTRAL LABORATORY, SAHIBABAD [CHEMICAL DEPARTMENT]

IS NO.	Part	Sec	Year	Title	Variety (Grade/Type/Size)	Cl. ref. of IS	Requirement	Time*(Hours)	Power KWH consumption (if intensive)	Consumable	Remarks
12981			1991	COMMON SALT IRON FORTIFIED							
			Amended No. Nil				<u>Chemical Requirements</u>				
						Cl. 3.4 Table 1, Sr. no. i)	Water Insoluble Matter	2	4	-	
						Cl. 3.4 Table 1, Sr. no. ii)	Chloride content	6	17	300	
						Cl. 3.4 Table 1, Sr. no. iii)	Matter insoluble in dilute Hydrochloric Acid	1.5	-	-	
						Cl. 3.4 Table 1, Sr. no. iv)	Matter soluble in H ₂ O other than NaCl	1	-	-	
						Cl. 3.4 Table 1, Sr. no. v)	Magnesium (Water Soluble)	1	1	50	
						Cl. 3.4 Table 1, Sr. no. vi)	Sulphates (Volumetric method)	2	15	25	
						Cl. 3.4 Table 1, Sr. no. vii)	Iron	2	-	-	
						Cl. 3.4 Table 1, Sr. no. viii)	Ph	0.5	-	-	
						Cl. 3.4 Table 1, Sr. no. ix)	Phosphates	3	-	-	
							Report Preparation	1			
							Total	20	37	375	

Testing charges per man-hour=Rs 300

Power consumption per unit =Rs 9

Total testing charges=20 x 300 + 37 x 9 + 375 = 6000 + 333 + 375 =Rs 6708/-

CA may kindly approve.

Srivastava

Mayank

T.A.

OIC (Chem)

Head(CL) - DDG (Labs) may kindly approve the testing charges.

As decided by Competent Authority, the testing charges for the product are Rs.6710.00 (rounded off)

(P. Rajesh)
Sc.E, LPPD

HLPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above
BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2002-12-04

TESTING CHARGES FOR IS: 12981:1991 COMMON SALT IRON FORTIFIED

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Water Insoluble Matter	3.4, Table 1, Sr.No.i)	1.5
2.	Chloride contents	3.4, Table 1, Sr.No.ii)	1
3.	Matter insoluble in diluted Hydrochloric Acid	3.4, Table 1, Sr.No.iii)	1.5
4.	Matter insoluble in H ₂ O other than NaCl	3.4, Table 1, Sr.No.iv)	5
5.	Magnesium (Water soluble)	3.4, Table 1, Sr.No.v)	1.5
6.	Sulphate (Volumetric method)	3.4, Table 1, Sr.No.vi)	1.5
7.	Iron	3.4, Table 1, Sr.No.vii)	2
8.	PH	--- do ---	0.5
9.	Phosphate	--- do ---	3
PREPARATION OF TEST REPORT			1

TOTAL TIME (Rounded off)			19
-			

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.1425/-

DG may kindly approve.

(Avtar Singh)
D&H (QA)

DDGL
DDGF
ADGT
DG

The BIS testing charges for IS 13000:1990 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/13000

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 13000:1990**

(Amnd-1)

SILICA-ASBESTOS-CEMENT FLAT SHEETS as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
87.	Composition	Cl. 3	*	-	-	-
88.	Colouring matter	Cl. 4	**	-	-	-
89.	General appearance and finish	Cl. 6	0.5	-	-	-
90.	Dimension and tolerances	Cl. 7	1	-	-	-
91.	Tests	Cl. 8	-	-	-	-
	i. Thickness	Cl. 8.2	1	-	-	-
	j. Straightness of edges	Cl. 8.3	1	-	-	-
	k. Squareness of edges	Cl. 8.4	1	-	-	-
	l. Bending stress	Cl. 8.5	**	-	-	-
	m. Measurement of density	Cl. 8.6	2	-	-	-
	Report Preparation		2	-	-	-
	Total		8.5	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 8.5 x 300 = Rs. 2550.00 + testing charges as per referred ISS (excluding Colouring matter and Bending stress)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 2550/- + testing charges as per referred ISS (excluding Colouring matter and Bending stress).

(Ankita Tripathi)

Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1991 01 28

TESTING CHARGES FOR IS 13019:1990 NON-ALCOHOLIC BEVERAGE BASES
(CONCENTRATES) FOR DOMESTIC USE

S NO	TESTS	SOLID CONCENTRATE CL. REF. MAN-HOURS	LIQUID CONCENTRATES CL. REF. MAN HOURS
------	-------	---	--

1.	Physical requirement	4.1 ½	4.1 ½
2.	Chemical Requirement	4.2	
a)	Water insoluble matter percent by mass max.	4.2.1 i) of Table 1 2	4.2.2 i) of Table 2 2
b)	Moisture content, percent by mass, Max	(ii) of Table 1 4 ---	---
c)	Sulphated Ash percent by weight, Max	(iii) of Table-1 6 ---	---
d)	Lead (as Pb) mg/kg, Max	(iv) of Table-1 2	ii) of Table-2 2
e)	Arsenic (as As), mg/kg, Max.	v) of Table-1 2	iii) of Table-2 2
f)	Copper (As Cu) mg/kg, Max.	vi) of Table-1 2	(iv) of Table-2 2
3.	Microbiological Requirements	4.3	4.3
a)	Total plate count	4.3.1 2	4.3.1 2

S NO	TESTS	SOLID CONCENTRATE CL. REF. MAN-HOURS	LIQUID CONCENTRATES CL. REF. MAN HOURS
------	-------	---	--

b)	Coliform count	4.3.2 2	4.3.2 2
----	----------------	---------	---------

c) Yeast and mould count 4.3.3 2 4.3.3 2

PREPARATION OF TEST REPORT $\frac{1}{2}$ $\frac{1}{2}$

TOTAL TIME :

-----		-----
	25	15
-----		-----

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows:

a) Solid Concentrate Rs. 1875.00

b) Liquid concentrate Rs. 1125.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 13049:1991 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

TESTING CHARGES FOR IS: 13049:1991 DIAPHRAGM TYPE (PLASTIC BODY) FLOAT

OPERATED VALVE					
Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Manufacture & Workmanship	6.1	0.5	-	-
2.	Construction			-	-
	a) Inlet connection				
	Measurement	7.1	0.5		
	Test	7.1	1		
	b) Seat & Body	7.2.3	0.5	-	-
	c) Diaphragm	7.3	0.5	-	-
	d) Back Nut	7.4	1	-	-
	e) Floats, Float arm & Assembly				
	Visual	7.5.1 & 7.5.2	1.5		
	Deflection test	7.5.3	2		
f)	Discharge arrangement	7.6	1		
3.	Performance test				
	a) Hydraulic test	8.1	1.5	-	-
	b) Shut off test	8.2	1.5	-	-
	c) Antisiphonage test	8.3	1	-	-
	d) Flow test	8.4	1	-	-
	e) Endurance test	8.5	4	-	-
	f) Test for hydraulic press on discharge arrangement	8.6	1	-	-

PREPARATION OF TEST REPORT

1

TOTAL TIME (rounded off)

20

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are Rs.**6000.00** excluding material and chemical test.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

2004-04-07

**TESTING CHARGES FOR IS: 13049:1991 DIAPHRAGM TYPE (PLASTIC BODY) FLOAT
OPERATED VALVE**

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Manufacture & Workmanship	6.1	0.5	-	-
2.	Construction			-	-
	a) Inlet connection				
	Measurement	7.1	0.5		
	Test	7.1	1		
	b) Seat & Body	7.2.3	0.5	-	-
	c) Diaphragm	7.3	0.5	-	-
	d) Back Nut	7.4	1	-	-
	e) Floats, Float arm & Assembly				
	Visual	7.5.1 & 7.5.2	1.5		
	Deflection test	7.5.3	2		
f)	Discharge arrangement	7.6	1		
3.	Performance test				
	a) Hydraulic test	8.1	1.5	-	-
	b) Shut off test	8.2	1.5	-	-
	c) Antisiphonage test	8.3	1	-	-
	d) Flow test	8.4	1	-	-
	e) Endurance test	8.5	4	-	-
	f) Test for hydraulic press on discharge arrangement	8.6	1	-	-
	PREPARATION OF TEST REPORT		1		

	TOTAL TIME (rounded off)		20		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.1500.00 excluding material and chemical test

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 01 15

TESTING CHARGES FOR IS 13056:1991 DEEPWELL HANDPUMPS (VL0M)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions & construction	4	
i)	Head Assembly (Fig 3)	4.1	2
a)	Side Plate " 4A	4.1.1	1
b)	Back Plate " 4B	"	1
c)	Bracket " 4C	"	1
d)	Front top end plate " 4D	"	
e)	Front bottom end plate " 4E	"	
f)	Front cover " 4F	"	1½
g)	Pump head flange " 4G	"	
h)	Third Plate " 4H	"	
j)	Gusset " 4J	"	
k)	Axle bush (right) " 4K	"	
l)	Axle Bush (Left) " 4L	"	
m)	Guide Bush " 4M	"	
ii)	Handle Assembly (Fig 5)	4.2	1½
a)	Handle bar " 6A	4.2.1 _	

- b) Handle Axle " 6B " 1½
- c) Roller chain guide " 6C " ½

S NO	TESTS	CLAUSE REF.	MAN-HOURS
d)	Chain coupling " 6D "	1	
e)	Chain with coupling " 6E "		
f)	Bearing housing " 6F "		
g)	Spacer " 6G "	1	
h)	Axle washer " 6H "		
iii)	Water tank assembly Fig. 7	4.3	1
a)	Tank bottom flange " 8A	4.3.1	1½
b)	Tank top flange " 8B	4.3.1	
c)	Spout " 8C "	½	
d)	Tank pipe " 8D "		
e)	Riser pipe holder " 8E "	1	
f)	Gusset " 8F "		
iv)	Stand Assembly Fig. 9	4.4	2½
a)	Stand flange " 10A	4.4.1	
b)	Stand pipe 10B	1	
c)	Leg " 10C "	½	
d)	Reducer Collar 10D	"	
e)	Gusset " 10E "	1	
f)	Spike 10F	"	
v)	Connecting Road Fig.11	4.5	1
vi)	Cylinder Assembly Fig. 12	4.6	1

a) Cylinder body " 13 A 4.6.1 $\frac{3}{-}$ 3

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

b) Brass Liner " 13 B " $\frac{3}{-}$

c) Upper cap " 13 C " 1½

d) Bottom cap " 13 D " 1½

e) Plunger Rod : 13 E " ½

f) Ceiling ring " 13 F "

h) Rubber seating
(Upper valve) " 13 H "

j) Rubber seating
(Lower valve) " 13 J " 1½

p) 'O' ring neutral rubber " 13 P "

r) Push Road " 13 R

g) Plunger Yoke body " 13 G 4.6.1 1½

k) Upper Valve " 13 K " 1½

l) Check valve " 13 L " 1½

m) Spacer " 13 M " 1

n) Cage " 13 N " 1½

q) Check valve seat " 13 Q " 1

s) Flower " 13 S " 1

t) Pump bucket " 13 T " ½

2. General Requirements 5

i) Neutral Rubber (Fig.12 Table)

a) Shore Hardness 1
on A scale

S NO	TESTS	CLAUSE REF.	MAN-HOURS
	b) Tensile Strength	3	
	c) Elongation at break		
	d) Compression set	2	
	e) Volume change	4	
	f) Resistance to low temperature at which rigidity modulus does not exceed 70 MPa	$\frac{3}{-}$ $\frac{3}{-}$ $\frac{3}{-}$ $\frac{3}{-}$	Testing facilities not available at CL.
	g) Adhesion to corrosion of metals 168 h at 70_ø_C	$\frac{3}{-}$ $\frac{3}{-}$	
	ii) Other raw material	As per relevant ISS	
3.	Anti corrosive treatment	6	--do--
4.	Visual and dimensional check	7.2	3
5.	Routine test	7.3	6
6.	Marking	9	½
7.	Packing	10	As per relevant ISS
	PREPARATION OF TEST REPORT		1
	TOTAL TIME :		65

-----Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.4875.00 plus the testing charges for the relevant ISS referred to and excluding the tests for which facilities do not exit in CL.

APPROVED BY THE COMPETENT AUTHORITY.
BIS CENTRAL LABORATORY, SAHIBABAD

TESTING CHARGES FOR IS 13057:1991 POTASSIUM IODATE

S NO	TESTS	CLAU SE REF.	MAN-HOURS		
		AR Grade	FD Grade	Tech. Grade	
1.	Description	4.1	½	½	½
2.	Requirements as per Table 1	4.2			
	i) Potassium Iodate (As KIO ₃)	2	2	2	
	ii) Matter insoluble in water	1	-	-	
	iii) Free acid/free alkali	1	-	-	
	iv) Bromate, bromide, chlorate & chloride	1	1	1	
	v) Iodide	½	½	½	
	vi) Nitrogen compound	2	-	-	
	vii) Sulphate	1½	-	1½	
	viii) Iron	1½	-	-	
	ix) Heavy metal	1	1	-	
	x) Sodium	1	-	1	
	xi) Loss on drying	1	1	-	
	xii) Arsenic	-	2	-	
	xiii) pH	1	1	1	
3.	Packing & Marking	5.1 & 5.2	½	½	½
	PREPARATION OF TEST REPORT			½	½
	TOTAL TIME :	16	10	9	

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows:

- a) AR Grade material are Rs. 1200.00
b) FD Grade Material are Rs. 750.00

c) Tech. Grade Material are Rs. 675.00

APPROVED BY THE COMPETENT AUTHORITY.

The revised BIS testing charges for IS 13095:1991 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR BUTTERFLY VALVES FOR GENERAL PURPOSES AS PER IS 13095:1991

Sl..No. Cost of	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh material
consumables				
including				
reference				
where- ever				
	applicable			
A.	TEST PARAMETERS			
1.	Valve end connections	4	0.5	
2.	Service applications, Nom. sizes & Nom. pressures	5, 6 & 7	0.5	
3.	Body ends	9	1	
4.	Face to Face dimensions	10	0.5	
5.	Bodies	11	0.5	
6.	Disc & shaft	12	0.5	
7.	Seating & linings	13	0.5	
8.	Bearings	14	0.5	
9.	Materials	15	As per Table 2	
10.	Operation	16	0.5	
11.	Performance testing	17.1	0.5	
12.	Body test	17.2	1.5	
13.	Seal test (except regulating type valve)	17.3	1.5	
14.	Disc Strength test (except regulating type valves)	17.4	1.5	
B.	Electricity power consumed			--
C.	Cost of Consumables/CRMs			--
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	11	

Testing charges per man-hour are Rs.300.00. Hence testing charges for the products is:

Total Rs.300x11 = **3300.00** (excluding material test)

DDGL may kindly approve.

Rajesh)

(P.

Sc.E,

LPPD

Head (LPPD)

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

1 May 2007

TESTING CHARGES FOR BUTTERFLY VALVES FOR GENERAL PURPOSES AS PER IS
13095:1991

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where- ever				
applicable				
A.	TEST PARAMETERS			
1.	Valve end connections	4	0.5	
2.	Service applications, Nom. sizes & Nom. pressures	5, 6 & 7	0.5	
3.	Body ends	9	1	
4.	Face to Face dimensions	10	0.5	
5.	Bodies	11	0.5	
6.	Disc & shaft	12	0.5	
7.	Seating & linings	13	0.5	
8.	Bearings	14	0.5	
9.	Materials	15	As per Table 2	
10.	Operation	16	0.5	
11.	Performance testing	17.1	0.5	
12.	Body test	17.2	1.5	
13.	Seal test (except regulating type valve)	17.3	1.5	
14.	Disc Strength test (except regulating type valves)	17.4	1.5	
B.	Electricity power consumed			--
C.	Cost of Consumables/CRMs			
	--			

D.	PREPARATION OF TEST REPORT	1
	TOTAL	11

Testing charges per man-hour are Rs.75.00. Hence testing charges for the products is:
Total Rs.75x11 = 825.00 (excluding material test)
The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

Head (CL)
DDGL

BUREAU OF INDIAN STANDARDS
(WRO Laboratory Mumbai)
Mechanical Section

Our Ref: WROL/TC/Mechanical/IS 13098 **Date 05 June 2017**
Testing Charges for Tubes as per IS 13098:2012 including valves as per IS 9081:2011.

Sr.No.	Tests	Clause Ref	Man Hours
1.	Material Form & Fit	IS 13098 Cl. 3.1, 3.2 & 3.3	0.5
2.	Thickness Uniformity	IS 13098 Cl. 3.3.1 & 3.3.2	3.0
3.	Elongation	IS 13098 Cl. 4.1.1	3.5
4.	Strength of Splice	IS 13098 Cl. 4.1.2	3.5
5.	Set After ageing	IS 13098 Cl 4.1.3	4.5
6.	Accelerated Ageing	IS 13098 Cl. 4.1.4	6.0
7.	Air Tightness	IS13098Cl.5	1.0
8.	Marking	IS 13098 Cl. 6	0.5
9.	Valve Classification, Valve Dimension and Design and Valve Designation (S 9081:2011)	IS 9081 Cl. 3,4 & 5	3.0
10.	Material & Bendability of Valve stem	IS 9081Cl. 6.1 & 6.2	2.0
11.	Hardness	IS 9081 Cl. 6.3	1.0
12.	Pull out Strength of Rubber base	IS9081 Cl. 6.4	2.0
13.	Adhesion Test	IS9081 Cl. 6.5	2.0
14.	Buffing, Workmanship & Marking of valve	IS 9081Cl 6.6 & 6.7 & 6.8	1.5
15.	Valve core leakage	IS 9081 Cl 8.2	1.5
16.	Valve Core Interchangeability	IS 9081 Cl. 8.3	1.0
17.	Valve core Marking & Workmanship	IS 9081 Cl. 8.5 & 8.6	0.5
	Preparation of Test Report		3.0
	Total Man Hours		40.0

Electric Power consumed (@ Rs.15.00 per unit : 7- Units	Rs. 1050.00
Testing Charges as per man hours : 40.0 Man hours	Rs.12,000.00
(@ Rs.300.00 per hour)	
Total Resting Charges	: Rs. 13,050.00
Submitted for approval please	
	A.C.Srivastava (LO-A)
OIC Mech. Lab	

Head WROL
Head L LPPD
DDGL

The BIS testing charges for IS 13114:1991 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/13114

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 13114:1991 (Amnd-nil)**

FORGED BRASS GATE, GLOBE AND CHECK VALVES FOR WATER WORKS

PURPOSES as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
92.	Materials	Cl. 5	*	-	-	-
93.	Types	Cl. 6	2	-	-	-
94.	Dimensions and tolerances	Cl. 7	2	-	-	Except 7.1.2
95.	Design and manufacture	Cl. 8	-	-	-	-
	a. Valve bodies		1	-	-	Except 8.1.2
	b. Discs and wedges		0.5	-	-	-
	c. Stuffing box		0.5	-	-	-
	d. Back seat		2	-	-	-
	e. Direction of flow		0.5	-	-	-
	f. Operation			-	-	-
	g. Stem		0.5	-	-	Visual tests only
	h. Wall thickness		0.5	-	-	-
	Report Preparation		1	-	-	-
	Total		10.5	-	-	-

*Testing charges as per referred ISS.

Testing charges = 10.5 x 300 = Rs. 3150.00 + testing charges as per referred ISS (excluding Cl. 7.1.2, Cl. 8.1.2) (only visual tests for Stem)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 3150/- + testing charges as per referred ISS (excluding Cl. 7.1.2, Cl. 8.1.2) (only visual tests for Stem).

(Ankita Tripathi)

Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 03 12

TESTING CHARGES FOR IS 13132:1991 CHLOROTHALONIL TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description & Marking	3.1 & 5	½
2.	Chlorothalonil content (by GLC)	3.2 & Table 1 (SRM not available at CL)	3
3.	Moisture	-- do --	1½
4.	Melting point	-- do --	1
5.	Acidity	-- do --	1
6.	Packing	4 (As per relevant ISS)	
	PREPARATION OF TEST REPORT		½
TOTAL TIME :			8

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.600.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q. A. DEPARTMENT]

OUR REF. : LAB/14:O

2001 0316

TESTING CHARGES FOR IS 13133:1991 CHLOROTHALONIL, WP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Chlorothalonil content (CRM not available at CL)	3.3.1 & Table 1	3
2.	Sieving	-- do --	1
3.	Suspensibility	-- do --	6
4.	Wettability	-- do --	1/2
	PREPARATION OF TEST REPORT		1
	TOTAL TIME :		12

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.900.00+ Rs.200/-= Rs.1100/-

Note The cost of CRM Rs.200/-

V.K. Sethi

APPROVED BY DG

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 03 09

TESTING CHARGES FOR IS 13138:1991 ALPHA NAPHTHYL ACETIC ACID SL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Description	3.2	½
2.	Relative Density	3.3	1
3.	pH	3.4	1
4.	Alpha Naphthyl acetic acid content	3.5	6
5.	Cold test	3.6	½

PREPARATION OF TEST REPORT ½

TOTAL TIME : 10

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.750.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

2001 12 18

TESTING CHARGES FOR IS 13146:1991 ALLETHRIN TECHNICAL

S NO	CHARACTERISTICS	CLAUSE REF.	MAN-HOURS
1.	Tabular Requirements	Table 1, 3.2& 7.1	
i)	d-Allethrin content	3.2	6
ii)	Ratio of trans & cis isomers	3.2	6
iii)	Material insoluble in acetone	3.2	2
iv)	Relative density at 27C	3.2	2
v)	Acidity	3.2	1
	PREPARATION OF TEST REPORT		0.5
	TOTAL TIME(Rounded) :		18

Cost of CRM:Rs.200.00

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1550.00 (Including the cost of CRM)

DG may kindly approve.

(V.K. Sethi)
TS(QA)

DCL(QA)
DDGL
ADGT
DG

The revised BIS testing charges for IS 13152(Pt-1):2013 effective from 24-03-2017

BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]

TESTING CHARGES FOR IS 13152 (Part-1):2013 Amend: Nil
Portable Solid Bio-Mass Cookstove (Chulha)

SI.No.	Characteristics Consumable reference material wherever	Clause no.	Man- Hours	Electricity Power kwh	Cost of including Consumed applicable
-----1.	Material	7		As per relevant ISS	

Remarks: Testing charges for the material shall be levied as per relevant ISS referred.

CA may kindly approve.

Praveen Kumar

T. A.

Sc -B (Chem)

OIC (Chem)

OIC (QA)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF.: LAB/14:O

2016 12 09

TESTING CHARGES FOR IS 13152(Part-1):2013 (Amnd-nil) SOLID BIO-MASS CHULHA
PART-1 PORTABLE (METALLIC)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions & Tolerances	8	6
2.	Manufacture & workmanship and marking	9 & 10	½
3.	Performance test i) Thermal efficiency	11.1	Test facility not available

ii) Emissions			
a) CO & CO ₂	11.2.1	Test facility not available	
b) TPM	11.2.2	Test facility not available	
iii) Surface Temperature	11.3	Test facility not available	
iv) Quenching test	11.4	Test facility not available	
v) Stability test	11.5	Test facility not available	
vi) Electric Appliances Test	11.6	As per relevant ISs	

PREPARATION OF TEST REPORT $\frac{1}{2}$

TOTAL TIME : 7

Testing charges per man-hour are Rs. 300.00.
Hence testing charges for the product are : Rs.2100.00

(Satish
Kumar)
TA

OIC (Mech)
OIC (QA)
Head (CL)

As decided by CA testing charges are Rs. 2100/- (Excluding Thermal efficiency, emission, Surface temperature & stability Test) and testing charges as per referred ISs.

Bathla) **(Kshitij**
Head, LPPD **Sc.B, LPPD**
DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]**

OUR REF. : LAB/14:O

1993 02 23

TESTING CHARGES FOR IS 13152(Part-1):1991 SOLID BIO-MASS CHULHA
PART-1 PORTABLE (METALLIC) (INCORPORATING AMENDMENT NO.-1&2)

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material	7	As per relevant ISS
2.	Dimensions & Tolerances	8	6
3.	Manufacture & workmanship and marking	9 & 10	½
4.	Performance test		
	i) Thermal efficiency (Including determination of calorific value of fuel)	11.1 & Annex A	10
	ii) Combustion efficiency	11.2.1, 11.2.2 & Annex. B	2½
	iii) Quenching test	11.4 & Annex. D	10
	iv) Stability test	11.5	½
	v) Strength test	11.6	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		31

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2325.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

12 April 2006

TESTING CHARGES FOR CITRIC ACID AS PER IS 13186:1991

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Description	3.1	0.5	
2.	Identification	3.2	1	
5.00				
3.	Purity	3.3, Table 1, S.No.1	1	
10.00				
4.	Moisture	--- do ---, S.No.2	1	
20.00				
5.	Sulphated Ash	--- do ---, S.No. 3	3	2kwh
6.	Heavy metals	--- do ---, S.No.4	1.5	-
5.00				
7.	Arsenic	--- do ---, S.No.5	2	-
5.00				
8.	Oxalates	--- do ---, S.No.6	1	
5.00				
9.	Readily Carbonizable substance	--- do ---, S.No.7	2	-
5.00				
B.	Electricity power consumed			2khw
C.	Cost of Consumables/CRMs			
55.00				
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	14	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

$$\text{Total Rs.75} \times 14 + 4 \times 2 + 55 = \text{Rs.1113 (rounded Rs.1115.00)}$$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 13209:1991 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

TESTING CHARGES FOR IS 13209:1991 INDELIBLE INK.

S NO	TESTS	CLAUSE REF.	MAN-HOURS

1.	General	3.1	
			½
2.	Description	3.2	
3.	Colour	3.3	
4.	Acidity	3.4	1
5.	Total solids	3.5	1
6.	Development	3.6	½
7.	Performance	3.7	
	i) Resistance to bleaching	3.7.1	½
	ii) Resistance to Organic Solvents	3.7.2	½
8.	Keeping properties	3.2, 3.5, 3.6 & 3.7	3

PREPARATION OF TEST REPORT

½

TOTAL TIME :

8

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : **Rs.2400.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1995 01 11

TESTING CHARGES FOR IS 13209:1991 INDELIBLE INK.

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	General	3.1 $\frac{3}{-}$	$\frac{1}{2}$
2.	Description	3.2 $\frac{3}{-}$	
3.	Colour	3.3 $\frac{3}{-}$	
4.	Acidity	3.4	1
5.	Total solids	3.5	1
6.	Development	3.6	$\frac{1}{2}$
7.	Performance	3.7	
	i) Resistance to bleaching	3.7.1	$\frac{1}{2}$
	ii) Resistance to Organic Solvents	3.7.2	$\frac{1}{2}$
8.	Keeping properties	3.2, 3.5, 3.6 & 3.7	3
	PREPARATION OF TEST REPORT		$\frac{1}{2}$

TOTAL TIME : 8

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.600.00

APPROVED BY THE COMPETENT AUTHORITY.

Testing Charges of POLYURETHANE FULL GLOSS ENAMEL (TWO PACK) as per IS 13213:2018, Amnd-1							
Sl. No.	Parameters	Man Hour	Testing charges as per Man Hour	Electricity used in KWH	Cost of Electricity	Cost of Consumables	Total Cost of Parameter (Rs)
1	Composition (Cl.4.1)	1	300	0	0	0	300
2	Lead restriction (Cl.4.2)	2.5	750	5	45	50	845
3	Durability test (Cl.4.3)	4	1200	1000	9000	200	10400
4	Requirements as per table-1, (Cl.4.4)						
(i)	Consistency	1	300	0	0	0	300
(ii)a	Drying time, Surface dry	1	300	0	0	0	300
(ii)b	Drying time, Hard dry	1	300	0	0	0	300
(ii)c	Drying time, Hard dry, 70°C	1	300	0	0	0	300
(iii)	Finish	1	300	0	0	0	300
(iv)	Gloss 60°C	1	300	0	0	0	300
(v)	Colour	1	300	0	0	0	300
(vi)	Dry film thickness per coat	2	600	0	0	0	600
(vii)	Volume solids	2	600	0	0	0	600
(viii)	Flexibility and adhesion						
(viii)a	Bend test	1	300	0	0	50	350
(viii)b	Scratch hardness after (1500g)	1	300	0	0	0	300
(ix)	Flash point (for each component)	1	300	1	9	0	309
(x)	Fineness of grind	1	300	0	0	0	300
(xi)	Pot life	1	300	0	0	0	300
(xii)	Mass in Kg/10 Litres	1	300	0	0	0	300
(xiii)	Accelerated test						
(xiii)a	Resistance to acid	2	600	0	0	50	650
(xiii)b	Resistance to alkali	2	600	0	0	50	650
(xiii)c	Resistance to oil	2	600	0	0	50	650

(xiii) d	Resistance to solvents	2	600	0	0	50	650
xiv)	Durability Test (Outdoor exposure)	2	600	0	0	50	650
(xv)	Keeping properties	3	900	0	0	100	1000
	Preparation of Test report	2	600				600
			*Total testing charges including keeping properties				21554
			*Total testing charges excluding keeping properties				20554
			# Testing charges excluding test parameters not available in CL				8954
							PARVEEN KUMAR, LO
	OIC (Chem)						
	OIC (Q/A)						

**BIS CTCC, Sahibabad
Quality Assurance Section**

Ref: CL/QA/79

12.11.14

Subject: Testing Charges for Zinc for Galvanising as per IS 13229:1991 (Amnd. -2)

S. No.	Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing	Power consumption (If intensive) in KWh	Cost of Power	Consumables required (Approx Cost in Rs.)	Total charges for each test (in Rs.)	Test facility availability (Y/N)
--------	--------------------	------------	-----------	--------------------------	---	---------------	---	--------------------------------------	----------------------------------

1	2	3	4	5=4*300	6	7=6*15	8	9=5+7+8	
1	Zinc	Cl.6.1,Table1, IS-13229-	--	--	--	--	--		Y
2	Lead	Cl.6.1,Table1, IS-13229	2	600	2	30	250	880	Y
3	Cadmium	Cl.6.1,Table1, IS-13229	2	600	2	30	250	880	N
4	Iron	Cl.6.1,Table1, IS-13229	2	600	2	30	250	880	N
5	Tin	Cl.6.1,Table1, IS-13229	2	600	2	30	250	880	Y
6	Copper	Cl.6.1,Table1, IS-13229	2	600	2	30	250	880	Y
7	Preparation of Test Report	---	1	300	--	--	--	300	---
8	Total	---	11	3300	10	150	1250	4700	---

Zinc content is determined by difference between the sum of total elements analyzed and 100 percent.

Sample Size= Approx. 20 g drilling

Hence testing charges for the product are = Rs 4700/- (Rounded to 4700/-)
= Rs 4700 /- (Rupees Four Thousand Seven Hundred only)

(Adbhut Singh)
OIC QA

Sc- F & Head (CTCC)
Sc-F & Head PP&C (T&C)
Sc-G & DDG (T&C)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

19

TESTING CHARGES FOR IS 13262:1992 PRESSURE SENSITIVE TAPES WITH
PLASTIC BASE

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Description	5.1	1
2.	Colour & Printing	5.2 & 5.3	½
3.	Cores	5.4	½
4.	Width & Length	5.5 & 5.6	1
5.	Splices	5.7	½
6.	Tensile Strength & Elongation at Break	5.8 & 5.9	2
7.	Adhesion to metal & Self	5.10	4
8.	Anchorage	5.11	1
9.	Durability	5.12	2
10.	Stability	5.13	2
11.	Additional Requirements for Aeronautical purposes:		
	i) Freedom From Deleterious Effect on plastic sheet	5.14.1	1
	ii) Resistance to penetration by paint Solvents	5.14.2	1
12.	Optional Requirements for Defence Application :		
	i) pH	5.15.1	1
	ii) Chlorides	5.15.2	2

iii) Sulphates 5.15.3 2

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

13. Keeping Quality 6 Same as above

PREPARATION OF TEST REPORT ½

TOTAL TIME : 22

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are as follows :

- i) For pressure sensitive adhesive Tapes :Rs.1125.00
with plastic base

- ii) For pressure Sensitive adhesive Tapes :Rs. 1275.00
with plastic base, for Aeronautical
purposes

- iii) For pressure sensitive adhesive Tapes :Rs. 1500.00
with plastic base, for defence application

Testing charges for keeping Quality requirements will be additional and the same as above.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 09 27

TESTING CHARGES FOR IS 13287:1992 EXTRA DEEPWELL HANDPUMPS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Dimensions & construction	4	
	A) Head Assembly (Fig 3)(Cl.4.1)		2
	Side Plate Fig.4A (Cl.4.1.1)		1
	Back Plate Fig.4B (Cl.4.1.1)		1
	Bracket Fig.4C (Cl.4.1.1)		1
	Front top end plate Fig.4D (Cl.4.1.1)		—┐—
	Front bottom end plate Fig.4E (Cl.4.1.1)		—┐—
	Front cover Fig.4F (Cl.4.1.1)		1½
	Pump head flange Fig.4G (Cl.4.1.1)		3/4
	Third Plate Fig.4H (Cl.4.1.1)		3/4
	Gusset Plate Fig.4J (Cl.4.1.1)		—┐—
	Axle bush (right) Fig.4K (Cl.4.1.1)		3/4
	Guide Bush Fig.4M (Cl.4.1.1)		3/4
	B) Handle Assembly (Fig 5 (Cl.4.2		½
	Handle bar Fig.6A (Cl.4.2.1)		3/4
	T bar Fig.6B (Cl.4.2.1)		1½
	Mild steel plate Fig.6C (Cl.4.2.1)		1
	counter weight		
	Handle Axel Fig.6D (Cl.4.2.1)		3/4
	Roller chain guide Fig.6E (Cl.4.2.1)		½
	Chain coupling Fig.6F (Cl.4.2.1)		—┐—
	Chain with coupling Fig.6G (Cl.4.2.1)		—┐—
	Bearing Housing Fig.6H (Cl.4.2.1)		3/4
	Spacer Fig.6J (Cl.4.2.1)		—┐—
	Axel washer Fig.6K (Cl.4.2.1		—┐—
	C) Water tank assembly Fig.7 (Cl.4.3)		1
	Tank bottom flange Fig.8A(Cl.4.3.1)		3/4
	Tank top flange Fig.8B(Cl.4.3.1)		3/4
	Spout Fig.8C(Cl.4.3.1)		½
	Tank pipe Fig.8D(Cl.4.3.1)		—┐—
	Riser pipe holder Fig.8E(Cl.4.3.1)		½
S NO	TESTS	CLAUSE REF.	MAN-HOURS

Gusset	Fig.8F(Cl.4.3.1)	1/2
D) Stand Assembly	Fig. 9 4.4	2 1/2
Stand flange	Fig.10A (Cl.4.4.1)	3/4
Stand pipe	Fig.10B (Cl.4.4.1)	1/4
Leg	Fig.10C (Cl.4.4.1)	1/2
Collar	Fig.10D (Cl.4.4.1) $\frac{3}{4}$	
Gusset plate	Fig.10E (Cl.4.4.1) $\frac{3}{4}$	1
Spike	Fig.10F (Cl.4.4.1) $\frac{3}{4}$	
E) Connecting Road	Fig.11 (Cl.4.5)	1
F) Cylinder Assembly	Fig. 12 (Cl.4.6)	1
Reducer cap	Fig.13A (Cl.4.6.1)	2
Cylinder body	Fig.13B (Cl.4.6.1)	2 1/2
Brass liner	Fig.13C (Cl.4.6.1)	$\frac{3}{4}$
Plunger rod	Fig.13D (Cl.4.6.1)	1/2
Sealing ring	Fig.13E (Cl.4.6.1)	$\frac{3}{4}$
Rubber seating (L.V.)	Fig.13F (Cl.4.6.1)	1/2
Rubber seating (Upper valve)	Fig.13G (Cl.4.6.1)	$\frac{3}{4}$
Plunger Yoke body	Fig.13H (Cl.4.6.1)	1 1/2
Upper Value	Fig.13J (Cl.4.6.1)	1 1/2
Clock value	Fig.13K (Cl.4.6.1)	1 1/2
Upper spacer	Fig.13L (Cl.4.6.1)	1
Lower spacer	Fig.13M (Cl.4.6.1)	1
Rubber seat retainer	Fig.13N (Cl.4.6.1)	1
Chock valve seat	Fig.13P (Cl.4.6.1)	1 1/2
Follower	Fig.13Q (Cl.4.6.1)	1 1/2
Pump Buckets	Fig.13T (Cl.4.6.1)	1 1/2

2. GENERAL REQUIREMENTS

Raw material testing when supplied separately.

S No.	Raw Material/item	Clause	Ref. Table	IS No.
-------	-------------------	--------	------------	--------

attached to
figure number

1. Riser pipe (G.I. sockets) 5.3 Spout, Tank pipe & Stand Pipe		Fig.7 & 9 IS 1239(pt.1) :1990	Rs.1200.00
2. Sockets Galvanized	5.3.1	-- IS 1239(pt.2) :1982	Rs. 75.00
3. Gray iron Casting	5.5	Fig. 12 IS 210:1978	Rs.1275.00
4. Bronze Castings	5.6	Fig. 12 IS 318:1981	Rs.1650.00
5. Connecting Rod	5.7	-- for Chemical analysis IS 9550:1982 or IS 6603:1972 + Rs.750.00 for Optional test + Rs.225.00 for Zinc coated + Rs. 75.00 for Painted.	Rs.1050.00 + Rs.2175.00
6. Steel Plates/Sheets/ Angles/Square Bar etc.	5.9	Fig.2,3,5 & 7 IS 226:1975	Rs.675.00
7. Plunger Rod	5.12	Fig.12 analysis as per IS 6603:1972 + Rs.750.00 for Optional tests (if required)	Rs.675.00 for
8. Washers	--	Fig. 2 & 3 IS 2016:1967	Rs.225.00
9. Brass Liner	--	Fig.12 IS 407:1981	Rs.1200.00

10. Chains	--	Fig.5 IS 2403:1975	Rs.750.00
11. Chain coupling	--	Fig.5 IS 226:1975 or IS 2004 :1978	Rs.675.00
12. Bearing	--	Fig.5 IS 6455:1972 & IS 6453	Rs. 900.00
13. Handle Axle	--	Fig.5 for Ni_2_Cr content	Rs.1500.00
14. Nitrile Rubber	--	Fig.12 Specified.	No test method

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

Sl. Requirements No.	Cl. Ref.	Testing charges per Man hours
-------------------------	----------	----------------------------------

3. _Anticorrosive Treatment___

a) Electro galvanizing of connecting rod, bearing spacer washers, nuts & Bolts.	6.1.1 ³ ₋₋ & ³ ₋₋ 6.1.2 ³ ₋₋ ³ ₋₋ ³ ₋₋	Rs.225.00 IS 1573:1986
b) [i] 1 to 7 dip galvanizing of assemblies	6.2 ³ ₋₋ ³ ₋₋ ³ ₋₋ ³ ₋₋	IS 4759:1984
[ii] Chromate conversion coating	6.2.1 ³ ₋₋ ³ ₋₋	IS 9839:1984

c) Painting

[i] Rod oxide primer	6.3 ³ ₋₋ ³ ₋₋ ³ ₋₋	Rs. 75.00 IS 2074
[ii] Synthetic Enamel	6.3 ³ ₋₋	IS 2932:1974

4. Visual & Dimensional Test	7.2	3 hrs
------------------------------	-----	-------

5. Routine Testing 7.3 6 hrs

PREPARATION OF TEST REPORT 1

The time involved for the preparation of the test report, is approx.3 hrs. Testing charges per Man hours are Rs.75.00. Hence The testing charges are as follows :-

- For all Requirements other than general :Rs.36750.00 requirements (49 hrs)
- For General Requirements as per relevant IS specifications as mentioned against the requirements
- For Visual, Dimensional & Routine Tests :Rs.675.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)

1999 11 22

Our Ref: CL/QA/14.0

TESTING CHARGES FOR IS 13332:1992 METRIBUZIN TECHNICAL

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Metribuzin content	Table 1	6
2.	Melting Point	- do -	1
3.	Material insoluble in acetone	- do -	3
4.	Water content	- do -	3
5.	Acidity	- do -	1
	PREPARATION OF TEST REPORT		2
		TOTAL TIME :	----- 16 -----

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs. 1200.00.

DG may kindly approve.

(V.K.Sethi)
TS (QA)

DCL(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY
(Q.A. Department)

TESTING CHARGES FOR IS 13333:1992 Metribuzin WP

S.No.	TESTS	CLAUSE NO.	MAN-HOURS
1.	Metribuzin Content	3.3 Table 1	6
2.	Sieving	-do-	1
3.	Suspensibility	-do-	8
4.	Acidity or Alkalinity	-do-	1
5.	Wettability	-do-	0,5
	PREPARATION OF TEST REPORT		1
	TOTAL TIME:		---
			18

Note: The cost of CRM Rs.200.00

Testing charges per man-hour are Rs.75.00.

Hence complete testing charges for the product are: Rs.1350.00 + Rs.200.00 = Rs.1550.00.

Sd/-
(V.K. Sethi)
TS

DCL(QA) Sd/-03/20
DDGL Sd/- 2001-02-21
ADGT
DG

The revised BIS testing charges for IS 13334(Pt-1):2014 effective from 07-11-2016

IS NO.	Part	Sec	Year	Title	Variety (Grade/Type/Size)	Cl. ref. of IS	Requirement	Time*(Hours)	Power KWH consumption (if intensive)	Consumable
13334	1		2014	Skimmed milk powder	Standard Grade	Cl.5.6., Table 2	<u>Microbiological requirements</u>			
			Amend. No. 1.	Specification						
						Cl.5.6 Table2 (i)	1.Bacterial count per gm, at 30°C	4	72	90.00
						Cl.5.6 Table 2(ii)	2. Coliform count per gm at 30°C	4	24	100.00
						Cl.5.6 Table 2(iii)	3. Escherichia coli per gm at 37°C	4	24	225.00
						Cl.5.6 Table2 (iv)	4. Coagulase positive staphylococcus aureus per gm at 37°C	5	72	300.00
						Cl.5.6 Table2 (v)	5. salmonella per 25 gm at 37°C	4	144	450.00
						Cl.5.6 Table 2(vi)	6. Spore count per gm			
							A) Aerobic Bacillus cereus at 30°C	4	72	500.00
							B) Anaerobic Clostridium perfringens at 37°C	4	24	600.00
						Cl.5.6 Table 2(vii)	7. Listeria monocytogens per gm at 30°C & 37°C	5	120	450.00
							Power consumption for sterilization & decontamination		41	
							#Power consumption for sterilization and decontamination is applicable to each parameter as well as for whole sample testing.			
							Report Preparation 1			
							<u>Chemical Requirements</u>			
						Cl..4	Description	0.5	-	-
						Cl.5.4	Flavour and Taste	0.5	-	-
						Cl.5.6, Table 1	i) Moisture	1	5	-
							ii) Milk Protein in milk solids not fat	4	4	150.00
							iii) Milk fat	4	4	125.00
							iv) Insolubility Index	2	2	-
							v) Total Ash	1.5	15	25.00
							vi) Titratable Acidity	1	-	50.00
							vii) Scorched Particles	1.5	1	25.00
							Report Preparation	1		
							Total	52	624	3090

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

Total Man Hours: $52 \times 300 = 15600/-$

Total Power consumption: $624 \times 9 = 5616/-$

Total Consumable cost = 3090/-

Total testing charges = Rs 24306/-

CA may kindly approve.

Sushil Jaisinghani

LO-B

OIC (Chem)

The testing requirements are almost similar to IS 1165. As decided by competent authority, in order to maintain the parity, the testing charges are fixed at Rs. 10430.00

**P. Rajesh
Sc. E, LPPD**

Head, LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

5 Jan 2006

TESTING CHARGES FOR SKIMMED MILK POWDER (STD. GRADE) AS PER IS 13334(Pt-1):1998

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Description	4	0.5	
2.	Flavour	5.3	0.5	
3.	Bacterial count	5.5.1	4	42 kw
	25.00			
4.	Coliform count	5.5.2	4	13 kw
	25.00			
5.	Moisture	5.6, Table 1	2	3 kw
6.	Total solids	-- do --	-	-
7.	Milk Fat	--do --	4	1 kw
	75.00			
8.	Insolubility index	-- do --	2	1 kw
	25.00			
9.	Total ash	-- do --	2	9 kw
	25.00			
10.	Titration acidity	-- do --	1	-
B.	Electricity power consumed			69 kw=69units
C.	Cost of Consumables/CRMs			
	175/-			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	21	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.21x75+69x4+175 = Rs.2026.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

**The revised BIS testing charges for IS 13334(Pt-2):2014 effective from 07-11-
2016**

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

IS NO.	Part	Sec	Year	Title	Variety (Grade/Type/Size)	Cl. ref. of IS	Requirement	Time*(Hours)	Power KWH consumption (if intensive)	Consumable
13334	2		2014	Skimmed milk powder	Extra Grade	Cl.5.7., Table 2	Microbiological requirements			
			Amend. No.1	Specification						
						Cl.5.7 Table 2 (i)	1.Bacterial count per gm, at 30°C	4	72	90.00
						Cl.5.7 Table 2 (ii)	2. Coliform count per gm at 30°C	4	24	100.00
						Cl.5. Table 2 (iii)	3. Escherichia coli per gm at 37°C	4	24	225.00
						Cl.5.7 Table 2 (iv)	4. Coagulase positive staphylococcus aureus per gm at 37°C	5	72	300.00
						Cl.5.7 Table 2 (v)	5. salmonella per 25 gm at 37°C	4	144	450.00
						Cl.5.7 Table 2 (vi)	6. Spore count per gm			
							A) Aerobic Bacillus cereus at 30°C	4	72	500.00
							B) Anaerobic Clostridium perfringens at 37°C	4	24	600.00
						Cl.5.7 Table 2 (vii)	7. Listeria monocytogens per gm at 30°C & 37°C	5	120	450.00
							Power consumption for sterilization & decontamination		41	
							#Power consumption for sterilization and decontamination is applicable to each parameter as well as for whole sample testing.			
							Report Preparation			
							1			
							Chemical Requirements			
						Cl..4	Description	0.5	-	-
						Cl.5.4	Flavour and Taste	0.5	-	-
						Cl.5.7, Table 1	i) Moisture	1	5	-
							ii) Milk Protein in milk solids not fat	4	4	150.00
							iii) Milk fat	4	4	125.00
							iv) Insolubility Index	2	2	-
							v) Total Ash	1.5	15	25.00
							vi) Titratable Acidity	1	-	50.00
							vii) Scorched Particles	1.5	1	25.00
							Report Preparation	1		
							Total	52	624	3090

Total Man Hours: 52 x 300 =15600/-

Total Power consumption: 624 x 9 = 5616/-

Total Consumable cost = 3090/-
Total testing charges = Rs 24306/-

CA may kindly approve.
Sushil Jaisinghani

LO-B

OIC (Chem)

The testing requirements are almost similar to IS 1165. As decided by competent authority, in order to maintain the parity, the testing charges are fixed at Rs. 10430.00

**P. Rajesh
Sc. E, LPPD**

Head, LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref:CL/QA/79

5 Jan 2006

TESTING CHARGES FOR SKIM MILK POWDER (EXTRA. GRADE) AS PER IS 13334(Pt-2):1992

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Description	3.2	0.5	
2.	Flavour & Taste	3.3	0.5	
3.	Bacterial count	3.6.1	4	42 kw
	25.00			
4.	Coliform count	3.6.2	4	13 kw
	25.00			
5.	Staphylococcus aureus	3.6.3	5	24 kw
	100.00			
6.	Salmonella	3.6.4	4	70 kw
	150.00			
7.	Shigella	3.6.5	4	60 kw
	150.00			
8.	Tests			
a)	Moisture	3.7, Table 1	2	3 kw
b)	Total solids	-- do --	-	-
	--			
c)	Fat	--do --	5	1 kw
	75.00			
d)	Insolubility index	-- do --	2	1 kw
	25.00			
e)	Total ash	-- do --	2	9 kw
f)	Titration acidity	-- do --	1	1 kw
g)	Lactate content	-- do --	Test method kept in abeyance	
h)	Scorched particles	-- do --	2	1 kw
B.	Electricity power consumed			225kw=225units
C.	Cost of Consumables/CRMs			
	550.00			
D.	PREPARATION OF TEST REPORT		1	

TOTAL

TIME

33

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.33x75+225x4+550 = Rs.3925.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 12 23

TESTING CHARGES FOR IS 13349:1992 CAST IRON SINGLE FACED THIMBLE
MOUNTED SLUICE GATE

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Material	6.1	
	i) Tensile Test	5	
	ii) Hardness	5	
	iii) Bend Test	2	
2.	Construction	7	12
3.	Workmanship	10	2
4.	Marking	14	1
5.	Test Report preparation		2
TOTAL TIME :			29

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.2175.00

Note:- 1. Single Tensile test charges has been levied. In case of failure repeat tests are needed for two more tensile tests for which an additional charges of Rs. 750.00 shall be levied.

2. Requirements as per clause 11, 12 & 13 are to be checked at shop testing Installation and in the field.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

TESTING CHARGES FOR TEXTILES-ASBESTOS YARN AS PER IS 13362:1992.

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	Constructional particulars	3	5	-	-
2.	Moisture content	4	3	3kwh	-
3.	Loss on Ignition	4	4	4kwh	-
PREPARATION OF TEST REPORT			1		
TOTAL		TIME	13	7 kwh = 7units	

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges.

Total Rs. $13 \times 75 + 7 \times 4 = \text{Rs.}1003$ (rounded) i.e. Rs.1005.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

Sc.F & H(QA)
DDGL

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

TESTING CHARGES FOR IS 13370:1992 LINEAR FATTY ALCOHOLS FOR
SURFACE ACTIVE AGENTS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Appearance	3.2 & Table 1,Sl. No. i)	½
2.	Colour (Hazen)	-do- Sl.No. ii) (Testing facility not available)	1
3.	Hydroxyl value	-do- Sl.No.iii)	2
4.	Acid value	-do- " iv)	1
5.	Specification value	-do- " v)	2
6.	Iodine value	-do- " vi)	3
7.	Moisture	-do- " vii)	4
8.	Hydrocarbon content	-do- " viii)	4
9.	Composition	-do- " ix)	6
10.	Packing & Marking	4 & 5	½
PREPARATION OF TEST REPORT			½

TOTAL TIME : 25

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1875.00
APPROVED BY THE COMPETENT AUTHORITY.

The BIS testing charges for IS 13382:2004 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/13382

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 13382:2004**

(Amnd-nil)

**CAST IRON SPECIALS FOR MECHANICAL AND PUSH-ON FLEXIBLE JOINTS
FOR PRESSURE PIPE LINES FOR WATER, GAS AND SEWAGE – SPECIFICATIONS**
is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
96.	Material	Cl. 5.1	*	-	-	-
97.	Joints	Cl. 6	**	-	-	-
98.	Rubber gaskets	Cl. 7	*	-	-	-
99.	Mechanical tests	Cl. 9		-	-	-
	a. Tensile test	Cl. 9.1	1.5	10	-	Prepared piece required
	b. Hardness test	Cl. 9.2	1	-	-	-
100.	Hydrostatic test	Cl. 10	**	-	-	-
101.	Sizes	Cl. 11	3	-	-	Up to 600 mm dia
102.	Tolerances	Cl. 12		-	-	
103.	Coating	Cl. 13	1	-	-	-
104.	Cement mortar lining	Cl. 14	**	-	-	-
	Report Preparation		1	-	-	-
	Total		7.5	10	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = $7.5 \times 300 + 10 \times 9$ = Rs. 2340.00 + Testing charges as per referred ISS
(excluding Joints, Hydrostatic test and Cement mortar lining)

OIC (QA)

Head (CL)

DDGL

**As decided by Competent Authority, the testing charges for the product are Rs. 2340/- +
Testing charges as per referred ISS (excluding Joints, Hydrostatic test and Cement mortar lining).**

**(Ankita Tripathi)
Sc.B, LPPD**

**HLPPD
DDG (Labs)**

The revised BIS testing charges for IS 13385:1992 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref: LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS: 13385:1992 FIRE EXTINGUISHER 50 CAPACITY
WHEEL MOUNTED WATER TYPE (GAS CARTRIDGE)**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Marking	11	1
2.	Painting	9	1
3.	Capacity	3	1
4.	Shape	6]	10
		]	
	Construction	7]	
5.	Anti-corrosive treatment	8	1
6.	Test Requirement	10	8
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		23

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs. 6900.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/Lab/14:0

2001-02-07

TESTING CHARGES FOR IS: 13385:1992 FIRE EXTINGUISHER 50 CAPACITY WHEEL MOUNTED WATER TYPE (GAS CARTRIDGE)

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Marking	11	1
2.	Painting	9	1
3.	Capacity	3	1
4.	Shape	6]	10
		]	
	Construction	7]	
5.	Anti-corrosive treatment	8	1
6.	Test Requirement	10	8
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		23

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs. 1725.00

DG may kindly approve.

(V.K. Sethi)
TS(QA)

DCL(QA)
DDGL
ADGT
DG

The revised BIS testing charges for IS 13386:1992 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS: 13386:1992 : 50L CAPACITY FIRE EXTINGUISHER
MECHANICAL FOAM TYPE**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Marking	12	1
2.	Painting	10	1
3.	Capacity	3	1
4. i)	Shape	6]	10
		]	
ii)	Construction	7]	
5.	Anti-corrosive treatment	9	1
6.	Test Requirement	11	8
	PREPARATION OF TEST REPORT		1
TOTAL TIME			23

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs. 6900.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/Lab/14:0

2001-02-07

TESTING CHARGES FOR IS: 13386:1992 : 50L CAPACITY FIRE EXTINGUISHER
MECHANICAL FOAM TYPE

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Marking	12	1
2.	Painting	10	1
3.	Capacity	3	1
4. i)	Shape	6]	10
		]	
ii)	Construction	7]	
5.	Anti-corrosive treatment	9	1
6.	Test Requirement	11	8
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		23

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs. 1725.00

DG may kindly approve.

(V.K. Sethi)
TS(QA)

DCL(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

19

TESTING CHARGES FOR IS 13402:1992 ANILOPHOS, TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Requirements as per Tab 1	3.2	
	i) Anilophos content percent by mass Min.		8
	ii) Material insoluble in acetone, percent by mass Max.		2
	iii) Moisture content, percent by mass, Max.		1
	iv) Acidity (H ₂ SO ₄) percent by mass, Max.		1
	PREPARATION OF TEST REPORT		½

TOTAL TIME : 13

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.975.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY, SAHIBABAD
[Q. A. DEPARTMENT]

OUR REF. : LAB/14:O

2001 03 16

TESTING CHARGES FOR IS 13403:1992 ANILOPHOS EC

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Cold Test	3.2.2	1
2.	Flash point (Abel)	3.2.3	1
3.	Emulsion stability	3.2.4	1
4.	Anilophos content	3.3.1	6
6.	Acidity/Alkalinity	3.3.2	1
PREPARATION OF TEST REPORT			1
TOTAL TIME :			11

Note The cost of CRM Rs.200

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.825.00+
Rs 200.00= Rs 1025.00

APPROVED BY DG

V.K. Sethi

The revised BIS testing charges for IS 13422:1992 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

TESTING CHARGES FOR IS 13422:1992 DISPOSAL SURGICAL RUBBER GLOVES

S NO	TESTS	CLAUSE REF.	MAN-HOURS

1.	Materials	5.1	3
2.	General characteristic & Dimensions	5.2	
3.	_Physical Properties:_		
	a) Tensile strength & Elongation at Break	5.3.1	3
	b) Accelerated ageing	5.3.2	3
4.	Sterility test	5.4	10
	(Facility not available at CL)		
5.	Air tight test	5.5	2½
6.	Packing & Marking	8	½
	PREPARATION OF TEST REPORT		½

	TOTAL TIME :		23

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are : **Rs.6900.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 03 29

TESTING CHARGES FOR IS 13422:1992 DISPOSAL
SURGICAL RUBBER GLOVES

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Materials	5.1 $\frac{3}{-}$	3
2.	General characteristic & Dimensions	5.2 $\frac{3}{-}$	
3.	Physical Properties:		
	a) Tensile strength & Elongation at Break	5.3.1	3
	b) Accelerated ageing	5.3.2	3
4.	Sterility test	5.4	10 (Facility not available at CL)
5.	Air tight test	5.5	2½
6.	Packing & Marking	8	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		23

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1725.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/Lab/14:0

2001-03-01

TESTING CHARGES FOR IS: 13428:1998 PACKAGED MINERAL WATER

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	E.Coli	6.1.1	4
2.	Coliform	6.1.2	3
3.	Faecal streptococci & staphylococcs aureus	6.1.3	4
4.	Sulphite reducing anaerobes	6.1.4	4
5.	Pseudomonas aeruginosa	6.1.5	5
6.	Yeast & mould	6.1.7	3
7.	Salmonella & shigella	6.1.8	7
8.	Vibro cholera & Parahaemolyticus	6.1.9	7
9.	Pesticides residues	6.3	30

ORGANOLEPTIC & PHYSICAL PARAMETERS

10.	Colour	Table 1	2
11.	Odour	-do-	0.5
12.	Taste	-do-	0.5
13.	Turbidity	-do-	2
14.	Total dissolved solids	-do-	2
15.	pH	-do-	1
16.	Nitrate	Table 2	5
17.	Nitrite	-do-	3
18.	Sulphide	-do-	2
19.	Manganese	-do-	1
20.	Copper	-do-	1
21.	Zinc	-do-	1
22.	Fluoride	-do-	2
23.	Barium	-do-	2
24.	Antimony	-do-	2
25.	Borate	-do-	3
26.	Silver	-do-	1
27.	Chloride	-do-	1
28.	Sulphate	-do-	2
29.	Magnesium	-do-	1
30.	Calcium	-do-	1
31.	Sodium	-do-	1
32.	Alkalinity	-do-	1
33.	Selenium	-do-	1
34.	Mineral oil	-do-	2

35.	Phenolic compounds	-do-	5
36.	Anionic surface active agents	-do-	5
37.	Arsenic	Table 3	2
38.	Cadmium	-do-	2
39.	Cyanide	-do-	3
40.	Chromium	-do-	1
41.	Mercury	-do-	2
42.	Lead	-do-	2
43.	Nickel	-do-	1
44.	Polychlorinated biphenyl (PCB)	-do-	4
45.	Polynuclear aromatic Hydrocarbons	-do-	@
46.	Alpha emitters	Table 4	*
47.	Beta emitters	-do-	*
PREPARATION OF TEST REPORT			3
TOTAL TIME			<u>138</u>

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are Rs.10350.00 (excluding tests at 45, 46 & 47).

@ The test should be kept in abeyance till a test method is incorporated .

* Presently testing facilities for these tests are not available at CL.

DG may kindly approve.

(V.K. Sethi)
TS(QA)

DCL(QA)
DDGL
ADGT
DG

NOTE: REVISED BIS TESTING CHARGES FOR IS 13428 IS PLACED BELOW:



BUREAU OF INDIAN STANDARDS
[Laboratory Policy & Planning Deptt.]

Our Ref: LPPD/51:2

29.06.2015

Subject: Revision of BIS Testing Charges

BIS Testing Charges for Packaged Drinking Water and Packaged Natural Mineral Water as per IS 14543 and IS 13428 respectively have been reviewed and as decided by CA, the revised testing charges of these products are given in Annex-1. The revised BIS testing charges for these products shall be effective from 26.06.2015.

The above revised testing charges shall not be applicable for outside BIS recognized labs. The outside approved lab who had adopted BIS testing charges would continue to be paid as per the pre-revised rates.

All BIS Labs/ROs/BOs are advised to note the above for implementation by the said date.

Encl: as above

(Dileep Kumar)
Head (LPPD)

Sc.-G & DDG (Labs)

Circulated to all Heads of BIS Labs/ROs/BOs/DDG (Cert.)/CMDs/DDGF

Copy to: H (ITS) – With a request to get the circular hosted on BIS Intranet



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

26.06.2015

**TESTING CHARGES FOR IS 13428:2005 – PACKAGED NATURAL
MINERAL WATER**

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN- HOURS
----------------	------------------------	-------------------	-----------------------

A. MICROBIOLOGICAL REQUIREMENTS

1	<i>Escherichia coli</i>	Cl.6.1.1	45 min
2	<i>Coliform</i>	Cl.6.1.2	35 min
3	<i>Faecal streptococci</i>	Cl.6.1.3	35 min
4	<i>Staphylococcus aureus</i>	Cl.6.1.3	45 min
5	Sulphite Reducing Anaerobes	Cl.6.1.4	35 min
6	<i>Pseudomonas aerogenosa</i>	Cl.6.1.5	50 min
7	Yeast & Mould	Cl.6.1.6	35 min
8	Salmonella	Cl.6.1.7	80 min
9	Shigella	Cl.6.1.7	70 min
10	Vibrio cholerea	Cl.6.1.8	55 min
11	Vibrio parahaemolyticus	Cl.6.1.8	55 min

TOTAL TIME

9 hour

Power Consumption

61 kwh

Cost of Power @ Rs. 9 per kwh

Rs. 549/- =

Rs. 550/-

Consumable Cost

Rs. 1900/-

TESTING CHARGES

Rs. 2700/-

**Total Testing Charges for
Microbiological Requirements**

Rs. 5150/-

**B. 1. ORGANOLEPTIC & PHYSICAL
PARAMETERS**

1	Colour	Cl.6.2,Table-1	15 min
2	Odour	--do--	5 min
3	Taste	--do--	15 min
4	Turbidity	--do--	15 min
5	Total dissolved solids	--do--	25 min
6	pH	--do--	15 min

Sub Total (1)

**1 hour 30
min**

**B. 2. GENERAL PARAMETERS CONCERNING
SUBSTANCES**

**UNDERSIRABLE IN EXCESSIVE
AMOUNTS**

1	Barium	Cl.6.2,Table-2	5 min
2	Copper	--do--	5 min
3	Manganese	--do--	5 min
4	Nitrate	--do--	25 min
5	Nitrite	--do--	25 min
6	Fluoride	--do--	20 min
7	Zinc	--do--	5 min
8	Silver	--do--	5 min
9	Chloride	--do--	25 min
10	Selenium	--do--	10 min
11	Sulphate	--do--	25 min
12	Alkalinity	--do--	20 min
13	Calcium	--do--	5 min
14	Magnesium	--do--	5 min
15	Sodium	--do--	5 min
16	Phenolic compounds	--do--	60 min
17	Mineral oil	--do--	80 min
18	Anionic Surface Active Agent	--do--	90 min
19	Sulphide	--do--	20 min
20	Antimony	--do--	10 min
21	Borate	--do--	30 min

Sub Total (2)

8 hrs

B. 3. PARAMETERS CONCERNING TOXIC SUBSTANCES

1	Mercury	Cl.6.2,Table-3	10 min
2	Cadmium	--do--	5 min
3	Arsenic	--do--	10 min
4	Cyanide	--do--	70 min
5	Lead	--do--	5 min
6	Chromium	--do--	5 min
7	Nickel	--do--	5 min
8	Polychlorinated biphenyl (PCB)	--do--	3 hrs 30 min
9	Polynuclear Aromatic Hydrocarbon (PAH)	--do--	2 hrs 30 min

Sub Total (3)

7 hrs 50 min

TOTAL TIME (1+2+3)

**17 hrs 20
min**

Power Consumption	40 kwh
Cost of Power @ Rs. 9 per kwh	Rs. 360/- =
Consumable Cost	Rs. 400/-
TESTING CHARGES	Rs. 2400/-
Total Testing Charges for Chemical Requirements	Rs. 5200/-
	Rs. 8000/-

C. PESTICIDE RESIDUES

1	Organochlorinated Residual Pesticide	Cl. 6.3 Annex-N	3 hrs
2	Organo phosphorous Residual Pesticide	--do--	3 hrs
3	Isoproturon	--do--	2 hrs 30 min
4	2,4-D	--do--	2 hrs 30 min

TOTAL TIME	11 hrs
Power Consumption	12 kwh
Cost of Power @ Rs. 9 per kwh	Rs. 108/-
Consumable Cost	Rs. 1900/-
TESTING CHARGES	Rs. 3300/-
Total Testing Charges for Pesticide Residue Requirements	Rs. 5308/-
	= Rs. 5300/-

D. PREPARATION OF TEST REPORT

Total Time	2 hrs 30 min
Preparation Charge	Rs. 750/-

Total Testing Charges of the Product	A + B + C + D
	= Rs. 19,200/-

DDGL may kindly approve.

Varsha
Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1992 05 11

TESTING CHARGES FOR IS 13429(Part I, II & III):1992 SOLAR COOKER

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Components	5 & 7	6½
2.	Routine Test		
	i) Leakage test	8.1.1 _ ³ _	
	ii) Slam Test	8.1.2 _ ³ _	3
	iii) Mirror Reflectivity test	8.1.3 _ ³ _	
3.	Type Test		
	i) Exposure test	8.2.1	17
	ii) Thermal performance test	8.2.2	64
4.	Marking	10.1 & 10.2	½
5.	Finalization & Report preparation	-	8
TOTAL TIME :			99

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.7425.00

Facilities are not available with respect to Mirror reflectivity •
Test, Exposure Test and Thermal Performance Test.

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79
2011

03-06-

TESTING CHARGES FOR ALLETHRIN-MOSQUITO COILS AS PER IS 13438:1992.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.1	0.5	-	-	-	37.5
2.	Length	3.2	0.5	-	-	-	37.5
3.	Mass	3.3	0.5	-	-	-	37.5
4.	Burning quality	3.4	1	-	-	-	75.00
5.	Strength*	3.5	0.5	-	-	-	37.5
6.	Separation of joint coils	3.6	0.5	-	-	-	37.5
7.	Chemical	3.7	6	6	54	600	1104.00
	PREPARATION OF TEST REPORT		1				75.00
	TOTAL		10.5	6	54	600	1441.50

* Test facility for the test as mentioned is not available at CL at present.

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs.75x10.5 + 6x9+600 = Rs.1441.50 (Rounded Rs.1442.00)

The proposal is made on the basis of information received from testing lab.

(K.S.
Arya)
LO-

B (QA)
OIC (QA)
Head-CL
H (CQAPD)

Sc.G & Chief (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1993 03 26

TESTING CHARGES FOR IS 13439:1992 ALLETHRIN MOSQUITO MATS

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1. Physical :

i) Description 3.1.1 ½

ii) Dimension 3.1.2 2

2. Chemical:

i) Allethrin content 3.2.1 3 8

ii) Piperonyl Bintoxide 3.2.2 3 content 3

3. Packing and Marking 4 & 5 ½

PREPARATION OF TEST REPORT ½

TOTAL TIME : 12

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.900.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

25 Feb 2008

TESTING CHARGES FOR PRIMIPHOS METHYL EC AS PER IS 13455:1992

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Description	3.2	0.5	
2.	Cold test	3.3	1	1 kwh
3.	Flash point(Abcl)	3.4	1	1 kwh
4.	Emulsion stability	3.5	1	
50.00				
5.	Primiphos methyl content	3.6	12	6 kwh
600.00				
6.	Acidity	3.7	1	
50.00				
B.	Electricity power consumed			8 kwh
C.	Cost of Consumables/CRMs			
350.00				

1050.00				
D.	PREPARATION OF TEST REPORT		1	

TOTAL

TIME

18 hrs (round off)

Testing charges per man-hour are Rs.75.00. Hence testing charges for the products is:

Total Rs.75 x 18 + 8 x 4 + 1050 = Rs.2432.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

Head (CL)

DDGL

The revised BIS testing charges for IS 13457:1992 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

TESTING CHARGES FOR IS: 13457:92 DELTAMETHRIN W.P.

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2	0.5
2.	Deltamethrin Content	3.3, Table 1	6
3.	Sieving requirement	-- do --	1
4.	Suspensibility	-- do --	6
5.	Acidity/alkalivity	-- do --	1
6.	Wettability	-- do --	0.5
PREPARATION OF TEST REPORT			1

TOTAL TIME (Rounded of)			16
Cost of CRM : Rs.200/-			

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs.5000.00** (including cost of CRM).

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/14:0

2002-08-28

TESTING CHARGES FOR IS: 13457:92 DELTAMETHRIN W.P.

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2	0.5
2.	Deltamethrin Content	3.3, Table 1	6
3.	Sieving requirement	-- do --	1
4.	Suspensibility	-- do --	6
5.	Acidity/alkalivity	-- do --	1
6.	Wettability	-- do --	0.5
PREPARATION OF TEST REPORT			1

TOTAL TIME (Rounded of)			16
Cost of CRM : Rs.200/-			

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.1400.00 (including cost of CRM).

DG may kindly approve.

(Yad Ram)
TS(QA)

DCL (QA)
DDGL
ADGT
DG

\

The revised BIS testing charges for IS 13487:1992 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

**Our Ref : LPPD/54:1
2016**

10-03-

TESTING CHARGES FOR IS: 13487:1992 IRRIGATION EQUIPMENT-EMITTERS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Emitter Ends (Applicable for In-line Emitters only)	5.2	0.5
2.	Construction & Workmanship	7.1	1
3.	Flow path in Emitters	7.2	2
4.	Resistance to Hydrostatic pressure	7.3	2
5.	Emitter Pull out	7.4	2
6.	Uniformity of Emission Rate	8.1	2
7.	Emission rate as a function of inlet pressure	8.2	2
8.	Determination of Emitter Exponent (Applicable for regulated Emitters)	8.3	1
PREPARATION OF TEST REPORT			1
TOTAL TIME (Rounded)			----- 14
-			

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are:

Rs.4200.00 for inline regulated emitters

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/14:0

2003-05-30

TESTING CHARGES FOR IS: 13487:1992 IRRIGATION EQUIPMENT-EMITTERS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Emitter Ends (Applicable for In-line Emitters only)	5.2	0.5
2.	Construction & Workmanship	7.1	1
3.	Flow path in Emitters	7.2	2
4.	Resistance to Hydrostatic pressure	7.3	2
5.	Emitter Pull out	7.4	2
6.	Uniformity of Emission Rate	8.1	2
7.	Emission rate as a function of inlet pressure	8.2	2
8.	Determination of Emitter Exponent (Applicable for regulated Emitters)	8.3	1
PREPARATION OF TEST REPORT			1
TOTAL TIME (Rounded)			----- 14
-			

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are:

Rs.975/- for inline regulated emitters

DDGL may kindly approve.

(Avtar Singh)
D & H(QA)

DDGL

भारतीय मानक ब्यूरो / Bureau of Indian Standards
बैंगलोर शाखा कार्यालय प्रयोगशाला / Bengaluru Branch Laboratory

सन्दर्भ : BNBL/ MECH./ TC/ IS 13488

Testing Charges for IS 13488:2008 (Irrigation
Equipment – Emitting Pipe Systems)

Sl. No.	Clause No.	Requirement / Characteristic	Manhours spent in testing	Manhour cost of testing	Power consumption (if intensive) (kWh)	Cost of power	Consumables cost (if significant) Rs.	Total cost of test	Testing time for the purpose of time norms
1	2	3	4	5=4xRs 300	6	7=6xRs 9	8	9=5+7+8	10
1	Cl. 10, IS 2530:1963	Carbon Black Content	2	600	3	27	0	627	2.5
2	Cl. 16, IS 2530:1963	Carbon Black Dispersion	3	900	3	27	0	927	3.0
3	8.1	Uniformity of Emission Rate	3	900	1	9	0	909	2.0
4	8.2	Emission Rate of Emitting Unit as a Function of Inlet Pressure	2	600	1	9	0	609	2.0
5	8.3	Dimensions	2.5	750	0	0	0	750	2.5
6	8.4	Resistance of Emitting Pipes to Hydrostatic Pressure.	5	1500	50	450	0	1950	48.0
7	8.5	Resistance to Tension at Elevated Temperature	2	600	1	9	0	609	1.5
8	8.6	Resistance to Pull Out of Joints Between Fitting and Emitting Pipe	1	300	0	0	0	300	1.0
9	8.7	Resistance of PE Emitting	3	900	50	450	500	1850	48.0

	Grittiness	(Table-1, Sl No v)			
6	Freedom from Cracking	5.1 (Table-1, Sl No vi)	1 Hr	20	---
7	Cleaning Efficiency	5.1 (Table-1, Sl No vii)	3 Hr	---	---
8	Fatty Matter	5.1 (Table-1, Sl No viii)	5 Hr	2	300.00
9	Test Report Prep ⁿ		1 Hr		

Total Man Hour 18 Hr

Electricity Consumed KWh 28 Units

Rate ` 15.00 per Unit

Cost of Consumables ` 1,200.00

Testing Charges per Man-Hour ` 300.00

Hence Complete Testing Charges for the Product $(18.5 \times 300.00) + (28 \times 15.00) + 1,200.00$
` 7,020.00

Rounded Off to ` **7,100.00**

Submitted for approval please.

OIC (Chem)

Head (WRL)

DDG(Labs)

The BIS testing charges for IS 13502:1992 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/13502

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 13502:1992**

(Amnd-nil)

PIG IRON is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
105.	Chemical composition	Cl. 3, Cl. 4, Table-1 & 2	*	-	-	-
	c. Sulphur		2	6	50.00	-
	d. Manganese		3	6	50.00	-
	e. Silicon		3	6	50.00	-
	f. Phosphorus		3	6	50.00	-

	g. Chromium		3	6	50.00	-
106.	Size and mass	Cl. 6	2	-	-	Except radius
	Report Preparation		2	-	-	-
	Total		18	30	250.00	-

*Testing charges for each element other than Table-1 = Rs. 1004.00.

Testing charges = $18 \times 300 + 30 \times 9 + 250.00 = 5920.00$ excluding radius.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 4660/- + charges as per relevant ISS excluding Function and performance test, High pressure orifice seat test and Low pressure orifice seat test

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

17 Apr 2006

TESTING CHARGES FOR 2,4-D, ETHYL ESTER GRANULES AS PER IS 13513:1992

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-ever				
applicable				
A.	TEST PARAMETERS			
1.	Description	3.2	0.5	
2.	Identity test	3.3	6	6kwh
200.00				
3.	Sieving requirement	3.4.1	2	1kwh
-				
4.	Dust	3.4.2	7	7kwh
200.00				
5.	Moisture content	3.4.4	2	2kwh
6.	2,4-D content	3.5.1	6	6kwh
200.00				
7.	Free acidity	3.5.2	2	-
100.00				
B.	Electricity power consumed			22kwh
C.	Cost of Consumables/CRMs			
700.00				
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	26.5 (rounded 27h)	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.75x27+22x4+700 = Rs.2813 (rounded Rs.2815.00)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2001-08-14

TESTING CHARGES FOR IS: 13515:1992 RUST CONVERTERS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Drying time	4.2.1	1.5
2.	Acid leach test	4.2.2	1.5
3.	Adhesion test	4.2.3	1.5
4.	Scratch Hardness	4.2.4	1.5
5.	Resistance to temperature	4.2.5	1.5
6.	Immersion test	4.2.6	3
7.	Salt Spray test	4.2.7	8
8.	Keeping quality	3.5	18.5
PREPARATION OF TEST REPORT			1
TOTAL TIME			38

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.2850.00

DG may kindly approve.

(V.K. Sethi)
TS(QA)

D&H(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/14:0

1996-09-16

TESTING CHARGES FOR IS 13545:1992 GARAM MASALA

SL. NO	CHARACTERISTICS	CLAUSE NO.	MAN-HOUR
1.	Moisture	3.3 (Table 1)	2
2.	Total Ash	3.3 (Table 1)	3
3.	Acid Insoluble Ash	3.3 (Table 1)	4
4.	Non volatile ether	3.3 (Table 1)	3
5.	Volatile oil	3.3 (Table 1)	3
6.	Crude fibre	3.3 (Table 1)	5
7.	Salt	3.3 (Table 1)	2
8.	Lead	3.3 (Table 1)	3
9.	Chromium salts	3.3 (Table 1)	1
PREPARATION OF TEST REPORT			2
TOTAL TIME			28

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the product are Rs.2100.00

DDGL may kindly approve.

(V.K. Sethi)
TS (QA)

Additional Director (SRS)
DCL(QA)
DDGL
TS(QA)

The revised BIS testing charges for IS 13592:1992 effective from 20-04-2017

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF.: LAB/14:O

2017 04 07

TESTING CHARGES FOR IS 13592:2013 UPVC PIPES FOR SOIL & WASTE
DISCHARGE SYSTEM INSIDE BUILDINGS (Amnd-nil)

S NO	TESTS	CLAU SE REF.	MAN-HOURS
1.	Dimensions	7	1½
2.	Visual Appearance	8.1	½
3.	Reversion Test	8.2	1
4.	Stress Relief test	8.3	1
5.	Vicat softening Temp. Test	8.4	2½
6.	Effect of sun Light	8.5	3
7.	Resistance to H ₂ SO ₄	9	3
8.	Impact Test	10.1	4
9.	Tensile Strength	10.2	2½
10.	Axial Shrinkage Test	10.3	2
11.	Water Tightness of Joint	11	2
12.	Resistance to Dichloromethane	12	5
	PREPARATION OF TEST REPORT		2

TOTAL TIME: 30

Testing charges per man-hour are Rs. 300.00.

Hence complete testing charges for the product are: Rs.9000.00

OIC (M)
OIC (QA)
Head (CL)
DDGL

As decided by CA, the testing charges are Rs.8100/- Excluding Effect of Sun Light.

Bathla)

(Kshitij

Sc.B, LPPD

**HLPPD
DDGL**

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1995 01 16

TESTING CHARGES FOR IS 13592:1992 UPVC PIPES FOR SOIL & WASTE
DISCHARGE SYSTEM INSIDE BUILDINGS

S NO TESTS CLAUSE REF. MAN-HOURS

1. Dimensions	7	1½
2. Visual Appearance	8.1	½
3. Reversion Test	8.2	1
4. Stress Relief test	8.3	1
5. Vicat softening Temp.Test	8.4	2½
6. Effect of sun Light	8.5	3
7. Resistance to H ₂ SO ₄	9	3
8. Impact strength/Tensile	10.1/10.2	4
9. Axial Shrinkage Test	10.3	2
10. Water Tightness of Joint	11	2
PREPARATION OF TEST REPORT		2

TOTAL TIME : 23

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1725.00

APPROVED BY THE COMPETENT AUTHORITY.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

29 Aug 2005

TESTING CHARGES FOR METALAXYL WS AS PER IS 13641:1992

Sl.. No.	Characteristics	Clause no.	Man- Hours
1.	Description	3.2	0.5
2.	Metalaxyl content	3.3., Table 1	6
3.	Sieving requirement	--- do ---	1
4.	Wettability	--- do ---	1
PREPARATION OF TEST REPORT			1
TOTAL		TIME	9.5 (rounded 10h)

Cost of CRM = Rs.200/-

Testing charges per man-hour are Rs.75.00 . Hence complete testing charges of the product are:

$$\text{Total Rs. } 75 \times 10 = \text{Rs.} 750.00 + 200 \text{ (Cost of CRM)} = \text{Rs.} 950.00$$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA (QA)

D&H(QA)/DDGL

BIS NROL Mohali

OUR REF: NROL/Testing Charges/13688:2020
2023

23-11-

TESTING CHARGES FOR IS 13688:2020, Packaged Pasteurized Milk.

Sr.No.	Characterstics Consumables	Clause ref. of IS	Man-Hours	Electricity Power Consumption (KWH)	Cost of applicable
A. TEST PARAMETERS					
1.	Colour and appearance	8.1	}	0.5	-
2.	Odour	--do--			
-					
3.	Flavour	--do--			
4.	Body	--do--			
5.	Milk fat	8.4	5	5	
	200.00				
6.	Milk solids-not-fat	--do--	2	5	-
7.	Phosphatase test*	--do--	-	-	
-					
8.	Neutralizer*	--do--			
9.	Urea*	--do--			
10.	Lead*	--do--			
11.	Arsenic*	--do--			
12.	Aflatoxin M1*	-do--			
13.	Vitamin A*	8.5			
14.	Vitamin D*	--do--			

15. Salmonella sp. 450.00	8.3	4	144
16. Listeria monocytogenes 450.00	8.3	5	120
17. Aerobic Plate Count 90.00	8.3	4	72
18. Coliform Count 100.00	8.3	4	24

B. POWER CONSUMPTION –

1. FOR STERILIZATION AND DECONTAMINATION 41KWH=41 units

2.ELECTRICITY POWER CONSUMED 370 KWH=370 units

C. COST OF CONSUMABLES/CRMs
1290.00

D. PREPARATION OF TEST REPORT 2

	Total	26.5 hr
--	-------	---------

Electricity cost @ ₹ 9.00 per kwh

Testing charges per man-hour are ₹ 300.00.

Hence complete testing charges for the product are: (26.5 h x 300) + (411units x 9) + (1290)=

Rs 12,939.00

***Testing Facility is not available at NROL, Mohali.**

Kapil Kumar/Deepali
TA(Lab.)

Bureau of Indian Standards
EROL-Kolkata

Ref: EROL (Q)/38/IS 13714
2019

20-12-

Sub: Testing Charges for 13714:1993, Dunnage pallets - Ware housing

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive) (unit)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks
(i)	(ii)	(iii)	(iv)	(v)=(iv)x Rs. 300	(vi)	(vii)=(vi) xRs10.00	(viii)	(ix)=(v)+(vii)+(viii)	(x)
1	4	Dimension	3	900	0	0	0	900	
2	5	Material							
	5.1.2	Timber i) Moisture	4	1200	4	4 x 10.00		1246.08	
	5.1.2.1	Objectionable knots	1	300	0	0		300.00	
	5.2 5.2.1	Nails	1	300	0	0		300.00	
	6 6.1 7	Construction Workmanship and finish	1	300	0	0		300.00	
					2				
3		Preparation of Test Report	1	300				300	

Total Manhours: 11

Cost of Power: 4 x Rs.10.00=40.00

Total cost of consumables: Nil

Testing Charges for the product: **Rs. 3,350/-** (rounded off to nearest 50 rupee)

(D. Bhadra)
OIC (QA)

H (EROL)

H (LPPD)

BIS, CENTRAL LABORATORY
(Electrical Lab)

Our Ref: CLE/Energy meter/IS 13779:2020

14/07/2021

Testing Charges for a.c. static watt-hour meters, class 1 and 2 as per IS 13779:2020

S. No.	Parameters	Clause No.	Man-Hours	Electricity Power Consumed kW (Units)	Remarks
1.	Classification	4	0.5		
2.	Ratings	5	0.5		
3.	Standard Reference Voltages	5.1	1		
4.	Standard Basic Currents	5.2			
5.	Rated Maximum Current	5.3			
6.	Standard Frequency	5.4			
7.	General and constructional requirements	6	5		
8.	General	6.1			
9.	Meter Case	6.2			
10	Window	6.3			
11	Terminals, terminal block and protective earth terminal	6.4	N		
12	Terminals covers and Extended Terminal Cover	6.5	1		
13	Clearance and creepage distances	6.6	1		
14	Insulating encased meter	6.7	1		
15	Display of measured values	6.10	1		

16	Output device	6.11	1		
17	Marking of meters	7	4		
18	Name Plate	7.1			
19	Connection diagrams and terminal marking	7.2			
20	Test for Mechanical Requirements	12.3			
21	Shock test	12.3.1	N		
22	Vibration test	12.3.2	N		
23	Spring hammer test	12.3.3	1		
24	Test of resistance to heat and fire	12.4	2		
25	Test of protection against penetration of dust and water	12.5	N		
26	Test for Climatic Influences	12.6	N		
27	Dry heat test	12.6.1	N		
28	Cold test	12.6.2	N		
29	Damp heat cyclic test	12.6.3	N		
30	Test of Electrical Requirements	12.7			
31	Test of power consumption	12.7.1	N		
32	Test of influence of supply voltage	12.7.2	1	0.5	
33	Voltage interruptions of Vref=100% Interruption time: 1sec Number of interruptions: 3 Restoring time between interruptions: 50msec.	12.7.2			
34	Voltage interruptions of Vref=100% Interruption time: 20msec Number of interruptions: 1	12.7.2			

35	Voltage dip of Vref=50% Dip time: 1 min Number of dips: 1	12.7.2			
36	Test of influence of short time over currents	12.7.3	N		
37	Test of Influence of self-heating	12.7.4	7	90	
38	Test of influence of heating	12.7.5	3	100	
39	Test of Insulation Properties	12.7.6			
40	Impulse voltage test	12.7.6.2	N		
41	Impulse voltage tests for circuits and between the circuits	12.7.6.2	N		
42	Impulse voltage test of electric circuits relative to earth	12.7.6.2	N		
43	ac high voltage test	12.7.6.3	0.5		
44	Insulation resistance test	12.7.6.4	0.5		
45	Test of immunity to earth/phase fault	12.8	6	55	For 3Ph 4 wire only
46	Test for Electromagnetic Compatibility	12.9	N		
47	Test of Immunity to electrostatic discharge	12.9.2	N		
48	Test of Immunity to electromagnetic HF field	12.9.3	N		
49	Fast transient burst test	12.9.4	N		
50	Surge Immunity test	12.9.5	N		
51	Radio interference measurement	12.9.6	N		
52	Test of Accuracy Requirements	12.10			
53	Test of influence quantities	12.11	N		
54	Test on limits of error due to variation of current	11.1	4	50	

55	Test on limits of error due to other influence quantities	11.2			
56	Test of ambient temperature influence	12.12 & 11.3	N		
57	Test of no-load condition	12.13 & 11.4	0.5		
58	Test of starting condition	12.14 & 11.5	0.5		
59	Test of meter constant	12.15 & 11.6	1	20	
60	Test of repeatability of error	12.16 & 11.7	3	20	

N= Testing facility not available at present.

Total Testing charges for single phase energy meters-Rs. $40 \times 300 + 280 \times 9 = 14520/-$

Total Testing charges for three phase energy meters-Rs. $46 \times 300 + 335 \times 9 = 16815/-$

(Yeshpal Singh)
Laboratory officer

Sh. Jatin Tiwari (Sc. B)

OIC (E)

OIC (QA)

HEAD (CL)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1994 04 26

TESTING CHARGES FOR IS 13784:1993 DODINE TECHNICAL

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Description	3.1	½
2.	Requirements as per Table 1	3.2	
	i) Dodine content	"	4
	ii) Water content	"	1
	iii) Alkalinity or Acidity	"	1
3.	Packing & Marking	4 & 5	½
	PREPARATION OF TEST REPORT		½
	TOTAL TIME :		8

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.600.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:

↓

**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

**TESTING CHARGES FOR IS 13784:1993 – DODINE
TECHNICAL**

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.1	0.5
2	Dodine Content	3.2, i) of Table 1	2.5
3	Water Content	3.2, ii) of Table 1	1
4	Alkalinity / Acidity	3.2, iii) of Table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	6

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1800/-
COST OF CRM	Rs. 200/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2000/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF. : LAB/14:O

1996 02 14

TESTING CHARGES FOR IS 13785:1993 DODINE WP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
------	-------	-------------	-----------

1.	Description	3.2	½
----	-------------	-----	---

2.	Requirements as per Table 1: 3.3		
----	----------------------------------	--	--

	i) Dodine content		4
--	-------------------	--	---

	ii) Sieving	1	
--	-------------	---	--

	iii) Suspensibility	6	
--	---------------------	---	--

	iv) Acidity or Alkalinity	1	
--	---------------------------	---	--

	v) Wettability	½	
--	----------------	---	--

	PREPARATION OF TEST REPORT		½
--	----------------------------	--	---

	TOTAL TIME :		14
--	--------------	--	----

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs.1050.00

APPROVED BY THE COMPETENT AUTHORITY.

REVISED TESTING CHARGES IS PLACED BELOW:



**BIS LABORATORY POLICY & PLANNING
DEPTT**

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 13785:1993 – DODINE WP

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2	0.5
2	Dodine Content	3.3, i) of Table 1	2.5
3	Seiving Requirement	3.3, ii) of Table 1	1
4	Suspensibility	3.3, iii) of Table 1	4
5	Acidity	3.3, iv) of Table 1	1
6	Wettability	3.3, v) of Table 1	0.5
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	10.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 3150/-
COST OF CRM	Rs. 200/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3350/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

TESTING CHARGES FOR IS 13788:1993 KITAZIN TECHNICAL					
SL. NO.	CHARACTERISTICS	CLAUSE NO.			MAN-HOURS
1.	Kitazin Content	Table 1 (Clause 3.2)			6
2.	Material insoluble in acetove	“	“	“	3
3.	Moisture Content	“	“	“	3
4.	Specific Gravity	“	“	“	1
5.	Acidity	“	“	“	1
PREPARATION OF TEST REPORT					2
TOTAL TIME					---
					16
					--

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.1200.00.

DDGL may kindly approve.

Sd/-
(V.K. Sethi)
TS(QA)

DCL(QA) Sd/- 01/21
DDGL Sd/- 01/22
TS(QA)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:Lab/14:0

1997-01-14

TESTING CHARGES FOR IS 13790:1993 KITAZIN EC

1.	Cold test		3.3	1.5
----	-----------	--	-----	-----

2.	Flash Point	3.4	1	
----	-------------	-----	---	--

3.	Emulsion Stability	3.5	1.5	
----	--------------------	-----	-----	--

4.	Kitazin Content	3.6.1	6	
----	-----------------	-------	---	--

5.	Acidity	3.6.2	1	
----	---------	-------	---	--

PREPARATION OF TEST REPORT			2	
----------------------------	--	--	---	--

		TOTAL TIME	13	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.975.00.

The revised BIS testing charges for IS 13801:2013 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

08-07-2016

TESTING CHARGES FOR CHEQUERED TILESAS PER IS 13801:2013

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
A.	TEST PARAMETERS				
1.	Dimensions	3.1 & 7.1	1		
2.	Flatness of the tile surface	12.1	1		
3.	Perpendicularity	12.2	1		
4.	Straightness	12.3	1		
5.	Water absorption	12.4	4	8kwh	
6.	Wet transverse strength*	12.5	5		
7.	Resistance to wear*	12.6	16	15kwh	
8.	Thickness of wearing layer	8.3.1	0.5		
B.	Electricity power consumed			23kwh=23units	
C.	Cost of Consumables/CRMs				500.00
D.	PREPARATION OF TEST REPORT		0.5		
	TOTAL	TIME	30h		

* Testing facilities are not available for the tests mentioned.

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the products is:

Total Rs.30x300+23x9+500=Rs.9707.00 (Rounded=**Rs.9710.00**)

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

7 June 2006

TESTING CHARGES FOR CHEQUERED TILES AS PER IS 13801:1993

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where- ever				
applicable				
A.	TEST PARAMETERS			
1.	Dimensions	3.1 & 6.1	1	
2.	Flatness of the tile surface	11.1	1	
3.	Perpendicularity	11.2	1	
4.	Straightness	11.3	1	
5.	Water absorption	11.4	4	8kwh
6.	Wet transverse strength*	11.5	5	
7.	Resistance to wear*	11.6	16	15kwh
B.	Electricity power consumed			23kwh=23units
C.	Cost of Consumables/CRMs			
	500.00			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	30h	

* Testing facilities are not available for the tests mentioned.

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.30x75+23x4+500=Rs.2842.00 (Rounded=Rs.2840.00)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/Lab/14:0

2001-02-07

TESTING CHARGES FOR IS: 13849:1993 POTABLE FIRE EXTINGUISHER DRY
POWDER TYPE (STORED PRESSURE)

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Marking	11	1
2.	Capacity	4	1
3.	Shape	6]	
		]	12
	Construction	7]	
2.	Painting	9	1
5.	Anti-corrosive treatment	8	1
6.	Test Requirement		
	Hydraulic pressure test		
	Hydraulic burst test		
	Leakage test	10	18
	Retention of pressure test		
	Drop test		
	Performance test		
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		35

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.2625.00

DG may kindly approve.

(V.K. Sethi)
TS(QA)

DCL(QA)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

3 June 2005

TESTING CHARGES FOR METAL FACED PLYWOOD AS PER IS 13957:1994/

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.*	Materials	4			
	a) Plywood	4.1	As per IS 303:1989		
	b) Galvanized iron sheets	4.2	As per IS 277:1985		
	c) Aluminium sheet	4.2	As per IS 737:1986		
2.	Dimensions & Tolerances	6	3		
3.	Workmanship & Finish	7	1		
4.	Bond quality test	9.3	12	3 kw for 18h & 1kw for 60h	
	PREPARATION OF SAMPLE AND TEST REPORT		2 -----		-----
	TOTAL	TIME	18 h	114 units	

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges.

$$\text{Total Rs. } 18 \times 75 + 114 \times 4 = \text{Rs. } 1350 + 456 = \text{Rs. } 1806.00$$

- Testing charges of materials : a) = Rs.1725.00
b) = Rs.525.00
c) = Rs.1725.00

The metal faced plywood is either a combination of a&b or a&c and therefore testing charges will be:

- Metal faced plywood (Galvanized Iron sheet) =
Rs.1806+1725+525=4056.00
- Metal faced plywood (Aluminium sheet) = Rs.1806+1725+1725=5256.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)

D&H(QA)
DDGL

STA(QA)

The revised BIS testing charges for IS 13983:1994 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR STAINLESS STEEL SINKS FOR DOMESTIC PURPOSES AS PER IS 13983:1994

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
A.	TEST PARAMETERS				
1.	Types	4		0.5	
2.	Materials	5		34	15 kwh
	400.00				
				(As per IS 5522:92)	
3.	Dimensions & tolerances				
	a) Thickness of sheets/strips	6.1		1	
	b) Depth of bowls	6.2		0.5	
	c) Internal dimensions of bowls	6.3		1.5	
	d) Bowl locating limits	6.4		2	
	e) Coordinating sizes	6.5		2	
4.	Construction & workmanship	7		2	
5.	Waste outlet	7.4		0.5	
6.	Tapholes	7.5		1	
7.	Over flows	7.6		1	
B.	Electricity power consumed				-
C.	Cost of Consumables/CRMs				-
D.	PREPARATION OF TEST REPORT			1	
	TOTAL	TIME		47h	

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the products is:

$$\text{Total Rs. } 300 \times 47 + 15 \times 9 + 400 = \text{Rs. } 14635.00$$

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

6 Oct 2006

TESTING CHARGES FOR STAINLESS STEEL SINKS FOR DOMESTIC PURPOSES AS PER IS 13983:1994

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-ever				
applicable				
A.	TEST PARAMETERS			
1.	Types	4	0.5	
2.	Materials	5	34	15 kwh
	400.00			
			(As per IS 5522:92)	
3.	Dimensions & tolerances			
	a) Thickness of sheets/strips	6.1	1	
	b) Depth of bowls	6.2	0.5	
	c) Internal dimensions of bowls	6.3	1.5	
	d) Bowl locating limits	6.4	2	
	e) Coordinating sizes	6.5	2	
4.	Construction & workmanship	7	2	
5.	Waste outlet	7.4	0.5	
6.	Tapholes	7.5	1	
7.	Over flows	7.6	1	
B.	Electricity power consumed			-
C.	Cost of Consumables/CRMs			
	-			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	47h	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.75x47+15x4+400 = Rs.3985.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 13997:1994 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 13997:1994 DRUMS,LARGE OPEN TOP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Capacity	4	2.5
2.	Dimensions including thickness of sheets	5(Fig.1/2)and 6.2	3
3	Material (if raw material supplied)	6.1 As per IS:513-1994	
4.	Construction	7.1 & 7.5	2
5.	Locking Ring	7.9	1
6.	Leakage test (water tight)	9.1	1
	PREPARATION OF TEST REPORT		1
	TOTAL TIME :		11

Testing charges per man-hour are Rs. 300.00. Hence complete testing charges for the product are **Rs.3300.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD
[Q.A. DEPARTMENT]

OUR REF : LAB/14:0

1996 10 07

TESTING CHARGES FOR IS 13997:1994 DRUMS,LARGE OPEN TOP

S NO	TESTS	CLAUSE REF.	MAN-
HOURS			

1.	Capacity	4	2.5
2.	Dimensions including thickness of sheets	5 (Fig.1/2) and 6.2	3
3	Material (if raw material supplied)	6.1	As per IS:513-
1994			
4.	Construction	7.1 & 7.5	2
5.	Locking Ring	7.9	1
6.	Leakage test (water tight)	9.1	1
	PREPARATION OF TEST REPORT		1

	TOTAL TIME :		11

Testing charges per man-hour are Rs. 75.00. Hence complete testing charges for the product are Rs.825.00

Approved by competent authority

BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)

Our Ref: Lab/14.0

TESTING CHARGES FOR IS 14101:1994 DEEPWELL C. I. COMPONENTS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
Section – 1	Reducer cap for cylinder For IS 9301 & IS 13287	4.1, 3.2.1, 3.5.1, 3.7.1 3.7.2.1	1
		5.1 Fig. 1	2
		3.1.1	*
		PREPARATION OF TEST REPORT	1
Section – 2	Upper cap for cylinder for IS 13056	6.1, 4.1, 3.2.1 3.5.1, 3.7.1, 3.7.2.1	1
		7.1 Fig. 2	1.5
		3.1.1	*
		Bottom cap for cylinder for IS 13056	2.5
		Fig. 3 3.1.1	*
	PREPARATION OF TEST REPORT		1
Section – 3	Cylinder Body with Brass Liner for IS 9301:1990	8.1, 3.2.1, 3.2.2 3.2.3, 3.5.1, 3.7.1, 3.7.1.1, 3.7.2.1, 10.1	1.5
		9.1 Fig. 4	3
		3.3.1	*
		3.1.2	**
		PREPARATION OF TEST REPORT	1
Section – 4	Cylinder Body with Brass Liner for IS 13056 & IS 13287	11.1, 3.2.1 3.2.2, 3.2.3 3.5.1, 3.7.1, 3.7.1.1, 3.7.2.1	1.5
		13.1	
		12.1 Fig. 5	2.75
		3.1.1	*
		3.1.2	**
		PREPARATION OF TEST REPORT	1

Testing charges per man- hour are Rs. 75.00. Hence testing charges for C.I. Components as per relevant section are

Section – 1	Rs. 300.00 + *
Section – 2	Rs. 300.00 + * (For each upper & bottom cap)
Section – 3	Rs. 450.00 + * + * *
Section – 4	Rs. 375.00 + * + * *

* Testing charges for testing raw materials as applicable to IS 210:1978.

* * Testing charges for testing raw materials as applicable to IS 407:81.

DDGL may kindly approve.

(V. K. Sethi)
Technical Supervisor (QA)

DCL(DKC)
DCL(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

**TESTING CHARGES FOR IS 14102:1994 DEEPWELL HANDPUMP LEADED TIN
BRONZE COMPONENTS**

<u>SL. NO</u>	<u>CHARACTERISTICS</u>	<u>CLAUSE NO.</u>	<u>MAN-HOUR</u>
Section 1	Plunger yoke body for IS 9301, IS 13056 IS 13287	4.1, 3.2, 3.2.1 ! 3.4.1, 3.6.1 ! 3.6.2.1 !	1
		5.1(Fig.1) 8.1.1	1.5 *
	PREPARATION OF TEST REPORT		1
Section 2	Upper Valve for IS 9301, IS 13287	6.1, 3.2, 3.2.1 ! 3.4.1, 3.6.1 ! 3.6.2.1 !	1
		7.1(Fig.2) 3.1.1	1.5 *
	PREPARATION OF TEST REPORT		1
Section 3	Check Valve for For IS 9301 & IS 13287	8.1 3.2, 3.2.1 ! 3.4.1, 3.6.1 ! 3.6.2.1 !	!
		9.1 (Fig.3) 3.1.1	1.5 *
	PREPARATION OF TEST REPORT		1
Section 4	Check Valve for For IS 13056	10.1 3.2, 3.2.1 ! 3.4.1, 3.6.1! 3.6.2.1 !	!
		11.1 (Fig.4) 3.1.1	1.5 *
	PREPARATION OF TEST REPORT		1
Section 5	Check Valve for For IS 9301 & IS 13287	12.1 3.2, 3.2.1 !	!

	3.4.1, 3.6.1! 3.6.2.1 !		
	13.1 (Fig.5) 3.1.1	1.5 *	
PREPARATION OF TEST REPORT		1	
Section 6 Check Valve for For IS 13056	14.1 ! 3.2, 3.2.1 ! 3.4.1, 3.6.1! 3.6.2.1 !	1	
	15.1 (Fig.6) 3.1.1	1 *	
PREPARATION OF TEST REPORT		1	
Section 7 Spacer for For IS, 9301, IS 13056, IS 13287	16 ! 3.2, 3.2.1 ! 3.4.1, 3.6.1! 3.6.2.1 !	1	
	17.1 (Fig.7) 3.1.1	1 *	
PREPARATION OF TEST REPORT		1	
Section 8 Lower spacer for IS 13287	18.1 ! 3.2, 3.2.1 ! 3.4.1, ! 3.6.2.1 !	1	
	19.1 (Fig.8) 3.1.1	1 *	
PREPARATION OF TEST REPORT		1	
Section 9 Follower for IS 9301		20.1	!

3.2, 3.2.1 !	1
3.4.1, 3.6.1!	
3.6.2.1 !	
21.1 (Fig.9)	1
3.1.1	*

PREPARATION OF TEST REPORT	1
----------------------------	---

Section 10	Follower for	22.1	!
IS 13056			
	3.2, 3.2.1 !	1	
	3.4.1, 3.6.1!		
	3.6.2.1 !		
	23.1 (Fig.10)	1	
	3.1.1	*	

PREPARATION OF TEST REPORT	1
----------------------------	---

Section 11	Follower for	24.1	!
IS 13287			
	3.2, 3.2.1 !	1	
	3.2.4, 3.6.1!		
	3.6.2.1 !		
	25.1 (Fig.11)	1.5	
	3.1.1	*	

PREPARATION OF TEST REPORT	1
----------------------------	---

Section 12	Rubber sent retainer for	26.1	!
IS 9301 & IS 13287			
	3.2, 3.2.1 !	1	
	3.4.4, 3.6.1!		
	3.6.2.1 !		
	27.1 (Fig.12)	1	
	3.1.1	*	

PREPARATION OF TEST REPORT	1
----------------------------	---

Section 13	Cage for Deepwell handpump	28.1	!
IS 13056	3.2, 3.2.1 !	1	
	3.4.1, 3.6.1!		
	3.6.2.1 !		
	29.1 (Fig.13)	1.5	
	3.1.1	*	
PREPARATION OF TEST REPORT		1	

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for components covered under different sections are as follows:

Section 1, 2,3,4,5,11 & 13 Rs.300.00 (Each section)
Section 6,7,8,9,10 & 12 Rs.225.00 (Each section)

*Testing charges as applicable to IS 318 or IS 6912 shall be levied.

DDGL may kindly approve.

(V.K. Sethi)
TS (QA)

DCL(DKC)
DCL(QA)

BIS CENTRAL LABORATORY, SAHIBABAD
(Q.A. Department)

Our Ref: Lab/14:0

1996-02-19

TESTING CHARGES FOR IS 14103:1994 DEEPWELL HANDPUMP MILD STEEL COMPONENTS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
Section-1	Front cover for	4.1)	
	IS 9301, IS 13056	3.5.1)	

IS 13287	3.7.1	)	1.5
	3.7.1.1	)	
	5.1 (Fig.1)	)	
PREPARATION OF TEST REPORT			
Section-2 Head for	6.1	)	
IS 9301 & IS 13056	3.5.1	)	
	3.7.1	)	
	3.7.1.1	)	
	3.5.5	)	
	2		
	3.5.7	)	
	7.1 (Fig.2)	)	
PREPARATION OF TEST REPORT			1
Section-3 Head for IS 13287	8.1	)	
	3.5.1	)	
	3.7.1	)	
	3.7.1.1	)	2
	3.5.5	)	
	3.5.7	)	
	7.1 (Fig.3)	)	
PREPARATION OF TEST REPORT			1
Section-4 Head plate for	10.1	)	
	3.5.1	)	
	3.7.1	)	
	3.7.1.1	)	1.5
	3.5.5	)	
	3.5.7	)	
	11.1 (Fig.4)	)	
PREPARATION OF TEST REPORT			1
Section-5 Chain with coupling	12.1	)	
	3.5.1	)	
	3.7.1	)	
	3.7.1.1	)	1
	3.7.2.1	)	
	13,1 (Fig.5)	)	
PREPARATION OF TEST REPORT			
-2-			
Section-6 Handle for	14.1	)	
IS 9301 & IS13056	3.5.1	)	
	3.5.6.2	)	
	3.5.7	)	
	3.7.1	)	1.5
	3.7.1.1	)	
	3.7.2.1	)	
	15.1 (Fig.6)	)	
PREPARATION OF TEST REPORT			1
Section-7 Handle for IS 13287	16.1	)	
	3.5.1	)	

	3.5.6.2	)	
	3.5.7	)	
	3.7.1	)	1.5
	3.7.1.1	)	
	3.7.2.1	)	
	17.1 (Fig.7)	)	
PREPARATION OF TEST REPORT			
Section-8 Counter weight for	18.1	)	
IS 13287	3.5.1	)	
	3.7.1	)	1
	3.7.2.1	)	
	19.1 (Fig.8)	)	
PREPARATION OF TEST REPORT			1
Section-9 T-Bar for	20.1	)	
	3.5.1	)	1.5
	3.7.1	)	
	3.7.2.1	)	
	21.1 (Fig.9)	)	
PREPARATION OF TEST REPORT			1
Section-10 Connecting Rod	22.1	)	
For IS 9301, IS 13056	3.5.1	)	
	3.5.3	)	
	3.7.1	)	
	3.7.1.1	)	1
	3.7.2.1	)	
	3.8.3	)	
	23.1 Fig.10))		
	3.1.2		*
PREPARATION OF TEST REPORT			1

-3-			
Section-11 Socket for	25.2	)	
IS 9301 & IS 13287	3.5.2	)	
	3.7.1	)	
	3.7.1.1	)	0.5
	3.7.2.1	)	
	26.1 (Fig.11))		
	25.1		***
	25.2		
PREPARATION OF TEST REPORT			1

Section-12	Socket for	27.2	)	
	IS 13056	3.5.2	)	
		3.7.1	)	
		3.7.1.1	)	
		3.7.2.1	)	
		28.1 (Fig.12))		
	PREPARATION OF TEST REPORT			1

Section-13	Water tank	29.1	)	
	For IS 9301	3.5.2	)	
	& IS 13287	3.7.1	)	
		3.7.1.1	)	4
		3.7.2.1	)	
		30.1 (Fig.13))		
	PREPARATION OF TEST REPORT			1
Section-14	Water tank	31.1	)	
	For IS 13056	3.5.2	)	
		3.7.1	)	4
		3.7.1.1	)	
		3.7.2.1	)	
		32.1 (Fig.14))		
	PREPARATION OF TEST REPORT			1
Section-15	Stand for	33.1	)	
	IS 9301 & IS 13056	3.5.2	)	
		3.7.1	)	
		3.7.1.1	)	5
		3.7.2.1	)	
		34.1 (Fig.15))		
	PREPARATION OF TEST REPORT			1

-4-				
Section-16	Stand for	35.1	)	
	IS 13287	3.5.2	)	
		3.7.1	)	5
		3.7.1.1	)	
		3.7.2.1	)	
		36.1 (Fig.16))		
	PREPARATION OF TEST REPORT			1
Section-17	Washer for	37.1	)	
	IS 9301, IS 13056	3.5.2	)	
	and IS 13287	3.7.1	)	0.5
		3.7.1.1	)	
		3.7.2.1	)	
		38.1 (Fig.17))		
		3.2.1.1		***

PREPARATION OF TEST REPORT

1

Section-18	Spacer for	39.1	)	
	IS 9301, IS 13056	3.5.2	)	
	and IS 13287	3.7.1	)	0.5
		3.7.1.1	)	
		3.7.2.1	)	
		40.1 (Fig.18))		
		3.2.1.1		****

PREPARATION OF TEST REPORT

1

Testing charges per man-hour are Rs.85.00. Hence testing charges for Mild Steel Components covered under different sections are as follows:-

Section 1,2,3,4,6,7 & 9	Rs.225.00 (For each section)
Section 5 & 8	Rs.150.00 -do-
Section 10	Rs.150.00 +* +**
Section 11 & 12	Rs.150.00 +*** (For each section)
Section 13 & 14	Rs.375.00 (For each section)
Section 15 & 16	Rs.450.00 (For each section)
Section 17 & 18	Rs.150.00 + ****

General:-

1. For raw materials (cl.3.1.1), M.S. components, the testing charges shall be levied as applicable to IS 2062:1992 (Grade 1).
2. For Galvanizing test requirement (cl.3.2.1.2) for all the galvanized components shall be levied as applicable to IS 4759:1984 & IS 9839:1981.
3. Chain material if required to be tested, testing charges shall be levied applicable to IS 2403:1991.

* Material testing charges as applicable to type 4 & Grade 2 or 3 of
IS 9550:1980 shall be levied.

** Finish testing charges shall be levied as applicable to service grade 4
of IS 1573:1986.

*** If raw material is sent for testing, testing charges shall be levied as
applicable to Grade A IS 2062.

**** Testing charges applicable to IS 1573 shall be levied.

DDGL may kindly approve.

Sd/-
(V.K. Sethi)
Technical Supervisor (QA)

DCL (DKC) sd/-96/02/23
DCL (QA) sd/-02/26
DDGL sd/-02/26

BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)

1996 02 12

Our Ref: Lab/14.0

**TESTING CHARGES FOR IS 14104:1994 DEEPWELL COMPONENTS
NITRILE RUBBER**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
Section – 1	Pump Bucket for IS 9301,	4.1	

	IS 13056 and IS 13287	3.2.1		
		3.4.1		
		3.6.1	0.5	
		3.6.1.1		
		3.6.2.1		
		5.1 (Fig. 1)	0.5	
	PREPARATION OF TEST REPORT		0.5	
Section – 2	Rubber seating (upper valve) for IS 9301, IS 13056 and IS 13287	6.1 3.2.1 3.4.1 3.6.1 3.6.1.1 3.6.2.1 7.1 (Fig. 2)	0.5	
	PREPARATION OF TEST REPORT		0.5	
Section – 3	Rubber, seating (lower valve) for IS 9301, and IS 13287	8.1 3.2.1 3.4.1 3.6.1 3.6.1.1 3.6.2.1 9.1 (Fig. 3)	0.5	
	PREPARATION OF TEST REPORT		0.5	
- 2 -				
Section – 4	Rubber seating (lower valve) for IS 13056	10.1 3.2.1 3.4.1 3.6.1 3.6.1.1 3.6.2.1 11.1 (Fig. 4)	0.5	
	PREPARATION OF TEST REPORT		0.5	
Section – 5	Sealing Ring for IS 9301 & IS 13287	12.1 3.2.1 3.4.1 3.6.1	0.5	

		3.6.1.1	
		3.6.2.1	
		13.1 (Fig. 5)	0.5
	PREPARATION OF TEST REPORT		0.5
Section – 6	Sealing Ring for IS 13056	14.1 3.2.1 3.4.1 3.6.1 3.6.1.1 3.6.2.1	0.5
		15.1 (Fig. 6)	0.5
	PREPARATION OF TEST REPORT		0.5
Section – 7	O Ring for IS 13056	16.1 3.2.1 3.4.1 3.6.1 3.6.1.1 3.6.2.1	0.5
		19.1 (Fig. 7)	0.5
	PREPARATION OF TEST REPORT		0.5
Section – 8	Nitrile Rubber : Raw Material when supplied Separately	3.1.1	10
	- 3 -		
	Resistance at low temp. at which regidily moduls does not exceed 70 Mpa.	Annex “ A “	*
	Adhesion to corrosion of Metals 168 h at 70°C	Annex “ A “	**
	PREPARATION OF TEST REPORT		0.5

Nitrile Rubber (if supplied separately) Rs. 825 + * + **

* & ** Presently testing facilities are not available at CL.

DDGL may kindly approve.

(V. K. Sethi)
Technical Supervisor (QA)

DCL(DKC)
DCL(QA)DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/14:0

1996-02-15

**TESTING CHARGES FOR IS 14105:1994 DEEPWELL HANDPUMP STAINLESS
STEEL COMPONENTS**

SL. . NO	CHARACTERISTICS	CLAUSE NO.	MAN-HOUR
Section 1	Connecting Rod	4.1 !	
	For IS 9301, IS 13056	3.1.2 !	
	IS 13287	3.1.1 !	
		3.3.1 !	
		3.3.3 !	
		3.5.1 !	1
		3.5.1.1 !	
		3.5.2.1 !	
		3.6.2 !	
		7.1 !	
		6.1(Fig.1)	1

		5.1	*
		PREPARATION OF TEST REPORT	1
Section 2	Handle Axle for IS 9301, IS 13056 and IS 13287	8.1 ! 3.1.1 ! 3.1.2 ! 3.3.1 ! 3.3.3 ! 3.5.1 ! 3.5.1.1 ! 3.5.2.1 ! 3.6.2 !	1
		10.1(Fig.2)	$\frac{3}{4}$
		9.1	**
	Physical testing YS, TS %E		2
		PREPARATION OF TEST REPORT	1
Section 3	Plunger Rod For IS 9301	11.1 ! 3.1.1 ! 3.1.2 ! 3.3.1 ! 3.3.2 ! 3.5.1 ! 3.5.1.1 ! 3.5.2.1 ! 3.6.2 !	!
			1
		13.1 (Fig.3)	0.5
	Material testing	12.1	
		PREPARATION OF TEST REPORT	1
Section 4	Plunger Rod For IS 13056 & IS 13287	14.1 ! 3.1.1 ! 3.1.2 ! 3.3.1 ! 3.3.3 ! 3.5.1 ! 3.5.1.1 ! 3.5.2.1 ! 3.6.2 !	!
			1
		16.1 (Fig.4)	0.5
	Material testing	15.1	*

PREPARATION OF TEST REPORT

1

Section 5 Push Rod	17.1	!
For IS 13056	3.1.1	!
	3.1.2	!
	3.3.1	!
	3.3.3	!
	3.5.1	!
	3.5.1.1	!
	3.5.2.1	!
	3.6.2	!
	20.1	!
	19.1 (Fig.5	0.5
	18.1	*
Physical Properties	18.1	2

PREPARATION OF TEST REPORT

1

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for different sections are as follows:		
Section 1, 3 & 4	Rs.225.00 + *(Each section)	
Section 2	Rs.375.00 + **	
Section 5	Rs.375.00 + *	

*Testing charges shall be levied as applicable to grade 04 Cr18 N2 10 of IS 6603:1972.

**Testing charges shall be levied as applicable to NiCr Stainless Steel (Ni 8% Min & Cr 17% Min).

DDGL may kindly approve.

(V.K. Sethi)
TS (QA)

DCL(DKC)
DCL(QA)
DDGL

The BIS testing charges for IS 14106:1996 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

EROL, Kolkata

Our Ref: EROL/M/TC(14106)

06.11.2017

Testing Charges for IS 14106 : 1996

<u>Sl N o.</u>	<u>IS/ Clau se No.</u>	<u>Requirements/ Characteristics</u>	<u>Man Hour spent in testing</u>	<u>Man hour cost of testing</u>	<u>Power consumptio n (if intensive)</u>	<u>Cost of power</u>	<u>Consuma ble cost (if significant)</u>	<u>Total cost of testing</u>	<u>Remarks (Method of test)</u>
<u>(I)</u>	<u>(II)</u>	<u>(III)</u>	<u>(IV)</u>	<u>(V)= (IV)xRs. 300</u>	<u>(VI)</u>	<u>(VII)= (VI)x Rs.10</u>	<u>(VIII)</u>	<u>(IX)</u>	<u>(X)</u>
<u>1.</u>	<u>4.</u>	<u>Raw Material</u>							<u>Different componen ts as per relevant ISS</u>
<u>2.</u>	<u>4.1 & 4.2</u>	<u>I) Dimension of Pump Head Assembly</u>							
		<u>a) Upper Casing pipe (Fig.2, Table 1</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>b) Body (Fig. 4A)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>c) Spout (Fig. 4B)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>d) Pump Head flange(Fig. 4C)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>e) Pump stand (Fig. 5)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>f) Stand Flange & Leg (Fig.6A &</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>6B) g) Gusset & stand pipe (Fig. 6C</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>& 6D)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>h) Intermediate Flange (Fig. 7)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>i) Grommet and pipe centralizer</u>							
		<u>(Fig. 9 & 10)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>k) Top guide bush (Fig. 11)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>l) Handle (Fig. 13A)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>m) Pipe (Fig. 13B)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>n) End plug (Fig. 13C)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>p) Handle nut (Fig. 13D)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>q) Handle cushion pop (Fig. 14C)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>r) Washer & Bottom Cushion (Fig.</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>15)</u>							
		<u>s) Handle Retainer (Fig. 17A)</u>							
		<u>II) Dimension of Upper Well Assembly (Fig. 18)</u>							
		<u>a) Top pump rod & pump rod (Fig.</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>19) b) Top Connector (Fig. 20A)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>c) Male adapter (Fig. 20C)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>d) Female adapter (Fig. 20D)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>e) Piston rod pipe (Fig. 21 & Table</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>1) f) Piston Plate & Follower Plate</u>	<u>1.5</u>	<u>450</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>450</u>	
		<u>(Fig. 21A & 22B)</u>							
		<u>g) Piston Flap Valve & Cup Seal (Fig.</u>	<u>1.5</u>	<u>450</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>450</u>	
		<u>21C & 22D)</u>							
		<u>h) Washer (Fig. 22 E)</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>j) Bottom Connector (Fig. 22F)</u>	<u>1.5</u>	<u>450</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>450</u>	
		<u>k) Hook & Grapple Coupling</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	
		<u>(Fig.24A & 24B)</u>							
		<u>i) Foot valve body (Fig. 26A)</u>	<u>1.5</u>	<u>450</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>450</u>	
		<u>m) O Ring & Flap</u>	<u>1</u>	<u>300</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>300</u>	

		valve(Fig.26B&26C)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		n) Foot valve guide (Fig. 26D)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		p) Rising main pipe (Fig 27& Table 1)	<u>1.5</u>	<u>450</u>	---	---	---	<u>450</u>	
		q) Threaded coupler (M) (Fig. 28A)	<u>1.5</u>	<u>450</u>	---	---	---	<u>450</u>	
		r) Threaded coupler (F) (Fig. 28B)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		s) Rising pipe centralizer and O ring (Fig. 28C & 28D)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		t) Cylinder pipe (Fig. 29 & Table 1)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		u) Foot valve retainer (Fig. 30A)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		v) Rubber seat (Fig. 30B)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		w) Reducing socket (Fig. 31A)							
		III)Dimension of Lower Well Assembly (Fig. 32)							
		a) Lower casing pipe (Fig. 32 & Table1)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		b) Well screen & screen coupler (Fig. 34A & 34B)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		c) Sand trap pipe (Fig. 36A)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		d) Cutter (Fig. 36B)	<u>2</u>	<u>600</u>	---	---	---	<u>600</u>	
		e) Plug (Fig. 36C)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		IV) Dimension of Retrieving Rod & Combination Spanner							
		a) Retrieving Rod (Fig. 37)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
		b) Spanner (Fig. 38)	<u>1</u>	<u>300</u>	---	---	---	<u>300</u>	
<u>3.</u>	<u>4.16</u>	<u>Coating</u>	<u>14</u>	<u>4200</u>			<u>700</u>	<u>4900</u>	<u>If galvanize d</u>
<u>4.</u>	<u>5</u>	<u>Anticorrosive Treatment</u>							<u>As per relevant ISS</u>
<u>5.</u>	<u>6.1</u>	<u>Visual Test</u>	<u>3</u>	<u>900</u>				<u>900</u>	
<u>6.</u>	<u>6.2.2</u>	<u>Characteristics</u>	<u>3</u>	<u>900</u>	---	---	---	<u>900</u>	
<u>7.</u>	<u>6.3.1</u>	<u>Hydraulic pressure leakage test</u>	<u>2</u>	<u>600</u>	<u>4</u>	<u>40</u>		<u>640</u>	
<u>8.</u>	<u>6.3.2</u>	<u>Discharge Test</u>	<u>2</u>	<u>600</u>	---	---	---	<u>600</u>	
<u>9.</u>	<u>6.4</u>	<u>Tests for joints(including load test)</u>	<u>7</u>	<u>2100</u>	---	---	---	<u>2100</u>	
<u>10.</u>		<u>Test Report Preparation</u>	<u>3</u>	<u>900</u>	---	---	---	<u>900</u>	

Testing Charges for the product: Rs. 23740 ≈ 23750/- (rounded off to nearest Rs. 50)

(A Chakrabarti)

OIC(Mechanical)

H(EROL)

H(LPPD)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 23750/- + charges as per relevant ISS (excluding thread measurements).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)

1997 01 15

Our Ref: Lab/14.0

TESTING CHARGES FOR IS 14124:1994 MALIC ACID, FOOD GRADE

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.1	2
2.	Identification	3.2.1	1
3. i)	Purity	3.3 & (i) of Table 1	1
ii)	Moisture	“ (ii) “	1
iii)	Residue on ignition (on Dry Basis)	“ (iii) “	2
iv)	Water Insoluble Matter	“ (iv) “	1.5
v)	Fumaric Acid	“ (v) “	2 *
vi)	Maleic Acid	“ (vi) “	2 *
vii)	Heavy metals	“ (vii) “	2
viii)	Lead (Pb)	“ (viii) “	2
ix)	Arsenic (As)	“ (ix) “	2
	PREPARATION OF TEST REPORT		2
	TOTAL TIME :		21

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs. 1575.00.

* Testing equipment i.e. POLAROGRAPH for these tests is presently out of order at CL.

DDGL may kindly approve.

(V.K.Sethi)
TS (QA)

DCL(QA)
DDGL
TS(QA)

The revised BIS testing charges for IS 14151(Pt-1):1999 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS 14151(Pt.1):1999 IRRIGATION EQUIPMENT
SPRINKLER PIPES: POLYETHYLENE PIPES**

SL. NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Dimensions of pipes	5	1
2	**Hydraulic characteristics		
	i) Quality test	7.1	165]*
	ii) Acceptance test	7.1.1	48]
3.	Reversion test	7.2	3
4.	Tensile test	7.3	3
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		---
			115

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the product are **Rs.8675.00.**

- Testing facilities are available at CL but test not carried out presently due to non-availability of uninterrupted power supply.

** Testing for hydraulic characteristics of the sample do not need continuous monitoring hence 50% of the time required for testing the sample has been taken for the purpose of calculating testing charges.

As decided, the testing charges have been doubled and the complete testing charges are 2x8675 = Rs.17350.00.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref: CL/QA/Lab/14:0

2000 08 29

TESTING CHARGES FOR IS 14151(Pt.1):1999 IRRIGATION EQUIPMENT
SPRINKLER PIPES: POLYETHYLENE PIPES

SL. NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Dimensions of pipes	5	1
3	**Hydraulic characteristics		
	i) Quality test	7.1	165] *
	ii) Acceptance test	7.1.1	48]
3.	Reversion test	7.2	3
4.	Tensile test	7.3	3
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		---
			115

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the product are Rs.8675.00.

- Testing facilities are available at CL but test not carried out presently due to non-availability of uninterrupted power supply.

** Testing for hydraulic characteristics of the sample do not need continuous monitoring hence 50% of the time required for testing the sample has been taken for the purpose of calculating testing charges.

DG may kindly approve.

(V.K. Sethi)
TS (QA)

DCL(QA) Sd/-09/01
DDGL Sd/-2000/09/11
ADGT Sd/- 09/13
DG Sd/- 19/9

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:Lab/14:0

1997-07-30

TESTING CHARGES FOR IS:14151(Pt.2):1994 POLYETHYLENE PIPES
FOR SPRINKLER IRRIGATION SYSTEM

Testing charges per man-hour are Rs.75.00. Hence complete
testing charges for the product are Rs.525.00.

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2003-06-23

TESTING CHARGES FOR CYFLUTHRIN-TECHNICAL AS PER IS 14156:1994

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.1	0.5
2.	Cyfluthrin content	3.2, Table 1	6
3.	Moisture content	3.2, Table 1	2
4.	Acidity	3.2, Table 1	1
PREPARATION OF TEST REPORT			1
TOTAL TIME (Rounded)			----- 11

Cost of CRM = Rs.200.00

Testing charges per man hour are Rs.75.00. Hence complete testing charges for the product are: Rs.825.00 + Rs.200.00 = Rs.1025.00

(Avtar Singh)
D&H (QA)

DDGL

The revised BIS testing charges for IS 14158:1994 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref: LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS 14158:1994 Cyfluthrin WP

S NO	TESTS	CLAUSE REF.	MAN-HOURS
1.	Cyfluthrin Content	3.3(i) Table !	6
2.	Sieving	-do- (ii)	1
3.	Suspensibility	-do- (iii)	8
4.	Acidity or Alkalinity	-do- (iv)	1
5.	Wettability	-d0- (v)	0.5
	PREPARATION OF TEST REPORT		1
	TOTAL TIME :		18

Note The cost of CRM Rs.200.00

Testing charges per man-hour are Rs. 300.00.
Hence complete testing charges for the product are Rs.5400.00+
Rs 200.00 = **Rs 5600.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY, SAHIBABAD

[Q. A. DEPARTMENT]

OUR REF : LAB/14:0

2001 03 16

TESTING CHARGES FOR IS 14158:1994 Cyfluthrin WP

S NO HOURS	TESTS	CLAUSE REF.	MAN-

1.	Cyfluthrin Content	3.3(i) Table !	6
2.	Sieving	-do- (ii)	1
3.	Suspensibility	-do- (iii)	8
4.	Acidity or Alkalinity	-do- (iv)	1
5.	Wettability	-d0- (v)	0.5
	PREPARATION OF TEST REPORT		1

TOTAL TIME :			18

Note The cost of CRM Rs.200.00

Testing charges per man-hour are Rs. 75.00.
Hence complete testing charges for the product are : Rs.1350.00+
Rs 200.00 = Rs 1550.00

APPROVED BY DG

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref: CL/QA/Lab/14:0

2000-08-04

TESTING CHARGES FOR IS 14159:1994 CARTAP HYDROCHLORIDE TECHNICAL

SL. NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
---------	-----------------	------------	-----------

1.	Cartap hydrochloride content 6	3.2 Table 1	
2.	Moisture content	-do-	3
3.	pH	-do-	1

	PREPARATION OF TEST REPORT	2
--	----------------------------	---

	TOTAL TIME	---
		12

Testing charges per man-hour is Rs.75.00. Hence
complete testing charges for the product are Rs.900.00.

DG may kindly approve.

Sd/-

(V.K. Sethi)
TS (QA)

DCL (QA) Sd/- 08/04
DDGL Sd/- 2000/08/07
ADGT Sd/- 08/08
DG Sd/- 11/8

**The revised BIS testing charges for IS 14183:1994 effective from
15-05-2016**

The BIS testing charges for IS 14166:1994 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14166

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 14166:1994**

(Amnd-nil)

RESPIRATORY PROTECTIVE DEVICES: FULL FACE MASKS is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
107.	Speech diaphragm assembly	Cl. 4.3	*	-	-	-
108.	Replaceable components	Cl. 4.4	0.5	-	-	-
109.	Practical performance test	Cl. 4.5	*	-	-	-
110.	Resistance to temperature	Cl. 4.6	*	-	-	-
111.	Inward leakage facepiece	Cl. 4.7	*	-	-	-
112.	flammability	Cl. 4.9	*	-	-	-
113.	Carbon dioxide content of the inhalation air	Cl. 4.10	*	-	-	-
114.	Head harness	Cl. 4.11	*	-	-	-
115.	Facepiece connector	Cl. 4.12	-	-	-	-
	a. Standard thread connection	Cl. 4.12.1	*	-	-	-
	b. Centre thread connection	Cl. 4.12.2	*	-	-	-
	c. Test for facepiece connector	Cl. 4.12.3	*	-	-	-
	d. Stability of connection	Cl. 4.12.4	0.5	-	-	-
	e. Reliability of connection	Cl. 4.12.5	0.5	-	-	-
13.	Eye-piece and visor	Cl. 4.13	-	-	-	-
	a. Reliability of attachment	Cl. 4.13.1	0.5	-	-	-
	b. Distortion of vision	Cl. 4.13.2	*	-	-	-
	c. Field of vision	Cl. 4.13.3	*	-	-	-
	d. Misting	Cl. 4.13.4	*	-	-	-
	e. Impact resistance	Cl. 4.13.5	*	-	-	-
14.	Inhalation and exhalation valves	Cl. 4.14	-	-	-	-
	a. Inhalation valves	Cl. 4.14.1	0.5	-	-	-
	b. Exhalation valves	Cl. 4.14.2	1	-	-	Except 4.14.2.4, 4.14.3
15.	Breathing resistance	Cl. 4.15	*	-	-	-

	Report Preparation		1	-	-	-
	Total		4.5	-	-	-

*Testing facility not available at CL.

Testing charges = $4.5 \times 300 = \text{Rs. } 1350.00$ (Visual tests only)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1350/- (Visual tests only)

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

LABORATORY POLICY AND PLANNING DEPTT

Our Ref: LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS: 14183:1994 CARTAP HYDROCHLORIDE SP

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2	0.5
2.	Cartep Hydrochloride content	3.3., Table 1	6
3.	Material insoluble in water	3.3, Table 1	2
4.	pH of 10% extract	3.3, Table 1	1
	PREPARATION OF TEST REPORT		1

	TOTAL TIME		11

Cost of CRM = 500.00

Testing charges per man hour are Rs.300.00. Hence complete testing charges for the product are Rs.3300 + 500 = **Rs.3800.00**

DDGL may kindly approve.

(P. Rajesh)

Sc.E, LPPD

Head, LPPD

DDG (labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref:CL/QA/14:0

2003-05-30

TESTING CHARGES FOR IS: 14183:1994 CARTAP HYDROCHLORIDE SP

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2	0.5
2.	Cartep Hydrochloride content	3.3., Table 1	6
3.	Material insoluble in water	3.3, Table 1	2
4.	pH of 10% extract	3.3, Table 1	1
PREPARATION OF TEST REPORT			1

TOTAL TIME			11

Cost of CRM = 500.00

Testing charges per man hour are Rs.75.00. Hence complete testing charges for the product are Rs.825 + 500 = Rs.1325.00

DDGL may kindly approve.

(Avtar Singh)
Director & Head (QA)

DDGL

BIS CENTRAL LABORATORY**(Q.A. Department)****Our Ref : CL/QA/14:0****2000-08-04****TESTING CHARGES FOR IS 14184:1994 PESTICIDE CARTAP HYDROCHLORIDE GRANULES**

<u>SL. NO</u>	<u>CHARACTERISTICS</u>	<u>CLAUSE NO.</u>	<u>MAN-HOUR</u>
1.	Particle size	3.2.2	2
2.	Dust	3.2.3	1
3.	Moisture content	3.2.4	3
4.	Cartap hydrochloride content	3.3.1	6
5.	pH	3.3.2	1
PREPARATION OF TEST REPORT			2
TOTAL TIME			15

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the products are Rs.1125.00.

DG may kindly approve.

(V.K. Sethi)
TS (QA)

DCL(QA)
DDGL/ADGT/DG

REVISED TESTING CHARGES IS PLACED BELOW:

BIS LABORATORY POLICY & PLANNING DEPTT



TESTING CHARGES FOR IS 14184:1994 – CARTAP HYDROCHLORIDE G

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2.1	0.5
2	Particle Size	3.2.2	1
3	Dust	3.2.3	1
4	Moisture Content	3.2.4	1
5	Cartap Hydrochloide Contentr	3.3.1	3
6	pH	3.3.2	0.5
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		8

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 2400/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2900/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)

DDG (Labs)

BIS CTCC, Sahibabad
Quality Assurance Section

Ref: CL/QA/79

12.11.14

Subject: Testing Charges for Diflubenzuron Technical, as per IS 14185:1994

S. No.	Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing	Power consumption (If intensive) in KWh	Cost of Power	Consumables required (Approx Cost in Rs.)	Total charges for each test (in Rs.)	Test facility availability (Y/N)
1	2	3	4	5=4*300	6	7=6*15	8	9=5+7+8	
1	Description	3.1	0.5	150	---	---	----	150	Y
2	Content (HPLC method)	3.2, Table 1	3.0	900	6	90	500	990	N
3	Moisture Content	3.2, Table 1	1.0	300	0.5	7.5	----	307.5	Y
4	Acidity	3.2, Table 1	2.0	600	---	---	----	600	Y
5	Preparation of test report	-----	0.5	150	---	---	----	150	Y
6	Total	-----	7.0	2100	6.5	97.5	1000 #	3197.5	Y

includes additional cost of CRM (Rs 500) plus other chemicals (Rs 500) .

*includes additional cost of CRM (Rs 500)

Testing charges per man hour are Rs.300.

**Hence testing charges for the product are = Rs. 3197.50/- (Rounded to 3200)
= Rs. 3200/- (Rupees Three Thousand Two Hundred Only)**

(Adbhut Singh)
OIC QA

Sc- F & Head (CTCC)
Sc-F & Head PP&C (T&C)
Sc-G & DDG (T&C)

BIS CTCC, Sahibabad
Quality Assurance Section

Ref: CL/QA/79

12.11.14

Subject: Testing Charges for Diflubenzuron W.P, as per IS 14186:1994

S. No.	Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing	Power consumption (If intensive) in KWh	Cost of Power	Consumables required (Approx Cost in Rs.)	Total charges for each test (in Rs.)	Test facility availability (Y/N)
1	2	3	4	5=4*300	6	7=6*15	8	9=5+7+8	
1	Description	3.2	0.5	150	--	---	---	150	Y
2	Content (HPLC method)	3.3, Table 1	3.0	900	6	90	500	990	N
3	Sieving	3.3, Table 1	1.5	450	---	---	---	450	Y
4	Suspensibility	3.3, Table 1	3.0	900	---	---	---	900	Y
5	Acidity	3.3, Table 1	2.0	600	---	---	---	600	Y
6	Wettability	3.3, Table 1	0.5	150	---	---	---	150	Y
7	Preparation of test report		0.5	150	---	---	---	150	Y
8	Total	-----	11	3300	6	90	1000#	4390*	

includes additional cost of CRM (Rs 500) plus other chemicals (Rs 500)

*includes additional cost of CRM (Rs 500)

Testing charges per man hour are Rs.300.

Hence testing charges for the product are = Rs.4390/- (Rupees Four Thousand Three Hundred Ninety Only)

(Adbhut Singh)
OIC QA

Sc- F & Head (CTCC)
Sc-F & Head PP&C (T&C)
Sc-G & DDG (T&C)

The BIS testing charges for IS 14203:2017 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14203

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 14203:2017**

(Amnd-nil)

FIRE RESISTING RECORD PROTECTION CABINETS - SPECIFICATION (SECOND REVISION) is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
116.	Materials	Cl. 5	*	-	-	-
117.	Dimension and tolerances	Cl. 6	1.5	-	-	-
118.	General construction	Cl. 8	-	-	-	-
	f. Cabinet construction	Cl. 8.1	1	-	-	-
	g. Locking mechanism	Cl. 8.2	**	-	-	-
	h. Locks	Cl. 8.3	**	-	-	-
	i. Handles	Cl. 8.4	0.5	-	-	-
119.	Internal fixtures	Cl. 9	0.5	-	-	-
120.	Thickness of coating	Cl. 10.1	**	-	-	-
121.	Cross hatch test	Cl. 10.2	2	-	-	-
122.	Fire endurance test	Cl. 11.1	**	-	-	-
123.	Fire and impact test	Cl. 11.1	**	-	-	-
	Report Preparation		1	-	-	-
	Total		6.5	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 6.5 x 300 = Rs. 1950.00 + testing charges as per referred ISS (excluding Locking mechanism, Locks, Thickness of coating, Fire endurance test and Fire and impact test)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1950/- + testing charges as per referred ISS (excluding Locking mechanism, Locks, Thickness of coating, Fire endurance test and Fire and impact test).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 14246:2013 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14246

12-01-2018

Based on the inputs received from testing section, the testing charges as per **IS 14246:2013 (Amnd-nil)**

CONTINUOUSLY PREPAINTED GALVANIZED STEEL SHEETS AND COILS – SPECIFICATIONS is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
124.	Steel base	Cl. 4.1	*	-	-	-
125.	Metallic coating	Cl. 4.2	3	-	500.00	-
126.	Organic coating	Cl. 4.3	**	-	-	-
127.	Bend test	Cl. 6.2	2	-	-	-
128.	Pencil hardness test	Cl. 6.3	2	-	-	-
129.	Impact resistance test	Cl. 6.4	1	-	-	-
130.	Cross hatch test	Cl. 6.5	2	-	-	-
131.	Freedom from defects	Cl. 7.1	0.5	-	-	-
132.	Gloss and Colour (optional)	Cl. 7.3	**	-	-	-
133.	Salt spray test	Cl. 8	**	-	-	-
134.	Dimension and tolerances	Cl. 9	1	-	-	-
135.	Camber	Cl. 10.1	1	-	-	-
136.	Deviation from squareness	Cl. 10.2		-	-	-
137.	Deviation from flatness	Cl. 10.3		-	-	-
	Report Preparation		1.5	-	-	-
	Total		14	-	500.00	-

*Testing charges as per referred ISS.

**Test facility not available.

Testing charges = 14 x 300 + 500.00 = Rs. 4700.00 + testing charges as per referred ISS (excluding Organic coating, Gloss and Colour (optional) and Salt spray test)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 4700/- + testing charges as per referred ISS (excluding Organic coating, Gloss and Colour (optional) and Salt spray test).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 14255:1995 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref: LPPD/54:1

10-03-2016

TESTING CHARGES FOR AERIAL BUNCHED CABLES-FOR WORKING VOLTAGES UPTO & INCLUDING 1100 VOLTS AS PER IS 14255:1995

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	Preparation of sample		4		
2.	General construction marking& packing	13	1		
3.	Tests on phase/street light conductor				
	a) Tensile test	IS 8130:84	1.5		
	b) Wrapping test	-- do --	0.5		
	c) Resistance test	-- do --	3		
4.	Tests on messenger conductor				
	a) Breaking local	Table-3	1.5		
	b) Elongation	11.3	0.5		
	c) Resistance test	Table-3	3		
5.	Physical test for XLPE insulation				
	a) Tensile strength and chylation at break (before ageing)	Table 1	4		
	b) Ageing in air oven	Table-1	4		
	c) Tensile strength and elongation at break (after ageing)	Table-1	4		
	d) Hot set test	Table-1	4		
	e) Shrinkage test	Table-1	2		
	f) Water absorption test (Gravimetric)	Table-1	5		
	g) Carbon black	Under consideration			
6.	Physical test for PE insulation				
	a) Tensile strength and elongation at break	Table-2	4		
	b)* Melt flow index	Table-2	4		
	c) Carbon black	Under consideration			
	d)* Vicat softening point	Table-2	6		
	e)* Environmental stress cracking	Table-2	4		

**TESTING CHARGES FOR AERIAL BUNCHED CABLES-FOR WORKING
VOLTAGES UPTO & INCLUDING 1100 VOLTS AS PER IS 14255:1995**

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
7.	Test for thickness of insulation	Table-4	2		
8.	Insulation-Resistance (Volume resistivity test)	Table-1&2	4		
9.	High voltage test	11.2	2		
10.	Optional test-bending test	11.4	2		
PREPARATION OF TEST REPORT			2	Total 250 units	
TOTAL			TIME : i) 48h for XLPE insulated single core cable ii) 43h for PE insulated single core cable		

Testing charges per man-hour are Rs.300.00 + Rs.9.00 per unit of electricity charges.

Total Rs. 48x300 + 250x9 i.e. **Rs.16650.00** for XLPE insulated single core cable
Rs. 43x300 + 250x9 i.e. **Rs.15150.00** for PE insulated single core cable

- **Testing facilities not available**

**Note : For multicore cables, extra charges @ 35% for each additional core shall be levied.
For the applicable optional test, charges shall be levied Rs.600.00**

DDGL may kindly approve.

(AnuritaJojo)
Sc.C, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

Date: 6 Jan 2005

**TESTING CHARGES FOR AERIAL BUNCHED CABLES-FOR WORKING VOLTAGES
UPTO & INCLUDING 1100 VOLTS AS PER IS 14255:1995**

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	Preparation of sample		4		
2.	General construction marking & packing	13	1		
3.	Tests on phase/street light conductor				
	a) Tensile test	IS 8130:84	1.5		
	b) Wrapping test	-- do --	0.5		
	c) Resistance test	-- do --	3		
4.	Tests on messenger conductor				
	a) Breaking local	Table-3	1.5		
	b) Elongation	11.3	0.5		
	c) Resistance test	Table-3	3		
5.	Physical test for XLPE insulation				
	a) Tensile strength and chyation at break (before ageing)	Table 1	4		
	b) Ageing in air oven	Table-1	4		
	c) Tensile strength and elongation at break (after ageing)	Table-1	4		
	d) Hot set test	Table-1	4		
	e) Shrinkage test	Table-1	2		
	f) Water absorption test (Gravimetric)	Table-1	5		
	g) Carbon black	Under consideration			
6.	Physical test for PE insulation				
	a) Tensile strength and elongation at break	Table-2	4		
	b)* Melt flow index	Table-2	4		
	c) Carbon black	Under consideration			
	d)* Vicat softening point	Table-2	6		
	e)* Environmental stress cracking	Table-2	4		

TESTING CHARGES FOR AERIAL BUNCHED CABLES-FOR WORKING VOLTAGES
UPTO & INCLUDING 1100 VOLTS AS PER IS 14255:1995

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
7.	Test for thickness of insulation	Table-4	2		
8.	Insulation-Resistance (Volume resistivity test)	Table-1&2	4		
9.	High voltage test	11.2	2		
10.	Optional test-bending test	11.4	2		
PREPARATION OF TEST REPORT			2	Total 250 units	
TOTAL			TIME : i) 48h for XLPE insulated single core cable ii) 43h for PE insulated single core cable		

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges.

Total Rs. 48x75 + 250x4 i.e. Rs.4600.00 for XLPE insulated single core cable
Rs. 43x75 + 250x4 i.e. Rs.4225.00 for PE insulated single core cable

- **Testing facilities not available**

**Note : For multicore cables, extra charges @ 35% for each additional core shall be levied.
For the applicable optional test, charges shall be levied Rs.150.00**

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(B.M. Gupta)
TS(QA)

D&H(QA)
DDGL
DDGF
DDGL

Testing Charges for IS – 14268:1995 Amendment No. 1

Specification for line pipe

Testing charges per man-hour Rs.300.00
Electricity power consumption Rs.9.00 per KWH
Hence complete testing charges for the product: - 2008/-; Rounded off to 2000/-

ii) Testing charges for each elements other than Table will be Rs. 1004/-

Goel Anita
LO-B

OIC (Chem)

The revised BIS testing charges for IS 14268 :1995 effective from 22-08-2017

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2016-12-09

TESTING CHARGES FOR IS: 14268:1995 (Amnd-1) Uncoated Stress Relieved Low
Relaxation Seven-
Ply Strand for Pre-stressed Concrete.

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Manufacturer		
	a) Wire	4.1.3	2
	b) Strand	4.2	2
	c) Joints	4.3	2
2.	Workmanship & Finish	4.5	2
3.	Dimension & Weight	6.1	4
4.	Physical property		
	a) Breaking strength	6.2.1	6
	b) 0.2% proof load	6.2.1	
	c) Elongation	6.3	
	d) Relaxation test	6.4	
available			Test Facility not
	i) for 100 h		
	ii) for 1000 h		
	PREPARATION OF TEST REPORT		2

	TOTAL TIME (Rounded)		20

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are Rs. 6000.00 (excluding relaxation test.)

OIC (Mech)
OIC (QA)
Head (CL)

As decided by CA, testing charges are Rs. 8000/- excl. Relaxation test.
Testing charges for each element other than table (i.e. Sulphur & Phosphorus, will be ₹ 1004/-.

Tripathi)

LPPD

**Head, LPPD
DDGL**

(Ankita

Sc.B,

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref:CL/QA/14:0

2003-07-01

TESTING CHARGES FOR IS: 14268:1995 Uncoated Stress Relieved Low Relaxation Seven-Ply Strand for Pre-stressed Concrete.

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Chemical test (Sulphur & Phosphorus)	4.1.2	5 (taken from records available with QA deptt)
2.	Manufacturer		
	a) Wire	4.1.3	2
	b) Strand	4.2	2
	c) Joints	4.3	2
3.	Workmanship & Finish	4.5	2
4.	Dimension & Weight	6.1	4
5.	Physical property		
	a) Breaking strength	6.2.1	6
	b) 0.2% proof load	6.2.1	
	c) Elongation	6.3	
	d) Relaxation test	6.4	
	i) for 100 h		20
	ii) for 1000 h		60
	PREPARATION OF TEST REPORT		2

	TOTAL TIME (Rounded)		105

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are Rs. 1875.00 for complete test, including chemical but excluding relaxation test.*

* I)	Test charges for 100 h relaxation test	Rs.1500.00
ii)	Test charges for 1000 h relaxation test	Rs.4500.00

DDGL may kindly approve.

D&H(QA)
DDGL

(Veer Singh)
STA (QA)

The BIS testing charges for IS 14276:2016 effective from 19-12-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

**Ref: CL/QA/Testing Charges/14276
2018-12-04**

Based on the inputs received from testing section, the testing charges as per **IS 14276:2016 (Amnd-nil)**

CEMENT BONDED PARTICLE BOARDS SPECIFICATION is as below:

S. No.	Requirement/Characteristics	Clause	Man-hours	Power (kWh)	Consumables (in Rs)	Remarks
138.	Finish	6	0.5	-	-	-
139.	Dimensions and tolerances	7	2	-	-	-
140.	Physical characteristics	8	-	-	-	-
	Workability	8.5	0.5	-	-	-
141.	Testing of samples	10	-	-	-	-
	a. Density	10.3	2.5	-	-	-
	b. Moisture content	10.4	5	48	-	-
	c. Water absorption	10.5	5	115	80	-
	d. Swelling in water	10.6	5	95	50	Except swelling in length and width
	e. Modulus of rupture	10.7	1.5	0.5	-	-
	f. Modulus of elasticity	10.8	1.5	0.5	-	-
	g. Tensile strength perpendicular to surface	10.9	2	2	200	-
	h. Screw withdrawal strength	10.10	2	2	400	-
	Report Preparation		1.5	-	-	-
	TOTAL		29	263	730	-

Testing charges: $29 \times 300 + 263 \times 9 + 730 = \text{Rs. } 11797/-$ excluding swelling in length and width.

TA (Mechanical)

OIC (M)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 11800/- excluding swelling in length and width.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 14300:1995 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14300

08.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 14300:1995**

(Amnd-3)

NEEM BASED EC CONTAINING AZADIRACHTIN is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
142.	Description	Cl. 3.2.1	-	-	-	-
143.	Cold Test	Cl. 3.2.2	1	-	-	-
144.	Flash Point	Cl. 3.2.3	1	1	-	-
145.	Emulsion Stability	Cl. 3.2.4	1	2	-	-
146.	Azadirachtin Content	Cl. 3.3.1	*	-	-	-
147.	Acidity/Alkalinity	Cl. 3.3.2	1	-	25	-
148.	Aflatoxin content	Cl. 3.3.3	*	-	-	-
	Report Preparation		1	-	-	-
	Total		5	3	25	-

*Test facility not available at CL.

Testing charges = 5 x 300 + 3 x 9 + 25.00 = Rs. 1552.00 (excluding Azadirachtin content and Aflatoxin content).

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1552/- (excluding Azadirachtin content and Aflatoxin content).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL TESTING & CALIBRATION CENTRE
(Quality Assurance Section)

Ref: CL/QA/79

13.11.2014

Subject: Testing Charges for Blended Edible Vegetable Oils –Specifications as per IS: 14309: 1995

S. No	Characteristic	Clause no. / Table	Man – hours	Man Hour Cost of Testing	Power Consumption (If intensive in KWh)	Cost of Power (9 rupee per unit)	Consumables required (Approx cost Rs.)	Test facility availability (Y/N)
1	2	3	4	5=4*300	6	7=6*15	8	9
1	Freedom from sediments, suspended and other foreign matter and separated water	5.2	0.5	150	--	--	--	Y
2	Clarity of the material	5.1.2	0.5	150	24	360	-	Y
3	Admixture with Other Oils	5.3	8	2400	2	30	350	Y
4	Requirements as per table 1	5.4						
i)	Moisture & Volatile matter	Table 1	3	900	6	90	100	Y
ii)	Acid value	-do-	1	300	-	-	50	Y
iii)	Unsaponifiable matter	-do-	3	900	5	75	100	Y
iv)	Flash point Pensky-Martens	-do-	2*	600	1*	15	-	N
5	Preparation of Report	--	1	300	--	--	--	--
6	Total	-	19	5700	38	570	600	--

Remark: * Information taken from BIS OSL,

Hence Total Testing Charges for the product are= Rs. =5700+570+600=6870/-
= Rs.6870/- (Rupees Six Thousand Eight Hundred Seventy
Only)

Singh)

(Adbhut

OIC QA

Sc- F & Head (CTCC)
Head (PP&C (T&C))
Sc-G & DDG (T&C)

The BIS testing charges for IS 14333:1996 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

WRO LABORATORY, Mumbai

Our Ref.: WROL/TC/Mechanical / IS 14333:1996

Date: 29 Nov 2017

Testing Charges for High density polyethylene pipes for Sewerage as per IS 14333:1996 including Amendment No. 4

S No	Tests	Clause Reference	Man Hours
A	MECHANICAL TESTS		
1.	Designation	Cl 3	0.5
2.	Colour	Cl 4	0.5
3.	Raw Material	Cl 5	Facility not available
4.	Anti·Oxidant (percentage)	Cl 5.2	Facility not available
5.	Dimensions of Pipes	Cl 6	1.0
6.	Visual Appearance	Cl 7	0.5
7.	Hydrostatic Characteristics	Cl 8.1	Facility not available
8.	Reversion Test	Cl 8.2	3.0
9.	Density	Cl 8.3	Facility not available
10.	Melt Flow Rate (MFR)	Cl 8.4	2.0
11.	Carbon Black Content	Cl 8.5	Facility not available
12.	Carbon Black Dispersion	Cl.8.5	3.0
13.	Marking	Cl.10	0.5
14.	Preparation Of Test Report		1.0
	Total Man Hours		12.0

Cost of Consumables	:	Nil
Electric Power Consumed (@ Rs. 15.00 per unit)*	:	20 Units Rs 300.00
Testing Charges as per man hours (@ Rs. 300.00 per man hour)	:	12.0 Man Hour RS. 3600.00
Total Testing Charges (Excluding tests for which facility not available):		Rs. 3900.00

*(As per existing Electricity charges)

Rs. 3900/- excluding raw material, anti-oxidant, hydrostatic characteristics, density and carbon black content.

A.R. Shaikh
(LO-B
Mechanical)

OIC (Mech. Lab)

Head WROL

Head LPPD

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 3900/- excluding raw material, anti-oxidant, hydrostatic characteristics, density and carbon black content.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 14399 (Part-1& 2):1996 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

**Ref: CL/QA/Testing Charges/14399
13-03-2018**

Based on the inputs received from testing section, the testing charges as per **IS 14399 (Part-1&2):1996 (Amnd-nil)**

**HOT PRESS MOULDED THERMOSETTING GLASS FIBRE REINFORCED
POLYESTER RESIN (GRP) SECTIONAL WATER STORAGE TANKS: PART 1
PALELS, PART 2 GUIDELINES FOR ASSEMBLY, INSTALLATION AND TEST** is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
149.	Material	Cl. 4	*	-	-	-
150.	Colour	Cl. 5	0.5	-	-	-
151.	Panel dimensions	Cl. 6	2	-	-	-
152.	Visual inspection of panels	Cl. 7	1	-	-	-
153.	Mechanical and physical properties	Cl. 8	**	-	-	-
7.	Hydrostatic test	Cl. 9	**	-	-	-
8.	Deflection test	Cl. 10	**	-	-	-
	Report Preparation		1	-	-	-
	Total		4.5	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 4.5 x 300 = Rs. 1350.00 (Dimensions and Visual tests only)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 1350/- (Dimensions and Visual tests only).

**(Ankita Tripathi)
Sc.B, LPPD**

**HLPPD
DDG (Labs)**

The BIS testing charges for IS 14402:1996 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS CENTRAL LABORATORY (Quality Assurance Department)

Ref: CL/QA/Testing Charges/14402

31.10.2017

Based on the inputs received from testing section, the testing charges as per **IS 14402:1996 (Amnd-2)**

GRP PIPES JOINTS AND FITTINGS FOR USE SEWERAGE, INDUSTRIAL WASTE AND WATER (OTHER THAN POTABLE) are as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
154.	Materials	Cl. 6	*	-	-	-
155.	Dimensions	Cl. 7	3	5	-	-
156.	Joints	Cl. 8	**	-	-	-
157.	Workmanship	Cl. 9	1	-	-	-
158.	Pipe Stiffness	Cl. 10	**	-	-	-
159.	Fittings	Cl. 11	1	-	-	-
160.	Hydraulic Test	Cl. 12	**	-	-	-
161.	Longitudinal Strength	Cl. 13	**	-	-	-
162.	Hoop Tensile Strength	Cl. 14	**	-	-	-
163.	Long Term Hydrostatic Design Pressure Test	Cl. 15	**	-	-	-
164.	Chemical Resistance of Pipe	Cl. 16	**	-	-	-
	Report Preparation		1	-	-	-
	Total		6	5	-	-

*Testing charges for materials as per referred ISS.

**Test facility not available at CL.

Testing charges = 6 x 300 + 5 x 9 = Rs. 1845.00 + testing charges as per referred ISS (only for dimensions, workmanship and fittings)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1845/- + testing charges as per referred ISS (only for dimensions, workmanship and fittings).

**(Ankita Tripathi)
Sc.B, LPPD**

**HLPPD
DDG (Labs)**

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

17 Apr 2006

TESTING CHARGES FOR ETHEPHON TECHNICAL AS PER IS 14408:1996

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-ever				
applicable				
A.	TEST PARAMETERS			
1.	Description	3.1	0.5	
2.	Ethephon content 50.00	3.2	2	
3.	pH value	3.3	1	
B.	Electricity power consumed			--
C.	Cost of Consumables/CRMs 50.00			
D.	PREPARATION OF TEST REPORT			0.5
	TOTAL	TIME	4h	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.75x4+50=Rs.350.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)

DDGL

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/14:0

200305-30

TESTING CHARGES FOR IS: 14409:1996 ETHEPHON SOLUTION

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2	0.5
2.	Ethephon content	3.3.	3
3.	pH value	3.4	1
	PREPARATION OF TEST REPORT		1

	TOTAL TIME		6

Testing charges per man hour are Rs.75.00. Hence complete testing charges for the product are Rs.450.00

(Avtar Singh)
Director & Head (QA)

DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

01 Nov 2004

TESTING CHARGES FOR DELTAMETHRIN "F" AS PER IS 14411:1996

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	Description	3.2	0.5		
2.	Deltamethrin content	3.3	6	* Rs.200.00	
3.	Dispersibility in water	3.4	1		
4.	Acidity	3.5	1		
	PREPARATION OF TEST REPORT		1		
	Cost of Supervision		1		
	TOTAL	TIME	11h (Rounded off)		

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges.

Total Rs.825.00 + Rs.200.00 as cost of CRM *

Total charges are Rs.1025.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(B.M. Gupta)
TS(QA)

D&H(QA)
DDGL

REVISED TESTING CHARGES IS PLACED BELOW:

BIS LABORATORY POLICY & PLANNING DEPTT



Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 14411:1996 –DELTAMETHRIN F

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2	0.5
2	Deltamethrin Content	3.3	2.5
3	Dispersibility in Water	3.4	1
4	Acidity	3.5	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	6

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1800/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2300/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

The revised BIS testing charges for IS 14433:2007 effective from 22-08-2017

BIS CENTRAL LABORATORY, SAHIBABAD [CHEMICAL LABORATORY]

Date 04-072017

TESTING CHARGES FOR IS 14433:2007 Amendment – 5
Infant milk substitutes -specification

S.No.	Requirement	Cl. Ref. of IS	Time Hours	Power KWH	Consumable
Microbiological Requirements					
1	Bacteriological requirements	6.9.1	4	42	25
2	Coli form count	6.9.2	4	13	25
3	Escherichia coli	6.9.3	4	13	25
4	Staphylococcus aureus	6.9.4	5	24	100
5	Salmonella and Shigella	6.9.5	8	130	300
6	Yeast & Mould	6.9.6	3	70	25
	Preparation of Test Report		1		
Chemical Requirements:					
1	Description	Cl.5	0.5	-	-
	Flavour	Cl.6.3	0.5	-	-
	Scorched particles	Cl.6.4	1.5	1	25
	Linoleate content	Cl. 6.5	Testing facility not available		
	Vitamin E	Cl. 6.5	Testing facility not available		
2 i)	Moisture	Table1,(Cl.6.10,6.10.1 and 6.10.2)	1	5	-
ii)	Total protein	-do-	4	4	200
iii)	Fat	-do-	4	4	150
iv)	Total Ash	-do-	2	18	25
v)	Acid insoluble ash	-do-	2	18	50
vi)	Solubility	-do-			
	a) Insolubility index		2	2	-
	b) Solubility, percent by mass		2	5	-
vii)	Vitamin A (as retinol)	-do-	Testing facility not available		
viii)	Iron	-do-	2	2	150
ix)	Heavy metals:	-do-			
a)	Lead		2	2	100
b)	Arsenic		2	2	150
c)	Tin		2	2	150
d)	Cadmium		2	2	100
x)	Added vitamin D (expressed as Cholecalciferol)	-do-	Testing facility not available		
xi)	Thiamine	-do-	Testing facility not available		
xii)	Niacin	-do-	Testing facility not available		
xiii)	Riboflavin	-do-	Testing facility not available		
xiv)	Vitamin B ₆ (pyridoxine)	-do-	Testing facility not available		

xv)	Vitamin B ₁₂	-do-	Testing facility not available		
xvi)	Folic acid	-do-	Testing facility not available		
xvii)	Pantothenic acid	-do-	Testing facility not available		
xviii)	Biotin	-do-	Testing facility not available		
xix)	Vitamin C	-do-	Testing facility not available		
xx)	Vitamin K	-do-	Testing facility not available		
xxi)	Calcium	-do-	Testing facility not available		
xxii)	Phosphorous	-do-	3	1	200
xxiii)	Iodine	-do-	2	-	50
xxiv)	Copper	-do-	2	2	100
xxv)	Manganese	-do-	2	2	100
xxvi)	Zinc	-do-	2	2	100
xxvii)	Sodium	-do-	2	2	100
xxviii)	Potassium	-do-	2	2	100
xxix)	Chloride	-do-	2	1	200
xxx)	Magnesium	-do-	Testing facility not available		
xxxi)	Choline	-do-	Testing facility not available		
xxxii)	Selenium	-do-	2	2	150
xxxiii)	Vitamin E	-do-	Testing facility not available		
i)					
	(as α-tocopherol compounds)				
	Specific Requirement				
	Aflatoxins	(Cl.6.11.2.3)	Testing facility not available		
	Preparation of Test Report		1	-	-
Total=			78.5	373	2700

Testing Charges for Microbiological Requirements = 29x300 + 292x9 + 500 = 11828

Testing Charges for Chemical Requirements = 49.5x300 + 81x9 + 2200 = 17779

(Excluding S.No. vii, x to xxi, xxx, xxxi, xxxiii and Aflatoxins requirements)

Total Testing Charges = 29607/-

Palsania

Rajendra Kumar

Lab. Officer-B

Sc-B, Chemical

OIC(Chemical)

OIC(QA, CL)

Head, CL

As decided by CA, testing charges are Rs. 29610/- excl. Vitamin-E, Linoleate content, Vitamin-A(as retinol), added Vitamin-D (expressed as Cholecalciferol), Thimine, Niacin, Riboflavin, Vitamin-B₆, Vitamin-B₁₂, Folic acid, Pantothenic acid, Biotin, Vitamin-C & K, Calcium, Magnesium, Choline, Vitamin-E (as α tocopherol compounds) and Aflatoxin.

(Ankita

Tripathi)

Sc.B,

LPPD
Head, LPPD
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

1999-06-17

TESTING CHARGES FOR INFANT MILK SUBSTITUTES AS PER IS 14433 (PART-1)
:1997

Sl. Hours	Characteristics	Clause no.	Man-
1.	Bacterial count	6.7.1	
3			
2.	Coliform count	6.7.2	
3			
3.	Staphylococcus aureus	6.7.3	
3			
4.	Salmonella & Shigella	6.7.4	
8			
5.	Requirement of Table 1	6.8	
a)	Moisture	Sl.No. of Table 1 i)	
1			
b)	Milk Proteins	Sl.No. of Table 1 ii)	
3			
c)	Fat	Sl.No. of Table 1 iii)	
3			
d)	Total Ash	Sl.No. of Table 1 iv)	
1			
e)	Acid insoluble Ash	Sl.No. of Table 1 v)	
1			
f)	Insolubility Index	Sl.No. of Table 1 vi)	
1			
g)	Vitamin A	Sl.No. of Table 1 vii)	
4			
h)	Iron	Sl.No. of Table 1 viii)	
2			
i)	Lead, Arsenic, Tin, Cadmium, Calcium, sodium, copper	xi), xxi), xiv) xxv) to xxvii) & (xxx)	
5			
k)	Phosphorous	xxii)	
2			
l)	Iodine	xiii)	
1			
m)	Chloride	(xxix)	
1			

PREPARATION OF TEST REPORT

4

	TOTAL	TIME
46		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.3450.00

Testing facilities for Vitamin testing are not available at CL presently. The testing charges for vitamins excluding Vitamin "A" shall be charges extra.

DG may kindly approve.

V.K. Sethi
TS(QA)

D&H(QA)
DDGL
ADGT
DG

The BIS testing charges for IS 14490:1997 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14490

14.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 14490:1997**

(Amnd-7)

PLAIN COPIER PAPER is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
165.	General	Cl. 4.1	0.5	-	-	-
166.	Moisture	Cl. 4.2	1.5	6	-	-
167.	Curl	Cl. 4.3	*	-	-	-
168.	Grammage	Cl. 4.4	2	-	-	-
169.	Thickness	Cl. 4.5	1	-	-	-
170.	Requirements	Cl. 4.6 & Table-1	-	-	-	-
	a. Brightness	Cl. 4.6 & Table	0.5	-	50	-
	b. Opacity	Cl. 4.6 & Table	0.5	-	-	-
	c. One minute Cobb Test	Cl. 4.6 & Table	1	-	-	-
	d. Surface Strength (Wax Pick)	Cl. 4.6 & Table	1	-	-	-
	e. Smoothness for both sides	Cl. 4.6 & Table	*	-	-	-
	f. Ash content	Cl. 4.6 & Table	1	6	-	-
	g. Taber Stiffness	Cl. 4.6 & Table	1	1	-	-
	h. Tear Index	Cl. 4.6 & Table	0.5	-	-	-
	i. Tensile Index	Cl. 4.6 & Table	2.5	2	-	-
171.	Size	Cl. 4.7	1	-	-	-
	Report Preparation		1	-	-	-
	Total		15	15	50	-

*Test facility not available at CL.

Testing charges = $15 \times 300 + 15 \times 9 + 50.00$ = Rs.4685.00 (excluding Curl and Smoothness for both sides)

OIC (QA)

Head (CL)

DDGL

**As decided by Competent Authority, the testing charges for the product are Rs. 4685/-
(excluding Curl and Smoothness for both sides).**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 14494:1998 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR ELASTOMER INSULATED FLEXIBLE CABLES FOR USE IN MINES AS PER IS 14494:1998.

Sl. No.	Characteristics	Clause no.	Man-Hours
1.	General Construction of cable	24	1
2.	Conductor	4 & 15	
	a) Dia of wires		0.5
	b) Annealing test		1
	c) Pursulphate test		1
	d) Resistance test		1
3.	Thickness of insulation	12.2 & 12.3	1.5
4.	Lay length	20.1	0.5
5.	Thickness of inner sheath	13 & 21	0.5
6.	Thickness of outer sheath	13 & 23	0.5
7.	Overall diameter	13 & 23	0.5
8.	Physical test on insulation	15.1 & Table 2 of IS 6380:84	
	a) Before ageing		
	i) Tensile strength & elongation		1.5
	b) After ageing in air oven		
	i) Tensile strength & elongation		3
	c) After ageing in air bomb		
	i) Tensile strength & elongation		3
	d) Hot set test		3
9.	Physical test on inner sheath	13.1 & Table 3 of IS 6380:84	
	a) Before Ageing		
	i) Tensile strength & elongation		1.5
	b) After ageing in air bomb		
	i) Tensile strength & elongation		3
	c) Oil resistance test		
	i) Tensile strength & elongation		3
	d) Hot set test		3

TESTING CHARGES FOR ELASTOMER INSULATED FLEXIBLE CABLES FOR USE IN MINES AS PER IS 14494:1998.

10.	Physical test on outer sheath	13.2 & Table 3 of IS 6380:84	
	a) Before ageing		
	i) Tensile strength & elongation at break		1.5
	ii) Tear resistance		1
	iii) Tensile stress at 200% elongation		1
	b) After ageing in air bomb		
	i) Tensile strength & elongation at break		3
	c) Hot set test		3
11.	Tests on steel armour wire/strips	12.22 & IS 3975	4.5
12.	Insulation resistance constant	Table 2 of IS 6380:84	3
13.	High voltage test	26.6	1
14.	Flammability test	26.7	1.5
PREPARATION OF TEST REPORT			2
TOTAL			51

-
- The time estimate given above are for single core cables. Additional charges at the rate of Rs.1000/- for each additional core shall be levied (25% of the total charges for above single core cable)

Testing charges per man-hour are Rs.300.00. Hence complete testing charges are:

Total Rs. 300x51= 15300.00

DDGL may kindly approve.

(Anurita)
Sc.C, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

9 Aug 2005

TESTING CHARGES FOR ELASTOMER INSULATED FLEXIBLE CABLES FOR USE IN MINES AS PER IS 14494:1998.

Sl.. No.	Characteristics	Clause no.	Man- Hours
1.	General Construction of cable	24	1
2.	Conductor	4 & 15	
	a) Dia of wires		0.5
	b) Annealing test		1
	c) Pursulphate test		1
	d) Resistance test		1
3.	Thickness of insulation	12.2 & 12.3	1.5
4.	Lay length	20.1	0.5
5.	Thickness of inner sheath	13 & 21	0.5
6.	Thickness of outer sheath	13 & 23	0.5
7.	Overall diameter	13 & 23	0.5
8.	Physical test on insulation	15.1 & Table 2 of IS 6380:84	
	a) Before ageing		
	i) Tensile strength & elongation		1.5
	b) After ageing in air oven		
	i) Tensile strength & elongation		3
	c) After ageing in air bomb		
	i) Tensile strength & elongation		3
	d) Hot set test		3
9.	Physical test on inner sheath	13.1 & Table 3 of IS 6380:84	
	a) Before Ageing		
	i) Tensile strength & elongation		1.5
	b) After ageing in air bomb		
	i) Tensile strength & elongation		3
	c) Oil resistance test		
	i) Tensile strength & elongation		3
	d) Hot set test		3

TESTING CHARGES FOR ELASTOMER INSULATED FLEXIBLE CABLES FOR USE IN MINES AS PER IS 14494:1998.

10.	Physical test on outer sheath	13.2 & Table 3 of IS 6380:84	
	a) Before ageing		
	i) Tensile strength & elongation at break		1.5
	ii) Tear resistance		1
	iii) Tensile stress at 200% elongation		1
	b) After ageing in air bomb		
	i) Tensile strength & elongation at break		3
	c) Hot set test		3
11.	Tests on steel armour wire/strips	12.22 & IS 3975	4.5
12.	Insulation resistance constant	Table 2 of IS 6380:84	3
13.	High voltage test	26.6	1
14.	Flammability test	26.7	1.5

PREPARATION OF TEST REPORT 2

TOTAL TIME 51

-
- The time estimate given above are for single core cables. Additional charges at the rate of Rs.1000/- for each additional core shall be levied (25% of the total charges for above single core cable)

Testing charges per man-hour are Rs.75.00. Hence complete testing charges are:

Total Rs. 75x51= 3825/-

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA (QA)

D&H(QA)

DDGL

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

12 Sep 2005

TESTING CHARGES FOR LAMBDA-CYHALOTHRIN TECHNICAL AS PER IS
14509:1997

Sl..No.	Characteristics	Clause no.	Man-Hours
1.	Description	3.1	0.5
2.	Lambda-cyhalothrin	3.2, Table 1	6
3.	Moisture content	3.2, Table 1	2
4.	Acidity	3.2, Table 1	1
PREPARATION OF TEST REPORT			1
TOTAL		TIME	10.5 (rounded 11h)

Testing charges per man-hour are Rs.75.00 . Hence complete testing charges for the product is:

$$\text{Total Rs.} .75 \times 11 + 200 \text{ (cost of CRM)} = 825 + 200 = \text{Rs.} 1025.00$$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA

D&H(QA)

DDGL

REVISED TESTING CHARGES IS PLACED BELOW:



BIS LABORATORY POLICY & PLANNING DEPTT

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 14509:1997 – LAMBDA CYHALOTHRIN TECHNICAL

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.1	0.5
2	Lambda Cyhalothrin Content	3.2, i) of Table 1	2.5
3	Moisture Content	3.2, ii) of Table 1	1
4	Acidity	3.2, iii) of Table 1	1
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		6

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1800/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2300/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

29 Aug 2005

TESTING CHARGES FOR LAMBDA-CYHALOTHRIN W.P. AS PER IS 14510:1997

Sl.. No.	Characteristics	Clause no.	Man- Hours
1.	Description	3.2	0.5
2.	Lambda-cyhalothrin	3.3., Table 1	6
3.	Sieving requirement	--- do ---	1
4.	Suspensibility	--- do --	8
5.	Wettability	--- do ---	1
6.	Acidity/Alkalinity	--- do ---	1
PREPARATION OF TEST REPORT			1
TOTAL			18.5 (rounded 19h)

Cost of CRM = Rs.200/-

Testing charges per man-hour are Rs.75.00 . Hence complete testing charges for the products are:

Total Rs. 75x19 = Rs.1425 + 200 (cost of CRM) = Rs.1625.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA (QA)

D&H(QA)
DDGL

REVISED TESTING CHARGES IS PLACED BELOW:

BIS LABORATORY POLICY & PLANNING DEPTT



TESTING CHARGES FOR IS 14510:1997 – LAMBDA CYHALOTHRIN WP

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2	0.5
2	Lambda Cyhalothrin Content	3.3, i) of Table 1	2.5
3	Seiving Requirement	3.3, ii) of Table 1	1
4	Suspensibility	3.3, iii) of Table 1	4
5	Wettability	3.3, iv) of Table 1	0.5
6	Acidity	3.3, v) of Table 1	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	10.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 3150/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3650/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

5 July 2004

TESTING CHARGES FOR IS 14543:2004 PACKAGED DRINKING WATER (OTHER THAN PACKAGED NATURAL MINERAL WATER)

SL. NO	CHARACTERISTICS	CLAUSE NO.	MAN-HOUR
<u>MICROBIOLOGICAL REQUIREMENTS</u>			
1.	E-Coli	5.1.1	4
2.	Coliform	5.1.2	2
3.	Faecal streptococci & staphylococcs aureus	5.1.3	5
4.	Sulphite reducing anaerobes	5.1.4	2
5.	Pseudomonas aeruginosa	5.1.5	4
6.	Aerobic microbial count	5.1.6	2
7.	Yeast & mould	5.1.7	2
8.	Salmonella & shigella	5.1.8	9
9.	Vibro cholera & V parahaemolyticus	5.1.9	6

Sub total (a)			36
<u>ORGANOLEPTIC & PHYSICAL PARAMETERS – Cl.5.2, TABLE 1</u>			
10.	Colour , Colour units		1
11.	Odour		0.5
12.	Taste		0.5
13.	Turbidity		0.5
14.	Total dissolved solids		1
15.	pH		0.5

Sub total (b)			4
GENERAL PARAMETERS CONCERNING SUBSTANCES UNDERSIRABLE IN EXCESSIVE AMOUNTS – Cl.5.2, TABLE 2			
16.	Barium		2
17.	Copper		1
18.	Iron		1
19.	Manganese		1
20.	Nitrate		4
21.	Nitrite		3
22.	Fluoride		2
23.	Zinc		1
24.	Silver		1
25.	Aluminium		1
26.	Chloride		1
27.	Selenium		2

28.	Sulphate	2
29.	Alkalinity	1
30.	Calcium	1
31.	Magnesium	1
32.	Sodium	1
33.	Residual free chlorine	1
34.	Phenolic compounds	4
35.	Mineral oil	1
36.	Amionic surface active agents	5
37.	Sulphide	2
38.	Antimony	2
39.	Borates	2

Sub total (c)		43

PARAMETERS CONCERNING TOXIC SUBSTANCES- Cl.5.2, TABLE 3

40.	Mercury	2
41.	Cadmium	2
42.	Arsenic	2
43.	Cyanide	1
44.	Lead	2
45.	Chromium	1
46.	Nickel	1
47.	Polychlorinated biphenyle (PCB)	4
48.	Polynuclear aromatic hydrocarbons	6

Sub total (d)		21

PARAMETERS CONCERNING RADIO-ACTIVE RESIDUES- Cl.5.2, TABLE 4

49.	‘Alpha’ emitters	*
50.	‘Beta’ emitters	*

PESTICIDE RESIDUES-Cl.5.3, ANNEX-D

51.	Organ chlorinated residual pesticides	8
52.	Organ phosphorous residual pesticides	12
53.	Isoproturon	8
54.	2,4-D	9

Sub total (d)		37

PREPARATION OF TEST REPORT	(e)	3
----------------------------	-----	---

TOTAL TIME (a+b+c+d+e)	144
------------------------	-----

Cost of consumables:

- | | | |
|----|----------------------|----------|
| 1. | for microbiological | Rs.400/- |
| 2. | for chemical testing | Rs.300/- |

3.	for residual pesticides	Rs.500/-

	Total	Rs.1200/-

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the products are

Rs.10800 +1200 = 12000/- (excluding tests at Sl.Nos 49, & 50).

Testing charges as per Cl.6 shall be levied separately if the plastic container is provided for testing as per IS 15410.

- Presently testing facilities for these tests are not available at CL.

The proposal is made on the basis of information received from concerned testing laboratory.

DDGL may kindly approve.

(Veer Singh)
TS (QA)

D&H(QA)
DDGL

NOTE: REVISED BIS TESTING CHARGES IS PLACED BELOW FOR IS 14543



BUREAU OF INDIAN STANDARDS
[Laboratory Policy & Planning Deptt.]

Our Ref: LPPD/51:2

29.06.2015

Subject: Revision of BIS Testing Charges

BIS Testing Charges for Packaged Drinking Water and Packaged Natural Mineral Water as per IS 14543 and IS 13428 respectively have been reviewed and as decided by CA, the revised testing charges of these products are given in Annex-1. The revised BIS testing charges for these products shall be effective from 26.06.2015.

The above revised testing charges shall not be applicable for outside BIS recognized labs. The outside approved lab who had adopted BIS testing charges would continue to be paid as per the pre-revised rates.

All BIS Labs/ROs/BOs are advised to note the above for implementation by the said date.

Encl: as above

(Dileep Kumar)
Head (LPPD)

Sc.-G & DDG (Labs)

Circulated to all Heads of BIS Labs/ROs/BOs/DDG (Cert.)/CMDs/DDGF

Copy to: H (ITS) – With a request to get the circular hosted on BIS Intranet

BIS LABORATORY POLICY & PLANNING DEPTT

Our Ref: LPPD/52:2

18.06.2015

TESTING CHARGES FOR IS 14543:2004 – PACKAGED DRINKING WATER

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
<u>A. MICROBIOLOGICAL REQUIREMENTS</u>			
1	<i>Escherichia coli</i>	Cl.5.1.1	45 min
2	<i>Coliform</i>	Cl.5.1.2	35 min
3	<i>Feacal streptococci</i>	Cl.5.1.3	35 min
4	<i>Staphylococcus aureus</i>	Cl.5.1.3	45 min
5	Sulphite Reducing Anaerobes	Cl.5.1.4	35 min
6	<i>Pseudomonas aerogenosa</i>	Cl.5.1.5	50 min
7	Aerobic Microbial Count	Cl.5.1.6	25 min
8	Yeast & Mould	Cl.5.1.7	35 min
9	<i>Salmonella</i>	Cl.5.1.8	80 min
10	<i>Shigella</i>	Cl.5.1.8	65 min
11	<i>Vibrio cholerea</i>	Cl.5.1.9	55 min
12	<i>Vibrio parahaemolyticus</i>	Cl.5.1.9	55 min
TOTAL TIME			9 hour 20 mins
Power Consumption			61 kwh
Cost of Power @ Rs. 9 per kwh			Rs. 549/- =
Consumable Cost			Rs. 550/-
TESTING CHARGES			Rs. 2000/-
Total Testing Charges for Microbiological Requiremnets			Rs. 2800/-
<u>B. 1. ORGANOLEPTIC & PHYSICAL PARAMETERS</u>			
1	Description	Cl.5.2	5 min
2	Colour	Cl.5.2,Table-1	15 min
3	Odour	--do--	5 min
4	Taste	--do--	15 min
5	Turbidity	--do--	15 min
6	Total dissolved solids	--do--	30 min
7	pH	--do--	15 min
Sub Total (1)			1 hour 40 min
<u>B. 2. GENERAL PARAMETERS CONCERNING SUBSTANCES UNDERSIRABLE IN EXCESSIVE AMOUNTS</u>			

		Cl.5.2, Table-	
1	Barium	2	5 min
2	Copper	--do--	5 min
3	Iron	--do--	5 min
4	Manganese	--do--	5 min
5	Nitrate	--do--	25 min
6	Nitrite	--do--	25 min
7	Fluoride	--do--	20 min
8	Zinc	--do--	5 min
9	Silver	--do--	5 min
10	Aluminium	--do--	5 min
11	Chloride	--do--	25 min
12	Selenium	--do--	10 min
13	Sulphate	--do--	25 min
14	Alkalinity	--do--	20 min
15	Calcium	--do--	5 min
16	Magnesium	--do--	5 min
17	Sodium	--do--	5 min
18	Residual free chlorine	--do--	30 min
19	Phenolic compounds	--do--	60 min
20	Mineral oil	--do--	80 min
21	Anionic Surface Active Agent	--do--	90 min
22	Sulphide	--do--	20 min
23	Antimony	--do--	10 min
24	Borate	--do--	30 min
25	Bromates	--do--	50 min
Sub Total (2)			9 hrs 30 min

B. 3. PARAMETERS CONCERNING TOXIC SUBSTANCES

		Cl.5.2, Table-	
1	Mercury	3	10 min
2	Cadmium	--do--	5 min
3	Arsenic	--do--	10 min
4	Cyanide	--do--	70 min
5	Lead	--do--	5 min
6	Chromium	--do--	5 min
7	Nickel	--do--	5 min
8	Polychlorinated biphenyl (PCB)	--do--	3 hrs 30 min
9	Polynuclear Aromatic Hydrocarbon (PAH)	--do--	2 hrs 30 min
Sub Total (3)			7 hrs 50 min
TOTAL TIME (1+2+3)			19 hrs
Power Consumption			40 kwh

Cost of Power @ Rs. 9 per kwh	Rs. 360/- =
Consumable Cost	Rs. 400/-
TESTING CHARGES	Rs. 2500/-
Total Testing Charges for Chemical Requirements	Rs. 5700/-
	Rs. 8600/- =

C. PESTICIDE RESIDUES

1	Organochlorinated Residual Pesticide	Cl. 5.3 Annex-D	3 hrs
2	Organo phosphorous Residual Pesticide	--do--	3 hrs
3	Isoproturon	--do--	2 hrs 30 min
4	2,4-D	--do--	2 hrs 30 min
TOTAL TIME			11 hrs
Power Consumption			12 kwh
Cost of Power @ Rs. 9 per kwh			Rs. 108/-
Consumable Cost			Rs. 1900/-
TESTING CHARGES			Rs. 3300/-
Total Testing Charges for Pesticide Residue Requirements			Rs. 5308/- = Rs. 5300/-

D. PREPARATION OF TEST REPORT

Total Time	2 hrs 30 min
Preparation Charge	Rs. 750/-

Total Testing Charges of the Product	A + B + C + D
	=
	Rs. 20,000/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

The BIS testing charges for IS 14544:1998 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14544

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 14544:1998**

(Amnd-nil)

LEATHER SAFETY FOOTWEAR WITH DIRECT MOULDED PVC SOLES is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
172.	Materials	Cl. 5.2	*	-	-	-
	h. Upper leather	Cl. 5.2.1	*	-	-	-
	i. Insole material	Cl. 5.2.2	*	-	-	-
	j. Stiffener	Cl. 5.2.3	*	-	-	-
	k. Lining material	Cl. 5.2.4	*	-	-	-
	l. Threads	Cl. 5.2.5	*	-	-	-
	m. Grinders	Cl. 5.2.6	*	-	-	-
	n. Cotton newar	Cl. 5.2.7	*	-	-	-
	o. Toe compound	Cl. 5.2.8	*	-	-	-
	p. Laces	Cl. 5.2.9	1	-	100.00	-
	q. Steel toe cap	Cl. 5.2.10	3	-	-	-
	r. Sole and heel	Cl. 5.2.11	*	-	-	-
173.	Components	Cl. 5.3 & Table-3	*	-	-	-
174.	Construction	Cl. 5.4	*	-	-	-
	a. Design	Cl. 5.4.1	0.5	-	-	-
	b. Freedom from defects	Cl. 5.4.2	0.5	-	-	-
	c. Upper closing for ankle boots	Cl. 5.4.3	*	-	-	-
	d. Upper closing for Jodhpuri shoes	Cl. 5.4.4	*	-	-	-
	e. Upper closing for Derby shoes	Cl. 5.4.5	*	-	-	-
	f. Lasting	Cl. 5.4.6	*	-	-	-
	g. Moulding of PVC soles	Cl. 5.4.7	*	-	-	-

	h. Workmanship and finish	Cl. 5.4.8	0.5	-	-	-
175.	Mass	Cl. 5.5	0.5	-	-	-
176.	Performance test	Cl. 5.6	*	-	-	-
177.	Adhesion test on moulded bottoms	Cl. 5.7	*	-	-	-
	Report Preparation		2	-	-	-
	Total		8	-	100.00	-

*Testing facility not available at CL.

Testing charges = $8 \times 300 + 100.00 = \text{Rs. } 2500.00$ (only for Laces and Visual tests)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 2500/- (only for Laces and Visual tests).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2003-12-18

TESTING CHARGES FOR IS:14550:1998 HEXACONAZOLE EC

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Description	3.2.1	0.5	-	-
2.	Cold Test	3.2.2	1	-	-
3.	Flash Point	3.2.3	1	-	-
4.	Emulsion stability	3.2.4	1	-	-
5.	Hexaconazone content	3.3.1	6	-	-
6.	Acidity or Alkalinity	3.3.2	1	-	-
PREPARATION OF TEST REPORT			0.5		

TOTAL TIME			11		

Cost of CRM = Rs.200

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are $(11 \times 75) + 200 = \text{Rs.}1025.00$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

23 Feb 2004

TESTING CHARGES FOR IS:14549:1998 HEXACONAZOLE TECHNICAL

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Description	3.1	0.5	-	-
2.	Hexaconzaole content	3.2, Table 1	6	-	-
3.	Moisture content	3.2, Table 1	2	-	-
4.	Acidity	3.2, Table 1	1	-	-
5.	Material insoluble in acetone	3.2, Table 1	2	-	-
PREPARATION OF TEST REPORT			0.5		

TOTAL TIME			12		

Cost of CRM = Rs.200

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are $(12 \times 75) + 200 = \text{Rs.}1100.00$

The proposal is made on the basis of information received fro testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

23 Feb 2004

TESTING CHARGES FOR IS:14550:1998 HEXACONAZOLE EC

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Description	3.2.1	0.5	-	-
2.	Cold Test	3.2.2	1	-	-
3.	Flash Point	3.2.3	1	-	-
4.	Emulsion Stability	3.2.4	1	-	-
5.	Hexaconazole Content	3.3.1	6	-	200
6.	Acidity or Alkalinity	3.3.2	1	-	-
PREPARATION OF TEST REPORT			0.5		

TOTAL TIME			11		

Testing charges per man-hour are Rs.75.00. The cost of consumables are Rs.200.00
Hence complete testing charges for the product are $(75 \times 11) + 200 = \text{Rs.}1025.00$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

7 June 2006

TESTING CHARGES FOR THIOPHANATE METHYL, W.P AS PER IS 14552:1998

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-ever				
applicable				
A.	TEST PARAMETERS			
1.	Thiophanate methyl content	3.3, Table 1	6	1kwh
500.00				
2.	Material passing through 75 micron, IS sieve	-- do --	1	1kwh
3.	Suspensibility	-- do --	8	1kwh
4.	Acidity (as H ₂ SO ₄ or Alkalinity (as NaoH)	-- do --	1	-
25.00				
5.	Wettability	-- do --	0.5	
200.00				
B.	Electricity power consumed			3 kwh
C.	Cost of Consumables/CRMs			
725.00				
D.	PREPARATION OF TEST REPORT			
	TOTAL	TIME	17.5 (18h rounded)	

Testing charges per man-hour are Rs.150.00. Hence complete testing charges for the products is:

Total Rs.150x18+3x4+725= Rs.3437 (rounded Rs.3440.00)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

REVISED TESTING CHARGES IS PLACED BELOW:



BIS LABORATORY POLICY & PLANNING DEPTT

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 14552:1998 – THIOPHANATE METHYL WP

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2	0.5
2	Thiophanate methyl Content	3.3, i) of Table 1	2.5
3	Seiving Requirement	3.3, ii) of Table 1	1
4	Suspensibility	3.3, iii) of Table 1	4
5	Acidity	3.3, iv) of Table 1	1
6	Wettability	3.3, v) of Table 1	0.5
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		10.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 3150/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 3650/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

**BIS, Central Laboratory, Sahibabad
(Electrical Lab)**

Our Ref: CL/Electrical/IS 14569: 1999

12.09.2025

**Testing Charges for Commutator for Electrical
Machines —as per IS 14569:1999**

Testing charges per man-hour is Rs 300.00 and electricity consumption is 10 pre-KWh.

S. No.	Characteristics	Clause No.	Man-Hours	Electricity Power Consumed kW (Units)	Remark
1.	DIMENSIONS AND TOLERANCES	7	2.0	-	-
2.	MARKING	9	0.5	-	-
3.	Intersegment Short Circuit Test	11.1	2.0	1	-
4.	High Voltage Test	11.2	0.5	0.25	-
5.	Insulation Resistance Test	11.3	0.5	0.25	-
6.	Humidity Test	12	0.5	50	-
Total			6.0	51.5	-

Testing charges = 6 X 300 +51.5x10 = Rs 2315/-

Hence, Complete testing charges = Rs 2315/-

**Nirbhay Kumar
LO**

OIC (E)

Head (CL)

OIC (QA)

The revised BIS testing charges for IS 14587:1998 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

08-07-2016

**TESTING CHARGES FOR IS:14587:1998 PRELAMINATED MEDIUM DENSITY
FIBRE BOARD.**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Dimensions	8	2
2.	Density	10.2	2
3.	Moisture content	10.3	2

4.	Water absorption	10.4	3
5.	Swelling in water	10.5	3
6.	Modulus of Rupture	10.6	2
7.	Tensile strength (to the surface)	10.7	12
8.	Tensile strength (to the surface after aging)	10.8	18
			(only for Gr.I)
9.	Screw with drawl strength	10.9	6
10.	Abrasion Resistance	10.10	6
11.	Resistance to steam	10.11	4
12.	Resistance to cigarette burn	10.13	2
13.	Resistance to crack	10.12	3
14..	Resistance to stain	10.14	2
	PREPARATION OF TEST REPORT		6

	TOTAL TIME I) for Grade I		73 h
	ii) for Grade II		55 h

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are :

i) for Grade I:Rs.21900.00 & ii) for Grade II: Rs.16500.00

**As decided average testing charges applicable for Grade-1:Rs.19200.00
& Grade-II: Rs.19200.00.**

DDGL may kindly approve.

(P. Rajesh))
Sc.E, LPPD

**Head, LPPD
DDG (Labs)**

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/14:0

2003-11-05

TESTING CHARGES FOR IS:14587:1998 PRELAMINATED MEDIUM DENSITY FIBRE BOARD.

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Dimensions	8	2
2.	Density	10.2	2
3.	Moisture content	10.3	2
4.	Water absorption	10.4	3
5.	Swelling in water	10.5	3
6.	Modulus of Rupture	10.6	2
7.	Tensile strength (to the surface)	10.7	12
8.	Tensile strength (to the surface after aging)	10.8	18 (only for Gr.I)
9.	Screw with drawl strength	10.9	6
10.	Abrasion Resistance	10.10	6
11.	Resistance to steam	10.11	4
12.	Resistance to cigarette burn	10.13	2
13.	Resistance to crack	10.12	3
14..	Resistance to stain	10.14	2
PREPARATION OF TEST REPORT			6

TOTAL TIME I) for Grade I			73 h
ii) for Grade II			55 h

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are :

- i) for Grade I: Rs.5475.00
- ii) for Grade II: Rs.,4125.00

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

The BIS testing charges for IS 14605:1998 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14605

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 14605:1998 (Amnd-1)**

IRRIGATION EQUIPMENT - MICRO SPRAYER is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
178.	Materials	Cl. 5.1	0.5	-	-	*
179.	Construction and workmanship	Cl. 5.2	2	-	-	-
180.	Threaded connections	Cl. 5.3	0.5	-	-	-
181.	Accuracy of measuring devices	Cl. 6.3	**	-	-	-
182.	Resistance of threaded connections	Cl. 7.1	0.5	-	-	-
183.	Resistance to hydrostatic pressure at ambient temperature	Cl. 7.2	2	-	-	-
184.	Uniformity of flow rate	Cl. 8.2	**	-	-	-
185.	Performance characteristics	Cl. 8.3	**	-	-	-
186.	Water distribution curves	Cl. 8.4.2	**	-	-	-
187.	Diameter of coverage	Cl. 8.4.3	**	-	-	-
188.	Spray coverage patters	Cl. 8.4.4	**	-	-	-
189.	Durability test	Cl. 9	**	-	-	-
	Report Preparation		1	-	-	-
	Total		6.5	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 6.5 x 300 = Rs. 1950.00 + testing charges as per referred ISS (excluding Accuracy of measuring devices, Uniformity of flow rate, Performance characteristics, Water distribution curves, Diameter of coverage, Spray coverage patters and Durability test)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 1950/- + testing charges as per referred ISS (excluding Accuracy of measuring devices, Uniformity of flow

rate, Performance characteristics, Water distribution curves, Diameter of coverage, Spray coverage pattern and Durability test).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 14606:1998 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14606

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 14606:1998 (Amnd-3)**

IRRIGATION EQUIPMENT - MEDIA FILTER is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
190.	General	Cl. 4.1	1	-	-	-
191.	Filter housing	Cl. 4.2	1	-	-	-
192.	Connections	Cl. 4.3	*	-	-	-
193.	Resistance of filter to internal hydrostatic pressure	Cl. 5.1	*	-	-	-
194.	Resistance of filter to internal hydrostatic pressure at high temperature	Cl. 5.2	*	-	-	-
195.	Pressure drop vs Flow testing	Cl. 5.3	*	-	-	-
196.	Sand media bed selection	Cl. 6	*	-	-	-
197.	Sizing sand media filter stations	Cl. 7	*	-	-	-
198.	Backwash flow	Cl. 8	*	-	-	-
199.	Back-up strainer filter	Cl. 9	*	-	-	-
	Report Preparation		1	-	-	-
	Total		3	-	-	-

*Test facility not available at CL.

Testing charges = 3 x 300 = Rs. 900.00 (Only for General and Filter housing)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 900/- (Only for General and Filter housing)

(Ankita Tripathi)
Sc.B, LPPD

HLPPD
DDG (Labs)

The BIS testing charges for IS 14609:1999 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14609

14.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 14609:1999 (Amnd-5)**

DRY CHEMICAL POWDER FOR FIGHTING A,B,C, CLASS FIRES –SPECIFICATION
is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
200.	Apparent density	Cl. 4.2	1	-	-	-
201.	Chemical content	Cl. 4.3	4	-	100	-
202.	Particle size distribution	Cl. 4.4	1.5	-	-	-
203.	Hygroscopicity	Cl. 4.5	*	-	-	-
204.	Hygroscopicity and caking test	Cl. 4.6	*	-	-	-
205.	Water repellency test	Cl. 4.7	1.5	2	-	-
206.	Moisture content	Cl. 4.8	1.5	24	50	-
207.	Heat Resistance test	Cl. 4.9	3	168	-	-
208.	Free flowing characteristics	Cl. 4.10	*	-	-	-
209.	Foam Compatibility	Cl. 4.11	*	-	-	-
210.	Fire knocking down properties	Cl. 4.12	*	-	-	-
211.	Colour	Cl. 4.13	0.5	-	-	-
	Report Preparation		0.5	-	-	-
	Total		13.5	194	150	-

*Test facility not available at CL.

Testing charges = $13.5 \times 300 + 194 \times 9 + 150.00$ = Rs.5946.00 (excluding Hygroscopicity, Hygroscopicity and caking test, Free flowing characteristics, Foam compatibility and Fire knocking down properties).

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 5946/- (excluding Hygroscopicity, Hygroscopicity and caking test, Free flowing characteristics, Foam compatibility and Fire knocking down properties).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD
DDG (Labs)

The BIS testing charges for IS 14611:2016 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14611

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 14611:2016**

(Amnd-2)

MULTILAYERED CROSS LAMINATED

SHEETS/TARPAULINS/COVERS/AGRICULTURAL FILMS - SPECIFICATION

(FIRST REVISION) is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
212.	Construction	Cl. 5 & Cl. 7	2	-	-	-
213.	Requirements	Cl. 6	-	-	-	-
	a. Workmanship	Cl. 6.4	2	-	-	-
	b. Water proofness test	Cl. 6.4	*	-	-	-
	c. Strength of joints/seam	Cl. 6.5	3	-	-	-
	d. Flex Test	Cl. 6.6	*	-	-	-
	e. Ease of in-situ repair	Cl. 6.7	2	-	-	-
214.	Requirement for finished material	Cl. 6.8 & Table-1	-	-	-	-
	a. Total mass per unit area	Cl. 6.8 & Table-1	2	-	-	-
	b. Tensile Strength	Cl. 6.8 & Table-1	-	-	-	-
	i. Longitudinal direction	Cl. 6.8 & Table-1	2	-	-	-
	ii. Transverse direction	Cl. 6.8 & Table-1	2	-	-	-
	After ageing at 70°C	Cl. 6.8 & Table-1	-	20	-	-
	i. Longitudinal direction	Cl. 6.8 & Table-1	2	-	-	-
	ii. Transverse direction	Cl. 6.8 & Table-1	2	-	-	-
	c. Elongation at break	Cl. 6.8 & Table-1	-	-	-	-
	i. Longitudinal direction	Cl. 6.8 & Table-1	1	-	-	-
	ii. Transverse direction	Cl. 6.8 & Table-1	1	-	-	-

	d. Tear Strength	Cl. 6.8 & Table-1	*	-	-	-
	e. Dart impact Strength	Cl. 6.8 & Table-1	*	-	-	-
	f. Average tensile strength and elongation at break after UV radiation and weathering	Cl. 6.8 & Table-1	*	-	-	-
	Report Preparation		2	-	-	-
	Total		23.0	20	-	-

*Test facility not available at CL.

Testing charges = $23.0 \times 300 + 20 \times 9$ = Rs. 7080.00 (excluding Water proofness test, Flex Test, Tear Strength, Dart impact Strength and Average tensile strength and elongation at break after UV radiation and weathering).

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 7080/- (excluding Water proofness test, Flex Test, Tear Strength, Dart impact Strength and Average tensile strength and elongation at break after UV radiation and weathering).

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BUREAU OF INDIAN STANDARDS
WROL, Mumbai

Our Ref.: WROL/TC/Mechanical/ IS 14625

10 July 2017

Testing Charges for feeding bottles as per IS 14625:2015 including Amendment 1

Sr. No.	Tests	Cl. Ref.	Man Hours
A	Mechanical Test		
1	Manufacture, Workmanship, Finish and Appearance	Cl.5.1.2	1
2	Wall Thickness	Cl.5.1.3	1
3	Capacity	Cl.5.1.4	2
4	Transparency	Cl.5.3.2	1
5	Leakage Test	Cl.5.3.3	2
6	Drop Test	Cl.5.3.4	3
7	Ageing Resistance	Cl.5.3.5	3.5
8	Compressive Deformation Resistance	Cl.5.3.6	1
9	Product Resistance of Printed Containers	Cl.5.3.7	2
10	Packing and Marking	Cl.7	1
B	Chemical Test		
1	Environmental Stress-crack Resistance	Cl.5.3.1	2
2	Test for Permanency of pigment	Cl.5.1.4.2 (a)	0.5
3	Migration of certain Elements	Cl.5.2.1	
	Sample preparation		1
	Sb,As,Cr,Hg,Cd,Pb,Ba,Se		6.5
4	Migration test (See IS 9845)	Cl.5.3.8	
	a)Distilled water at 40 + 2 °C for 2h		2
	b)n-heptane at 38 + 1° C for 30 min		2
5	Rubber Teats	Cl.4.2	Testing charges as per IS 3565 (Extra)
6	Preparation of Test Report		1
	Total Man Hours		32.5 (Excluding Cl 4.2)

Electric Power Consumed(@Rs 15 per Unit)

212 Units

Rs 3180/-

Cost of Consumables

Rs 4000/-

Testing Charges per Manhours (@Rs 300/-per Manhour)

32.5 hr

Rs 9750/-

Total Testing Charges(Excluding Rubber Teats as per IS 3565)

Rs 16930/-

Total Testing Charges (including Rubber Teats as per IS 3565) (Rs16930+Rs3000)

Rs 19930/-

Submitted for your approval, please.

Rajeshri Nagvekar,

R R CHIKHALE,

LO B, Chemical

LO B, Mechanical

OIC(Mech Lab)

Head WROL

Head LPPD

DDGL

The BIS testing charges for IS 14650:1999 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS WROL, Mumbai
--

Our Ref.: WROL/TC/Mechanical/ IS 14650			29 Nov 2017
Subject: Carbon steel cast billets ingots billets blooms and slab for Rerolling process IS 14650:1999 Amd-1			
Sr. No.	Tests	Cl. Ref.	Man Hours
A	Mechanical Test		
1	Dimensions	Cl.9	1
2	Marking	Cl.13.1	0.5
B	Chemical Test		
1	Chemical test	Cl.6	(As per manufacture declaration)
	Preparation of Test Report		1
Electric Power Consumed(@Rs 15 per Unit)			
Testing Charges per Manhours (@Rs 300/-per Manhour)		1.5 hr	Rs 450/-
Total Testing Charges (only for dimensions and marking)			Rs 450/-
Tiwari			Amit Kumar
			TA, Mechanical
<u>OIC(Mech Lab)</u>			
<u>Head WROL</u>			
<u>Head LPPD</u>			
<u>DDGL</u>			

As decided by Competent Authority, the testing charges for the product are Rs. 450/- (only for dimensions and marking).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 14724:1999 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPARTMENT

Our RefL LPPD/51:1

10-3-2016

TESTING CHARGES FOR ULTRAVIOLET WATER DISINFECTION SYSTEM AS PER IS 14724:1999

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable
			Cost @ 300/-	Kwh	Cost @ 9/-	
	A. TEST PARAMETERS					
1.	Chemical Parameters					
	a) Test for turbidity	6.2.2.1	1	-	-	-
	b) Test for suspended particles	6.2.2.2	0.5	-	-	-
	c) Test for microbiology *	6.2.2.3	4	68	272	370.00
	d) Test for absorption of activated carbon	6.2.2.4	1	1	4	200.00
2.	Mechanical Parameters					
	a) Construction					
	i) Method of mounting	3.1	1	-	-	-
	b) Manufacture and Testing					
	i) Leakage test	6.1	2.5	-	-	-
	ii) Verification of guarantees of * performance – Maximum rate of flow	6.2.1	2.5			
3.	Electrical Parameters					
	a) Leakage current & H.V. test at operating temperature	5.3	1	1	4	-
	b) Leakage current & H.V. test after humidity treatment	5.3	1	97	388	-
	c) Provision for Earthing	5.3				
	B. PREPARATION OF TEST REPORT		1+1+2=4			
	TOTAL		18.5=19 (rounded off)	-	668	570.00

*Testing facility are not available for the tests mentioned

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are:
 Total Rs.19x300 + 167x9 + 570 = **Rs.7773.00(Rounded to Rs.7775.00)**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref : CL/QA/79

18 Dec 2008

**TESTING CHARGES FOR ULTRAVIOLET WATER DISINFECTION SYSTEM AS PER IS
14724:1999**

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			Cost @ 75/-	Kwh	Cost @ 4/-		
	A. TEST PARAMETERS						
1.	Chemical Parameters						
	a) Test for turbidity	6.2.2.1	1	-	-	-	75.00
	b) Test for suspended particles	6.2.2.2	0.5	-	-	-	38.00
	c) Test for microbiology *	6.2.2.3	4	68	272	370.00	942.00
	d) Test for absorption of activated carbon	6.2.2.4	1	1	4	200.00	279.00
2.	Mechanical Parameters						
	a) Construction						
	i) Method of mounting	3.1	1	-	-	-	75.00
	b) Manufacture and Testing						
	i) Leakage test	6.1	2.5	-	-	-	187.50
	ii) Verification of guarantees of * performance – Maximum rate of flow	6.2.1	2.5				187.50
3.	Electrical Parameters						
	a) Leakage current & H.V. test at operating temperature	5.3	1	1	4	-	79.00
	b) Leakage current & H.V. test after humidity treatment	5.3	1	97	388	-	463.00
	c) Provision for Earthing	5.3					
	B. PREPARATION OF TEST REPORT		1+1+2=4				300.00
	TOTAL		18.5=19 (rounded off)	-	668	570.00	2663.00

*Testing facility are not available for the tests mentioned

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs.19x75 + 167x4 + 570 = Rs.2663.00

The proposal is made on the basis of information received from testing lab.

DQA
H (CQAPD)
DDGL

(K.S. Arya)
LO-B (QA)

BUREAU OF INDIAN STANDARDS
WRO LABORATORY, Mumbai
(Mechanical Section)

C - 1

Our Ref.: WROL/TC/Mechanical / IS 14735

Date: 05 June 2017

Testing Charges for U P V C Injection Moulded Fittings as per IS 14735:1999 (Amdt. 3)

S No	Tests	Clause Reference	Man Hours
	MECHANICAL TESTS		
1	COLOUR OF FITTINGS	5	0.5
2	DIMENSIONS	7	2.0
3	SEALING RINGS	8	1.0
4	WORKMANSHIP	10	0.5
5	SOCKET AND SPIGOT CONFIGURATION	11.2	0.5
6	ACCESS OPENING	11.3	0.5
7	VENT COWL	11.4	0.5
8	PIPE CLIPS	11.5	0.5
9	VISUAL APPEARANCE	12.1	0.5
10	STRESS RELIEF TEST	12.2	2.0
11	VICAT SOFTENING TEMPERATURE	12.3	2.0
12	IMPACT TEST (DROP TEST)	16.1	2.0
13	WATER TIGHTNESS OF JOINT	17	2.0
14	MARKING	19	0.5
	CHEMICAL TEST		
15	RESISTANCE TO SULPHURIC ACID	13	3
16	TITANIUM DIOXIDE CONTENT	14	6
17	SULPHATED ASH CONTENT	15	4
	Preparation Of Test Report		1.0
	Total Man Hours		29.0

Cost of Consumables	:		Rs. 1000.00
Electric Power Consumed (@ Rs. 15.00 per unit)*	:	18 Units	Rs. 270.00
Testing Charges as per man hours	:	29.0 Man Hour	RS. 8700.00
(@ Rs. 300.00 per man hour)			
Total Testing Charges	:		Rs. 9970.00
*(As per existing Electricity charges)			

Submitted for approval please

A.R. Shaikh (LO-B)

OIC (Mech. Lab)
Head WROL

Head LPPD

DDGL

The revised BIS testing charges for IS 14743:1999 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS:14743:1999 IRRIGATION EQUIPMENT-HYDROCYCLONE FILTERS

Sl. No.	Characteristics	Clause no.	Man-Hours kwh	Electricity power consumed Rs.	Cost of consumable
1.	Technical requirements	4			
	a) Materials	4.1	1.5	-	-
	b) Construction	4.2	1	-	-
	c) Cyclonic vessel	4.3	1.5	-	-
	d) Connections	4.4	0.5	-	-
2.	Tests	5			
	a) Resistance to internal hydrostatic	5.1	3.5	-	-
	b) Resistance to internal hydrostatic pressure at devated temperature	5.2	4.5	48kwh	
	c) Pressure drop v/s flow	5.3	-	Testing facility not available atCL	
	PREPARATION OF TEST REPORT		1		

	TOTAL TIME (Round off)		14h		

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are $\text{Rs.}300 \times 14 + 9 \times 48 = \text{Rs.}4632.00$ **(Rounded to Rs.4635.00)**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

8 Oct 2004

**TESTING CHARGES FOR IS:14743:1999 IRRIGATION EQUIPMENT-HYDROCYCLONE
FILTERS**

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Technical requirements	4			
	a) Materials	4.1	1.5	-	-
	b) Construction	4.2	1	-	-
	c) Cyclonic vessel	4.3	1.5	-	-
	d) Connections	4.4	0.5	-	-
2.	Tests	5			
	a) Resistance to internal hydrostatic	5.1	3.5	-	-
	b) Resistance to internal hydrostatic pressure at devated temperature	5.2	4.5	48kwh	
	c) Pressure drop v/s flow	5.3	-	Testing facility not available atCL	
	PREPARATION OF TEST REPORT		1		

	TOTAL TIME (Round off)		14h		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are $\text{Rs.}75 \times 14 + 4 \times 48 = \text{Rs.}1205.000$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(B.M. Gupta)
TS(QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 14756:2000 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR STAINLESS STEEL COOKING UTENSILES AS PER IS 14756:2000

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable	A.
TEST PARAMETERS						
1.	Material	3		-		
2.	Shapes, dimensions, workmanship and finish	5 & 6		4		
3.	Staining test	7		3		
B.	Electricity power consumed					
C.	Cost of Consumables/CRMs					
	--					
D.	PREPARATION OF TEST REPORT			2		
	TOTAL	TIME		9		

Testing charges per man-hour are Rs.300.00. Hence testing charges for the products is:

Total Rs.300x9 = **Rs.2700.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

27 Nov 2006

TESTING CHARGES FOR STAINLESS STEEL COOKING UTENSILES AS PER IS 14756:2000

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where- ever				
applicable				
A.	TEST PARAMETERS			
1.	Material	3	-	
2.	Shapes, dimensions, workmanship and finish	5 & 6	4	
3.	Staining test	7	3	
B.	Electricity power consumed			
C.	Cost of Consumables/CRMs --			
D.	PREPARATION OF TEST REPORT			2
	TOTAL	TIME	8	

Testing charges per man-hour are Rs.75.00. Hence testing charges for the products is:

Total Rs.75x9 = Rs.675.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)

DDGL

The revised BIS testing charges for IS 14768(Pt-2):2003 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS: 14768(Pt-2):2003 CONDUIT FITTINGS FOR ELECTRICAL INSTALLATIONS-PART-2 (METAL CONDUIT FITTINGS)

SL.NO.	CHARACTERISTICS		CLAUSE NO.	MAN-HOURS
1.	General quality & construction	4&9	1	
2.	Dimensions	8	2	
3.	Impact test	10.3	3	
4.	Suspended load test	10.4	2	
5.	Electrical characteristics			
	i) Impedance test	13.7	2	
	ii) Fault current test	13.8	2	
	iii) Earth terminal test	13.9	2	
6.	Degree of protection			
	i) Ingress o solid objects	14.2	3	
	ii) Ingress of water	14.3	3	
7.	Tensile strength test	15.1	3	
8.	Cantileves strength test	15.2	2	
	PREPARATION OF TEST REPORT		1	

	TOTAL TIME		26	

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs.7800.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref:CL/QA/Lab/14:0

2003-06-26

**TESTING CHARGES FOR IS: 14768(Pt-2):2003 CONDUIT FITTINGS FOR ELECTRICAL
INSTALLATIONS-PART-2 (METAL CONDUIT FITTINGS)**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	General quality & construction	4&9	1
2.	Dimensions	8	2
3.	Impact test	10.3	3
4.	Suspended load test	10.4	2
5.	Electrical characteristics		
	i) Impedance test	13.7	2
	ii) Fault current test	13.8	2
	iii) Earth terminal test	13.9	2
6.	Degree of protection		
	i) Ingress o solid objects	14.2	3
	ii) Ingress of water	14.3	3
7.	Tensile strength test	15.1	3
8.	Cantileves strength test	15.2	2
	PREPARATION OF TEST REPORT		1

	TOTAL TIME		26

Testing charges per man-hour are Rs.75.00. Hence complete
testing charges for the product are Rs.1950.00

DDGL may kindly approve.

(Veer Singh)
STA (QA)

D&H (QA)
DDGL

The BIS testing charges for IS 14769:2000 effective from 12-02-2018
BIS NROL Mohali

Our Ref: NROL/Mech/14769

20 Sept 2017

DRAFT PROPOSAL FOR TESTING CHARGES FOR HOUSEHOLD SEWING MACHINE HEAD AS PER IS 14769:2000

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
				Kwh	Cost @ 9/-		
			@ 300/-				
	A. TEST PARAMETERS						
1.	SEWING MECHANISM	4	4.0	-	-	-	1200.00
2.	LUBRICATION	5	0.5				150.00
3.	WORKMANSHIP & FINISH	6.1, 6.2	2.0	5	45	-	645.00
4.	PLATING	6.3	5.0	-	-	150.00	1650.00
5.	TEST	8					
a.	<i>Accuracy Requirements</i>	8.1	2.0	-	-	-	600.00
b.	<i>Sewing Requirements</i>	8.2	2.0	-	-	-	600.00
c.	<i>Durability Requirements</i>	8.3	2.5	3	27	-	777.00
6.	PACKING	10	0.5				150.00
	PREPARATION OF TEST REPORT		2	-	-	-	600.00
	TOTAL		20.5	8	72		6370.00

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are:

Total Rs. $20.5 \times 300 + 8 \times 9 + 150.00 = \text{Rs. } 6372.00$ /- **Rounded off to 6370/-**

(Gurmukh Singh)
LO-B

OIC (M)
HNROL
HLPPD

As decided by Competent Authority, the testing charges for the product are Rs Rs 6370/-

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2003-07-22

TESTING CHARGES FOR IS: 14806: AZOSPIRILLUM INOCULANTS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Azospirillum cell count/g	4	8
2.	Carrier material	4.2	1
3.	Contaminant at 10 ⁵ dilution	4.3	Test is same as at S.No.1
4.	pH	4.4	
5.	Moisture	4.5	1
6.	Potculture test	4.6	60
7.	MPN in root zone	4.6-C-2	8
PREPARATION OF TEST REPORT			2

TOTAL TIME			82
Electricity power consumption 48 kwh			
Cost of consumables Rs.1000.00			

Testing charges per man-hour are Rs.75.00. In addition to man hour, electricity power consumption is estimated @ Rs.4.00 per kwh and cost of consumables is Rs.1000.00. Hence complete testing charges for the product are :

$$(82 \times 75) + (48 \times 4) = \text{Rs.}7342.00$$

DDGL may kindly approve.

(Veer Singh
STA(QA))

D&H (QA)
DDGL

The revised BIS testing charges for IS 14807:2000 effective from 07-11-2016

BIS CENTRAL LABORATORY
(Q.A. Department)

TESTING CHARGES FOR IS: 14807:2000, Amnd. 2 May 2012 PHOSPHATE
SOLUBILISING BACTERIAL INOCULANT

Sl.No. Test parameters	Clause no.	Man-Hours	Electricity Power Consumed (Kwh)	Cost of Consumable including reference Material wherever Applicable (Rs.)
1. Viable phosphate Solubilising bacterial cell / gm (cell count / g PSBI)	4.1	4	72	50
2. Carrier material	4.2	1	---	---
3. Contaminant at 10 ⁵ dilution	4.3	4	72	50
4. pH	4.4	2	1	25
5. Phosphate solubilisation	4.5	12	1	100
PREPARATION OF TEST REPORT		1		
		----	-----	-----
Total Time		24	146	225
Electricity power consumption 146 kwh				

Total Testing Charges : = Rs (24x300) + (146x9) +225
= Rs 7200+1314+225
= **Rs 8739/-**

CA may kindly approve.

**Smitha Aravind
LO-B**

OIC (Chem)

Head(CL) - DDG (Labs) may kindly approve the testing charges.

As decided by Competent Authority, the testing charges for the product are Rs.8740.00 (rounded off)

**(P. Rajesh)
Sc.E, LPPD**

**HLPPD
DDG (Labs)**

Please Refer to Revised Testing Charges mentioned above
BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2003-07-22

TESTING CHARGES FOR IS: 14807:2000 PHOSPHATE SOLUBILISING BACTERIAL INOCULANCES

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	cell Count/g PSBI	4.1	8
2.	Carrier material	4.2	1
3.	Contaminant at 10 ⁵ dilution	4.3	Test is same as at S.No.1
4.	pH	4.4	
5.	Phosphate solubilisation	4.5	12
PREPARATION OF TEST REPORT			1

TOTAL TIME			24
Electricity power consumption 30 kwh			
Cost of consumables Rs.200.00			

Testing charges per man-hour are Rs.75.00. In addition to man hour, electricity power consumption is estimated @ Rs.4.00 per kwh and cost of consumable is Rs.200.00. Hence complete testing charges for the product are :

$$(24 \times 75) + (30 \times 4) = \text{Rs.}2120.00$$

DDGL may kindly approve.

(Veer Singh
STA(QA))

D&H (QA)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

TESTING CHARGES FOR IS 14833:2000 LINDANE WETTABLE POWDER

<u>SL. NO</u>	<u>CHARACTERISTICS</u>	<u>CLAUSE NO.</u>	<u>MAN-HOUR</u>
1.	Lindane content	3.3	6
2.	Material, passing through 75 IS sieveur	3.3	2
3.	Suspensibility after accelerated storage	3.3	8
4.	Weltability	3.3	0.5
5.	Acidity (as H ₂ SO ₄) or Alkalinity (as NaOH)	3.3	1
6.	Related isomers	3.3	2
PREPARATION OF TEST REPORT			2
TOTAL TIME			22

Testing charges per man-hour is Rs.75.00. Hence complete testing charges for the products are Rs.1650.00.

DG may kindly approve.

(V.K. Sethi)
TS (QA)

DCL(QA)

DDGL

ADGT

DG

BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)

2001 01 09

Our Ref: CL/QA/ Lab/14.0

TESTING CHARGES FOR IS 14834:2000 LINDANE DUSTING POWDER

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Lindane content	3.2	6
2.	Material, passing through 75 U IS sieueur	3.2	2
3.	Bulk density	3.2	1
4.	Acidity (as HCL) or Alkalinity (as NaOh)	3.2)) 3.2)	1
5.	Related isomers	3.2	2
	PREPARATION OF TEST REPORT		2

	TOTAL TIME :		14

Testing charges per man-hour are Rs. 75.00.

Hence complete testing charges for the product are : Rs. 1050.00.

DDGL may kindly approve.

(V.K.Sethi)
TS (QA)

DCL(QA)
DDGL
ADGT
DG

The BIS testing charges for IS 14845:2000 effective from 12-02-2018

BUREAU OF INDIAN STANDARDS CENTRAL LABORATORY (Quality Assurance Department)

Ref: CL/QA/Testing Charges/14845

13.10.2017

Based on the inputs received from testing section, the testing charges as per **IS 14845:2000 (Amnd-1)**

RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS

PURPOSES is as below:

S. No	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
215.	End connection	Cl. 8	2	-	-	Except Threads
216.	Materials	Cl. 9	*	-	-	-
217.	Design & Manufacture	Cl. 10	-	-	-	-
	a. Dimensions as per Fig 1-4	Cl. 10.1	1	-	-	-
	b. Body	Cl. 10.2	1	-	-	Except for Kinetic Air Valve
	c. Covers of large orifice chamber	Cl. 10.3	0.5	-	-	-
	d. High pressure orifice	Cl. 10.4	1	-	-	-
	e. Floats	Cl. 10.5	2	-	-	-
	f. Low pressure seat ring	Cl. 10.6	1	-	-	-
	g. Joint support ring, Cowl, Gasket & joining material	Cl. 10.7 to 10.9	1	-	-	-
	h. Bolts and Nuts	Cl. 10.10	1	-	-	Partial as per IS 1363
	i. Built-in isolating valves	Cl. 10.11	1	-	-	-
218.	Finish	Cl. 11	0.5	-	-	-
219.	Testing and performance	Cl. 12	-	-	-	-
	a. Function and performance test	Cl. 12.4.1	**	-	-	-
	b. High pressure orifice seat test	Cl. 12.4.2	**	-	-	-
	c. Low pressure orifice seat test	Cl. 12.4.3	**	-	-	-
	d. Body test	Cl. 12.4.4	2	1	-	-
220.	Coating	Cl. 14	0.5	-	-	-
	Report Preparation		1			

	Total		15.5	1	-	-
--	-------	--	------	---	---	---

*Testing charges for Material as per relevant ISS.

**Test Facility not available at CL.

Testing charges = $15.5 \times 300 + 1 \times 9$ = Rs. 4659.00 + testing charges as per relevant ISS.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 4660/- + charges as per relevant ISS excluding Function and performance test, High pressure orifice seat test and Low pressure orifice seat test

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 14846:2000 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS:14846:2000 SLUICE VALVE FOR WATER WORKS
PURPOSES (50 TO 1200 mm SIZE)**

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Manufacture	7			
	a) Bodies & Bonnets	7.2	0.5	-	-
	b) Flanges	7.3	1	-	-
	c) Wedges	7.4	1	-	-
	d) Guides & hugs	7.5	0.5	-	-
	e) Facing or seat rings	7.6	1	-	-
	f) Stems & Wedge nuts	7.7	1	-	-
	g) Bolts & Nuts	7.8	As per IS 1363 & IS 4218		-
	h) Height of valve	7.9	0.5	-	-
	j) Gears	7.10	0.5	-	-
	k) Hand wheel	7.11	0.5	-	-
	l) Valve caps	7.12	0.5	-	-
	m) Stuffing box	7.13	0.5	-	-
	n) By pass arrangements	7.14	0.5	-	-
2.	Testing	10			
	a) Hydrostatic test (closed-end test)	10.1.2	2.5	-	-
	b) Hydrostatic test (open end test)	10.1.3	5	-	-
	c) Test for stem	10.2	2	-	-
	PREPARATION OF TEST REPORT		1		

	TOTAL TIME (rounded off)		19		

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs.5700.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

2003-04-16

TESTING CHARGES FOR IS:14846:2000 SLUICE VALVE FOR WATER WORKS
PURPOSES (50 TO 1200 MM SIZE)

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Manufacture	7			
	a) Bodies & Bonnets	7.2	0.5	-	-
	b) Flanges	7.3	1	-	-
	c) Wedges	7.4	1	-	-
	d) Guides & hugs	7.5	0.5	-	-
	e) Facing or seat rings	7.6	1	-	-
	f) Stems & Wedge nuts	7.7	1	-	-
	g) Bolts & Nuts	7.8	As per IS 1363 & IS 4218		-
	h) Height of valve	7.9	0.5	-	-
	j) Gears	7.10	0.5	-	-
	k) Hand wheel	7.11	0.5	-	-
	l) Valve caps	7.12	0.5	-	-
	m) Stuffing box	7.13	0.5	-	-
	n) By pass arrangements	7.14	0.5	-	-
2.	Testing	10			
	a) Hydrostatic test (closed-end test)	10.1.2	2.5	-	-
	b) Hydrostatic test (open end test)	10.1.3	5	-	-
	c) Test for stem	10.2	2	-	-
	PREPARATION OF TEST REPORT		1		

	TOTAL TIME (rounded off)		19		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.1425.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

The BIS testing charges for IS 14885:2001 effective from 19-12-2018

Bureau of Indian Standards

EROL- Kolkata

Ref: EROL(Q)/38/ IS 14885

05.12.2018

Sub: Testing Charges for IS 14885:2001, Polyethylene Pipes for the Supply of Gaseous Fuels

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive) (in unit)	Cost of power	Consumable cost (if significant)	Total cost of testing (Rs.)	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.30 0	(VI)	(VII)=(VI)x Rs.10	(VIII)	(IX)	(X)
1.	4.4	Colour of Pipe	0.5	150	-	-	-	150	
2.	6	Outside Diameter, Ovality, Wall Thickness & Length	2	600	-	-	-	600	
3.	7	Finish	0.5	150	-	-	-	150	
4.	8.1	Hydraulic Characteristics	Facility not available						
5.	8.2	Reversion Test	2	600	3	30	50	680	
6.	8.3	Density	Facility not available						
7.	8.4	Melt Flow Rate	3	900	2	20	-	920	
8.	8.5	OIT	Facility not available						
9.	8.6	Volatile Matter content	2	600	5	50	-	650	
10.	8.7	Tensile Strength	3	900	5	50	-	950	
		Elongation at Break	3	900	5	50	-	950	
11.	8.8	Resistance to Weathering	Facility not available						
12.	8.9	Squeeze-Off	Facility not available						
13.		Preparation of Test report	1.5	450				450	

Testing Charge for the product is Rs. 5,500/- (except Hydraulic Characteristics, Density, OIT, Resistance to Weathering and Squeeze-Off).

(D. Bhadra)
OIC, QA

H(EROL)
H(LPPD)

As decided by Competent Authority, the testing charges for the product are Rs.5500/- (excluding Hydraulic characteristics, Density, OIT, Resistance to weathering and squeeze off).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

Testing charges fixed w.e.f. 02-02-2017

Bureau of Indian Standards

EROL

Testing Charges for IS 14887: 2014

SI No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(VI) x Rs.10	(VIII)	(IX)	(X)
1	3.3	Sack	2	600				600	
2	3.3.1	Bottom Seam	2	600				600	
3	3.3.2	Mouth	1	300				300	
4	3.2	Dimension	3	900				900	Annexure B
5	3.2	Mass	2	600				600	IS1964
6	3.2	Ends and Picks	4	1200				1200	Annexure B
7	3.2	Breaking strength of fabric	5	1500				1500	IS1969(P-1)
8	3.2	Breaking strength of seam	4	1200				1200	IS 9030
9	3.2	Elongation of fabric	2	600				600	IS1969(P-1)
		Electrical energy consumed (for 7,8,9)			15	150		150	
10	3.2	Ash content	6	1800	10 unit	100		1900	Annexure D
11	3.2/4.2	UV Resistance(Breaking strength and elongation after radiation and weathering)	30	9000	30 unit	300		9300	Annexure C
12	4.1	Mass of bale	1	300				300	
14		Preparation of Test report	2	300				600	

-Testing charges for IS 14887:2014(including all parameters) : Rs 19750/-

-Testing charges for IS 14887:2014(excluding UV Resistance test) :

Rs.10450/-

S.Mukherjee
LOB (Mechanical
Lab.)

OIC(Mechanical)
H(EROL)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/Lab/14:0

2003-06-24

TESTING CHARGES FOR IS: 14887:2000 HDPE/PP WOVEN SACKS FOR PACKING 50 KG/25 KG FOODGRAINS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Manufacturer		
a)	Raw material	3.1	HDPE As per IS 10146 PP As per IS 10910
b)	Fabric	3.2	HDPE As per IS 6192 PP As per IS 11197
c)	Sack	3.3	1
d)	Liner (if required by the buyer)	3.3.3.	
	i) Dimensions		1
	ii) Visual examination		0.5
2.	Requirements	3.2, 4.1 and Table 1	
a)	Dimensions		1
b)	Mass of sack		3
c)	Ends & Picks per dm		1
d)	Average breaking strength of fabric & bottom seam		4
e)	Elongation at break		
3.	UV Resistance	4.2	30 *
4.	Mass of Bale	4.3	0.5
	PREPARATION OF TEST REPORT		1

	TOTAL TIME		43
	Electricity consumption 140 unit (@ Rs.4 per unit) = Rs.560.00		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs. 3225.00 + Rs.560.00 = Rs.3785.00 (excluding raw material)

* 20% of test period is taken as man hour consumed in supervision of sample under test.

DDGL may kindly approve.

(Veer Singh)
STA (QA)

D&H (QA)
DDGL

The BIS testing charges for IS 14899:2014 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14899

31.10.2017

Based on the inputs received from testing section, the testing charges as per **IS 14899:2014**

(Amnd-nil)

LIQUIFIED PETROLEUM GAS CONTAINERS FOR AUTOMOTIVE USE -

SPECIFICATION is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
221.	Material	Cl. 4	*	-	-	-
222.	Minimum Thickness	Cl. 6.3	1.0	-	-	-
223.	Construction and workmanship	Cl. 7	0.5	-	-	-
224.	Longitudinal Weld	Cl. 7.2.2.1	1.0	-	-	-
225.	Circumferential Weld	Cl. 7.2.2.2	1.0	-	-	-
226.	Out of roundness	Cl. 7.3	**	-	-	-
227.	Opening for fitting	Cl. 8.2	1.0	-	-	-
228.	Tensile Test (L pc) parent metal	Cl. 10.1.3	4.0	20	-	-
229.	Tensile Test (B pc) parent metal	Cl. 10.1.3	4.0	20	-	-
230.	Tensile Test (L pc) Weld joint	Cl. 10.1.3	4.0	20	-	-
231.	Tensile Test (C pc) Weld joint	Cl. 10.1.3	4.0	20	-	-
232.	Hardness Test	Cl. 10.1.4	**	-	-	-
233.	Bend Test (L pc) root and face	Cl. 10.1.5	2.0	-	-	-
234.	Bend Test (C pc) root and face	Cl. 10.1.5	2.0	-	-	-
235.	Macroscopic Examination (L pc)	Cl. 10.1.6	2.0	-	-	-
236.	Macroscopic Examination (C pc)	Cl. 10.1.6	2.0	-	-	-
237.	Macroscopic Examination (neck)	Cl. 10.1.6	2.0	-	-	-
238.	Water capacity	Cl. 10.1.8	1.0	-	-	-
239.	Hydrostatic Stretch Test	Cl. 10.2.1	2.0	10	-	-
240.	Bursting Test	Cl. 10.2.2	2.0	10	-	-
241.	Hydrostatic Test	Cl. 10.3	1.0	5	-	-
242.	Pneumatic Test	Cl. 10.4	**	-	-	-
243.	Radiographic Examination	Cl. 10.5.1	**	-	-	-
244.	Bonfire Test	Cl. 10.6.1	**	-	-	-
245.	Fatigue Test	Cl. 10.6.2	30.0	2	-	-
246.	Crash Test	Cl. 10.6.3	**	-	-	-
247.	Strength Assessment	Cl. 10.6.4	**	-	-	-
248.	Surface Coating	Cl. 11	0.5	-	-	-
	Report Preparation		1	-	-	-
	Total		68	107	-	-

*Testing charges for materials as per referred ISS.

**Test facility not available at CL.

Testing charges = $68 \times 300 + 107 \times 9$ = Rs. 21363.00 (excluding Out of roundness, Hardness test, Pneumatic test, Radiographic examination, Bonfire test, Crash test and Strength assessment)
+ testing charges as per referred ISS.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 21363/- (excluding Out of roundness, Hardness test, Pneumatic test, Radiographic examination, Bonfire test, Crash test and Strength assessment) + testing charges as per referred ISS.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. DEPARTMENT)

Our Ref: CL/QA/Lab/14:0

2001-05-24

TESTING CHARGES FOR IS 14900:2000 TRANSPARENT FLOAT GLASS

SL. NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Dimension & Tolerance	4.1	1
2.	Allowable imperfections		
	i) Bubbles	4.2.3	1*
	ii) Foreign matten	4.2.4	1*
	iii) Scratch, Rubs & Crush	4.2.6	1*
	iv) Ream string & lines	4.2.5	1*
	v) Perspective distortion	4.2.7	2
	vi) Defect on cut side	4.2.8	1
3.	Squareness	4.3	1
4.	Determination of bloom (optional requirement)	4.4	**
	PREPARATION OF TEST REPORT		0.5
	TOTAL TIME (Rounded)		10

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.750.00.

*Testing facilities for tests at 2 I) ii) iii) iv) are not available at CL presently but these an be created.

**Testing facilities for determination of bloom are not available at CL presently.

DG may kindly approve.

Sd/-
(V.K. Sethi)
TS(QA)

DCL(QA) Sd/- 05/08

DDGL May be approved pl. Sd/-1001-05-09

ADGT Sd/- 05/11

DG Sd/- 17/5

The BIS testing charges for IS 14927(P-2):2002 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/14927

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 14927 (Part-2):2001 (Amnd-nil)**

CABLE TRUNKING AND DUCTING SYSTEMS FOR ELECTRICAL INSTALLATIONS: PART 2 CABLE TRUNKING AND DUCTING SYSTEMS INTENDED FOR MOUNTING ON WALLS OR CEILING is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
249.	Marking	Cl. 7	0.25	-	-	-
250.	Dimensions	Cl. 8	1.5	-	-	-
251.	Construction	Cl. 9		-	-	-
252.	Mechanical properties	Cl. 10	-	-	-	-
	a. Cable supporting test	Cl. 10.2	*	-	-	-
	b. Impact Test	Cl. 10.3	1	165	-	-
	c. Linear deflection test	Cl. 10.4	*	-	-	-
	d. External load test	Cl. 10.5	*	-	-	-
	e. Cover retention test	Cl. 10.6	*	-	-	-
253.	Flame test	Cl. 11.1.1	0.5	-	-	-
254.	Glow wire test	Cl. 11.1.2	0.5	1	-	-
255.	Electrical Characteristics	Cl. 12	*	-	-	-
256.	External influences	Cl. 13	*	-	-	-
	Report Preparation		0.25	-	-	-
	Total		4	166	-	-

*Test facility not available at CL.

Testing charges = 4 x 300 + 166 x 9 = Rs. 2694.00 excluding Cable supporting test, Linear deflection test, External load test, Cover retention test and Electrical Characteristics.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 2694/- excluding Cable supporting test, Linear deflection test, External load test, Cover retention test and Electrical Characteristics.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 14928:2001 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS: 14928:2001 COMPOSITE SYNTHETIC FIBRE ROPES

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Nominal Dia	6, Table 1	2
2.	Mass	6.2	2
3.	Length of coil	6.3	1
4.	Breaking strength	6.1, Table 2	2
PREPARATION OF TEST REPORT			1
TOTAL TIME			8

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are Rs.2400.00

DDGL may kindly approve.

(P. Rajesh)

Sc.E, LPPD

Head, LPPD

DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/14:0

2002-07-04

TESTING CHARGES FOR IS: 14928:2001 COMPOSITE SYNTHETIC FIBRE ROPES

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Nominal Dia	6, Table 1	2
2.	Mass	6.2	2
3.	Length of coil	6.3	1
4.	Breaking strength	6.1, Table 2	2
PREPARATION OF TEST REPORT			1

TOTAL TIME			8

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.600.00

DG may kindly approve.

(Yad Ram)

TS(QA)

D&H(QA)

DDGL

ADGT

DG

The revised BIS testing charges for IS 14929:2001 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES FOR IS: 14929:2001 HIGH STRENGTH-POLYOLE FINS
COPOLYMER ROPES**

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Nominal Dia	6.1, Table 1	2
2.	Mass	6.2, Table 1	2
3.	Linear Density	6.1,6.2, Table 1	1
4.	Length of coil	6.3	1
5.	Breaking strength	6.1, Table 1	2
PREPARATION OF TEST REPORT			1

TOTAL TIME			9

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are **Rs.2700.00**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/14:0

2002-07-04

TESTING CHARGES FOR IS: 14929:2001 HIGH STRENGTH-POLYOLE FINS
COPOLYMER ROPES

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Nominal Dia	6.1, Table 1	2
2.	Mass	6.2, Table 1	2
3.	Linear Density	6.1,6.2, Table 1	1
4.	Length of coil	6.3	1
5.	Breaking strength	6.1, Table 1	2
PREPARATION OF TEST REPORT			1

TOTAL TIME			9

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.675.00

DG may kindly approve.

(Yad Ram)
TS(QA)

DCL(QA)
DDGL
ADGT
DG

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2002-12-12

TESTING CHARGES FOR IS: 14937:2001 TRIAZOPHOS 40% EC

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2.1	0.5
2.	Cold Test	3.2.2	1
3.	Flash point	3.2.3	1
4.	Emulsion stability	3.2.4	1
5.	Triazophos content	3.3.1	6
6.	Acidity	3.3.2	1
PREPARATION OF TEST REPORT			1

TOTAL TIME (Rounded)			12

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.900/-.

DG may kindly approve.

(Dr. A.K. Goyal)
Director (QA)

D&H (QA)
DDGL
DDGF
ADGT
DG

The revised BIS testing charges for IS 14951:2001 effective from 24-03-2017

BIS- Central Laboratory
Mechanical

Laboratory

Sub. : Proposal for the Time Estimate for Fire Extinguisher- 135 Litres
Capacity Mech. Foam Type

IS 14951 : 2001

Sl.No.	Characteristics	Clause No./ Table	Man- hours	Electric Power required(kwh)	Consumable Cost (Rs)	Test facility at CL Available/Not avail.
1	Capacity	3	2	---		A
2	Material	5	---	As per respective ISS as detailed in Table 1		
3	Shape	6	1			A
4	Construction	7				
	i) General	7.1	0.5			A
	ii) Body	7.2	0.5			A
	iii) Carrying handle	7.3	0.5	---		A
	iv) Neck Ring	7.4	1			A
	v) Cap	7.5	1			A
	vi) Snifter Valve	7.6	1			A
	vii) Safety Pressure Release valve	7.7	2			A
	viii) Liquid Level Indicator	7.8	0.5			A
	ix) Hose	7.9	0.5			A
	x)Foam Making Branch & Other Discharge Fittings	7.10	3			A
	xi) Syphon Tube	7.11	0.5			A
	xii) Drain Plug	7.12	0.5			A
	xiii) Wheeled Carriage	7.13	1			A
	xiv) CO-2 Gas Cylinder	7.14	---	As per IS7285		
5	Charge	8	---	As per IS 4989(Pt 2)		
6	Anti-Corrosive Treatment	9	---			Not available

7	Painting	10				
	i) Epoxy Powder Coating	10.1	---	As per IS 5		
	ii) Picture	10.2	0.5			A
	iii) Letter -A & B	10.3	---	As per IS 2190, IS 5		
8	Test Requirements	11				
	i) Discharge Test	11.1	3			A
	ii) Expansion	11.2	---	As per IS 4989(Pt 2)		Not available
	iii) Hydraulic Pressure Test	11.3	1.5	5 kwh		A
	iii) Burst Test	11.4	1.5	5 kwh		A
Preparation of test report & calculations			2	---		

Total 24 Hrs + 10 kwh = Rs 7290 Rounded off Rs.7300/-

Above estimate is only for Mechanical Testing

Note :

- 1 .
- 2 Sample size for testing required : 1 Piece Fire Extinguisher + Two Packets charge + Chemical testing

OIC(Mech)

LO(B)

OIC(QA)

Mech.Lab

Head, CL

As decided by the CA, testing charges are Rs.7300/- excluding Anti Corrosive treatment and expansion test and material testing charges as per respective Iss.

Kshitij Bathla)

Sc.B, LPPD

Head, LPPD/DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

14 July 2004

TESTING CHARGES FOR IS:14951:2001 FIRE EXTINGUISHER-135 LTR CAPACITY
MECHANICAL FOAM TYPE

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Capacity	3	2		
2.	Material	5, Table-1	As per respective ISS in Table 1		
3.	Shapes	6	1		
4.	Construction:				
	i) General	7.1			
	ii)) Body	7.2	2 ½		
	iii) Handle	7.3			
	iv) Neck Ring	7.4			
	v) Cup	7.5	3		
	vi) Snifter valve	7.6			
	vii) Pressure Release	7.7	1 ½		
	viii) Level Indicator	7.8			
	ix) Hose, Foam making	to	3		
	x) Syphon tube, drain plug	7.12			
	xii) Wheel carriage	7.13	1		
	xiii) Co2 Gas Cylinder	7.14	As per IS 7285		
5.	Charge	8	As per IS 4989 (Pt.2)		
6.	Anti-corrosive treatment	9			
	i) Visual inspection		0.5		
	ii) Lead tin alloy coating		5		
	iii) Phosphating		As per IS 3618:66		
7.	Painting	10	1		
8.	Test Requirement				
	i) Discharge test	11.1	3		
	ii) Expansion	11.2	10		
	iii) Film formation	11.2	3		
	iv) Hydraulic pressure test & Burst test	113&11.4	3		
	PREPARATION OF TEST REPORT		3		

	TOTAL TIME (rounded off)		43		
Electric consumption: 65 kwh					

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.(43x75) + (65x4) = Rs.3485.00 (excluding material)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 14968:2015 effective from 19-12-2018**Bureau of Indian Standards****EROL-Kolkata****Ref:** EROL(Q)/38/ IS 14968

06.12.2018

Sub: Testing Charges for IS 14968:2015, Textiles- High Density Polyethylene(HDPE)/ Polypropylene(PP)
Woven Sacks for Packing 50 kg/25 kg Sugar

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive) (unit)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(V I)x Rs.10	(VIII)	(IX)	(X)
1	4.3	Sack	2	600				600	
2	4.3.1	Bottom Seam	2	600				600	
3	4.3.2	Mouth	1	300				300	
4	4.2, 5.1 & 5.2	Dimension	3	900				900	Annexure B
5		Mass	2	600				600	IS1964
6		Ends and Picks	4	1200				1200	Annexure B
7		Breaking strength of fabric	5	1500				1500	IS1969(P-1)
8		Breaking strength of seam	4	1200				1200	IS 9030
9		Elongation of fabric	2	600				600	IS1969(P-1)
		Electrical energy consumed (for 7,8,9)			15	150		150	
10	4.2, 5.1 & 5.2	UV Resistance(Breaking strength and elongation after radiation and weathering)	Facility not available						
11	5.1	Mass of bale	1	300				300	
	Table 1	Ash Content	3	900	10	100	-	1000	Annex D
		Preparation of Test report	1.5	300				450	

Testing Charge for the product is Rs. 9,400/- (except UV resistance, breaking strength, elongation after radiation and weathering).**(D. Bhadra)**
OIC, QA**H(EROL)****H(LPPD)**

**As decided by Competent Authority, the testing charges for the product are Rs. 9400/-
(Excluding UV Resistance(Breaking strength, elongation after radiation and weathering)).**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/Lab/14:0

2003-06-24

TESTING CHARGES FOR IS: 14968:2001 HDPE/PP WOVEN SACKS FOR PACKING 50 KG/25 KG FOODGRAINS

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Manufacturer		
a)	Raw material	3.1	HDPE As per IS 10146 PP As per IS 10910
b)	Fabric	3.2	HDPE As per IS 6192 PP As per IS 11197
c)	Sack	3.3	1
d)	Liner (if required by the buyer)	3.3.3.	
	i) Dimensions		1
	ii) Visual examination		0.5
2.	Requirements	3.2, 4.1 and Table 1	
a)	Dimensions		1
b)	Mass of sack		3
c)	Ends & Picks per dm		1
d)	Average breaking strength of fabric & bottom seam		4
f)	Elongation at break		
3.	UV Resistance	4.2	30 *
4.	Mass of Bale	4.3	0.5
	PREPARATION OF TEST REPORT		1

	TOTAL TIME		43
Electricity consumption 140 unit (@ Rs.4 per unit) = Rs.560.00			

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs. 3225.00 + Rs.560.00 = Rs.3785.00 (excluding raw material)

* 20% of test period is taken as man hour consumed in supervision of sample under test.

DDGL may kindly approve.

(Veer Singh)
STA (QA)

D&H (QA)
DDGL

The revised BIS testing charges for IS 15058:2002 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR PVC WATER STOPS AT TRANSVERSE CONTRACTION JOINTS FOR USE IN MASONARY & CONCRETE DAMS AS PER IS 15058:2002.

Sl.No	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable
				Kwh	Cost @ 9/-	
			@ 300/-			
	A. TEST PARAMETERS					
1.	Shape & Dimensions	4	2	-	-	-
2.	Tensile strength & Change in tensile strength after acc Extraction test	3, Table 1 & S.No.i), ii), vi)	6	360	3240	-
3	Water absorption test	3, Table 1 & S.No.iv)	2	12	108	-
4	Hardness & Change in hardness after effects of alkalies test	3, Table 1 & S.No.iii), vii)	2	336	3024	-
5	Stability in effects of alkalies test	3, Table 1 & S.No.vii)	4	-	-	-
6	Cold bend test	3, Table 1 & S.No.v)	4	2	18	-
	PREPARATION OF TEST REPORT		2			
	TOTAL		22	710	6390	-

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are:

Total Rs. $22 \times 300 + 710 \times 9 = \text{Rs.12990.00}$

(P. Rajesh))
Sc.E, LPPD

Head, LPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

19-11-10

TESTING CHARGES FOR PVC WATER STOPS AT TRANSVERSE CONTRACTION JOINTS FOR
USE IN MASONARY & CONCRETE DAMS AS PER IS 15058:2002.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Shape & Dimensions	4	2	-	-	-	150.00
2.	Tensile strength & Change in tensile strength after acc Extraction test	3, Table 1 & S.No.i), ii), vi)	6	360	3240	-	3690.00
3	Water absorption test	3, Table 1 & S.No.iv)	2	12	108	-	258.00
4	Hardness & Change in hardness after effects of alkalies test	3, Table 1 & S.No.iii), vii)	2	336	3024	-	3174.00
5	Stability in effects of alkalies test	3, Table 1 & S.No.vii)	4	-	-	-	300.00
6	Cold bend test	3, Table 1 & S.No.v)	4	2	18	-	318.00
	PREPARATION OF TEST REPORT		2				150.00
	TOTAL		22	710	6390	-	8040

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs. $22 \times 75 + 710 \times 9 = \text{Rs.}8040.00$

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

The revised BIS testing charges for IS 15111(P-1):2002 effective from 07-11-2016

BIS CENTRAL LABORATORY
(Electrical Department)

**TESTING CHARGES FOR COMPACT FLUORESCENT LAMPS (CFL) AS PER
IS 15111(Part-1):2002.**

S.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ 300/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Marking	6	4	-	-		1200.00
2.	Interchangeability	7	8	-	-	-	2400.00
3.	Protection against electric shock	8	10	-	-	-	3000.00
4.	Insulation resistance and electric strength after humidity treatment	9	34	-	-	-	10200.00
5.	Mechanical strength	10	18	-	-	-	5400.00
6.	Cap temperature rise	11	10	-	-	-	3000.00
7.	Resistance to heat	12	10	-	-	-	3000.00
8.	Resistance to flame and ignition	13	8	-	-	-	2400.00
9.	Fault conditions	14	8	-	-	-	2400.00
10.	Cost of SRM	-	-	-	-	-	-
11.	Cost of electric power	-	-	312	2808	-	2808.00
12	PREPARATION OF SAMPLE		8				2400.00
13	PREPARATION OF TEST REPORT		4				1200.00
	TOTAL		122	-	2808		39408

Testing charges per man-hour are Rs.300.00. Hence testing charges for CFL up-to & including 25W are:

Total Rs. 122x300+ 2808 = Rs.39408=39410.00

OIC (E)

**K R SHARMA
LO (A)**

Head(CL) - DDG (Labs) may kindly approve the testing charges.

As decided by Competent Authority, the testing charges for the product are Rs.39410.00

(Kshitij Bathla)
Sc.B, LPPD

HLPPD
DDG (Labs)

Please Refer to Revised Testing Charges mentioned above
BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

21 April 2009

TESTING CHARGES FOR COMPACT FLUORESCENT LAMPS (CFL) AS PER IS 15111(Part-1):2002.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ 75/-	Kwh	Cost @ 4/-		
	A. TEST PARAMETERS						
1.	Marking	6	4	-	-		300.00
2.	Interchangeability	7	8	-	-	-	600.00
3.	Protection against electric shock	8	10	-	-	-	750.00
4.	Insulation resistance and electric strength after humidity treatment	9	34	-	-	-	2550.00
5.	Mechanical strength	10	18	-	-	-	1350.00
6.	Cap temperature rise	11	10	-	-	-	750.00
7.	Resistance to heat	12	10	-	-	-	750.00
8.	Resistance to flame and ignition	13	8	-	-	-	600.00
9.	Fault conditions	14	8	-	-	-	600.00
10.	Cost of SRM	-	-	-	-	-	-
11.	Cost of electric power	-	-	312	1248	-	1248.00
12	PREPARATION OF SAMPLE		8				600.00
13	PREPARATION OF TEST REPORT		4				300.00
	TOTAL		122	-	1248		10398.00

Testing charges per man-hour are Rs.75.00. Hence testing charges for CFL upto & including 25W are:

Total Rs. $122 \times 75 + 1248 = \text{Rs.}10398 = 10400.00$

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

DQA
H (CQAPD)
DDGL

The revised BIS testing charges for IS 15111(P-2):2002 effective from 07-11-2016
BIS CENTRAL LABORATORY

(Electrical Department)

Our Ref: CL/E/IS 15111

06 May 2016

TESTING CHARGES FOR COMPACT FLUORESCENT LAMPS (CFL) AS PER
IS 15111(Part-2):2002.

S.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ 300/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Dimensions	6	8	-	-		2400.00
2.	Starting and run up	8	16	-	-	-	4800.00
3.	Lamp Wattage	9	20	-	-	-	6000.00
4.	Luminous flux	10	20	-	-	-	6000.00
5.	Colour	11	10	-	-	-	3000.00
6.	Lumen maintenance	12	22	-	-	-	6600.00
7.	Power factor	16	10	-	-	-	3000.00
8.	Life test	13	135	-	-	-	40500.00
9.	Harmonics	14	8	-	-	-	2400.00
10.	Lamp efficacy	15	8	-	-	-	2400.00
10.	Cost of SRM	-	-	-	-	1000	1000.00
11.	Cost of electric power	-	-	1670	15030	-	15030.00
12	PREPARATION OF SAMPLE		8				2400.00
13	PREPARATION OF TEST REPORT		4				1200.00
	TOTAL		269	-	15030		96730.00

Testing charges per man-hour are Rs.300.00. Hence testing charges for CFL up-to & including 25W are: Total Rs. 269x300+15030+1000 = Rs.96730=96730.00

OIC (E)

K R SHARMA
LO (A)

Head(CL) - DDG (Labs) may kindly approve the testing charges.

As decided by Competent Authority, the testing charges for the product are Rs.96730.00 (including Rs.55530.00 for Life test), excluding Emission RFD Test

(Kshitij Bathla)
Sc.B, LPPD

HLPPD
DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

20 April 2009

TESTING CHARGES FOR COMPACT FLUORESCENT LAMPS (CFL) AS PER IS 15111(Part-2):2002.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost @ 75/-	Kwh	Cost @ 4/-		
	A. TEST PARAMETERS						
1.	Dimensions	6	8	-	-		600.00
2.	Starting and run up	8	16	-	-	-	1200.00
3.	Lamp Wattage	9	20	-	-	-	1500.00
4.	Luminous flux	10	20	-	-	-	1500.00
5.	Colour	11	10	-	-	-	750.00
6.	Lumen maintenance	12	22	-	-	-	1650.00
7.	Power factor	16	10	-	-	-	750.00
8.	Life test	13	135	-	-	-	10125.00
9.	Harmonics	14	8	-	-	-	600.00
10.	Lamp efficacy	15	8	-	-	-	600.00
11.	Cost of SRM	-	-	-	-	1000	1000.00
12.	Cost of electric power	-	-	1670	6680	-	6680.00
13	PREPARATION OF SAMPLE		8				600.00
14	PREPARATION OF TEST REPORT		4				300.00
	TOTAL		269	-	6680	-	27855.00

Testing charges per man-hour are Rs.75.00. Hence testing charges for CFL upto & including 25W are:

$$\text{Total Rs. } 269 \times 75 + 6680 + 1000 = \text{Rs. } 27855.00$$

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

DQA
H (CQAPD)
DDGL

The revised BIS testing charges for IS 15138:2010 effective from 24-03-2017

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref: CL/QA/79

01-12-2016

TESTING CHARGES FOR TEXTILES-JUTE BAGS FOR PACKING 50 KG SUGAR AS PER IS 15138:2010 (Amnd-nil)

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity Power
A.	TEST PARAMETERS			
1.	Manufacturer	4.1 to 4.5	2	
2.	Dimension	5.1, Table 1	2	
3.	Mass	-- do --	1	
4.	Ends & Picks	-- do --	1	
5.	Breaking load of sacking	-- do --	3	
6.	Breaking load of seam	-- do--	1	
7.	Moisture regain	-- do --	1	
8.	Oil content	5.3, Table 2	3	4kwh
B.	Electricity power consumed			4kwh
C.	Cost of Consumables/CRMs			
D.	PREPARATION OF TEST REPORT			1
TOTAL TIME			15	

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the products is:

Total Rs.15x300+4x9 = Rs.4536.00 (Rounded off to = 4550.00)

Sheesh Pal
(LO-A)

OIC(Mech)

OIC(QA)

Head (CL)

DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

TESTING CHARGES FOR TEXTILES-JUTE BAGS FOR PACKING 50 KG SUGAR AS PER IS 15138:2002

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity	Cost of Power consumables Consumed including reference material where- ever applicable
A.	TEST PARAMETERS				
1.	Manufacturer		4.1 to 4.6	2	
2.	Dimension		5.1, Table 1	2	
3.	Mass		-- do --	1	
4.	Ends & Picks		-- do --	1	
5.	Breaking load of sacking		-- do --	3	
6.	Breaking load of seam		-- do--	1	
7.	Moisture regain		-- do --	1	
8.	Oil content		5.3	3	4kwh=4units
B.	Electricity power consumed				4kwh
C.	Cost of Consumables/CRMs				--
D.	PREPARATION OF TEST REPORT			1	
	TOTAL	TIME		15	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.15x75+4x4 = Rs.1141.00 (Rounded=1140.00)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

The BIS testing charges for IS 15155:2002 effective from 12-02-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/15155

29.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 15155:2002 (Amnd-nil)**

BAR/WIRE WRAPPED STEEL CYLINDER PIPES WITH MORTAR LINING AND COATING (INCLUDING SPECIALS) is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
257.	Materials	Cl. 4	*	-	-	-
	a. Cement	Cl. 4.1	*	-	-	-
	b. Aggregates	Cl. 4.2	*	-	-	-
	c. Water	Cl. 4.3	*	-	-	-
	d. Admixtures	Cl. 4.4	*	-	-	-
	e. Reinforcement	Cl. 4.5	*	-	-	-
	f. Steel for Cylinders, Joint Rings and Specials	Cl. 4.6	*	-	-	-
	g. Rubber Sealing Rings	Cl. 4.7	*	-	-	-
	h. Bitumen or other protective coating	Cl. 4.8	*	-	-	-
258.	Dimension and Tolerances	Cl. 5	4	-	-	-
259.	Joint dimensions	Cl. 6	2	-	-	-
260.	Design	Cl. 7	**	-	-	-
261.	Workmanship and Finish	Cl. 10	3	-	-	-
262.	Hydrostatic Test for Steel Cylinders of pipe	Cl. 11.1	**	-	-	-
263.	Permeability test on coating	Cl. 11.3	**	-	-	-
	Report Preparation		1	-	-	-
	Total		10	-	-	-

*Testing charges as per referred ISS.

**Test Facility not available at CL.

Testing charges = 10 x 300 = Rs. 3000.00 + testing charges as per referred ISS.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 3000/- + charges as per relevant ISS excluding Design, Hydrostatic Test and Permeability test on coating.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

REVISED BIS TESTING CHARGES

BIS LABORATORY POLICY & PLANNING DEPTT

Our Ref: LPPD/52:2

06.04.2015

TESTING CHARGES FOR IS 15160:2002 –PRETILACHLOR EC

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2.1	0.5
2	Cold test	3.2.2	0.5
3	Flash Point(Abel)	3.2.3	0.5
4	Emulsion Stability	3.2.4	0.5
5	Pretilachlor Content	3.3.1	2.5
6	Acidity	3.3.2	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	6.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1950/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2450/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2003-05-28

TESTING CHARGES FOR IS 15169:2002 NEEDLES FOR SEWING FOR INDUSTRIAL
PUROSES

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Hardness	6	3
2.	Surface Treatment	7	2
3.	Dimensions	8	3
4.	Bending Distortion	9	2
5.	Workmanship & Finish	10	1
6.	Breaking Angle	11.2.1	1
7.	Needle Eye Test	11.2.2	1
8.	Marking	14	0.5
PREPARATION OF TEST REPORT			0.5

TOTAL TIME			14

Testing charges per man-hour are Rs.75.00. Hence complete testing charges are 14x75=
Rs.1050.00

DDGL may kindly approve.

D&H (QA)
DDGL

(Dr. A.K. Goyal)
D (QA)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

29 April.2010

TESTING CHARGES FOR PROPICONAZOLE 25% EC AS PER IS 15182:2002

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9-		
	A. TEST PARAMETERS						
1.	Description	3.2.1	0.5	-	-	-	37.50
2.	Cold test	3.2.2	1	1kwh	9	-	84.00
3.	Flash point (Abel)	3.2.3	1	1kwh	9	-	84.00
4.	Emulsion stability	3.2.4	1	-	-	50.00	125.00
5.	Propiconazole content	3.3.1	6	6kwh	54	600.00 *	1104.00
6.	Acidity	3.3.2	1	-	-	50.00	125.00
	PREPARATION OF TEST REPORT		1				75.00
	TOTAL		11.5 =12	8kwh	72	700.00	1672.00

* Testing of propiconazole content is subject to availability of CRM (accordingly its procurement).

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs.12x75+8x9+700 = Rs.1672.00

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

REVISED TESTING CHARGES IS PLACED BELOW:

BIS LABORATORY POLICY & PLANNING DEPTT



TESTING CHARGES FOR IS 15182:2002 – PROPICONAZOLE EC

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2.1	0.5
2	Cold test	3.2.2.	0.5
3	Flash Point(Abel)	3.2.3	0.5
4	Emulsion Stability	3.2.4	0.5
5	Propiconazole Content	3.3.1	2.5
6	Acidity	3.3.2	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	6.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1950/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2450/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

31 Aug 2004

TESTING CHARGES FOR IS:15219:2002 ALUMINIUM PHOSPHIDE- POWDER
FORMULATION

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Description	3.2	1	-	-
2.	Aluminium Phosphide	3.3	4	-	-
PREPARATION OF TEST REPORT			1		
TOTAL TIME			6		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.450.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(B.M. Gupta)
TS(QA)

D&H(QA)
DDGL

REVISED TESTING CHARGES IS PLACED BELOW:

BIS LABORATORY POLICY & PLANNING DEPTT

TESTING CHARGES FOR IS 15219:2002 – ALUMINIUM PHOSPHIDE POWDER FORMULATION

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2	0.5
2	Aluminium Phosphide Content	3.3.1	3
	PREPARATION OF TEST REPORT		1
	TOTAL TIME		4.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1350/-
COST OF CRM	Rs. 200/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 1550/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)
DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2003-09-03

TESTING CHARGES FOR IS: 15227:2002 DELTAMETHRIN UL

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2.1	1
2.	Flash point	3.2.2	1
3.	Deltamethrin content	3.3.1	6
4.	Acidity/Alkalinity	3.3.2	1
PREPARATION OF TEST REPORT			0.5

TOTAL TIME (Rounded of)			10

Cost of CRM Rs.200/-

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are
Rs.750.00 + 200.00= 950.00

DG may kindly approve.

(Veer Singh)
STA (QA)

D&H (QA)
DDGL

REVISED TESTING CHARGES IS PLACED BELOW:

|
BIS LABORATORY POLICY & PLANNING DEPTT

TESTING CHARGES FOR IS 15227:2002 - DELTAMETHRIN ULV

SL. No.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1	Description	3.2.1	0.5
2	Flash Point (Abel)	3.2.2	0.5
3	Deltamethrin Content	3.3.1	2.5
4	Acidity	3.3.2	1
	PREPARATION OF TEST REPORT		1
		TOTAL TIME	5.5

TESTING CHARGES (@ Rs. 300.00/- per Man-Hour)	Rs. 1650/-
COST OF CRM	Rs. 500/-
COMPLETE TESTING CHARGES FOR THE PRODUCT	Rs. 2150/-

DDGL may kindly approve.

Varsha Gupta
Sc-B

Head (LPPD)

DDG (Labs)

The revised BIS testing charges for IS 15228:2002 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IS: 15228:2002 CYFLUTHRIN-EMULSION IN WATER (EW)

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2.1	0.5
2.	Cold test	3.2.2	1
3.	Dispersion stability	3.2.3	1
4.	Cyfluthrin content	3.3.1	6
5.	Acidity	3.3.2	1
PREPARATION OF TEST REPORT			1
TOTAL TIME (Rounded)			11

Cost of CRM: 200.00

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are Rs.3300 + 200 = Rs.3500.00

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD

DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY
(Q.A. Department)

2003-06-182001-07-26

TESTING CHARGES FOR IS: 15228:2002 CYFLUTHRIN-EMULSION IN WATER (EW)

SL.NO.	CHARACTERISTICS	CLAUSE NO.	MAN-HOURS
1.	Description	3.2.1	0.5
2.	Cold test	3.2.2	1
3.	Dispersion stability	3.2.3	1
4.	Cyfluthrin content	3.3.1	6
5.	Acidity	3.3.2	1
PREPARATION OF TEST REPORT			1

TOTAL TIME (Rounded)			11

Cost of CRM: 200.00

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are $\text{Rs.}825 + 200 = \text{Rs.}1025/-$

DDGL may kindly approve.

(Avtar Singh)
D&H (QA)

DDGL

The revised BIS testing charges for IS 15236:2002 effective from 15-04-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

**TESTING CHARGES PROFANOFOS + CYPERMETHRIN EC AS PER IS
15236:2002.**

Sl.No	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable
			@ 300/-	Kwh	Cost @ 9/-	
	A. TEST PARAMETERS					
1.	Description	3.2.1	0.5	-	-	-
2.	Cold test	3.2	1	1	9	-
3.	Flash Point (Abel)	3.2.3	1	1	9	-
4.	Emulsion stability	3.2.4	1	-	-	50.00
5.	Profenofos and Cypermethrin content	3.3.1	6	6	54	1200.00
6.	Acidity	3.3.2	1	-	-	50.00
	PREPARATION OF TEST REPORT		1			
	TOTAL		11.5	8	72	1300.00

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are:

Total Rs. $300 \times 11.5 + 72 + 1300 = \text{Rs.}4822.00$

DDGL may kindly approve.

(P. Rajesh))
Sc.E, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref : CL/QA/79

23 Sept 2010

TESTING CHARGES PROFANOFOS + CYPERMETHRIN EC AS PER IS 15236:2002.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.2.1	0.5	-	-	-	37.50
2.	Cold test	3.2	1	1	9	-	84.00
3.	Flash Point (Abel)	3.2.3	1	1	9	-	84.00
4.	Emulsion stability	3.2.4	1	-	-	50.00	125.00
5.	Profenofos and Cypermethrin content	3.3.1	6	6	54	1200.00	17.04.00
6.	Acidity	3.3.2	1	-	-	50.00	125.00
	PREPARATION OF TEST REPORT		1				75.00
	TOTAL		11.5	8	72	1300.00	2234.50

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs. $75 \times 11.5 + 72 + 1300 = \text{Rs.}2234.50$ (Rounded to Rs.2234.00)

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79
2010

23 Sept

TESTING CHARGES FOR PROFENOFOS TECHNICAL AS PER IS 15238:2002.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.1	0.5	-	-	-	37.50
2.	Profenofos Content	3.2, Table 1, item i)	6	6	54	600.00	1104.00
3.	Moisture	3.2, Table 1, item ii)	2	0.5	4.5	100.00	254.50
4.	Material Insoluble in Acetone	3.2, Table 1, item iii)	2	0.5	4.5	50.00	204.50
5.	Acidity (as H ₂ SO ₄)	3.2, Table 1, item iv)	1	-	-	50.00	125.00
	PREPARATION OF TEST REPORT		1				
	TOTAL		12.5	7	63	800.00	1800.50

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs. $75 \times 12.5 + 63 + 800 = \text{Rs.}1800.50$ (Rounded to Rs.1800.00)

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

The BIS testing charges for IS 15240:2002 effective from 12-02-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/15240

24.10.2017

Based on the inputs received from testing section, the testing charges as per **IS 15240:2002 (Amnd-nil)**

PROFENOFOS EMULSIFIABLE CONCENTRATE is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
264.	Description	Cl. 3.2.1	-	-	-	-
265.	Cold Test	Cl. 3.2.2	1	-	-	-
266.	Flash Point (Abel)	Cl. 3.2.3	1	1	-	-
267.	Emulsion Stability	Cl. 3.2.4	1	2	-	-
268.	Profenofos Content	Cl. 3.3.1	6	5	500.00	-
269.	Acidity	Cl. 3.3.2	1	-	25.00	-
	Report Preparation		1	-	-	-
	Total		11	8	525.00	-

Testing charges = 11 x 300 + 8 x 9 + 525.00 = Rs. 3897.00.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 3900/- +

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79
2010

23 Sept

TESTING CHARGES FOR PROPICONAZOLE-TECHNICAL AS PER IS 15241:2002.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.1	0.5	-	-	-	37.50
2.	Propiconazole content	3.2, Table 1, item i)	6	6	54	600.00	1104.00
3.	Moisture	3.2, Table 1, item ii)	2	0.5	4.5	100.00	254.50
4.	Material Insoluble in Acetone	3.2, Table 1, item iii)	2	0.5	4.5	50.00	204.00
5.	Acidity (as H ₂ SO ₄)	3.2, Table 1, item iv)	1	-	-	50.00	125.00
	PREPARATION OF TEST REPORT		1				75.00
	TOTAL		12.5	7	63	800.00	1800.50

Testing charges per man-hour are Rs.75.00. Hence testing charges for the product are:

Total Rs. $75 \times 12.5 + 63 + 800 = \text{Rs.}1800.50$ (Rounded to Rs.1800.00)

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

The BIS testing charges for IS 15265:2003 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/15265

13.03.2018

Based on the inputs received from testing section, the testing charges as per **IS 15265:2003**

(Amnd-1)

**FLEXIBLE PVC PIPES OR POLYMER REINFORCED THERMOPLASTIC HOSES
FOR SUCTION AND DELIVERY LINES OF AGRICULTURAL PUMPS –**

SPECIFICATON is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
270.	Materials and construction	Cl. 4	*	-	-	-
271.	Dimensions and tolerances	Cl. 5	1	-	-	-
272.	Performance requirement of hoses	Cl. 6	*	-	-	-
	a. Hydrostatic test at standard atmospheric conditions	Cl. 6.1	*	-	-	-
	b. Hydrostatic test at 55 ±2°C	Cl. 6.2	*	-	-	-
	c. Pressure impulse test	Cl. 6.3	*	-	-	-
	d. Vacuum test requirement	Cl. 6.4	*	-	-	-
	e. Reinforcement fracture test requirements	Cl. 6.5	*	-	-	-
	f. Minimum bend radius requirement	Cl. 6.6	*	-	-	-
	g. Cold bend radius requirement	Cl. 6.7	*	-	-	-
	h. Loss in mass on heating	Cl. 6.8	*	-	-	-
	i. Effect of sunlight	Cl. 6.9	*	-	-	-
273.	Jointing and termination	Cl. 7	*	-	-	-
	Report Preparation		1	-	-	-
	Total		2	-	-	-

*Test facility not available at CL.

Testing charges = 2 x 300 = Rs. 600.00 (Only for dimensions and tolerances)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 600/- (Only for dimensions and tolerances).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/14:0

2003-11-14

TESTING CHARGES FOR IS: 15271:2003 NAMKEEN

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Description	4.1	2	-	-
2.	Moisture	4.1 (i)	2.5	5	-
3.	Acid Insolubly ash	4.1(ii)	4	15	10/-
4.	Fat	4.1(iii)	3	17	150/-
5.	Acid value of extracted fat	4.1(iv)	1	-	50/-
6.	Peroxide value	4.1(v)	2	-	150/-
PREPARATION OF TEST REPORT			1		
TOTAL TIME (rounded off)			16	37 kwh	360/-

i)	Total man hour charges computed @ Rs.75/- per man hour	=	Rs.1200.00
ii)	Total electricity charges computed @ Rs.4.00 per kwh	=	Rs. 148.00
iii)	Cost of consumables used	=	Rs. 360.00

Hence complete testing charges = Rs.1708.00
(Rounded off)

Rs.1710.00

DDGL may kindly approve.

(Veer Singh)
TS (QA)

D&H (QA)
DDGL

The BIS testing charges for IS 15298(P-2):2016 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/15298-2

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 15298 (Part-2):2016 (Amnd-nil)**

PERSONAL PROTECTIVE EQUIPMENT PART 2 SAFETY FOOTWEAR is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
274.	Design	Cl. 5.2	-	-	-	-
	a. Height of upper	Cl. 5.2.2	0.5	-	-	-
	b. Seat Region (design B, C, D, E)	Cl. 5.2.3	0.5	-	-	-
275.	Whole footwear	Cl. 5.3	-	-	-	-
	a. Sole performance	Cl. 5.3.1	*	-	-	-
	b. Toe protection	Cl. 5.3.2	-	-	-	-
	i. General	Cl. 5.3.2.1	0.5	-	-	-
	ii. Internal length of toecaps	Cl. 5.3.2.2	0.5	-	-	-
	iii. Impact resistance	Cl. 5.3.2.3	*	-	-	-
	iv. Compression resistance	Cl. 5.3.2.4	*	-	-	-
	v. Behaviour of toecaps	Cl. 5.3.2.5	2	-	-	-
	c. Leak proofness	Cl. 5.3.3	*	-	-	-
	d. Specific ergonomic features	Cl. 5.3.4	2	-	-	-
	e. Slip Resistance	Cl. 5.3.5	*	-	-	-
276.	Upper	Cl. 5.4	-	-	-	-
	a. General	Cl. 5.4.1	0.5	-	-	-
	b. Thickness	Cl. 5.4.2	*	-	-	-
	c. Tear Strength	Cl. 5.4.3	*	-	-	-
	d. Tensile properties	Cl. 5.4.4	*	-	-	-
	e. Flexing resistance	Cl. 5.4.5	*	-	-	-
	f. Water vapour permeability and coefficient	Cl. 5.4.6	*	-	-	-

	g. pH value	Cl. 5.4.7	*	-	-	-
	h. Hydrolysis	Cl. 5.4.8	*	-	-	-
	i. Chromium VI content	Cl. 5.4.9	*	-	-	-
277.	Vamp Lining & Quarter Lining	Cl. 5.5	*	-	-	-
278.	Tongue	Cl. 5.6	*	-	-	-
279.	Insole/Insock	Cl. 5.7		-	-	-
	a. Thickness	Cl. 5.7.1	0.5	-	-	-
	b. pH	Cl. 5.7.2	*	-	-	-
	c. Water absorption/desorption	Cl. 5.7.3	*	-	-	-
	d. Insole abrasion	Cl. 5.7.4	*	-	-	-
	e. Chromium VI	Cl. 5.7.5	*	-	-	-
	f. Insock abrasion	Cl. 5.7.6	*	-	-	-
280.	Outsole	Cl. 5.8	*	-	-	-
	Report Preparation		2	-	-	-
	Total		9	-	-	-

*Test facility not available at CL.

Testing charges = 9 x 300 = Rs 2700.00 (Only for Design, Toe protection (General, Internal length of toe caps and behavior of toe caps), Specific ergonomics features, upper (general) and Insole (Thickness))

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 2700/- (Only for Design, Toe protection (General, Internal length of toe caps and behavior of toe caps), Specific ergonomics features, upper (general) and Insole (Thickness)).

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 15298(P-3):2002 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/15298-3

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 15298 (Part-3):2011 (Amnd-1)**

PERSONAL PROTECTIVE EQUIPMENT PART 3 SAFETY FOOTWEAR is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
281.	Design	Cl. 5.2	-	-	-	-
	a. Height of upper	Cl. 5.2.2	0.5	-	-	-
	b. Seat Region (design A, B, C, D, E)	Cl. 5.2.3	0.5	-	-	-
282.	Whole footwear	Cl. 5.3	*	-	-	-
	a. Sole performance	Cl. 5.3.1	*	-	-	-
	b. Toe protection	Cl. 5.3.2	-	-	-	-
	i. General	Cl. 5.3.2.1	0.5	-	-	-
	ii. Internal length of toecaps	Cl. 5.3.2.2	0.5	-	-	-
	iii. Impact resistance	Cl. 5.3.2.3	*	-	-	-
	iv. Compression resistance	Cl. 5.3.2.4	*	-	-	-
	v. Behaviour of toecaps	Cl. 5.3.2.5	2	-	-	-
	c. Leak proofness	Cl. 5.3.3	*	-	-	-
	d. Specific ergonomic features	Cl. 5.3.4	2	-	-	-
283.	Upper	Cl. 5.4	-	-	-	-
	j. General	Cl. 5.4.1	0.5	-	-	-
	k. Thickness	Cl. 5.4.2	*	-	-	-
	l. Tear Strength	Cl. 5.4.3	*	-	-	-
	m. Tensile properties	Cl. 5.4.4	*	-	-	-
	n. Flexing resistance	Cl. 5.4.5	*	-	-	-
	o. Water vapour permeability and coefficient	Cl. 5.4.6	*	-	-	-
	p. pH value	Cl. 5.4.7	*	-	-	-
	q. Hydrolysis	Cl. 5.4.8	*	-	-	-
	r. Chromium VI content	Cl. 5.4.9	*	-	-	-
284.	Vamp Lining & Quarter Lining	Cl. 5.5	*	-	-	-
285.	Tongue	Cl. 5.6	*	-	-	-
286.	Insole/Insock	Cl. 5.7	-	-	-	-

	g. Thickness	Cl. 5.7.1	0.5	-	-	-
	h. pH	Cl. 5.7.2	*	-	-	-
	i. Water absorption/desorption	Cl. 5.7.3	*	-	-	-
	j. Insole abrasion	Cl. 5.7.4	*	-	-	-
	k. Chromium VI	Cl. 5.7.5	*	-	-	-
	l. Abrasion	Cl. 5.7.6	*	-	-	-
287.	Outsole	Cl. 5.8	-	-	-	-
	a. Thickness of non-cleated outsoles	Cl. 5.8.1	0.5	-	-	-
	b. Tear strength	Cl. 5.8.2	*	-	-	-
	c. Abrasion resistance	Cl. 5.8.3	*	-	-	-
	d. Flexing resistance	Cl. 5.8.4	*	-	-	-
	e. Hydrolysis	Cl. 5.8.5	*	-	-	-
	f. Interlayer bond strength	Cl. 5.8.6	*	-	-	-
	g. Resistance to fuel oil	Cl. 5.8.7	*	-	-	-
	Report Preparation		2	-	-	-
	Total		9.5	-	-	-

*Test facility not available at CL.

Testing charges = 9.5 x 300 = Rs. 2850.00 (only for Height of upper, Seat Region (design A, B, C, D, E), General toe protection, Internal length of toecaps, Insole thickness and Thickness of non-cleated outsoles).

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 2850/- (only for Height of upper, Seat Region (design A, B, C, D, E), General toe protection, Internal length of toecaps, Insole thickness and Thickness of non-cleated outsoles).

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 15298(P-4):2010 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

(Quality Assurance Department)

Ref: CL/QA/Testing Charges/15298-4

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 15298 (Part-4):2010 (Amnd-1)**

PERSONAL PROTECTIVE EQUIPMENT PART 4 OCCUPATIONAL FOOTWEAR (FIRST REVISION) is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
288.	Design	Cl. 5.2	-	-	-	-
	a. Height of upper	Cl. 5.2.1	0.5	-	-	-
	b. Seat Region	Cl. 5.2.2	0.5	-	-	-
289.	Whole footwear	Cl. 5.3	-	-	-	-
	a. Sole performance	Cl. 5.3.1	-	-	-	-
	i. Construction	Cl. 5.3.1.1	0.5	-	-	-
	ii. Upper/outsole bond strength	Cl. 5.3.1.2	*	-	-	-
	b. Leak proofness	Cl. 5.3.2	*	-	-	-
	c. Specific ergonomic features	Cl. 5.3.3	2	-	-	-
290.	Upper	Cl. 5.4	-	-	-	-
	s. General	Cl. 5.4.1	0.5	-	-	-
	t. Thickness	Cl. 5.4.2	*	-	-	-
	u. Tear Strength	Cl. 5.4.3	*	-	-	-
	v. Tensile properties	Cl. 5.4.4	*	-	-	-
	w. Flexing resistance	Cl. 5.4.5	*	-	-	-
	x. Water vapour permeability and coefficient	Cl. 5.4.6	*	-	-	-
	y. pH value	Cl. 5.4.7	*	-	-	-
	z. Hydrolysis	Cl. 5.4.8	*	-	-	-
	aa. Chromium VI content	Cl. 5.4.9	*	-	-	-
291.	Vamp Lining & Quarter Lining	Cl. 5.5	*	-	-	-
292.	Tongue	Cl. 5.6	*	-	-	-
293.	Insole/Insock	Cl. 5.7	*	-	-	-
	m. Thickness	Cl. 5.7.1	0.5	-	-	-
	n. pH	Cl. 5.7.2	*	-	-	-

	o. Water absorption/desorption	Cl. 5.7.3	*	-	-	-
	p. Abrasion	Cl. 5.7.4	*	-	-	-
	q. Chromium VI	Cl. 5.7.5	*	-	-	-
	r. Abrasion	Cl. 5.7.6	*	-	-	-
294.	Outsole	Cl. 5.8	*	-	-	-
	Report Preparation		2	-	-	-
	Total		6.5	-	-	-

*Test facility not available at CL.

Testing charges = 6.5 x 300 = Rs. 1950.00 (only for Height of upper, Seat Region, Construction, Specific ergonomic features, General upper and Insole thickness)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 1950/- (only for Height of upper, Seat Region, Construction, Specific ergonomic features, General upper and Insole thickness).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 15328:2003 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS WROL, Mumbai

Our Ref.: WROL/TC/Mechanical/ IS 15328

29 Nov 2017

Testing Charges for Unplasticized Non pressure (PVC-U) pipes for use in underground drainage and sewerage systems as per IS 15328:2003 including Amendment 5

Sr. No.	Tests	Cl. Ref.	Man Hours
	Mechanical Test		
1	Dimensions of pipes	Cl.6.1 , Cl.6.1.1,6.1.2	2
2	Dimensions of Integral socket and spigot ends	Cl.6.1.4	1
3	Visual appearance, colour	Cl.7.1,7.2	1
4	Vicat softening temperature	Cl.7.3	2
5	Longitudinal Reversion	Cl.7.4	2
6	Resistance to External Blows at 0 C	Cl.8.1	Facility not available
7	Ring Stiffness	Cl.8.2	Facility not available
8	Resistance to Internal Hydrostatic Pressure test	Cl.8.3	
	1) Acceptance test		Facility not available
	2) Type test		Facility not available
9	Joints	Cl.9	0.5
10	Performance requirements	Cl.10	
	1) Elastomeric sealing ring Joint	Cl.10.1	
	i) Internal Hydrostatic pressure	Cl.10.1.1	Facility not available
	ii) Internal Negative Hydrostatic pressure (Internal vacuum)	Cl.10.1.2	Facility not available
	2) Solvent cement joints	Cl.10.2	
	i) Internal hydrostatic pressure	Cl.10.2.1	1
	ii) Internal Negative Hydrostatic pressure (Internal vacuum)	Cl.10.2.2	Facility not available
11	Marking	Cl.12	0.5
12	Preparation of Test Report		1
13	Composition of material	Cl.5	Facility not available
	Total Man Hours		11

Electric Power Consumed (@Rs 15 per Unit)	10 Units	Rs 150.00
Cost of Consumables		Nil
Testing Charges per Manhours (@Rs 300/-per Manhour)	13 hr	Rs 3300.00

Total Testing Charges (Partial)

Rs 3450.00

Rs. 3450/- excluding composition of material, ring stiffness, resistance to external blows at 0 degree C, acceptance test, type test, internal hydrostatic pressure, internal negative hydrostatic pressure (Cl. 10.1.2 & Cl. 10.2.2).

R R CHIKHALE,
LO B, Mechanical

OIC(Mech Lab)

Head WROL

Head LPPD

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 3450/- excluding composition of material, ring stiffness, resistance to external blows at 0 degree C, acceptance test, type test, internal hydrostatic pressure, internal negative hydrostatic pressure (Cl. 10.1.2 & Cl. 10.2.2).

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 15335:2003 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

10-03-2016

TESTING CHARGES FOR IMIDACLOPRID SL AS PER IS 15335:2003

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
A. TEST PARAMETERS					
1.	Description	3.2.1	0.5		
2.	Cold test	3.2.2	1	1kwh	
3.	Flash point	3.2.3	1	1kwh	
4.	Imidacloprid content SL	3.3.1	6	<u>3kwh</u>	200.00
5.	Acidity	3.3.2	1		<u>50.00</u>
B.	Electricity power consumed			5kwh	
C.	Cost of Consumables/CRMs				250.00
D.	PREPARATION OF TEST REPORT		1		
	TOTAL	TIME	11h		

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the products is:

Total Rs.300x11+ 9x5 + 250= **Rs.3595.00. (Rounded off to Rs.3600.00)**

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

17 Jan 2007

TESTING CHARGES FOR IMIDACLOPRID SL AS PER IS 15335:2003

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where- ever				
applicable				
A.	TEST PARAMETERS			
1.	Description	3.2.1	0.5	
2.	Cold test	3.2.2	1	1kwh
3.	Flash point	3.2.3	1	1kwh
4.	Imidacloprid content	3.3.1	6	3kwh
200.00				
5.	Acidity	3.3.2	1	
50.00				
B.	Electricity power consumed			5kwh
C.	Cost of Consumables/CRMs			
250.00				
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	11h	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

$$\text{Total Rs.75} \times 11 + 4 \times 5 + 250 = \text{Rs.1095.00}$$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

The BIS testing charges for IS 15354:2003 effective from 12-02-2018

BIS SRO LABORATORY, CHENNAI-113.

(MECHANICAL SECTION)

Ref: SROL/MECH/TC/IS 15354

Dt. 10-10-2017

Sub: Single Use Rubber Examination Gloves as per IS 15354: 2003 (Amendment 1), reg.

SL. NO.	TEST PARAMETERS	Cl. Ref.	Man Hrs	Electricity Power in KWH	Cost of Consumables & materials	Remarks
1.	Material	3	3			
2.	Design	4	0.5			
3.	Dimensions	6.1 & Table 2	3			
4	Tests: a) Water tightness Test	6.2 & Annex- A	2			
	b) Tensile Test i) Before Accelerated Aging	6.3.1	3	4.5 kwh		
	ii) After Accelerated Aging		3	255 kwh		
5	Packing and Marking		0.5			
6.	Sterility test	6.4	10	18 x 24 x1 = 432 kwh		
7.	Preparation of Test report		1			
8.	Cost of power (EB)			691.5 X @7		Rs. 4841
9.	Total man-hours		26	26 x @ Rs. 300		Rs. 7800
Total Testing charges per sample			(8+9)			Rs. 12641

As decided by Competent Authority, the testing charges for the product are Rs 12640/- +
(Ankita Tripathi)
Sc.B, LPPD

**HLPPD
DDG (Labs)**

The BIS testing charges for IS 15380:2003 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS CENTRAL LABORATORY (Quality Assurance Department)

Ref: CL/QA/Testing Charges/15380

13.03.2018

Based on the inputs received from testing section, the testing charges as per **IS 15380:2003 (Amnd-1)**

MEDIUM DENSITY FIBRE BOARDS FOR GENERAL PURPOSE -SPECIFICATION is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
295.	Sizes	Cl. 5	1	-	-	-
296.	Material	Cl. 6	*	-	-	-
297.	Construction	Cl. 7	1.5	-	-	-
298.	Fittings	Cl. 8	0.5	-	-	-
299.	Requirements for raised panel Fibre board skins	Cl. 6.2 & Table-2	*	-	-	-
300.	Workmanship and finish	Cl. 9	1	-	-	-
301.	Dimensions and squareness test	Cl. 11.1	2	-	-	-
302.	General flatness test	Cl. 11.2	2	-	-	-
303.	Local planeness test	Cl. 11.3	2	-	-	-
304.	Impact indentation test	Cl. 11.4	2	-	-	-
305.	Flexure test	Cl. 11.5	2	-	-	-
306.	Edge loading test	Cl. 11.6	2.5	-	-	-
307.	Shock resistance test	Cl. 11.7	3.5	-	-	-
308.	Buckling test	Cl. 11.8	2.5	-	-	-
309.	Slamming test	Cl. 11.9	2	-	-	-
310.	Misuse test	Cl. 11.10	2.5	-	-	-
311.	Varying humidity test	Cl. 11.11	10	1770	-	-
312.	End immersion test	Cl. 11.12	6	-	-	-
313.	Glue adhesion test	Cl. 11.13	2.5	20	-	-
314.	Screw withdrawal test	Cl. 11.14	2	3	10.00	-
	Report Preparation		1.5	-	-	-
	Total		49	1793	10.00	-

*Testing charges as per referred ISS.

**Testing facility not available at CL for panel size more than 2005 H x 800 W x 30 T.

Testing charges = 49 x 300 + 1793 x 9 + 10.00 = Rs. 30847.00 (for panel size less than 2005 H x 800 W x 30 T) + testing charges as per referred ISS

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. Rs. 30847/- (for panel size less than 2005 H x 800 W x 30 T) + testing charges as per referred ISS.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

06 Aug 2007

TESTING CHARGES FOR ALUMINIUM (Aluminium alloy base foil for food packaging) AS PER IS 15392:2003.

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Freedom from defects	6	1	
2.	Pin hole count	5	2	
3.	Material	7	As per IS 737	
	i) Cu		2	6kwh
25.00				
	ii) Mg		3	6kwh
50.00				
	iii)Si		5	13kwh
50.00	iv) Fe		2	6kwh
25.00				
	v) Mn		2	6kwh
25.00				
	vi) Zn		2	6kwh
25.00				
	vii)Ti		3	6kwh
50.00				
	viii) Tensile, proof & bend test		4.5	
4.	Lubricants	9	1.0	
5.	Average thickness	11	2.0	
6.	Dimensions & Tolerances	12	3.0	
7.	Tensile properties	13	3.5	
8.	Surface condition	14	1.0	
B.	Electricity power consumed			49kwh
C.	Cost of Consumables/CRMs			
	250.00			
D.	PREPARATION OF TEST REPORT		2	
	TOTAL	TIME	39	

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs. $39 \times 75 + 49 \times 4 + 250 = \text{Rs.}3371.00$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

Head (CL)
DDGL

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

2004-05-06

TESTING CHARGES FOR IS:15397:2003 PORTABLE FIRE EXTINGUISHER (MECH FOAM TYPE)

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity power consumed kwh	Cost of consumable Rs.
1.	Capacity	4	1	-	-
2.	Material	5, Table 1	As per relevant ISS of material		
3.	Shape	6	0.5	-	-
4.	Requirements				
	i) Construction	7.1, 7.1.3	2.5		
	ii) Gas pipe	7.2	0.5		
	iii) Neck ring valve	7.3&7.4	2		
	iv) Discharge fittings (Hose, Nozzle, Pressure gauge charge & Sypher tube)	7.5.1 to 7.5.4	4.5		
5.	Anti corrosion treatment	8	1		
6.	Test for plastic lining	8.2	6	-	-
7.	Painting	9	1		
8.	Hydraulic pressure test	10.1	1	-	-
9.	Re-test on pressure	10.3.1	3	-	-
10.	Resistance to vibration	10.3.2, 10.3.3	14		
11.	Drop test	10.4	2		
12.	Performance test	10.5	4		
13.	Fire test	10.6	4		
	PREPARATION OF TEST REPORT		2		

	TOTAL TIME		49		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are Rs.3675/- (except material).

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 15410 :2003 effective from 15-05-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/51:1

19-05-2016

TESTING CHARGES FOR IS:15410:2003 CONTAINERS FOR PACKAGING OF NATURAL MINERAL WATER AND PACKAGED DRINKING WATER

Sl.. No.	Characteristics	Clause no.	Man-Hours	Electricity consumed	Cost of consumable
				kwh	Rs.
1.	Physical tests				
	a) Design, shaped dimensions	4.2	0.5		
	b) Capacity	4.4.	0.5		
	c) Wall thickness	4.5	1		
	d) Transparency	4.6.2	2		
	e) Leakage test	4.6.3	1		
	f) Drop test	4.6.4	1		
2.	Chemical test				
	a) Material	4.1	As per IS 10146/10151/10152/10910/10142		
	b) Migration test	4.6.5	2		
	c) Water portability test	4.6.6	5	150 kwh	
	PREPARATION OF TEST REPORT		2		
			----	-----	
	TOTAL TIME : for physical test		7	150 kwh	
	For chemical test		8		

Electricity power consumption charge are @ Rs.9.00 per kwh.

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the product are:

- i) for physical test : $7 \times 300 = \text{Rs.}2100.00$
- ii) for chemical test: $(8 \times 300) + (150 \times 9) = \text{Rs.}3750.00$

Total charges = Rs.5850.00

- Testing charges for material shall be levied as per relevant ISS.

DDGL may kindly approve.

(P. Rajesh)
Sc.E, LPPD

Head, LPPD
DDG(Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

26 July 2004

TESTING CHARGES FOR IS:15410:2003 CONTAINERS FOR PACKAGING OF NATURAL MINERAL WATER AND PACKAGED DRINKING WATER

Sl. No.	Characteristics	Clause no.	Man-Hours	Electricity consumed	Cost of consumable
				kwh	Rs.
1.	Physical tests				
a)	Design, shaped dimensions	4.2	0.5		
b)	Capacity	4.4.	0.5		
c)	Wall thickness	4.5	1		
d)	Environmental stress-crack resistance	4.6.1	8	48 kwh	
e)	Transparency	4.6.2	2		
f)	Leakage test	4.6.3	1		
g)	Drop test	4.6.4	1		
2.	Chemical test				
a)	Material	4.1	As per IS 10146/10151/10152/10910/10142		
b)	Migration test	4.6.5	2		
c)	Water portability test	4.6.6	5	150 kwh	
	PREPARATION OF TEST REPORT		2		
	TOTAL TIME : for physical test		15	198 kwh	
	For chemical test		8		

Electricity power consumption charge are @ Rs.4.00 per kwh.

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the product are:

- i) for physical test : $(15 \times 75) + (48 \times 4) = \text{Rs.}1317.00$ rounded to Rs.1300/-
- ii) for chemical test: $(8 \times 75) + (150 \times 4) = \text{Rs.}1200.00$

Total charges = Rs.2517.00 rounded to Rs.2500.00

- Testing charges for material shall be levied as per relevant ISS.

The proposal is made on the basis of information received from testing lab.

Revised proposal is submitted in view of earlier approved TC dated 12 July 2004 does not include electricity power consumption charges.

DDGL may kindly approve.

(Veer Singh)
TS(QA)

D&H(QA)

DDGL

The BIS testing charges for IS 15450:2004 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
WROL, Mumbai**

Our Ref.: WROL/TC/Mechanical/ IS 15450

29 NOV 2017

**Testing Charges for Polyethylene/ Aluminum/ Polyethylene Composite Pressure Pipes
For Hot and Cold Water Supplies as per IS 15450:2004 including Amendment No. 2.**

Sr. No.	Tests	Cl. Ref.	Man Hours
A	Mechanical Test		
1.	Pressure Rating	Cl.5	Facility not exist
2.	Nominal Diameter	Cl.6	1
3.	Dimensions of Pipes	Cl.8	2
4.	Visual Appearance	Cl.9	0.5
5.	Density	Cl.10.1	Facility not exist
6.	Melt Flow Rate	Cl.10.2	3
7.	Dispersion	Cl.10.3	1
8.	Adhesion Test	Cl.10.5	2
9.	Apparent Tensile Strength	Cl.10.6	3
10.	Minimum Burst Pressure	Cl.10.7	3
11.	Hydraulic Characteristics	Cl.10.8	Facility not exist
12.	Type Test (Thermal Stability, Long term Hydrostatic and Overall Migration)	Cl. 11.1	Facility not exist
13.	Marking	Cl.12	0.5
B	Chemical Test		
	Material Test	Cl.4	Facility not exist
	Carbon Black Content and Dispersion	Cl.10.3	Facility not exist
	Pigment Dispersion	Cl.10.4	Facility not exist
	Preparation of Test Report		1
	Total Man Hours		17

Electric Power Consumed(@Rs 15 per Unit)

10 units

150.00

Cost of Consumables

Nil

Testing Charges per Manhours (@Rs 300/-perManhour)

17 hr

Rs 5100.00

Total Testing Charges(Excluding tests for which facility not available)

Rs 5250.00

Rs. 5250/- excluding material, pressure rating, density, hydraulic characteristics, type test (Cl. 11.1), carbon black content & dispersion and pigment dispersion.

K.H.Subramanian

LO A, Mechanical

OIC(Mech Lab)

Head WROL

Head LPPD

DDGL

As decided by Competent Authority, the testing charges for the product are Rs.5250/- excluding material, pressure rating, density, hydraulic characteristics, type test (Cl.11.1), carbon black content & dispersion and pigment dispersion.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref:CL/QA/79

16 Jan 2006

TESTING CHARGES FOR PLASTIC EMULSION PAINT AS PER IS 15489:2004

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
Cost of				Power
consumables				Consumed
including				kwh
reference				
material				
where-				
ever				
applicable				
A.	TEST PARAMETERS			
1.	Condition in the containers	6.2	0.5	
2.	Drying time	6.11, I of table 1		
3.	Finish	6.11, II of table 1	1.5	3 kw
4.	Colour	6.11, V of table 1		
5.	Consistency	6.6		
6.	Gloss at 60 deg.C	6.11, III of table1	0.5	0.5 kw
7.	Fastness to light *	6.11, V of table 1	3	144 kw
8.	Resistance to alkali	6.11, VI of table 1	2	4 kw
	100/-			
9.	Recoating properly	6.5	0.5	
10.	Mass in Kg/10L	6.7	0.5	
11.	Opacity	6.8	1	
12.	Durability	6.9	10	
13.	Keeping properties	6.10	9	
14.	Washability test *	6.11, VII of table 1	2	1 kw
15.	Temperature stability	6.1, VIII of table 1	1	5 kw
B.	Electricity power consumed			158 kw
	=158units			
C.	Cost of Consumables/CRMs			
	100/-			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	32.5 (Rounded-33h)	

* Testing facilities are not available for the tests mentioned.

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.33x75+158x4+100 = Rs.3207.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)
DDGL

NOTE: REVISED TESTING CHARGES ARE PLACED BELOW:



BUREAU OF INDIAN STANDARDS
[Laboratory Policy & Planning Deptt.]

Our Ref: LPPD/51:2

04.09.2015

Subject: Revision of BIS Testing Charges

BIS Testing Charges for Nine ISs pertaining to Paints products have been reviewed and as decided by CA, the revised testing charges of these products are given in Annex-1. The revised BIS testing charges for these product shall be effective from 01.09.2015 and applicable for samples sent to BIS Labs for testing after 31.08.2015.

The above revised testing charges shall not be applicable for outside BIS recognized labs. The outside approved lab who had adopted BIS testing charges would continue to be paid as per the pre-revised rates.

All BIS Labs/ROs/BOs are advised to note the above for implementation by the said date.

Encl: as above

(Dileep Kumar)
Head (LPPD)

Sc.-G & DDG (Labs)

Circulated to all Heads of BIS Labs/ROs/BOs/DDG (Cert.)/CMDs/DDGF

Copy to: H (ITS) – With a request to get the circular hosted on BIS Intranet

The BIS testing charges for IS 15490:2017 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS CENTRAL LABORATORY (Quality Assurance Department)

Ref: CL/QA/Testing Charges/15490

19-02-2018

Based on the inputs received from testing section, the testing charges as per **IS 15490:2017 (Amnd-nil)**

SEAMLESS STEEL CYLINDERS FOR ON-BOARD STORAGE OF COMPRESSED NATURAL GAS AS A FUEL FOR AUOMOTIVE VEHICLES - SPECIFICATION as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables (Rs.)	Remarks
315.	Material	Cl. 5 & Table-1	*	-	-	-
	a. Carbon	Cl. 5	2	6	50.00	-
	b. Sulphur	Cl. 5	2	6	50.00	-
	c. Phosphorus	Cl. 5	3	6	50.00	-
	d. Manganese	Cl. 5	3	6	50.00	-
	e. Silicon	Cl. 5	3	6	50.00	-
	f. Nickel	Cl. 5	3	6	50.00	-
	g. Chromium	Cl. 5	3	6	50.00	-
	h. Molybdenum	Cl. 5	3	6	50.00	-
	i. Sulphur + Phosphorus	Cl. 5	0.5	-	-	-
316.	Wall thickness	Cl. 7.2	1	-	-	-
317.	Surface defect	Cl. 7.3	4	-	-	-
318.	Ultrasonic Examination	Cl. 7.4 & Cl. 11.3	**	-	-	-
319.	Cylinder Neck Threads	Cl. 7.5	**	-	-	-
320.	Out of roundness	Cl. 7.6	**	-	-	-
321.	Mean diameter	Cl. 7.7	**	-	-	-
322.	Straightness	Cl. 7.8	1	-	-	-
323.	Leak before break test	Cl. 9.2.6	**	-	-	-
324.	Bonfire test	Cl. 9.2.7	**	-	-	-
325.	Tensile strength	Cl. 9.3.1	4	5	-	-
326.	Yield strength	Cl. 9.3.1	1	-	-	-
327.	Elongation	Cl. 9.3.1	2	-	-	-
328.	Bend test	Cl. 9.3.2	4	20	-	-
329.	Impact (Charpy) test	Cl. 9.3.3	4	5	-	-
330.	Sulphide stress cracking resistance test	Cl. 9.3.4	**	-	-	-
331.	Pressure Cycling test	Cl. 10.2 & Cl. 9.2.3	**	-	-	-
332.	Hydraulic Burst test	Cl. 10.2 & Cl. 9.2.4	**	-	-	-
333.	Hardness test	Cl. 11.1	2	5	-	-

334.	Hydrostatic stretch test	Cl. 11.2	**	-	-	-
335.	Leakage test	Cl. 11.4	**	-	-	-
336.	Water capacity	Cl. 11.5	2	-	-	-
337.	Colour identification	Cl. 15.1	2	-	-	-
	Report Preparation		1	-	-	-
	Total		50.5	83	400.00	-

*Testing charges for each element other than Table-1 = Rs. 1004.00.

**Test facility not available at CL.

Testing charges = $50.5 \times 300 + 83 \times 9 + 400.00$ = Rs. 16297.00 excluding Ultrasonic examination, Cylinder Neck Threads, Out of roundness, Mean diameter, Leak before break test, Bonfire test, Sulphide stress cracking resistance test, Pressure cycling test, Hydraulic burst test, Hydrostatic Stretch test and Leakage test.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 16297/- excluding Ultrasonic Examination, Cylinder Neck Threads, Out of roundness, mean diameter, Leak before break test, Bonfire test, Sulphide stress cracking resistance test, pressure cycling test, hydraulic burst test, hydrostatic stretch test & leakage test.

For elements other than Table-1: Rs. 1004/- per element.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 1 GENERAL

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumption (if intensive) (in kWh)	Cost of power (@ `9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	5	Raw Materials	0	0	0	0	0	0	As p mate
2	6	Anti - Corrosive treatment	3	900	0	0	0	900.00	
3	7	Workmanship	3	900	0	0	0	900.00	
2	3	Testing	8	2400	0	0	0	2400.00	
3		Preparation of Test Report	1	300	0	0	0	300.00	
		TOTAL	15	` 4500.00	0	` 0.00	0	4500.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
4500.00 + charges as per relevant material ISS.**

OIC (Mech.)

Sc. E & HBNBOL

As decided by Competent Authority, the testing charges for the product are Rs. 4500/-

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 2 HANDPUMPS

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumption (if intensive) (in kWh)	Cost of power (@ ` 9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	2	Construction	24	7200	0	0	0	7200.00	
2	3	Testing	8	2400	0	0	0	2400.00	
3		Preparation of Test Report	3	900	0	0	0	900.00	
		TOTAL	35	` 10500.00	0	` 0.00	0	10500.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
10500.00**

OIC (Mech.)

Sc. E & HBNBOL

As decided by Competent Authority, the testing charges for the product are Rs 10500/- for Part-2

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 3 HANDPUMP SUB-ASSEMBLIES

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumption (if intensive) (in kWh)	Cost of power (@ `9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	2	Construction	6	1800	0	0	0	1800.00	
2	3	Testing	4	1200	0	0	0	1200.00	
3		Preparation of Test Report	2	600	0	0	0	600.00	
		TOTAL	12	` 3600.00	0	` 0.00	0	3600.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
3600.00**

OIC (Mech.)

Sc. E & HBNBOL

**As decided by Competent Authority, the testing charges for the product are Rs 3600/- for
Part-2**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 4 STEEL COMPONENTS

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumptio n (if intensive) (in kWh)	Cost of power (@ `9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	2	Construction	9	2700	0	0	0	2700.00	
2	3	Testing	2	600	0	0	0	600.00	
3		Preparation of Test Report	2	600	0	0	0	600.00	
		TOTAL	13	` 3900.00	0	` 0.00	0	3900.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
3900.00**

OIC (Mech.)

Sc. E & HBNBOL

**As decided by Competent Authority, the testing charges for the product are Rs 3900/- for
Part-2**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 5 CAST IRON COMPONENTS

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumptio n (if intensive) (in kWh)	Cost of power (@ `9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	3	Construction	4	1200	0	0	0	1200.00	
2	5	Testing	1	300	0	0	0	300.00	
3		Preparation of Test Report	1	300	0	0	0	300.00	
		TOTAL	6	` 1800.00	0	` 0.00	0	1800.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
1800.00**

OIC (Mech.)

Sc. E & HBNBOL

**As decided by Competent Authority, the testing charges for the product are Rs 1800/- for
Part-2**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 6 BRASS/BRONZE COMPONENTS

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumptio n (if intensive) (in kWh)	Cost of power (@ `9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	2	Construction	8	2400	0	0	0	2400.00	
2	3	Testing	1	300	0	0	0	300.00	
3		Preparation of Test Report	1	300	0	0	0	300.00	
		TOTAL	10	` 3000.00	0	` 0.00	0	3000.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
3000.00**

OIC (Mech.)

Sc. E & HBNBOL

**As decided by Competent Authority, the testing charges for the product are Rs 3000/- for
Part-2**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 7 RUBBER COMPONENTS

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumptio n (if intensive) (in kWh)	Cost of power (@ `9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	2	Construction	6	1800	0	0	0	1800.00	
2	3	Testing	1	300	0	0	0	300.00	
3		Preparation of Test Report	1	300	0	0	0	300.00	
		TOTAL	8	` 2400.00	0	` 0.00	0	2400.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
2400.00**

OIC (Mech.)

Sc. E & HBNBOL

**As decided by Competent Authority, the testing charges for the product are Rs 2400/- for
Part-2**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 15500 (P-1 to 8):2004 effective from 12-02-2018

**Testing Charges for IS 15500 (Part 1 to 8: 2004) DEEPWELL HANDPUMPS,
COMPONENTS AND SPECIAL TOOLS**

PART 8 SPECIAL TOOLS

S.No.	Clause No.	Requirements/ Characteristics	Man hours spent in Testing (in hrs)	Man hour cost of testing (@ `300 /Man hour)	Power consumption (if intensive) (in kWh)	Cost of power (@ ` 9 per kWh)	Consumable Cost (if significant)	Total cost of test	
1	2	3	4	5	6	7	8	9	
1	3	Construction	6	1800	0	0	0	1800.00	
2	4	Anti-Corrosive Treatment	3	900	0	0	0	900.00	
3	5	Testing	4	1200	0	0	0	1200.00	
4		Preparation of Test Report	1	300	0	0	0	300.00	
		TOTAL	14	` 4200.00	0	` 0.00	0	4200.00	

**Hence, testing charges (rounded to nearest Rs. 50.00) for the product is :
4200.00**

OIC (Mech.)

Sc. E & HBNBOL

Note: BNBOL is not having test facility for chemical requirement as per IS 15500

**As decided by Competent Authority, the testing charges for the product are Rs 4200/- for
Part-2**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BIS Laboratory Policy & Planning Deptt.

Ref: LPPD/51:2

31.08.2015

**Subject: Testing Charges for Plastic Emulsion Paint as per
IS 15489 : 2013**

S. No.	Requirement / Characteristic	IS/ Clause	Man-Hour	Man-Hour Cost of testing (@ Rs. 300)	Power Consumption (in KWh)	Cost of Power @ Rs 9 per unit	Consumables required (Approx Cost in Rs.)
1	2	3	4	6	7	8	9
1	Condition in Container	6.2	10 min	50	-	-	-
2	Thinning Properties	6.3	10 min	50	-	-	25
3	Application Properties	6.4	10 min	75	-	-	25
4	Mass, in kg/10 litre	6.5	30 min	150	-	-	-
5	Opacity	6.6	45 min	225	-	-	50
6	Durability	6.8	3.5 hrs	1050	748	6732	100
7	Lead Restriction	6.9	2.5 hrs	750	5	45	50

8	Keeping Properties	6. 10 (6.2 to 6.9 & Table 1)	14.75	4425	1371	12339	550
9	Consistency	6.10, 6.11 and 9.1, Table 1, S.No. i)	30 min	150	-	-	-
10	Drying Time						
i)	Surface Dry & Hard Dry	6.10, 6.11 and 9.1, Table 1, S.No. ii) a) & b)	30 min	150	*	#	50
11	Finish	6.10, 6.11 and 9.1, Table 1, S.No. iii)	15 min	75	*	#	50
12	Gloss 60°	6.10, 6.11 and 9.1, Table 1, S.No. iv)	30 min	150	*	#	50
13	Colour	6.10, 6.11 and 9.1, Table 1, S.No. v)	15 min	75	*	#	50
14	Fastness to Light	6.7, 6.10, 6.11 and 9.1, Table 1, S.No. vi)	2 hrs	300	550	4950	-
15	Resistance to Alkali	6.10, 6.11 and 9.1, Table 1, S.No. vii)	1 hour	300	*	#	50
16	Washability & Cleanability	6.10, 6.11 and 9.1, Table 1, S.No. viii)	1 hour	300	-	-	50
17	Accelerate Storage Stability Test	6.10, 6.11 and 9.1, Table 1, S.No. ix)	30 min	150	48	432	-
18	Recoating Property	6.10, 6.11 and 9.1, Table 1, S.No. x)	30 min	150	-	-	-
	PREPARATION OF TEST REPORT		1 hour	300			
		TOTAL					

	For Initial Testing	14.75 hrs	Rs. 4,425	1371 KWh, 1371/4 = 342.75 KWh = 343 KWh	Rs. 12339, 12339/4 = Rs. 3084.75 = Rs. 3085	Rs. 550
	For Keeping Properties Only	14.75 hrs	Rs. 4,425	1371 KWh, 1371/4 = 342.75 KWh = 343 KWh	Rs. 12339, 12339/4 = Rs. 3084.75 = Rs. 3085	Rs. 550
	Power Consumption has been calculated considering 4 samples in a batch					
* Power Consumption for all the requirements in aggregate = 20 KWh	TOTAL Testing Charges		For Initial Testing = Rs. (4425+3085+550) = Rs. 8,060			
			For Keeping Properties Only = Rs. (4425+3085+550) = Rs. 8,060			
# Cost of Power Consumption for all the requirements in aggregate = Rs. 180/-			Preparation of Test Report = Rs. 300.			

DDG (Labs) may kindly approve.

Varsha Gupta

Sc.-C (LPPD)

Head (LPPD)

DDG (Labs)

The revised BIS testing charges for IS 15558:2005 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

08-07-2016

TESTING CHARGES FOR INSTANTANEOUS DOMESTIC WATER HEATER FOR USE WITH LPG AS PER IS 15558:2005 .

Sl. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	General requirements	4	3 4 if pilot provided		
2.	Material	5	6	2	Rs.100/-
3.	Connections	6	2		
4. a)	Flame visibility	7)	1.5		
b)	Ignition device	10)	2 if pilot provided		
c)	Ignition & Flame travel	19)			
5. a)	Gas taps	8)	0.5		Rs.250/-
b)	Water rate adjuster	12)			cost of water
6.	Flame failure device	9	1 1.5 if pilot provided		
7.	Protection against accidental over heating	11	1		
8.	Gas soundness	14	1		
9.	Water soundness	15	1		
10.	Thermal efficiency	16	3		
11.	Combustion	17	3		
12.	Gas consumption	18	2		
13.	Flame stability	20	1		
14. a)	Noise control	21	1		
b)	Flash back	22			
15.	Resistance to draught	23	1		
16.	Fire hazard and limiting temperature	24	4		
17.	Time for temperature rise	25	1		
18.	Test condition	13		20	Rs.365/- (7kg)
19.	LP Gas consumed	Sec.1&2			

(Commercial)

PREPARATION OF TEST REPORT

1

TOTAL

TIME

42h

22 kwh=22 units

(if auto ignition provided)

36 h if pilot provided

Testing charges per man-hour are Rs.300.00 + Rs.9.00 per unit of electricity charges + cost of consumables.

Total testing charges: Rs.300x42+198+715= Rs. 13513.00 (Rounded off to Rs.13515.00) for auto ignition water heater:
Rs.300x36+198+715= **Rs.11713.00 (Rounded off to Rs.11715.00) for pilot flame water heater**

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(Anurita))
Sc.C, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

21 Nov 2006

TESTING CHARGES FOR MINI DOMESTIC WATER HEATER AS PER IS 15558:2005 .

Sl.. No.	Characteristics	Clause no.	Man- Hours	Electricity power Consumed kwh	Cost of consumable including reference material wherever applicable
1.	General requirements	4	3 4 if pilot provided		
2.	Material	5	6	2	Rs.100/-
3.	Connections	6	2		
4. a)	Flame visibility	7)	1.5		
b)	Ignition device	10)	2 if pilot provided		
c)	Ignition & Flame travel	19)			
5. a)	Gas taps	8)	0.5		Rs.250/-
b)	Water rate adjuster	12)			cost of water
6.	Flame failure device	9	1 1.5 if pilot provided		
7.	Protection against accidental over heating	11	1		
8.	Gas soundness	14	1		
9.	Water soundness	15	1		
10.	Thermal efficiency	16	3		
11.	Combustion	17	3		
12.	Gas consumption	18	2		
13.	Flame stability	20	1		
14. a)	Noise control	21	1		
b)	Flash back	22			
15.	Resistance to draught	23	1		
16.	Fire hazard and limiting temperature	24	4		
17.	Time for temperature rise	25	1		

18.	Test condition	13	20	Rs.365/- (7kg)
19.	LP Gas consumed (Commercial)	Sec.1&2		
	PREPARATION OF TEST REPORT	1		
	TOTAL	TIME	42h	22 kwh=22 units
			(if auto ignition provided)	
			36 h if pilot provided	

TESTING CHARGES FOR MINI DOMESTIC WATER HEATER AS PER IS 15558:2005

Testing charges per man-hour are Rs.75.00 + Rs.4.00 per unit of electricity charges + cost of consumables.

Total testing charges: Rs.75x42+88+615= Rs. 3853.00 for autoignition water heater
Rs.75x36+88+615= Rs.3403.00 for pilot flame water heater

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA (QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 15559:2004 effective from 15-04-2016

LABORATORY POLICY & PLANNING DEPARTMENT

Ref: LPPD/51:1

12.03.2016

TESTING CHARGES FOR POLYESTER STRAPPING AS PER IS 15559:2004

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity
		Consumed		Power
				kwh

A. TEST PARAMETERS

1. a) Material	6.2	
b) Types	3	
c) Requirements	4	
i) Manufacture	4.1	
ii) Surface finish	4.2	2
iii) Colour	4.3	
iv) Freedom from defects	4.5	
v) Intrinsic viscosity	4.4	

2.	Dimensions & Physical properties	4.6	2	1kwh
3.	Mechanical properties	5		
a)	Tensile strength & elongation	5.1	2	1kwh
b)	Split resistance	5.2	1	1kwh
c)	Camber	5.3	1	-----
B.	Electricity power consumed (Total)			3kwh
C.	Cost of Consumables/CRMs			
D.	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	9h	

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the products is:

Total Rs.300x9+3x9=Rs.2727.00 (Rounded-Rs.2730.00)

DDGL may kindly approve.

(P.Rajesh)

Sc E, LPPD

Head (LPPD)

DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

03 Feb 2006

TESTING CHARGES FOR POLYESTER STRAPPING AS PER IS 15559:2004

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of consumables including reference material where- ever applicable
A.	TEST PARAMETERS				
1.	a) Material	6.2	2		
	b) Types	3			
	c) Requirements	4			
	i) Manufacture	4.1			
	ii) Surface finish	4.2			
	iii) Colour	4.3			
	iv) Freedom from defects	4.5			
	v) Intrinsic viscosity	4.4			
2.	Dimensions & Physical properties	4.6	2	1kwh	
3.	Mechanical properties	5			
	a) Tensile strength & elongation	5.1	2	1kwh	
	b) Split resistance	5.2	1	1kwh	
	c) Camber	5.3	1		
B.	Electricity power consumed			3kwh	
C.	Cost of Consumables/CRMs				
D.	PREPARATION OF TEST REPORT		1		
	TOTAL	TIME	9h		

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.75x9+3x4=Rs.687.00 (Rounded-Rs.690.00)

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA(QA)

D&H(QA)

DDGL

The BIS testing charges for IS 15647:2006 effective from 23-10-2018

BUREAU OF INDIAN STANDARDS EROL-KOLKATA

Our Ref:- EROL(Q)/38/IS 15647

17.10.2018

Sub:- Testing Charges for IS 15647:2006, Hot Rolled Steel Narrow Width Strip for Welded Tubes and Pipes

SL. No.	IS/Clause No.	Requirement/ Characteristic	Man-hours spent in testing	Man hour cost of testing	Power Consumption (if intensive) (in unit)	Cost of power (Rs.)	Consumable cost (Rs.) (if significant)	Total Cost of Test (Rs.)	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)=(IV) x Rs.300	(VI)	(VII)=(VI) x Rs. 10	(VIII)	(IX)	(X)
1.	7	Chemical Composition							
2.		Carbon	2	600	6	60	100	760	
3.		Sulphur	2	600	6	60	100	760	
4.		Phosphorus	3	900	6	60	100	1060	
5.		Manganese	3	900	6	60	100	1060	
6.		Silicon	3	900	6	60	100	1060	
7.		Aluminium	3	900	6	60	100	1060	#
8.		Nitrogen	3	900	6	60	100	1060	
9.	8	Tensile test	4	1200	2	20	-	1220	IS 1608
10.	9	Bend test	2	600	2	20	-	620	IS 1599
11.	11	Freedom from defects	1	300	-	-	-	300	IS 15647
12.	12	Dimensions and Tolerances	2	600	-	-	-	600	IS 1730, IS 1852 & IS 1079
13.	-	Preparation of Test Report	1	300	-	-	-	300	

Test facility for Aluminium is not available at EROL, however the testing charges for Al have been considered based on the available approved testing charges in similar ISs.

Testing charge for the product is Rs. 9,860/- $\approx$ Rs. 9,900/-.

(Ayub Alam)
TA, QA

OIC(Chem & Mech)

OIC(QA)

Head(EROL)

H(LPPD)

As decided by Competent Authority, the testing charges for the product are Rs 9900/-.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 15573:2005 effective from 23-08-2016

LABORATORY POLICY AND PLANNING DEPTT

Our Ref : LPPD/54:1

08-07-2016

TESTING CHARGES FOR POLY ALUMINIUM CHLORIDE AS PER IS 15573:2005

Sl. No.	Characteristics	Clause no.	Man- Hours			
			LIQUID		POWDER	
			Medium Basicity	High Basicity	Medium Basicity	High Basicity
1.	Description	4.1	0.5	0.5	0.5	0.5
2.	Aluminium as Al ₂ O ₃	4.2, Sr.No.(i)	4	4	4	4
3.	Basicity	Sr.No.(ii)	2	2	2	2
4.	Chloride	Sr.No.(iii)	2	2	2	2
5	Sulphate	Sr.No.(iv)	2	2	2	2
6.	Sp. Gravity	Sr.No.(v)	1	1	--	--
7.	Viscosity (dynamic) at 20 deg.C	Sr.No.(vi)	1	1	--	--
8.	Bulk density	Sr.No.(vii)	-	-	0.5	0.5
9.	Toxic substances	Sr.No.(viii)				
a)	Mercury		2	2	2	2
b)	Arsenic		1	1	1	1
c)	Cadmium		1	1	1	1
d)	Lead		1	1	1	1
e)	Iron		2	2	2	2
f)	Chromium		1	1	1	1
10.	Insolubles	Sr.No.(ix)	2	2	2	2
11.	pH	Sr.No.(x)	1	1	1	1

PREPARATION OF TEST REPORT	1	1	1	1
TOTAL	TIME	24.5	24.5	23
(Rounded to 25)				

Testing charges per man-hour are Rs.75.00 . Hence complete testing charges of the product are:

75x25 = Rs.1875+700 (as cost of CRM)=2575.00 for Liquid type
75x23 = Rs.1725+700 (as cost of CRM)=2425.00 for powder type

The proposal is made on the basis of information received from testing lab.

As decided, the testing charges have been doubled and the complete testing charges are 2x2575 = Rs.5150.00 for Liquid type and 2x2425 = Rs.4850.00 for Powder type.

DDGL may kindly approve.

(P. Rajesh)
ScEC, LPPD

Head, LPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref:CL/QA/79

19 Sep 2005

TESTING CHARGES FOR POLY ALUMINIUM CHLORIDE AS PER IS 15573:2005

Sl. No.	Characteristics	Clause no.	Man- Hours			
			LIQUID		POWDER	
			Medium Basicity	High Basicity	Medium Basicity	High Basicity
1.	Description	4.1	0.5	0.5	0.5	0.5
2.	Aluminium as Al ₂ O ₃	4.2, Sr.No.(i)	4	4	4	4
3.	Basicity	Sr.No.(ii)	2	2	2	2
4.	Chloride	Sr.No.(iii)	2	2	2	2
5.	Sulphate	Sr.No.(iv)	2	2	2	2
6.	Sp. Gravity	Sr.No.(v)	1	1	--	--
7.	Viscosity (dynamic) at 20 deg.C	Sr.No.(vi)	1	1	--	--
8.	Bulk density	Sr.No.(vii)	-	-	0.5	0.5
9.	Toxic substances	Sr.No.(viii)				
a)	Mercury		2	2	2	2
b)	Arsenic		1	1	1	1
c)	Cadmium		1	1	1	1
d)	Lead		1	1	1	1
e)	Iron		2	2	2	2
f)	Chromium		1	1	1	1
10.	Insolubles	Sr.No.(ix)	2	2	2	2
11.	pH	Sr.No.(x)	1	1	1	1
PREPARATION OF TEST REPORT			1	1	1	1
TOTAL			24.5	24.5	23	23

(Rounded to 25)

TESTING CHARGES FOR POLY ALUMINIUM CHLORIDE AS PER IS 15573:2005

Testing charges per man-hour are Rs.75.00 . Hence complete testing charges of the product are:

$$\begin{aligned} 75 \times 25 &= \text{Rs.}1875 + 700 \text{ (as cost of CRM)} = 2575.00 \text{ for Liquid type} \\ 75 \times 23 &= \text{Rs.}1725 + 700 \text{ (as cost of CRM)} = 2425.00 \text{ for powder type} \end{aligned}$$

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)
STA (QA)

D&H(QA)
DDGL

The revised BIS testing charges for IS 15601:2005 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/15601

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 15601:2005 (Amnd-nil)**
CYMOXANIL + MANCOZEB WETTABLE POWDER is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
338.	Description	Cl. 3.2.1	0.5	-	-	-
339.	Sieving requirement	Cl. 3.2.2	1	-	-	-
340.	Suspensibility	Cl. 3.2.	10	5	100.00	-
341.	Wettability	Cl. 3.2.	0.5	-	-	-
342.	Active ingredient	Cl. 3.3.1	10	6	500.00	-
343.	Acidity or alkalinity	Cl. 3.3.2 & Cl. 3.3.3	1	-	25.00	-
	Report Preparation		1	-	-	-
	Total		24	11	625.00	-

Testing charges = 24 x 300 + 11 x 9 + 625.00 = 7924.00

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 7924/-

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 15603:2005 effective from 23-08-2016

LABORATORY POLICY & PLANNING DEPARTMENT

Ref: LPPD/51:1

12.03.2016

TESTING CHARGES FOR ALPHACYPERMETHRIN WP AS PER IS 15603:2005.

Testing charges per
Rs.300.00. Hence testing
product are:

Total Rs. 20.50x300
Rs.7581.00 = **Rs.7580.00**

DDGL may kindly

(P.Rajesh)

LPPD

Head (LPPD)
DDGL

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 300/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.2.1	0.5	-	-	-	150.00
2.	Sieving Requirement	3.2.2	2	1	9	-	609.00
3	Suspensibility test	3.2.3	6	6	54	500.00	2354.00
4	Wettability	3.2.4	1	-	-	-	300.00
5	Alphacypermethrin content	3.3.1	9	2	18	800.00	3518.00
6	Acidity or Alkalinity	3.3.2	1	-	-	50.00	350.00
	PREPARATION OF TEST REPORT		1				300.00
	TOTAL		20.5	9	81	1350.00	7581.00

man-hour are
charges for the

+9x9 +1350 =

approve.

Sc E,

Please Refer to Revised Testing Charges mentioned above

Our Ref : CL/QA/79

02-11-10

TESTING CHARGES FOR ALPHACYPERMETHRIN WP AS PER IS 15603:2005.

Testing charges
Rs.75.00. Hence testing
product are:

Total Rs.
+1350 = Rs.2968.50
Rs.2969.00)

The proposal is
of information received

Arya)

(QA)
OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.2.1	0.5	-	-	-	37.50
2.	Sieving Requirement	3.2.2	2	1	9	-	159.00
3	Suspensibility test	3.2.3	6	6	54	500.00	1004.00
4	Wettability	3.2.4	1	-	-	-	75.00
5	Alphacypermethrin content	3.3.1	9	2	18	800.00	1493.00
6	Acidity or Alkalinity	3.3.2	1	-	-	50.00	125.00
	PREPARATION OF TEST REPORT		1	75.00			
	TOTAL		20.5	9	81	1350.00	2968.50

per man-hour are
charges for the

20.50x75 +9x9
(Rounded to

made on the basis
from testing lab.

(K.S.

LO-B

The revised BIS testing charges for IS 15609:2005 effective from 15-05-2016

LABORATORY POLICY & PLANNING DEPARTMENT

Ref: LPPD/51:1

12.03.2016

TESTING CHARGES FOR POLYETHYLENE FLEXIBLE POUCHES FOR THE PACKAGING OF NATURAL MINERAL WATER & PACKAGED DRINKING WATER AS PER IS 15609:2005.

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of consumables including reference material where-
	ever applicable				
1.	Requirements of Polyethylene film	6.1			
	i) Description	6.1.1			
	ii) Film form	6.1.2	0.5	-	-
	iii) Winging of film	6.1.3			
	iv) Dimensions	6.1.4 & 6.1.6	0.5	-	-
	v) Tensile strength & Elongation	6.1.8 & 6.1.9	4	-	-
	vi) * Dart impact strength	6.1.10	2	-	-
	vii) Overall Migration	6.1.7	2	-	-
2.	Tests for flexible pouches	7			
	i) * Vibration leakage test	7.1	2	-	-
	ii) Water potability test	7.2	5	-	-
	iii) Stack load test	7.3	4	-	-
	iv) Drop test	7.4	1	-	-
	v) Ink adhesion test	7.5	0.5	-	-
	vi) Product resistance test	7.6	0.5	-	-
3.	Electricity power consumed			Not considered	
4.	Cost of Consumables/CRMs			Not considered	
5.	PREPARATION OF TEST REPORT		1		
	TOTAL	TIME	23 h		

* Testing facilities are not available for the tests mentioned.

Testing charges per man-hour are Rs.300.00. Hence complete testing charges for the products is:

Total Rs.300x23 = **Rs.6900.00**

DDGL may kindly approve.

(P.Rajesh)

Head-LPPDSc-E,LPPD

DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

21 Sep 2005

Our Ref:CL/QA/79

TESTING CHARGES FOR POLYETHYLENE FLEXIBLE POUCHES FOR THE PACKAGING OF NATURAL MINERAL WATER & PACKAGED DRINKING WATER AS PER IS 15609:2005.

Sl..No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of consumables including reference material where-
		ever applicable			
1.	Requirements of Polyethylene film	6.1			
	i) Description	6.1.1			
	ii) Film form	6.1.2	0.5	-	-
	iii) Winging of film	6.1.3			
	iv) Dimensions	6.1.4 & 6.1.6	0.5	-	-
	v) Tensile strength & Elongation	6.1.8 & 6.1.9	4	-	-
	vi) * Dart impact strength	6.1.10	2	-	-
	vii) Overall Migration	6.1.7	2	-	-
2.	Tests for flexible pouches	7			
	i) * Vibration leakage test	7.1	2	-	-
	ii) Water potability test	7.2	5	-	-
	iii) Stack load test	7.3	4	-	-
	iv) Drop test	7.4	1	-	-
	v) Ink adhesion test	7.5	0.5	-	-
	vi) Product resistance test	7.6	0.5	-	-
3.	Electricity power consumed			Not considered	
4.	Cost of Consumables/CRMs			Not considered	
5.	PREPARATION OF TEST REPORT		1		
	TOTAL	TIME	23 h		

* Testing facilities are not available for the tests mentioned.

Testing charges per man-hour are Rs.75.00. Hence complete testing charges for the products is:

Total Rs.75x23 = Rs.1725.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

(K.S. Arya)

STA(QA)

D&H(QA)

DDGL

BIS CENTRAL LABORATORY

(Q.A. Department)

Our Ref : CL/QA/79

02-11-10

TESTING CHARGES FOR ALPHACYPERMETHRIN TECHNICAL AS PER IS 15616:2006

Testing charges
Rs.75.00. Hence testing
product are:

Total Rs. 15.5x75
Rs.2539.50 (Rounded to

The proposal is
of information received

Arya)

(QA)

OIC (QA)

Head-CL

H (CQAPD)

Sc.G (Labs)

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Description	3.1	0.5	-	-	-	37.50
2.	Alphacypermethrin content	3.2, table 1, item i)	9	2	18	800.00	1493.00
3	(IR cis) R and (IS cis) S isomers	3.2, table 1, item ii)	2	0.5	4.5	400.00	554.50
4	Alkalinity (as NaOH)	3.2, table 1, item iv)	1	-	-	50.00	125.00
5	Moisture content	3.2, table 1, item v)	2	0.5	4.5	100.00	254.50
	PREPARATION OF TEST REPORT		1	75.00			
	TOTAL		15.5	3	27	1350.00	2539.50

per man-hour are
charges for the

+ 3x9 +1350 =
Rs.2539.00

made on the basis
from testing lab.

(K.S.

LO-B

The BIS testing charges for IS 15652:2006 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/15652

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 15652:2006 (Amnd-2)**
INSULATING MATS FOR ELECTRICAL PURPOSES is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
344.	Classification and designation, composition	Cl. 4 & Cl. 5	0.5	-	-	-
345.	Shape, Length and width	Cl. 6.1 & Cl. 6.2	0.5	-	-	-
346.	Thickness and colour	Cl. 6.3 & Cl. 6.4	1	-	-	-
347.	Workmanship and finish	Cl. 7	0.25	-	-	-
348.	Tensile strength and elongation and break	Cl. 8.1	1.5	1	-	-
349.	Di-electric properties	Cl. 8.2	*	-	-	-
350.	Ageing properties	Cl. 8.3	4.5	520	-	-
351.	Thermal properties	Cl. 8.4	*	-	-	-
352.	Acid/Alkalis and Oil resistance	Cl. 8.5	10	4	570.00	-
353.	Extreme low temperature	Cl. 8.6	*	-	-	-
354.	Marking and packing	Cl. 9 & Cl. 10	0.5	-	-	-
	Report Preparation		1	-	-	-
	Total		19.75	525	570.00	-

*Test facility not available at CL.

Testing charges = 19.75 x 300 + 525 x 9 + 570.00 = Rs. 11220.00 excluding Di-electric properties, Thermal properties and Extreme low temperature.

Head (CL)
DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 11220/- excluding Di-electric properties, Thermal properties and Extreme low temperature.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

**BUREAU OF INDIAN STANDARDS
(NRO LABORATORY)**

Our Ref :NROL/15658

18 MAY 2017

TESTING CHARGES FOR PRECAST CONCRETE BLOCKS FOR PAVING AS PER IS 15658:2006

Testing charges
Rs.300.00. Hence
the product are:

Total Rs. 42 ×
+400=
ROUNDED OFF

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 300/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	PHYSICAL REQUIREMENTS	6.1	1	-	-	-	300.00
2.	VISUAL INSPECTION	6.2.1 & 7.1	1	-	-	-	300.00
3.	DIMENSIONS AND TOLERANCES	6.2.2	3	-	-	-	900.00
4.	PLAN AREA	B-3.3	2	-	-	-	600.00
5.	WEARING FACE AREA	B-3.3.3	2	-	-	-	600.00
6.	DEVIATION FROM SQUARENESS	B-4	1	-	-	-	300.00
7	THICKNESS OF WEARING LAYER,	6.2.3	1	-	-	-	300.00
8	WATER ABSORPTION TEST	6.2.4	3	50 kwh	450	-	1350.00
9.	COMPRESSIVE STRENGTH TEST	6.2.5	2	24 kwh	216	-	816.00
10.	ABRASION RESISTANCE TEST	6.2.6	8	6 kwh	54	200	2654.00
11.	SAMPLE CUTTING AND PREPARATION	6.2.6	16	32kwh	288	200	5288.00
12.	PREPARATION OF TEST REPORT		2	--	--		600.00
	TOTAL		42	112	1008	400	14008

per man-hour are
testing charges for

300 + 112 × 9
Rs.14008.00
TO 14000/-

Singh)

OIC (M)
HNROL
HLPPD
DDGL

(Gurmukh

LO-B

BIS CENTRAL LABORATORY
(Q.A. Department)

Our Ref : CL/QA/79

16 June 2010

TESTING CHARGES FOR REFILLABLE TRANSPORTABLE SEAMLESS ALUMINIUM ALLOY GAS CYLINDER AS PER IS 15660:2006

.Total manhour:
alloys

treatable alloys
* Testing facility
for the tests
** Partial facility
variation versus
expansion curve is

1. Testing charges
parameters only
type of alloy);

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		consumables	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Chemical composition	5					
	a) Si		5	12	108	50.00	533.00
	b) Fe		2.5	4	36	25.00	248.50
	c) Cu		2.5	4	36	25.00	248.50
	d) Mn		2.5	4	36	25.00	248.50
	e) Cr (NA for 6351A)		3	4	36	50.00	311.00
	f) Ni (applicable for 5283A only)		2.5	4	36	25.00	248.50
	g) Zn		2.5	4	36	25.00	248.50
	h) Ti		3	4	36	50.00	311.00
	i) Zr (applicable to 5283A&7060)		5	12	108	100.00	583.00
	j) Pb		2	4	36	25.00	211.00
	k) Mg		3	25	225	50.00	500.00
	PREPARATION OF TEST REPORT		1	-	-	-	75.00
	TOTAL		34.5	81	729	450.00	3766.50
2.	Neck Ring *	6.5	1	-	-	-	75.00
3.	Foot ring	6.6	1	-	-	-	75.00
4.	Water capacity	6.8	2	-	-	-	150.00
5.	Construction and workmanship						
	a) Welding	7.2	0.5	-	-	-	37.50
	b) Wall thickness	7.3	1	-	-	-	75.00
	c) End forming wall thickness of the base	7.4	1	-	-	-	75.00
	d) Neck threads *	7.6	0.5	-	-	-	37.50
	e) Examination for surface imperfection and neck fold *	7.7	2	-	-	-	150.00
	f) Out of roundness	7.8	1	-	-	-	75.00
	g) Straightness	7.9	1	-	-	-	75.00
	h) Stability	7.10	1	-	-	-	75.00
	i) Mean diameter	7.11	1	-	-	-	75.00
	j) Ultrasonic testing *	7.12	-	-	-	-	
6.	Mechanical Test						
	a) Tensile test	8.1.3	4	4	36	-	336.00
	b) Elongation (for heat treatable alloys)	8.1.3.2	2	-	-	-	150.00
	c) Elongation (for non-heat treatable alloys)	8.1.3.3	6	-	-	-	450.00
	d) Yield stress	8.1.3.4	2	-	-	-	150.00
	e) Bend test	8.1.4	2	4	36	-	186.00

For heat treatable
32
For Non-heat
36
are not available
mentioned.
for pressure
volumetric
not available

for Chemical
(depending on the

- a) For 5283A : $34.5 \times 75 + 81 \times 9 + 450.00 = \text{Rs.} 3766.5$ (Rounded Rs.3767)
- b) For type 6061A & 6082A: $24 \times 75 + 40 \times 9 + 379 = \text{Rs.} 2539.00$
- c) For type 6351A : $21 \times 75 + 36 \times 9 + 225 = \text{Rs.} 2124.00$
- d) for type 7060 : $29 \times 75 + 52 \times 9 + 375 = \text{Rs.} 3018.00$

2. Testing charges for Mechanical parameters excluding ultrasonic testing and pressure cycling test for the product are:

- a) For heat treatable alloys : $32 \times 75 + 26 \times 9 = \text{Rs.} 2634.00$
- b) For non-heat treatable alloys : $36 \times 75 + 26 \times 9 = \text{Rs.} 2934.00$

3. Total testing charges for both mechanical & chemical shall be in accordance with type of alloy & chemical parameters as the case may be.

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

OIC (QA)
Head-CL
H (CQAPD)
Sc.G (Labs)

The revised BIS testing charges for IS 15757:2007 effective from 15-05-2016

LABORATORY POLICY & PLANNING DEPARTMENT

Ref: LPPD/51:1

12.03.2016

TESTING CHARGES FOR FOLLOW-UP FORMULA COMPLEMENTARY FOODS AS PER IS 15757:2007.

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 300/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Visual Examination	5.1	0.5		-	-	150.00
2.	Flavour and Odour	5.7	0.5	-	-	-	150.00
3.	Bacteriological specifications	5.8	-	-	-	-	-
	a) Bacterial Count	5.8.1	4	42	378	25.00	1603.00
	b) Coliform Count	5.8.2	4	13	117	25.00	1342.00
	c) Escherichia coli	5.8.3	4	13	117	25.00	1342.00
	d) Staphylococcus aureus	5.8.4	5	24	216	100.00	1816.00
	e) Salmonella	5.8.5	4	70	630	150.00	1980.00
	f) Shigella	5.8.5	4	60	540	150.00	1890.00
	g) Yeast & Mould						

		5.8.6	3	70	630	25.00	1555.00
4.	Table 1	5.9	-	-	-	-	-
	6)Moisture	5.9	2	3	27	-	627.00
	ii) Total Milk protein	5.9	3	2	18	200.00	1118.00
	iii) Total fat	5.9	2	3	27	200.00	827.00
	iv) Linoleate *	5.9	-	-	-	-	-
	v) Total Ash	5.9	2	9	81	-	681.00
	vi) Acid insoluble ash	5.9	2	9	81	-	681.00
	vii) Solubility	5.9	2	1	09	50.00	659.00
	viii) Vitamin A *	5.9	-	-	-	-	-
	ix) Iron	5.9	2	2	18	250.00	868.00
	x) Thiamine *	5.9	-	-	-	-	-
	xi) Riboflavin *	5.9	-	-	-	-	-
	xii) Niacin *	5.9	-	-	-	-	-
	xiii) Vit. B6 (Pyridoxine) *	5.9	-	-	-	-	-
	xiv) Folic acid *	5.9	-	-	-	-	-
	xv) Pantothenic acid *	5.9	-	-	-	-	-
	xvi) Vit. B12 *	5.9	-	-	-	-	-
	xvii) Biotin *	5.9	-	-	-	-	-
	xviii) Vitamin C *	5.9	-	-	-	-	-
	xix) Vitamin E *	5.9	-	-	-	-	-
	xx) Vitamin K *	5.9	-	-	-	-	-
	xxi) Choline *	5.9	-	-	-	-	-
	xxii) Sodium	5.9	2	2	18	250.00	868.00
	xxiii) Potassium	5.9	2	2	18	250.00	868.00
	xxiv) Chloride	5.9	2	1	09	200.00	809.00
	xxv) Calcium	5.9	2	1	09	200.00	809.00
	xxvi) Phosphorus	5.9	3	1	09	250.00	1159.00
	xxvii) Magnesium	5.9	2	1	09	200.00	809.00
	xxviii) Iodine	5.9	2	-	-	200.00	800.00
	xxix) Copper	5.9	2	1	09	150.00	759.00
	xxx) Zinc	5.9	2	1	09	150.00	759.00
	xxxi) Manganese	5.9	2	-	-	100.00	700.00
	xxxii) Selenium *	5.9	-	-	-	-	-
	xxxiii) Heavy metals	5.9	-	-	-	-	-
	a) Lead	5.9	2	2	18	200.00	818.00
	b) Arsenic	5.9	2	2	18	250.00	868.00
	c) tin	5.9	2	1	09	100.00	709.00
	d) Cadmium	5.9	2	2	18	200.00	818.00
	xxxiv) Added Vitamin D *	5.9	-	-	-	-	-

	Total		73	338	3042	3900	28842
--	-------	--	----	-----	------	------	-------

***Testing facilities as mentioned for the tests above are not available at CL.**

Testing charges per man-hour are Rs.300.00. Hence testing charges for the product are:

Total Rs.300x73 + 338x9 + 3900 = 28842.00.

DDGL may kindly approve.

(P.Rajesh)
Sc E, LPPD

Head (LPPD)
DDGL

Please Refer to Revised Testing Charges mentioned above

**BIS CENTRAL LABORATORY
(Q.A. Department)**

Our Ref : CL/QA/79

06 July 2009

TESTING CHARGES FOR FOLLOW-UP FORMULA COMPLEMENTARY FOODS AS PER IS 15757:2007.

*Testing mentioned for are not available

Testing charges Rs.75.00. Hence for the product

Total Rs.79x75 =

Sl.No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables including reference material wherever applicable	Total charges for each test
			@ 75/-	Kwh	Cost @ 9/-		
	A. TEST PARAMETERS						
1.	Visual Examination	5.1	0.5	-	-	-	37.50
2.	Flavour and Odour	5.7	0.5	-	-	-	37.50
3.	Bacteriological specifications	5.8	-	-	-	-	-
	a) Bacterial Count	5.8.1	4	42	378	25.00	703.00
	b) Coliform Count	5.8.2	4	13	117	25.00	442.00
	c) Escherichia coli	5.8.3	4	13	117	25.00	442.00
	d) Staphylococcus aureus	5.8.4	5	24	216	100.00	691.00
	e) Salmonella	5.8.5	4	70	630	150.00	1080.00
	f) Shigella	5.8.5	4	60	540	150.00	990.00
	g) Yeast & Mould	5.8.6	3	70	630	25.00	880.00
4.	Table 1	5.9	-	-	-	-	-
	5) Moisture	5.9	2	3	27	-	177.00
	ii) Total Milk protein	5.9	3	2	18	200.00	443.00
	iii) Total fat	5.9	2	3	27	200.00	377.00
	iv) Linoleate *	5.9	-	-	-	-	-
	v) Total Ash	5.9	2	9	81	-	231.00
	vi) Acid insoluble ash	5.9	2	9	81	-	231.00
	vii) Solubility	5.9	2	1	09	50.00	209.00
	viii) Vitamin A *	5.9	-	-	-	-	-
	ix) Iron	5.9	2	2	18	250.00	418.00
	x) Thiamine *	5.9	-	-	-	-	-
	xi) Riboflavin *	5.9	-	-	-	-	-
	xii) Niacin *	5.9	-	-	-	-	-
	xiii) Vit. B6 (Pyridoxine) *	5.9	-	-	-	-	-
	xiv) Folic acid *	5.9	-	-	-	-	-
	xv) Pantothenic acid *	5.9	-	-	-	-	-
	xvi) Vit. B12 *	5.9	-	-	-	-	-
	xvii) Biotin *	5.9	-	-	-	-	-
	xviii) Vitamin C *	5.9	-	-	-	-	-
	xix) Vitamin E *	5.9	-	-	-	-	-
	xx) Vitamin K *	5.9	-	-	-	-	-
	xxi) Choline *	5.9	-	-	-	-	-
	xxii) Sodium	5.9	2	2	18	250.00	418.00
	xxiii) Potassium	5.9	2	2	18	250.00	418.00
	xxiv) Chloride	5.9	2	1	09	200.00	359.00
	xxv) Calcium	5.9	2	1	09	200.00	359.00

facilities as the tests above at CL.

per man-hour are testing charges are:

+ 398x9 + 4050

13557.00,Rounded=Rs.13560.00

The proposal is made on the basis of information received from testing lab.

(K.S. Arya)
LO-B (QA)

Head(CL)

H (CQAPD)

DDGL

BIS CENTRAL LABORATORY

(Q.A.Department)

Date: 07/12/2011

Our Ref: CL/QA/79

Subject: Testing Charges for Sodium Dichloroisocyanurate as per IS: 15773:2008

The time estimate received from Chemical Lab for the above product is reproduced below for ready reference:

Sl.No	Characteristic	Clause No./ Table	Man-hours	Electric Power Required (kwh)	Consumable required (approx cost Rs.)	Test facility available/Not available	Total charges for each test
1.	Identification						
i)	pH	4.1	0.5	1.0	100	Available	
2.	Physical Properties	4.2					
i)	Appearance & odour	4.2	0.5			Available	
ii)	Density	4.2	Test method not specified				
iii)	Solubility in water	4.2	Test method not specified				
3.	Chemical Properties	4.3					
i)	Hydrolysis	4.3	0.5			Available	
ii)	Composition	4.3	2.0		150	Available	
iii)	Impurities & Main by products	4.3	Type1:4 Type2:6	3 5	200 200	Available Available	
4.	Toxic Substances as per Table 1	4.3					
	Sample preparation		2		200	Available	
i)	Arsenic (As)	4.3, Table 1	2	2	250	Available	
ii)	Cadmium (Cd)	- do -	2	2	150	Available	
iii)	Chromium (Cr)	- do -	2	1	150	Available	
iv)	Mercury (Hg)	- do -	2	2	250	Available	
v)	Nickel (Ni)	- do -	2	1	150	Available	
vi)	Lead (Pb)	- do -	2	2	150	Available	
vii)	Antimony (Sb)	- do -	2	2	250	Available	
viii)	Selenium (Se)	- do -	2	2	250	Available	
	Preparation of Test Report		1 hrs				
	TOTAL	Type :1 Type :2	26.5 28.5	18 kwh 20 kwh	Rs. 2450 Rs. 2450		Rs. 1987.50 Rs. 2137.50

Rate of testing charges = **Rs.75**

Hence testing charges for “**Type – 1**” product are = $18 \times 9 + 2450 + 26.5 \times 75 = (162 + 2450 + 1987.50)$
= **Rs.4600/- (Rupees four thousand six hundred only)**

And for “**Type -2**” Product, the testing charges are = $20 \times 9 + 2450 + 28.5 \times 75 = (180 + 2450 + 2137.50)$
= **Rs.4768/- (Rupees four thousand seven hundred sixty eight only)**

The proposal is made on the basis of information received from testing Lab.

(Ratan Prakash)

OIC(QA)
 HEAD(CL)
 HEAD(CQAPD)
 Scientist – G & Chief (Labs)

The BIS testing charges for IS 15778:2007 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
 WRO LABORATORY, Mumbai**

Our Ref.: WROL/TC/Mechanical / IS 15778:2007

Date: 29 Nov 2017

Testing Charges for Chlorinated Polyvinyl Chloride (CpvC) pipes for potable hot and cold water distribution supplies as per IS 15778:2007 including Amendment No. 2

S No	Tests	Clause Reference	Man Hours
A	MECHANICAL TESTS		
1.	Classification of Pipes	Cl 5	0.5
2.	Composition	Cl 6.2	Facility not available
3.	Dimensions of Pipes	Cl 7	1.0
4.	Pipe Ends	Cl 8	0.5
5.	Visual Appearance	Cl 9.1	0.5
6.	Opacity	Cl 9.2	2.0
7.	Effect on Water	Cl 9.3	Facility not available
8.	Reversion Test	Cl 9.4	3.0
9.	Vicat Softening Temperature	Cl 9.5	2.0
10.	Density	Cl 9.6	1.0
11.	Hydrostatic Characteristics	Cl.10.1	Facility not available
12.	Thermal Stability by Hydrostatic Pressure Testing	Cl.10.2	Facility not available
13.	Resistance to External Blow at 0°C	Cl.10.3	3.0
14.	Flattening Test	Cl.10.4	2.0
15.	Tensile Strength	Cl.10.5	3.0
16.	Marking	Cl.12	0.5

17.	Preparation Of Test Report		1.0
	Total Man Hours		20.0

Cost of Consumables	:		Nil
Electric Power Consumed (@ Rs. 15.00 per unit)*	:	25 Units	Rs 375.00
Testing Charges as per man hours (@ Rs. 300.00 per man hour)	:	20.0 Man Hour	RS. 6000.00
Total Testing Charges (Excluding tests for which facility not available): *(As per existing Electricity charges)			Rs. 6375.00

Rs. 6375/- excluding composition, effect on water, hydrostatic characteristics and thermal stability by hydrostatic pressure testing.

A.R. Shaikh
(LO-B Mechanical)

OIC (Mech. Lab)

Head WROL

Head LPPD

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 6375/- excluding composition, effect on water, hydrostatic characteristics and thermal stability by hydrostatic pressure testing.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 15786:2008 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/15786

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 15786:2008 (Amnd-nil)**

PRELAMINATED CEMENT BONDED PARTICLE BOARD -SPECIFICATION is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
355.	Material	Cl. 5	*	-	-	-
356.	Finish	Cl. 7	0.5	-	-	-
357.	Dimensions and tolerances	Cl. 8	2	-	-	-
358.	Tests	Cl. 10	-	-	-	-
	a. Density	Cl. 10.2	2.5	-	-	-
	b. Moisture content	Cl. 10.3	5	48	-	-
	c. Water absorption	Cl. 10.4	5	115	80.00	-
	d. Swelling in water	Cl. 10.5	5	95	50.00	-
	e. Modulus of elasticity and modulus of rupture	Cl. 10.6	3	1	-	-
	f. Tensile strength perpendicular to surface	Cl. 10.7	2	2	200.00	-
	g. Tensile strength perpendicular to surface after ageing	Cl. 10.8	5	16	200.00	-
	h. Screw withdrawal strength	Cl. 10.9	2	2	400.00	-
	i. Abrasion resistance	Cl. 10.10	**	-	-	-
	j. Resistance to steam	Cl. 10.11	**	-	-	-
	k. Resistance to crack	Cl. 10.12	6	52	-	-
	l. Resistance to cigarette burn	Cl. 10.13	1	-	20.00	-

	m. Resistance to stain	Cl. 10.14	**	-	-	-
	Report Preparation		2	-	-	-
	Total		41	331	950.00	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

***This time estimate is based on the testing of prepared samples only.

Testing charges = $41 \times 300 + 331 \times 9 + 950.00$ = Rs. 16229.00 (excluding Abrasion resistance, Resistance to steam and resistance to stain) + testing charges as per referred ISS

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 16229/- (excluding Abrasion resistance, Resistance to steam and resistance to stain) + testing charges as per referred ISS.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 15801:2008 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/15801

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 15801:2008 (Amnd-1)**

POLYPROPYLENE-RANDOM COPOLYMER PIPES FOR HOT AND COLD-WATER SUPPLIES is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
359.	Material	Cl. 6	*	-	-	-
360.	Dimensions	Cl. 7	2	-	-	-
361.	Visual appearance	Cl. 8	1	-	-	-
362.	Performance requirements	Cl. 9	-	-	-	-
	a. Hydraulic characteristics	Cl. 9.1	**	-	-	-
	b. Reversion test	Cl. 9.3	3	-	-	-
	c. Impact strength	Cl. 9.4	**	-	-	-
	d. Density	Cl. 9.5	2	-	-	-
	e. Melt flow rate	Cl. 9.6	3	-	-	-
	f. Carbon black content and dispersion	Cl. 9.7	**	-	-	-
	g. Thermal stability	Cl. 9.8	**	-	-	-
	h. Opacity	Cl. 9.9	2	-	-	-
	Report Preparation		1	-	-	-
	Total		14	-	-	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 14 x 300 = Rs. 4200.00 excluding Hydraulic characteristics, Impact strength, Carbon black content and dispersion and Thermal stability.

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product Rs. 4200/- excluding Hydraulic characteristics, Impact strength, Carbon black content and dispersion and Thermal stability.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

Testing Charges as per IS 15844 Part 1:2023(Amendment -1)Sports Footwear Part -1 General Purpose

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.5 (Table 1 x) (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl. 5 (Table 1 xii)				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20400

OIC (Chem)

Head (CL)

OIC (QA)

Mayank K. Srivastava, LO

Testing Charges as per IS 15844 Part 2:2023(Amendment -1)Sports Footwear Part -2 Performance Sports Footwear

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.7.12.1 (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl.7.12.2				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20400

OIC (Chem)

Head (CL)

OIC (QA)

Testing Charges as per IS 15844 Part 3:2024(Amendment -Nil) Sports Footwear Part 3 Professional Sports Footwear

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.7.12.1 (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl.7.12.2				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20400

Mayank K. Srivastava, LC

OIC (Chem)

Head (CL)

OIC (QA)

BIS CENTRAL LABORATORY
Chemical Lab

Ref:

31.08.2017

TESTING CHARGES FOR IS 15848:2009, ZINC SULPHATE, MONOHYDRATE, AGRICULTURAL GRADE

Sl. No.	Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing (In Rs.)	Power consumption in kW (If intensive)	Cost of power@ Rs 9/- per Unit (In Rs.)	Consumables Required (Approx Cost in Rs.)	Total Charges for Each Test (in Rs.) 8=4+6+7
1	2		3	4	5	6	7	
1	Description	Cl 3.1	-	-	-	-	-	-
2	Zinc (as Zn)	Cl 3.2, Table 1	3 hour	900	0.5	4.5	200	1104.5
3	Magnesium (as Mg)	Cl 3.2, Table 1	3 hour	900	0.5	4.5	200	1104.5
4	Copper (as Cu)	Cl 3.2, Table 1	3 hour	900	0.5	4.5	200	1104.5
5	Lead (as Pb)	Cl 3.2, Table 1	3hour	900	0.5	4.5	200	1104.5
6	PH of 5 percent solution	Cl 3.2, Table 1	0.5 hour	150	0.5	4.5	-	154.5
7	Matter insoluble in water	Cl 3.2, Table 1	1 hour	300	3.0	27	-	327
8	Iron (as Fe)	Cl 3.2, Table 1	3 hour	900	0.5	4.5	200	1104.5
	Report preparation		1 hour	300				300
Total								6304/- (Rounded off Rs. 6300/-)

Testing charges per man – hour are Rs. 300.00. Hence Testing Charges for the product are Rs. 6300.00

DDGL may kindly approve.

Hari Mohan Meena
Laboratory Officer (Chemical)

OIC (Chemical)

Head (CL)

As decided by CA, the complete testing charges are Rs.6300/-.

(Ankita Tripathi)
Sc.B, LPPD

Head, LPPD
DDGL

भारतीय मानक ब्यूरो / Bureau Of Indian Standards
बैंगलोर शाखा प्रयोगशाला / Bangalore Branch Laboratory

सन्दर्भ : बीएनबीएल/केमिकल/2025/AA/JULY

दिनांक: 15/Jul/2025

Testing charges for Zinc sulphate, monohydrate, agricultural grade
as per IS 15848 : 2025

S. No.	IS / Clause No.	Requirement / Characteristic	Manhours spent in testing	Manhour cost of testing	Power consumption (if intensive) (kWh)	Cost of power	Consumables cost (if significant) Rs.	Total cost of test	Testing time for the purpose of time norms (Hours)	Sample preparation/ conditioning/ curing time etc for the purpose of time norms	Total time for the purpose of time norms
1	2	3	4	5=4xRs 300	6	7=6xRs 9	8	9=5+7+8	10	11	12=10+11
1	CI 3.1	Description	0	0	0	0	0	0			0
2	CI 3.2, Table 1, (i)	Zinc (as Zn)	2.5	750	0.5	4.5	200	955	2.0		2
3	CI 3.2, Table 1, (ii)	Magnesium (as Mg)	2.5	750	0.5	4.5	200	955	2.0		2
4	CI 3.2, Table 1, (iii)	Copper (as Cu)	2.5	750	0.5	4.5	200	955	2.0		2
5	CI 3.2, Table	Lead (as Pb)	2.5	750	0.5	4.5	200	955	2.0		2

	1, (iv)										
6	Cl 3.2, Table 1, (v)	pH of 5 percent solution	0.5	150	0.5	4.5	50	205	0.5		0.5
7	Cl 3.2, Table 1, (vi)	Matter insoluble in water	2	600	2	18	30	648	1.0		1
8	Cl 3.2, Table 1, (vii)	Iron (as Fe)	2.5	750	0.5	4.5	200	955	2.0		2
9	Cl 3.2, Table 1, (viii)	Sulphur(as S)	2.5	750	0.5	4.5	110	865	2.0		2
10	Cl 3.2, Table 1, (ix)	Cadmium(as Cd)	2	600	0.5	4.5	200	805	2.0		2
11	Cl 3.2, Table 1, (x)	Arsenic(as As ₂ O ₃)	1	300	1	<u>9</u>	<u>200</u>	<u>509</u>	<u>2.0</u>	.	<u>2</u>
12	Other	Man hours for test report preparation	1.5	450	0	<u>0</u>	<u>0</u>	<u>450</u>	.	.	<u>0</u>
						.	.	.	.	.	.
		Total	15	6600	7	<u>63</u>	<u>1590</u>	<u>8253</u>	.	.	<u>17.5</u>

Cost of total manhours

Rs. 6600

Total electricity consumption:

Rs. 63

Total cost of consumables:

Rs. 1590

Charges for preparation of test report

Rs. 450

Testing charges for the product:

Rs. 8253 ≈

8250

Total time for the purpose of time norms

17.5

Remarks:

अश्वनी.ए

तकनीकी सहायक

अधिकारी प्रभारी (रसायन)

वैज्ञानिक- ई / निदेशक एवं

प्रमुख

बीएनबीएल

BUREAU OF INDIAN STANDARDS

(Bangalore Branch Office Laboratory)

Our Ref: BNBOL/TC

Date: 29/05/2018

Testing Charges for DC or AC Supplied Electronic Control Gear for LED Modules as per IS 15885 (Part 2/Sec 13):2012

Sl. No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost@ Rs.300/-	kwh	Cost@ Rs.9/-		
	Test Parameters						
1	Marking	7	4				1,200.00
2	Protection against accidental contact with live parts	8	8				2,400.00
3	Terminals	9	32				9,600.00
4	Provisions for protective earthing	10	4				1,200.00
5	Moisture resistance and insulation	11	10				3,000.00
6	Electric strength	12	4				1,200.00
7	Fault conditions	14	10				3,000.00
8	Transformer heating	15	12				3,600.00
9	Construction	16	1				300.00
10	Creepage distances and clearances	17	4				1,200.00
11	Screws, current-carrying parts and connections	18	22				6,600.00
12	Resistance to heat, fire and tracking	19	13				3,900.00
13	Resistance to corrosion	20	4				1,200.00
14	Cost of SRM	-	-	-	-	-	
15	Cost of Electric power			400	3,600		3,600.00

16	Preparation of sample		6				1,800.00
17	Preparation of test reports		4				1,200.00
	Total		138	-	3,600		45,000.00

Testing charge per man-hour is Rs.300.00. Hence testing charges for DC or AC Supplied Electronic Control Gear for LED Modules are: Total 138 X 300 + 3,600 = **Rs. 45,000.00**

HBNBOL
HLPPD
DDGL

V Ravichandar

The BIS testing charges for IS 15905:2011 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
 (Quality Assurance Department)

Ref: CL/QA/Testing Charges/15905

19-02-2018

Based on the inputs received from testing section, the testing charges as per **IS 15905:2011 (Amnd-1)**

HUBLESS CENTRIFUGALLY CAST (SPUN) IRON PIPES, FITTINGS AND ACCESSORIES - SPIGOT Series is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
363.	Manufacture	Cl. 5	-	-	-	-
	a. Chemical composition	Cl. 5.1	*	-	-	-
	b. Mechanical parameters	Cl. 5.1	4	2	-	-
	c. Freedom from defects	Cl. 5.2	0.5	-	-	-
	d. Hardness	Cl. 5.3	0.5	-	-	-
	e. Fracture	Cl. 5.4	**	-	-	-
364.	Visual inspection and Hammer test	Cl. 7	1	-	-	-
365.	Crush test on pipe rings	Cl. 8	2	1	-	-
366.	Hydrostatic test (for pipes and straight fittings)	Cl. 9	4	1	-	-
367.	Dimensions	Cl. 11	-	-	-	-

	a. Pipes	Cl. 11	1	-	-	-
	b. Fittings	Cl. 11	3	-	-	-
368.	Coatings	Cl. 12.4	1	1	-	-
	Report Preparation		2	-	-	-
	Total		19	5	-	-

*Test charges as per referred ISS.

**Test method not specified.

Testing charges = $19 \times 300 + 5 \times 9$ = Rs. 5745.00 excluding fracture (Hydrostatic test facility for pipes and straight fittings only)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 5745/- excluding fracture (Hydrostatic test facility for pipes and straight fittings only).

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The revised BIS testing charges for IS 15911:2010 effective from 12-02-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/15911

28.11.2017

Based on the inputs received from testing section, the testing charges as per **IS 15911:2010 STRUCTURAL STEEL (ORDINARY QUALITY)** is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
369.	Materials	Cl. 5 & Table-1	*	-	-	-
	a. Carbon	Cl. 5 & Table-1	2	6	50.00	-
	b. Sulphur	Cl. 5 & Table-1	2	6	50.00	-
	c. Phosphorous	Cl. 5 & Table-1	3	6	50.00	-
	d. Manganese	Cl. 5 & Table-1	3	6	50.00	-
370.	Freedom from defects	Cl. 7	0.5	-	-	-
371.	Tensile Test	Cl. 10	4	10	-	-
372.	Bend Test	Cl. 11	2	10	-	-
373.	Dimensions and Tolerances	Cl. 12 & Cl. 13	2	-	-	-
	Report Preparation		2	-	-	-
	Total		20.5	44	200.00	-

*Testing charges for each element other than Table-1 = Rs. 1004.00.

Testing charges = $20.5 \times 300 + 44 \times 9 + 200.00$ = Rs. 6746.00.

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs 6750/-
For elements other than Table-1: Rs 1004/- per elements
(Ankita Tripathi)

Sc.B, LPPD

HLPPD

DDG (Labs)

Please Refer to Revised Testing Charges mentioned above

Quality Assurance Section

Ref: CL/QA/79

12.11.14

Subject: Testing Charges for Structural Steel Ordinary Quality as per IS 15911:2010

S. No.	Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing	Power Consumption in KWh	Cost of Power @ Rs 15 per unit	Consumables required (Approx Cost in Rs.)	Total charges for each test (in Rs.) 9=5+7+8	Test facility availability (Y/N)
1	2	3	4	5=4*300	6	7	8		
1	Freedom from defects	7	0.5	150	--	-	-	150	Y
2	Tensile Test	10.3	4.0	1200	30	450	-	1650	Y
3	Bend Test	11.3	2.0	600	15	225	-	825	Y
4	Dimensions	12	1.0	300	-	-	-	300	Y
5	Mass	15	0.25	75	-	-	-	75	Y
6	Carbon, %	Cl. 8.1 & 8.2, Table 1	2	600	2	30	50	680	Y
7	Sulphur, %	---do---	2	600	2	30	50	680	Y
8	Phosphorous, %	---do---	3	900	2	30	50	980	Y
9	Manganese, %	---do---	3	900	1	15	50	965	Y
10	Silicon, % (Pl. see remark 1)	---do---	3	900	8	120	50	1070	Y
11	Aluminium, % (Pl. see remark 1)	---do---	3	900	4	60	50	1010	Y
12	Copper, % (Pl. see remark 2)	---do---	3	900	4	60	50	1010	Y
13	Micro Alloying Element (Pl see note 3 of table 1)	---do---	3	900	4	60	50	1010	Y (Except for Boron as test method not specified)
14	Nitrogen % (Pl see note 6 of table 1)	---do---	3	900	4	60	100	1060	
13	Preparation of Test Report	--	1	300	-	-	-	300	--
14	Total	--	33.75	10125	76	1140	500	11765	--

Remarks: 1. Declaration regarding the description of material as per Note 2 below Table 1 is required.
2. Declaration regarding the description of material as per Note 5 below Table 1 is required.
Sample Size= 1m length X 2 pcs for Mechanical testing & 100 gm drilling for Chemical testing.

Hence testing charges for the product are = Rs 11765 /- (Rounded to 11770)
= Rs 11770 /- (Rupees Eleven Thousand Seven Hundred Seventy Only)

(Adbhut Singh)
OIC QA

Sc- F & Head (CTCC)
Sc-F & Head PP&C (T&C)
Sc-G & DDG (T&C)

The revised BIS testing charges for IS 15939:2011 effective from 15-04-2016

LABORATORY POLICY & PLANNING DEPARTMENT

Ref: LPPD/51:1

12.03.2016

Testing Charges for Pesticide- Bifenthrin Wettable Powder as per IS 15939:2011

Sl. No.	Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing	Power consumption (If intensive)	Cost of power	Consumables Required (Approx Cost in Rs.)	Total Charges for Each Test (in Rs.) 8=4+6+7
1		2	3	4=3x300	5	6=5*9	7	
1	Description	Cl. 3.2	10 min	50	0	0	0	50
2	Bifenthrin Content	Cl. 3.4	6 hr	1800	6	54	300	2154
3	Sieving test	Cl.3.3 Table1	1 hr	300	1	9	0	309
4	Wettability, in sec.	Cl.3.3 Table1	0.5 hr	150	0	0	0	150
5	pH	Cl.3.3 Table1	0.5 hr	150	0	0	0	150
6	Alkalinity	Cl.3.3 Table1	1 hr	300	0	0	25	325
7	Suspensibility	Cl.3.3 Table1	6 hr	1800	1	9	75	1884
8	Preparation of report	Cl.3.3 Table1	0.5 hr	150	0	0		150
9	Total		15.67hr	4700	8	72	400	5172

Testing Charges per man-hour are Rs. 300.00

Hence Testing Charges for the product are = Rs.5170.00

DDGL may please approve.

P.Rajesh
Sc E,LPPD

Head (LPPD)
DDGL

Please Refer to Revised Testing Charges mentioned above

BIS CENTRAL LABORATORY
(QAD)

Ref: CL/QA/79

14.10.2013

Subject: Testing Charges for Pesticide- Bifenthrin Wettable Powder as per IS 15939:2011

Sl. No.	Req/Characteristic	IS/ Clause	Man-Hours	Man hour cost of testing	Power consumption (If intensive)	Cost of power	Consumables Required (Approx Cost in Rs.)	Total Charges for Each Test (in Rs.) 8=4+6+7
1		2	3	4=3x75	5	6=5*9	7	
1	Description	Cl. 3.2	10 min	12.5	0	0	0	12.5
2	Bifenthrin Content	Cl. 3.4	6 hr	450	6	54	300	804
3	Sieving test	Cl.3.3 Table1	1 hr	75	1	9	0	84
4	Wettability, in sec.	Cl.3.3 Table1	0.5 hr	37.5	0	0	0	37.5
5	pH	Cl.3.3 Table1	0.5 hr	37.5	0	0	0	37.5
6	Alkalinity	Cl.3.3 Table1	1 hr	75	0	0	25	100
7	Suspensibility	Cl.3.3 Table1	6 hr	450	1	9	75	534
8	Preparation of report	Cl.3.3 Table1	0.5 hr	37.5	0	0		37.5
9	Total		15.67hr	1175	8	72	400	1647

Testing Charges per man-hour are Rs 75.

Hence Testing Charges for the product are = Rs.1647 (Rounded to 1650)
= **Rs 1650/- (Rupees One Thousand Six Hundred fifty)**

Adbhut Singh
(Sc-B, QA)

Sc- F & Head (CL)
Head (CQAPD)

Sc-G & Chief (Labs)

**BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]**

04-07-2017

TESTING CHARGES FOR IS 15961:2012, Amnd – 1
Hot Dip Aluminium-Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain)

SI.No.	Characteristics	Clause no.	Man- Hours	Electricity Power Consumed kwh	Cost of Consumable including reference material wherever applicable
1	Chemical Composition	7.1		As per Referred ISS	

Remarks: Testing charges for the material shall be levied as per relevant ISS referred.

CA may kindly approve.

**Parveen Kumar
LO-B**

Sc – B (Chem)

OIC (Chem)

Head, CL

BIS- Central Laboratory
(Mechanical Laboratory)

Proposal for the Time Estimate for the testing of - Hot Dip Aluminium-Zinc Alloy
Sub: Metallic Coated
Steel Strip And Sheet
(Plain).
IS 15961 : 2012

Head, CL
As decided by CA, testing charges are Rs.4990/- and testing charges as per relevant referred ISS.

(Ankita Tripathi)

Sl.No.	Characteristics	Clause No./ Table	Man-hours	Electric Power required(kwh)	Consumable Cost (Rs)	Test facility at CL Available/Not avail.
1	Tensile Test	8	3	10 kWh	Rs 1000	A
2	Coating Test	9	3	---		A
3	Coating Adhesion Test	10	2	---		A
4	Freedom From Defects	11	1	---		A
5	Mass	12	0.5	---		A
6	Dimensions ,Shape And Tolerances	13	2	---		A
	Preparation of test report & calculations		1.5	---		

Sc.B, LPPD

Head, LPPD/DDGL

Total testing charges: 13 hr + 10 kWh + Rs 1000
= Rs 4990

Note : Above estimate is only for Mechanical Testing
1 .
2 Sample size : 1 metre length piece.

OIC(Mech)

LO(B)
Mech.Lab

BIS CENTRAL LABORATORY, SAHIBABAD
[CHEMICAL DEPARTMENT]

Date: 04-07-2017

TESTING CHARGES FOR IS 15965:2012, Amnd – nil
Pre-painted Aluminium Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain)

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed kwh	Cost of Consumable including reference material wherever applicable
1.	Manufacture (Substrate)		5	As per Referred ISS	
2.	Color		9.2	Testing facility not available	
3.	Gloss		9.3	1	--
	Preparation of Test Report			1	
			Total	2	

Testing charges per man-hour Rs.300.00
Hence testing charges for the product is 600/-

Remarks: Testing charges for the Substrate (Cl 5) shall be levied as per relevant ISS referred.

CA may kindly approve.

Parveen Kumar
LO-B

Sc – B (Chem)

OIC (Chem)

BIS- CentralLaboratory
Mechanical Laboratory

Sub: Proposal for the Time Estimate for the testing of - Pre-Painted Aluminium Zinc Alloy
Metallic
Coated Steel Strip And Shee
t(Plain).
IS 15965 : 2012

Sl.No.	Characteristics	Clause No./ Table	Man-hours	Electric Power required(kwh)	Consumable Cost (Rs)	Test facility at CL Available/Not avail.
1	Coatings	7	---	---		Not Available
2	Adhesion Test	8.3				
	i) T-bend Adhesion Test	8.3.1	2	---		A
	ii) Reverse Impact Resistance Test	8.3.2	---	---		Not Available
3	Pencil Hardness Test	8.4	0.5	---		A
4	Scratch Hardness	8.5	---	---		Not Available
5	Appearance	9				
	i) General	9.1	0.5	---		A
6	Corrosion Resistance	10.1	---	---		Not Available
7	Dimensions & Tolerances	11	1	---		A
8	Shape	12	2	---		A
9	Mass	13	0.5	---		A
	Preparation of test report & calculations		1	---		

Total testing charges: 7.5 hrs = Rs 2250

Above estimate is only for Mechanical Testing

Note : 1 .

2 Sample size : 1 metre length
piece.

OIC(Mech)

LO(B)

Mech.Lab

As decided by CA, testing charges are Rs.2850/- (excluding test for Coatings, Solvent Resistance test, Dry Film Thickness test, Humidity Resistance test, Colour test ,Reverse Impact Resistance test, Scratch Hardness test, Corrosion Resistance test) **and testing Charges as per Relevant referred ISS**

(Ankita Tripathi)
SC.B, LPPD

Head, LPPD

DDGL

BIS CENTRAL LABORATORY

TESTING CHARGES FOR IS 15997:2012 Low Nickel Austentic Stainless steel sheet & Strip for Utensils & Kitchen Appliances

SI.No.	Characteristics	Clause no.	Man-Hour	Electricity Power Consumed (Kwh)	Cost of Consumables (Rs)	
						-----Chemical composition
1.	Carbon	Cl. 8.1,Table1		2	6	50
2.	Silicon	- do-		3	6	50
3.	Manganese	- do-		3	6	50
4.	Nickel	- do-		3	6	50
5.	Chromium	- do-		3	6	50
6.	Sulphur	- do-		2	6	50
7.	Phosphorus	do-		3	6	50

8. Copper	- do-	3	6	50
9. Nitrogen	- do-	3	6	50

PREPARATION OF TEST REPORT 1

	-----	-----	-----
Total	26	54	450
	-----	-----	---

Testing charges per man-hour are Rs.300 /- and electricity charges are @Rs.9.00 per unit

Total Testing Charges (for Chemical test) = (26x300)+ (54x9)+ 450
= 7800+486+450
=Rs8736.00 (Rounded off to Rs 8750/-)

OIC (Chemical)
OIC (QA)

ArchanaGautam
Sc. B

BIS CENTRAL LABORATORY

TESTING CHARGES FOR IS15997:2012 (LOW NICKEL AUSTENITIC STAINLESS STEEL SHEET AND STRIP FOR UTENSILS AND KITCHEN APPLIANCES)

Sr. No.	Characteristics	Clause No.	Man Hours	Electricity	Consumables
1.	Freedom from defects	6	0.5		
2.	Tensile Test and Elongation	9.2	4	5 kWh	
3.	Erichsen Cupping Test	9.4	3	2.5 kWh	
4.	Surface Finish	11	1		
5.	Dimensions and Tolerances	12, 13 & 14	2		
	Preparation of Test Report		1		
Total Man-Hours			11.5	7.5 kWh	

Testing Charges per man-hour are Rs. 300/- and Electricity Charges are @ Rs. 9.00 per unit

Total Testing Charges for Mechanical Tests = $11.5 \times 300 + 7.5 \times 9 = \text{Rs. } 3517.50$ (Rounded off Rs.3550/-)

Total testing charges = $\text{Rs. } 8750 + 3550 = \text{Rs. } 12300/-$

Rajat Gupta
Sc-B, Mech.

OIC, Mech.

~~Head, CL~~

OIC, QA

The BIS testing charges for IS 16014:2012 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/16014

13.03.2018

Based on the inputs received from testing section, the testing charges as per **IS 16014:2012 (Amnd-nil)**

MECHANICALLY WOVEN, DOUBLE -TWISTED, HEXAGONAL WIRE MESH GABIONS, REVET MATTRESSES AND ROCK FALL NETTING (GALVANIZED STEEL WIRE OR GALVANIZED STEEL WORE WITH PVC COATING) – SPECIFICATION is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
374.	Material and manufacture	Cl. 5	*	-	-	-
375.	Mechanical properties	Cl. 6	-	-	-	-
	a. Tensile strength	Cl. 6.1	3	10	-	-
	b. Mesh panel strength	Cl. 6.2	**	-	-	-
376.	Physical properties	Cl. 7	-	-	-	-
	a. Zinc coating	Cl. 7.1	-	-	-	-
	i. Mass of zinc coating	Cl. 7.1.1	2	-	1000.00	Only zinc coated
	ii. Adhesion of zinc coating	Cl. 7.1.2	1	-	-	-
	b. PVC for coating	Cl. 7.2	**	-	-	-
377.	Dimensions and tolerances	Cl. 8	3	-	-	Except PVC coating thickness
378.	Workmanship	Cl. 9	0.5	-	-	-
	Report Preparation		1.5	-	-	-
	Total		11	10	1000.00	-

*Testing charges as per referred ISS.

**Test facility not available at CL.

Testing charges = 11 x 300 + 10 x 9 + 1000.00 = Rs. 4390.00 (excluding Mesh panel strength, PVC for coating and PVC coating thickness) (Cl. 7.1.1 only for zinc coated) + testing charges as per referred ISS.

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 4390/- (excluding Mesh panel strength, PVC for coating and PVC coating thickness) (Cl. 7.1.1 only for zinc coated) + testing charges as per referred ISS.

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

The BIS testing charges for IS 16088:2012 effective from 16-05-2018

BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)

Ref: CL/QA/Testing Charges/16088

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 16088:2012 (Amnd-nil)**

CHLORINATED POLYVINYL CHLORIDE (CPVC) PIPES FOR AUTOMATIC SPRINKLER FIRE EXTINGUISHING SYSTEM – SPECIFICATION is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
379.	Compound properties	Cl. 6.2.1	*	-	-	-
380.	Compound chlorine content	Cl. 6.2.2	**	-	-	-
381.	Dimensions of pipes	Cl. 7	2	-	-	-
382.	Pipe ends and visual appearance	Cl. 8 & Cl. 9.1	1	-	-	-
383.	Opacity	Cl. 9.2	2	-	-	-
384.	Reversion test	Cl. 9.3	2	-	-	-
385.	Vicat softening temperature	Cl. 9.4	2	-	-	-
386.	Density	Cl. 9.5	2	-	-	-
387.	Fire exposure test	Cl. 9.6	**	-	-	-
388.	Flammability test	Cl. 9.7	**	-	-	-
389.	Hydrostatic characteristics	Cl. 10.1	2	-	-	-
390.	Resistance to external blows at 0°C	Cl. 10.2	**	-	-	-
391.	Flattening test	Cl. 10.3	1	-	-	-
392.	Tensile strength	Cl. 10.4	3	-	-	-
393.	Kinking resistance test	Cl. 10.5	**	-	-	-
394.	CPVS fire sprinkler pipes and fittings	Cl. 10.6	**	-	-	-
	Report Preparation		1	-	-	-
	Total		18	-	-	-

*Testing charges as per referred ISS.

**Testing facility not available at CL.

Testing charges = 18 x 300 = Rs. 5400.00 (excluding Compound chlorine content, Fire exposure test, Flammability test, Resistance to external blows at 0°C, Kinking resistance test and CPVS fire sprinkler pipes and fittings) + testing charges as per referred ISS.

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product are Rs. 5400/- (excluding Compound chlorine content, Fire exposure test, Flammability test, Resistance to external blows at 0oC, Kinking resistance test and CPVS fire sprinkler pipes and fittings) + testing charges as per referred ISS.

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 16098(Pt-1):2013 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/16098-1

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 16098 (Part-1):2013 (Amnd-1)**

STRUCTURED-WALL PLASTICS PIPING SYSTEMS FOR NON-PRESSURE DRAINAGE AND SEWERAGE PART 1 PIPES AND FITTINGS WITH SMOOTH EXTERNAL SURFACE, TYPE A is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
395.	Composition of the material	Cl. 5.1	*	-	-	-
396.	Resistance to internal hydrostatic pressure at 60°C	Cl. 5.2	**	-	-	-
397.	Dimension of pipes and fittings	Cl. 6.3	2	-	-	-
398.	Physical characteristics of pipes	Cl. 7	-	-	-	-
	a. Appearance	Cl. 7.1	1	-	-	-
	b. Colour	Cl. 7.2		-	-	-
	c. Vicat softening temperature for pipes	Cl. 7.3	**	-	-	-
	d. Resistance to dichloromethane	Cl. 7.4	**	-	-	-
	e. Longitudinal reversion	Cl. 7.5	2	-	-	-
399.	Physical characteristics of fittings	Cl. 8	-	-	-	-
	a. Appearance and colour	Cl. 8.1	1	-	-	-
	b. Vicat softening temperature for fittings	Cl. 8.2	**	-	-	-
	c. Effect of heating (Stress relief test)	Cl. 8.3	**	-	-	-
400.	Mechanical characteristics of pipes	Cl. 9	-	-	-	-
	a. Ring stiffness	Cl. 9.1	**	-	-	-
	b. Resistance to external blows at 0°C	Cl. 9.2	**	-	-	-
	c. Ring flexibility	Cl. 9.3	**	-	-	-
	d. Creep ratio	Cl. 9.4	**	-	-	-
401.	Impact strength of injection moulded and fabricated fittings	Cl. 10.1	**	-	-	-
402.	Joints	Cl. 11	-	-	-	-
	a. Elastomeric sealing rings	Cl. 11.1	**	-	-	-

	b. Solvent cement	Cl. 11.2	**	-	-	-
403.	Performance requirements	Cl. 12	-	-	-	-
	a. Elastomeric sealing ring joints	Cl. 12.1	**	-	-	-
	b. Solvent cemented joints	Cl. 12.2	**	-	-	-
	Report Preparation		1	-	-	-
	Total		7	-	-	-

*Test facility not available.

**Test facility not available at CL.

Testing charges = 7 x 300 = Rs. 2100.00 (for dimension, visual tests and longitudinal reversion of pipes only)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product **Rs. 2100/- (for dimension, visual tests and longitudinal reversion of pipes only).**

(Ankita Tripathi)
Sc.B, LPPD

HLPPD

DDG (Labs)

The BIS testing charges for IS 16098(Pt-2):2013 effective from 16-05-2018

**BUREAU OF INDIAN STANDARDS
CENTRAL LABORATORY
(Quality Assurance Department)**

Ref: CL/QA/Testing Charges/16098-2

13-03-2018

Based on the inputs received from testing section, the testing charges as per **IS 16098 (Part-2):2013 (Amnd-2)**

STRUCTURED-WALL PLASTICS PIPING SYSTEMS FOR NON-PRESSURE DRAINAGE AND SEWERAGE PART 2 PIPES AND FITTINGS WITH NON-SMOOTH EXTERNAL SURFACE, TYPE B is as below:

S. No.	Requirement/Characteristics	IS/Clause	Man-hours	Power (kWh)	Consumables	Remarks
404.	Composition & Physical characteristics	Cl. 5 & 6	*	-	-	-
405.	Dimensional of pipes and fittings	Cl. 6.3	3	-	-	-
406.	Type of fittings	Cl. 6.4	*	-	-	-
407.	Appearance	Cl. 7.1	1	-	-	-
408.	Mechanical characteristics	Cl. 8	*	-	-	-
409.	Performance requirements		*	-	-	-
	Report Preparation		1	-	-	-
	Total		5	-	-	-

*Test facility not available at CL.

Testing charges = 5 x 300 = Rs. 1500.00 (for dimension and appearance only)

OIC (QA)

Head (CL)

DDGL

As decided by Competent Authority, the testing charges for the product **Rs. 1500/- (for dimension and appearance only).**

**(Ankita Tripathi)
Sc.B, LPPD**

HLPPD

DDG (Labs)

BUREAU OF INDIAN STANDARDS
(Bangalore Branch Office Laboratory)

Our Ref: BNBL/TC

Date: 28/11/2016

Testing Charges for Self Ballasted LED lamps as per IS 16102(Part-1):2012

Sl. No.	Characteristics	Clause No.	Man-hours	Electricity power consumed		Cost of consumables incl. reference material wherever applicable	Total charges for each test
			Cost@ Rs.300/-	kwh	Cost@ Rs.9/-		
	Test Parameters						
1	Marking	5	3	-			900.00
2	Interchangeability	6	6	-			1800.00
3	Protection against electric shock	7	7	-			2100.00
4	Insulation resistance and electric strength after humidity treatment	8	25	-			7500.00
5	Mechanical strength	9	13	-			3900.00
6	Cap temperature rise	10	7	-			2100.00
7	Resistance to heat	11	8	-			2400.00
8	Resistance to flame and ignition	12	6	-			1800.00
9	Fault condition	13	6	-			1800.00
10	Creepage distance and clearances	14	3	-			900.00
11	Cost of SRM	-	-	-	-	-	
12	Cost of Electric power			150	1350	-	1350.00
13	Preparation of sample		6				1800.00
14	Preparation of test reports		3				900.00
	Total		93	-	1350		29,250.00

Testing charges per man-hour are Rs.300.00. Hence testing charges for LED lamps up to & including 25 W are:

Total : 93 X 300 + 1350 = **Rs. 29,250.00**

Bureau of Indian Standards
EROL

Testing Charges for IS 16186: 2014

SI No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(VI) x Rs.10	(VIII)	(IX)	(X)
1	4.1	Sacking	2	600				600	
2	4.2	Seam	1	300				300	IS 9113
3	4.3	Safety stitch	1	300				300	IS 9113
4	4.4	Hemming at the mouth	1	300				300	IS 9113
5	4.5	Freedom from defects	2	600				600	
6	5.1	Dimensions	2	600				600	IS 9113
7	5.1	Mass	1	300				300	IS 9113
8	5.1	Ends & Picks	2	600				600	IS 1963
9	5.1	Breaking load of sacking	5	1500				1500	IS 1969
10	5.1	Breaking load of seam	4	1200				1200	IS 9030
11	5.1	Moisture regain	1	300				300	IS 9113
12	5.1	Oil content	3	900				900	IS 2969
13		Electricity power consumed			15	150		150	
14		Cost of Consumables					200	200	
15		Preparation of Test Report	1	300				300	

Total Manhour : 26 hours , Cost of power: Rs 150

Total cost of consumables: 200

Testing charges for the products: Rs 8150/-

Prepared by :
Dr.S.K.Dey

LOB (Mechanical
Lab.)

OIC(mechanical)

H(EROL) - DDGL may kindly approve.

DDGL

As approved by competent authority, the testing charges for the product are Rs.8150.00

TESTING CHARGES FIXED W.E.F. 02-02-2017

BUREAU OF INDIAN STANDARDS
Western Regional Laboratory

Testing Charges for IS 16187: 2014

(Textiles - High density polyethylene (HDPE)/polypropylene (PP) leno woven sacks for packaging and storage of fruits and vegetables)

Sl. No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing (Rs.)	Remark (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(V) x Rs.10	(VIII)	(IX)	(X)
1	3.3.1	Seam	2	600				600	
2	3.3.3	Bag Mouth	1	300				300	
3	3.3.4 & Table 1	Dimension	3	900				900	IS 1954
4	3.3.4 & Table 1	Ends and Picks	4	1200				1200	IS 1963
5	3.3.4 & Table 1	Avg. Breaking strength of fabric	5	1500				1500	IS 1969 (P-1)
6	Cl. 3.3.4 and Table 1	Avg. breaking strength of bottom/side seam	4	1200				1200	IS 9030
7	4.2	UV Resistance	15	4500				4500	Annexure B of IS 16187
8	4.3	Mass of bale	1	300				300	
9		Electrical energy consumed	----	-----	38	380		380	
10		Preparation of Test report	2	600				600	
Total Testing Charges in Rs.								11480.00/-	

Testing Charges for IS 16187:2014 = Rs. 11480.00/- excluding material requirements.

**S.D. Warsi
LO(M)**

**Anoop Singh
LO(M)**

OIC (M)

H (WRL)

Bureau of Indian Standards

EROL

Testing Charges for IS 16208: 2015

SI No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(VI)x Rs.10	(VIII)	(IX)
1	4.3	Sack	2	600				600
2	4.3.1	Bottom Seam	2	600				600
3	4.3.2	Mouth	1	300				300
4	4.2	Dimension	3	900				900
5	4.2	Mass	2	600				600
6	4.2	Ends and Picks	4	1200				1200
7	4.2	Breaking strength of fabric	5	1500				1500
8	4.2	Breaking strength of seam	4	1200				1200
9	4.2	Elongation of fabric	2	600				600
		Electrical energy consumed (for 7,8,9)			15	150		150
10	4.2	Ash content	6	1800	10 unit	100		1900
11	4.2/5.2	UV Resistance(Breaking strength and elongation after radiation and weathering)	30	9000	30 unit	300		9300

12	5.1	Mass of bale	1	300				300
14		Preparation of Test report	2	300				600

-Testing charges for IS 16208:2015(including all parameters) : Rs 19750/-

-Testing charges for IS 16208:2015(excluding UV Resistance test) : Rs 10450/-

S.Mukherjee

LOB (Mechanical Lab.)

OIC(Mechanical)

H(EROL)

DDGL

The revised BIS testing charges for IS 60898(Pt-1):2002 effective from 24-03-2017

BIS CENTRAL LABORATORY

(Electrical Department)

Our Ref: CL/E/IS 60898

4th may 2016

TESTING CHARGES FOR MCB

AS PER IS
60898(1):2002.

S. No.	Characteristics	Clause no.	Man-Hours	Electricity power Consumed Kw	Cost of consumable including reference material wherever applicable
1.	Marketing & Indelibility of mechanism marking	6 & 9.3	1.5 0.5 1		
2.	Requirement of construction and operation a) Mechanism b) clearance & creepage distance	8.1.2 & 8.1.3	0.5		
3.	Non-interchangeability	8.1.6			
4.	Reliability of screws, current	9.4	1		

carrying parts & connections

5.	Reliability of screw type terminals for external conductors	9.5	3	
6.	Protection against electric shock	9.6	0.5	
7.	Resistance to heat	9.14	3	
8.	Resistance to abnormal heat&fire	9.15	1	
9.	Resistance to rusting	9.16	1	50 units
10.	Dielectric properties	9.7	2	10 units
11.	Temperature rise test & Power loss	9.8	3.5	530 units
12.	28 days test	9.9	20	
13.	Mechanical & Electrical endurance	9.11		
14.	Performance at reduced short circuit currents	9.12, 11.2	-	
15.	Verification of C.B. after short circuit tests	9.12, 12	-	179 units
16.	Tripping characteristics	9.10	28	
17.	Resistance to mechanical shock	9.13	3	10
18.	Short circuit performance at 1500A	9.12, 11.3	-	
19.	Service short circuit test	9.12, 11.4.2	--	
20.	Performance at short circuit capacity	9.12, 11.4.3	-	
	PREPARATION OF TEST REPORT		1	
	TOTAL	TIME	70.5	779 units

Testing charges per man-hour are Rs.300.00 + Rs.9.00 per unit of electricity charges. Total Rs. 300x70.5+9x779= Rs.28161.00

The proposal is made on the basis of information received from testing lab.

DDGL may kindly approve.

K R SHARMA
LO (A)

OIC(E)

Head(CL)

As decided by CA, testing charges are Rs.28160/- Excluding Performance at reduced short circuit, verification of C.B after short circuit, service short circuit , performance at short circuit capacity, short circuit performance at 1500 A.

(Kshitij Bathla)
SC.B, LPPD

Head, LPPD

DDGL

**BIS CENTRAL LABORATORY, SAHIBABAD
[QA DEPARTMENT]**

Testing Charges for IS-16333 (Part-3):2016 Amendment-Nil

MOBILE PHONE HANDSET PART – 3 INDIAN LANGUAGE SUPPORT FOR MOBILE PHONE HANDSET – SPECIFIC REQUIREMENTS

Sl.No.	Characteristics	Clause no.	Man-Hours	Electricity Power Consumed KWh	Cost of Consumable including reference material wherever applicable
1.	Sample Receipt, review of request and Photo identification		2	nil	nil
2.	Testing of Language Input	4.1	25	negligible	nil

3.	Message Readability	4.2	6	negligible	nil
	PREPARATION OF TEST REPORT		2	negligible	nil
	Total		35		

Testing charges per man-hour Rs.300.00

Complete testing charges are – $35 \times 300 = 10500/-$

CA may kindly approve.

,

OIC (QA)

Head (CL)

DDGL

Testing Charges for IS 16415:2015 Composite cement

S. No.	Cl. no.	Require ments	Manhours spent in testing (in hrs)	Manhour cost of testing (@300/ manhour)	Power consump tion (in KWh)	Cost of Power (@ 9 per kwh)	Consu mable cost	Total cost	Referen ce	Remarks
1	2	3	4	5	6	7	8	9	10	
1	6	Chemical require ment								
a)	(i) of table 2	Insoluble residue	0.75	Rs. 225.00	36	Rs. 324.00	Rs. 500.00	Rs. 4,574	Testing charges As per IS 455	Batch conditioning of 6 samples together
b)	(ii) of table 2	Magnes ia	3	Rs. 900.00					Testing charges As per IS 455	
c)	(iii) of table 2	Total sulphur content (SO3)	2.25	Rs. 675.00					Testing charges As per IS 455	
d)	(iv) of table 2	Sulphid e sulphur	2.25	Rs. 675.00					Testing charges As per IS 455	
e)	(v) of table 2	Loss on ignition	0.75	Rs. 225.00					Testing charges As per IS 455	
f)	(vi) of table 2	Chlorid e content	1	Rs.300.00					Testing charges As per IS 455	
g)	(vii) of table 2	Alkali content	2	Rs. 600.00					Testing charges As per IS 269	

2		Preparation of test report	0.5	Rs. 150.00						
---	--	----------------------------	-----	------------	--	--	--	--	--	--

Note: Testing charges (rounded to nearest Rs.50.00) for only chemical test report: Rs. 4,600.00

S.No.	Clause No.	Requirements/ Characteristics	Manhours spent in Testing (in hrs)	Manhour cost of testing (@ `300 /manhour)	Power consumption (if intensive) (in kWh)	Cost of power (@ 9 per kWh)	Consumable Cost (if significant)	Total cost of test	Reference	Remarks
1	2	3	4	5	6	7	8	9	10	
1	7 Table 3	Physical Requirements								
a)	Table 3 i)	Fineness	2	600.00	70	630	0	\	Testing charges As per IS 269	Batch conditioning of 10 samples together
b)	Table 3 ii)	Soundness								
		By Le Chatelier Method	1	300.00					-do-	
		By Autoclave test method	2	600.00					-do-	
c)	Table 3 iii)	Setting time	1	300.00					-do-	
d)	Table 3 iv)	Compressive Strength	4	1,200.00					-do-	
e)	Table 3 v)	Drying Shrinkage	2.5	750.00					Testing charges As per IS 1489 (Part 1):20	

									15	
2		Preparation of Test Report	0.5	150.00						

Testing charges (rounded to nearest Rs. 50.00) for only physical test report: Rs. 4,550.00

Total testing charges (Chemical + Physical) = Rs. 9150.00/-

Bureau of Indian Standards
Eastern Regional Office Laboratory
Testing Charges for IS 16581: 2018

S. No.	Clause	Characteristics	No. of man-hours	Testing Charges per man-hour are Rs. 300/-	Power consumption (Units)	Electricity Charges are @ Rs. 9.00 per unit	Consumable	Remark
1	4.2	Tapes Width	0.5	150		0		
2	4.2	Tapes Linear Density	1	300		0		
3	4.3	Sack	0.5	150		0		
4	4.4	Liner	1	300		0		
5	4.5	Lamination	1	300		0		
6	4.6	Seam	1	300		0		
7	4.7	Mouth	0.5	150		0		
8	4.8	Capacity	0.5	150		0		
9	5.1 & Table 1	Dimensions Outside Length	0.5	150		0		
10	5.1 & Table 1	Dimensions Outside Width	0.5	150		0		
11	5.1 & Table 1	Ends per dm	1	300		0		
12	5.1 & Table 1	Picks per dm	1	300		0		
13	5.1 & Table 1	Mass of sack	0.5	150		0		
14	5.1 & Table 1	Average breaking strength of fabric Warpway	2	600	5	45		
15	5.1 & Table 1	Average breaking strength of fabric Weftway	2	600	5	45		
16	5.1 & Table 1	Average Breaking strength of bottom seam	2	600	5	45		
17	5.1 & Table 1	Elongation at break of fabric Lengthwise	2	600	5	45		
18	5.1 & Table 1	Elongation at break of fabric Widthwise	2	600	5	45		
19		Preparation of Test report	1.5	450				

Total testing charges =Rs.6300 + 225 = Rs.6525/ (Rounded off **Rs. 6550/-**)

Sweeti Kumari (TA) ,

ERL

Bureau of Indian Standards

Central Laboratory
Mechanical Laboratory

Sub: Testing facility for Medical Textiles — Coveralls for COVID-19

15-07-2020

IS 17423:2020

Sl. No.	Characteristics	Clause No./ Table	Manhours	Electric power required(kWh)	Consumables Cost (Rs)	Testing Facility availability
1	Manufacture	4	2	-	-	Available
2	Requirements					
	i) Workmanship and Finish	5.1	0.5			
	ii) Blood resistance	5.2 (Table-1)	3	20	1500	Available
3	Preparation of test report & calculations		1	-	-	
Total			6.5 Hrs	20 kWh	Rs 1500	

Total Testing Charges: Rs 3650.00

Note : 1) Above estimate is only for Mechanical Testing .

2) Sample size for testing required : 2 Pieces + Raw Material as per IS.

OIC(QA)

BUREAU OF INDIAN STANDARDS

WRL - Chemical Section

Our Ref : WRL / TC / **Chemical / IS 14364-1996**

Date : **01-03-2024**

Subject : Testing Charges For **IS 14364-1996 Quarternary Ammonium Compound Based Surface Cleaner, Liquid**

S No	Test	Clause Reference	Man Hour	Electricity Consumed KWh	Cost of Consumable including Reference Material wherever applicable
1	Description	4.1	0.5 Hr	---	---
2.	Odour	4.3	0.5 Hr	---	---
3	Colour	4.4	0.5 Hr	---	---
4	Stability	4.5	0.5 Hr	---	---
5	Cleaning Property	4.6	0.5 Hr	---	---
6	Applicability	4.7	0.5 Hr	---	---
7	Total Non-Volatile Matter, % by mass.	4.9 (Table-1, Sl No i)	2 Hr	10	300.00
8	pH	4.9 (Table-1, Sl No ii)	1 Hr	2	---
9	QAC Content, % by mass.	4.9 (Table-1, Sl No iii)	1 Hr	---	300.00
10	Keeping Quality	4.8	7 Hr	12	600.00
11	Test Report Prep ⁿ		1 Hr		

With Keeping Quality

Without Keeping Quality

Total Man Hour 15 Hr

8 Hr

Electricity Consumed KWh 24 Units

12 Unit

Rate ` 15.00 per Unit

` 15.00 per Unit

Cost of Consumables ` 1,200.00

` 600.00

Testing Charges per Man-Hour ` 300.00

` 300.00

Hence Complete Testing Charges for the Product
 (15 x 300.00)
 + (24 x 15.00)

(8 x 300.00)
 + (12 x 15.00)

	+ 1,200.00	+ 300.00
	` 6,060.00	` 3,180.00
Rounded Off to	` 6,100.00	` 3,200.00

Submitted for approval please.

OIC (Chem)

Head (WRL)

DDG (Labs)

Bureau of Indian Standards

Hyderabad Branch Office Laboratory

Testing Charges for IS 14252: 2015

S. No.	Clause	Characteristics	No. of man-hours	Testing Charges per man-hour are Rs. 300/-	Power consumption (Units)	Electricity Charges are @ Rs. 9.00 per unit	Consumable	Remark
1	3.2	Tapes Width	0.5	150		0		
2	3..2	Tapes Linear Density	1	300		0		
3	3.3	Tying Cord	0.5	150		0		
4	3.4	Sack	0.5	150		0		
5	3.4.1	Seam	1	300		0		
6	4.1 & Table 1	Dimensions Outside Length	0.5	150		0		
7	4.1 & Table 1	Dimensions Outside Width	0.5	150		0		
8	4.1 & Table 1	Ends per dm	1	300		0		
9	4.1 & Table 1	Picks per dm	1	300		0		
10	4.1 & Table 1	Mass of sack	0.5	150		0		
11	4.1 & Table 1	Average breaking strength of fabric Warpway	2	600	5	45		
12	4.1 & Table 1	Average breaking strength of fabric Weftway	2	600	5	45		
13	4.1 & Table 1	Average Breaking strength of bottom seam	2	600	5	45		
14	4.1 & Table 1	Elongation at break of fabric Lengthwise	2	600	5	45		
15	4.1 & Table 1	Elongation at break of fabric Widthwise	2	600	5	45		
16	4.1 & Table 1	Average breaking strength and elongation at break of UV stabilized HDPE/PP fabric after been exposed	15	4500	120	1080		

v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20000

Mayank K. Srivastava, LO

OIC (Chem)

Head
(CL)

OIC (QA)

भारतीयमानकब्यूरो/BureauofIndianStandards
बेंगलुरुशाखाप्रयोगशाला/BengaluruBranchLaboratory

- :BNBL/MECH./TC/IS14756 दिनांक: 08.10.2024

TestingChargesforIS14756:2022(Stainless Steel Utensils- Specification)

Sl.N o.	Clause	Requirement/	Manhour s	Manho ur	Power	Costof	Consumabl es	Totalcos t	Testing time	Sample	Totaltime	Remar ks
	No.	Characteristic	spentin	costof	consumpti on	power	cost	oftest	forthe	preparati on/	forthe	
			testing	testing	(ifintensive		(ifsignifica		purposeof	conditioni	purpose	

					)		nt)			ng/		
					(kWh)		Rs.		timenorms	curingtim e	oftime	
										etc forth purposeof	norms	
					Remark 1	Remar k1				timenorm s		
1	2	3	4	5=4xRs	6	7=6xRs	8	9=5+7+ 8	10	11	12=10+1 1	13
				300								
1	3	Material	-	-	-	-	-	-	-	-	-	-
2	4	Shapes and Dimensions	2	600	-	-	-	600	2	1	3	-
	5	Workmanship and Finish	0.5	150	-	-	-	150	0.5	-	0.5	-
3	6.1	Staining Test	2	600	1	9	500	1109	16	1	17	-
4	6.2	Mechanical Shock Test										
5	6.3	Thermal Shock Test										
6	6.4	Dry Heat Test										
7	6.5	Coating Thickness Test										
8	6.6	3 Ply Construction Test										
9	6.7	Nominal Capacity Test										
1 0	6.8.1	Fragmentation Test										
1 1	6.8.2	Ball Drop Test										
1 2	6.8.3	Thermal Shock Test										
1 3	6.8.4	Free Fall Test										
1 4	Preparation of Test Report		2	600	0	0	0	600	0.0	0	2	
	Total											

Cost of total man hours	Rs.	8250
Total electricity consumption:	Rs.	981
Total cost of consumables:	Rs.	500
Charges for preparation of test report	Rs.	600
Testing charges for the product:	Rs.	9731
Total time for the purpose of time norms	Hrs.	123

Remarks:

OIC(M)

भारतीय मानक ब्यूरो / Bureau Of Indian Standards
दक्षिणी क्षेत्रीय प्रयोगशाला / Southern Regional Laboratory

SRL/MECH./TC/IS14756

Testing Charges for IS14756:2024(Stainless Steel Utensils- Specification)

DATE: 3/Oct/2025

S. No.	IS / Clause No.	Requirement / Characteristic	Manh ours spent in testin g	Manhour cost of testing	Power consumpti on (if intensive) (kWh) Remark 1	Cost of power Remark 1	Consum ables cost (if signifi cant) Rs.	Total cost of test	Testing time for the purpos e of time norms	Sample preparation/ conditioning/ curing time etc for the purpose of time norms	Total time for the purpose of time norms	Rema rks
1	2	3	4	5=4xRs 300	6	7=6xRs 9	8	9=5+7 +8	10	11	12=10+11	
2	3	Material	-	-	-	-	-	-	-	-	-	
3	4	Shapes and Dimensions	2	600	-	-	-	600	2	1	3	
4	5.1 & 5.2 & 5.3&5.6&5.5	Workmanship and Finish	1	300	-	-	-	300	1	0.5	1.5	
5	5.4	Handle	3	900	2	360	150	1410	23	1.5	24.5	If handles provide d
6	5.8	Coating test	3	900	2	150	500	1550	6	1	7	If coated
7	6.1	Staining Test	2	600	2	288	700	1588	18	1	19	
8	6.2	Mechanical Shock Test	0.5	150	-	-	-	150	0.5	-	0.5	Cladde d Utensil s only
9	6.3	Thermal Shock Test	1	300	2	144	-	444	9	-	9	Cladde d Utensil s only
10	6.4	Dry Heat Test	3	900	2	360	-	1260	23	1	24	Cladde

												d Utensil s only
11	6.5	Coating Thickness Test	0.5	150	-	-	-	150	0.5	-	0.5	Copper Deposi t only
12	6.6	3 Ply Construction Test	3	900	2	360	-	1260	23	1	24	Copper Deposi t only
13	6.7	Nominal Capacity Test	0.5	150	-	-	-	150	0.5	-	0.5	
	-		19.5	5850	12	1662	1350	8862	106.5	7	113.5	

5850
1662
1350
600
9462
113.5

Technical Assistant

भारतीय मानक ब्यूरो / Bureau Of Indian Standards
बैंगलोर शाखा प्रयोगशाला / Bangalore Branch Laboratory

सन्दर्भ : बीएनबीएल/केमिकल/2023/AAR/OCT/17/2023

दिनांक

17/10/2023

Testing charges for SODIUM THIOSULPHATE as per IS 14781 : 000

S. No.	IS / Clause No.	Requirement / Characteristic	Manhours spent in testing	Manhour cost of testing	Power consumption (if intensive) (kWh) Remark 1	Cost of power Remark 1	Consumables cost (if significant) Rs.	Total cost of test	Testing time for the time norms	Sample preparation/ conditioning/ curing time etc for the purpose of time norms	Total time for the purpose of time norms
1	2	3	4	5=4xRs 300	6	7=6xRs 9	8	9=5+7+8	10	11	12=10+11
1	Cl 4.3, Table 1,	Sodium thiosulphate	1	300	0	0	60	360	1.0		1

	Annex-A										
2	Cl 4.3, Table 1, Annex-B	pH	0.5	150	0	0	0	150	1.0		1
3	Cl 4.3, Table 1, Annex-C	Insoluble matter and metals	2	600	0	0	100	700	3.0		3
4	Cl 4.3, Table 1, Annex-D	Sodium sulphide	3	900	0	0	150	1050	4.0		4
5	Cl 4.3, Table 1, Annex-E	Heavy metals (as Pb)	4	1200	0	0	200	1400	5.0		5
6	Cl 4.3, Table 1, Annex-A	Iron as Fe	2	600	0	0	200	800	3.0		3
7	Cl 4.3, Table 1, Annex-A	Calcium as Ca	2	600	0	0	150	750	3.0		3
8	Cl 4.3, Table 1, Annex-A	Sulphate and Sulphite	2	600	0	0	100	700	3.0		3
9	Cl 4.3, Table 1, Annex-A	Aresnic as As ₂ O ₃	2	600	0	0	150	750	3.0		3
10	Other	Man hours for test report preparation	1	300	0	0	0	300	0.0		1
		Total	19.5	5850	0	0	1110	6960			27

Cost of total manhours	Rs.	5550
Total electricity consumption:	Rs.	0
Total cost of consumables:	Rs.	1110
Charges for preparation of test report	Rs.	300
Testing charges for the product:	Rs.	6960
Total time for the purpose of time norms		27

Remarks:

अधिकारी प्रभारी (रसायन)

वैज्ञानिक- ई / निदेशक एवं प्रमुख

बीएनबीएल

ऐश्वर्या, ए.आर.

तकनीकी सहायक

Testing charges as per IS 15030 (2022): Terephthalic acid - Specification (First Revision) (BIS CENTRAL LABORATORY, SAHIBABAD [CHEMICAL DEPARTMENT])

S.no.	Parameter	Clause no.	Man hour	Electricity consumption (in kwh)	Consumable scost
1	Description	Cl. No. 3.1	0.5	-	-
2	Colour, Pt-Co, Max	Table 1 , Cl no. 3.2 and 7.1 , s.no. (ii)	2	-	50
3	Ash content, ppm, Max	Table 1 , Cl no. 3.2 and 7.1 , s.no. (iii)	1	8	-
4	Acid value, mg KOH/g	Table 1 , Cl no. 3.2 and 7.1 , s.no. (iv)	1	-	100
5	Total of iron, cobalt, manganese, chromium and titanium, ppm, Max	Table 1 , Cl no. 3.2 and 7.1 , s.no. (v)	1	4	100
6	Total of sodium, magnesium,potassium, calcium and nickel, ppm, Max	Table 1 , Cl no. 3.2 and 7.1 , s.no. (vi)	1	4	100
7	a) 4-carboxybenzaldehyde ,ppm, Max b) 4-carboxybenzaldehyde + p-toluic acid, ppm,Max	a)Table 1 , Cl no. 3.2 and 7.1 , s.no. (vii) b)Table 1 , Cl no. 3.2 and 7.1 , s.no. (viii)	4	16	200
8	Preparation of test report	-	1	-	-
9	Total	-	11.5	32	550

Electricity Cost : Rs. 9.00 per kwh

Testing charges per man-hour are Rs. 300.00

Hence complete testing charges for the product are: Rs. [(11.5 ×300) + (9 × 32) + 550] = Rs. 4288
/-

OIC (testing section)

Head (Lab)

DDGL

Testing Charges as per IS 15298 Part 2:2024 (Amendment -Nil) Personal Protective Equipment - Safety Footwear

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.5.3.6 (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content (Cl. 5.3.8)				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20400

Mayank K.
Srivastava, LO

OIC (Chem)

Head (CL)

Testing Charges as per IS 15298 Part 3:2024 (Amendment -Nil) Personal Protective Equipment Part 3 Protective Footwear

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.5.3.6 (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl.5.3.8				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20400

Mayank K. Srivastava, LCO

OIC (Chem)

Head (CL)

Testing Charges as per IS 15298 Part 4:2024 (Amendment -Nil) Personal Protective Equipment Part 4 Occupational Footwear

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.5.3.5 (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl.5.3.7				1	300	-	-	100	400
3	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20400

OIC (Chem)

Head (CL)

OIC (QA)

Northern Regional Lab., Mohali

OUR REF: NRL/Testing Charges/15410:2003

Date-04-06-2024

TESTING CHARGES FOR IS 15410:2003, Containers for Packaged drinking water and Packaged Natural Mineral Water

Sr.No.	Characterstics	Clause ref. of IS	Man-Hours	Electricity Power Consumption (KWH)	Cost of Consumables including reference material wherever applicable
1. Physical tests					
a)	Design, shape & dimensions	4.2	0.5		
b)	Capacity	4.4.	0.5		
c)	Wall thickness	4.5	1		
d)	Transparency	4.6.2	2		
e)	Leakage test	4.6.3	1		
f)	Drop test	4.6.4	1		
2. Chemical test					
a)	Material	4.1	0.5		50
b)	Migration test	4.6.5	2		
c)	Water portability test	4.6.6	5	150	
d)	Barium	4.6.7.2 & 4.6.7.3	2	40	500
e)	Cobalt				
f)	Copper				
g)	Iron				
h)	Lithium				
i)	Manganese				
j)	Zinc				
k)	Antimony				
l)	Phthalic Acid, bis (2 –ethyl hexyl) Ester (DEHP)	4.6.7.2 & 4.6.7.3	6	10	500
PREPARTION OF TEST REPORT			2		
23.5 hr			200 kWh	1050	Total

Electricity power consumption charge is @ Rs.9.00 per kwh.

Testing charges per man-hour are Rs.300.00.

Hence complete testing charges for the product are: **(23.5*300) + (200*9) +1050= 9900.00**

BUREAU OF INDIAN STANDARDS

WRL - Chemical Section

Our Ref : - WRL / TC / Chemical / IS 16232

Date : - 18-11-25

Subject :- Testing Charges For IS 16232-2014 Iron Fortified Iodized Salt (Double Fortified Salts) - Food Grade

Sl. No.	Test	Clause Reference	Man Hour	Electricity Consumed KWh	Cost of Consumable including Reference Material wherever applicable
1	Description	3.1	0.5	0.0	0.00
2	Moisture, % by mass	3.4 (Table-1, Sl No i)	0.5	3.0	0.00
3	Water Insoluble Matter	3.4 (Table-1, Sl No ii)	4.0	3.0	0.00
4	Chloride Content (as NaCl)	3.4 (Table-1, Sl No iii)	5.0	0.0	300.00
5	Matter Insoluble in Dilute HCl	3.4 (Table-1, Sl No iv)	3.0	2.0	150.00
6	Matter Soluble in Water Otherthan NaCl	3.4 (Table-1, Sl No v)	5.0	0.0	0.00
7	Iron Content (as Fe)	3.4 (Table-1, Sl No vi)	1.5	3.0	300.00
8	Iodine Content	3.4 (Table-1, Sl No vii)	1.0	0.0	300.00
9	pH of 5% Aqueous Solution	3.4 (Table-1, Sl No viii)	5.0	1.0	0.00
10	Sulphate (as SO ₄)	3.4 (Table-1, Sl No ix)	0.5	0.0	100.00
11	Magnesium (as Mg)	3.4 (Table-1, Sl No. x)	0.5	0	300.00
12	Phosphorous (as P ₂ O ₅)	3.4 (Table-1, Sl No. xi)	2	0	300.00
13	Sodium Hexa Meta Phosphate	3.4 (Table-1, Sl No. xii)	2	9	300.00
14	Test Report Preparation		1		

Total Man Hour ; 32 Hr

Testing Charges per Man-Hour : ₹ 300.00

Electricity Consumed KWh : 21.0

Units Rate of Electricity per Unit : ₹ 15.00 per Unit

Total Cost of Consumables : ₹ 2,050.00

Hence Complete Testing Charges for the Product (Man Hours x Testing Charges) + (Electricity Units x Electricity Rate) + (Total Cost Of Consumables)

₹ 11,815.00

Rounded Off to : ₹ 11,800.00

Submitted for approval please.

(Mahendra Kamble)
Laboratory Officer

OIC (Chem) - Testing Charges may please be approved Head

(WRL)

Head (LPPD)

Bureau of Indian Standards

Hyderabad Branch Office Laboratory

Testing Charges for IS 16581: 2018

S. No.	Clause	Characteristics	No. of man- hours	Testing Charges per man-hour are Rs. 300/-	Power consumption (Units)	Electricity Charges are @ Rs. 9.00 per unit	Consumable	Remark
-------------------	---------------	------------------------	----------------------------------	---	--	--	-------------------	---------------

1	4.2	Tapes Width	0.5	150		0		
2	4.2	Tapes Linear Density	1	300		0		
3	4.3	Sack	0.5	150		0		
4	4.4	Liner	1	300		0		
5	4.5	Lamination	1	300		0		
6	4.6	Seam	1	300		0		
7	4.7	Mouth	0.5	150		0		
8	4.8	Capcity	0.5	150		0		
9	5.1 & Table 1	Dimensions Outside Length	0.5	150		0		
10	5.1 & Table 1	Dimensions Outside Width	0.5	150		0		
11	5.1 & Table 1	Ends per dm	1	300		0		
12	5.1 & Table 1	Picks per dm	1	300		0		
13	5.1 & Table 1	Mass of sack	0.5	150		0		
14	5.1 & Table 1	Average breaking strength of fabric Warpway	2	600	5	45		
15	5.1 & Table 1	Average breaking strength of fabric Weftway	2	600	5	45		
16	5.1 & Table 1	Average Breaking strength of bottom seam	2	600	5	45		
17	5.1 & Table 1	Elongation at break of fabric Lengthwise	2	600	5	45		
18	5.1 & Table 1	Elongation at break of fabric Widthwise	2	600	5	45		
19		Preparation of Test report	1.5	450				

Total testing charges =Rs.6300 + 225 = Rs.6525/ (Rounded off **Rs.6550/-**)

Bureau of Indian Standards
Eastern Regional Laboratory

Chemical Testing charges for IS 16984 : 2024

Sl. No.	IS/Clause No.	Requirement/	Manhours	Manhour cost	Power Consum	Cost of power	Consumable cost	Total Cost	Remarks
---------	---------------	--------------	----------	--------------	--------------	---------------	-----------------	------------	---------

[illegible]

	Optional Requirements)	
--	------------------------	--

Mechanical Testing charges for IS 16984 : 2024

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs. 300	(VI)	(VII)=(VI)x Rs.10	(VIII)	(IX)	(X)
1	Cl. 5.1	General	0.5	150	-			150	IS 16984:2024
2	Cl. 5.2	Squareness	1	300	-			300	IS 16984:2024
3	Cl. 5.4	Grammage	2	600	-			600	IS 1060 (Part 5/Sec 5)
4	Cl. 5.5	Size	1	300	-			300	IS 16984:2024
5	Cl. 5.6	Print Resistance and Ink Adhesion of Printed Cartons	2	600	-	-		600	Annex B & Annex C
6	Cl. 5.7	Strength	1	300	-	-		300	IS 16984:2024
7	Preparation of test report		1	300	-	-	-	300	

Total Man hour : 7.5 hours

Total cost of consumables: - Nil

Testing charges for the products: **Rs 2550/-**

S Goswami
TA (LAB)

Ramesh Naidu.P
(LO, Chem)

OIC(SC)

H(ERL)

DDGL

2	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20000

Mayank K. Srivastava, LO

OIC (Chem)

Head (CL)

OIC (QA)

Bureau of Indian Standards

ERL

Chemical Testing charges for IS 17508 : 2020

SL. No.	Is/Clause No.	Requirement/Characteristic	Manhours spent in testing	Manhour cost of testing	Power Consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total Cost of Test	Remarks
1	2	3	4	5=4xRs. 300	6	7=6xRs10.00	8	9=5+7+8	10
1.	Cl. 7.1	pH value	1	300	5	50	50	400	
2.	Cl. 7.2	Rate of Absorption, Absorption time, Rewet under load	1	300	0	0	50	350	
3.	Cl. 7.7	phthalate test (applicable on raw material/ not applicable on finished products)	5	1500	10	100	200	1800	
4.		Preparation of test report	1	300				300	
5.	Testing charges excluding phthalate test is Rs. 1050/-&Testing charges including phthalate test is Rs. 2850/-								

Microbiology Testing charges for IS 17508 : 2020

Sl No	Clause No	Requirement / Characteristic	Man-Hour spent in testing (in	Man-Hour cost of testing @ 300/-	Power Consumption (in KWh)	Cost of Power @ Rs. 10 per unit	Consumables required (Approx. Cost in Rs.)	Total cost of testing	Remarks (Method of test)
-------	-----------	------------------------------	-------------------------------	----------------------------------	----------------------------	---------------------------------	--	-----------------------	--------------------------

			hours)						
(I)	(II)	(III)	(IV)	(VI)	(VII)	(VIII)	(IX)	(X)	(XI)
1	6.2	Sizes	1	300	-	-	-	300	
2	7.3	Hygiene Testing Requirements							
	7.3.1	Bacterial and Fungal Bioburden	5 hr	1,500	120	1200	300	3,000	
	7.3.2	<i>Staphylococcus aureus</i>	4 hr	1,200	30	300	500	2,000	
3		Preparation of Test report	1 hr	300				300	

Details of testing charges is being put up as below.

Total Man hour charge (11 hours) : Rs 3,300/-

Power : Rs 1,500/-

Consumables : Rs 800/-

Testing charge of the product : Rs 5,600.00/-

Ramesh Naidu.P
(LO, Chem)

A.Chakraborty
LO, (Microbiology)

OIC(SC)

HERL

DDGL

Testing Charges as per IS 17037:2018(Amendment -1)Anti Riot Shoes

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl. 5 (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245

i)	Allergenic disperse dye				4	1200	5	45	1500	2745
ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1				4	1200	5	45	2000	3245
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content				4	1200	5	45	500	1745
vii)	Dimethyl Fumarate (DMFU)				3	900	5	45	500	1445
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)				2	600	5	45	500	1145
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds				4	1200	5	45	1000	2245
xi)	PCP - TeCP- TriCP Polychlorophenols				4	1200	5	45	1000	2245
xii)	pH as per IS 16258				2	600	5	45	50	695
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)				2	600	5	45	1000	1645
xv)	Nickel, on skin contact as per EN 1811				4	1200	5	45	1000	2245
xvi)	Nickel, on skin contact as per EN 12472									
2	Test Report Preparation				2	600	-	-	-	600
									Total(in INR)=	20000

Mayank K.
Srivastava, LO

OIC (Chem)

Head (CL)

Testing Charges as per IS 17043 Part 2:2024(Amendment -0)Shoes: Shoes For General Purpose

Sl. No.	Parameter				Man Hour	Charges of Man Hour (in INR)	Electricity (Units)	Electricity Charges (in INR)	Consumables Cost (in INR)	Total (in INR)
1	Chemical Requirement, Cl.5.4 (Table 1 xiv) (as per Cl.4.1 Table 1 of IS 17011)									
i)	Allergenic disperse dye				4	1200	5	45	1500	2745

ii)	Carcinogenic disperse dye									
iii)	Aromatic Amines released from Azo dyes (each individual amine), 23 analytes as per IS 582 Part 5 Sec 1	4	1200	5	45	2000	3245			
iv)	Aromatic Amines released from Azo dyes (each individual amine), 1 analytes as per IS 582 Part 5 Sec 2									
v)	Aromatic Amines released from Azo dyes (each individual amine), as per IS 15570									
vi)	Chromium VI Content	4	1200	5	45	500	1745			
vii)	Dimethyl Fumarate (DMFU)	3	900	5	45	500	1445			
viii)	Formaldehyde (Free or released by partial hydrolysis) as per IS 16297 (Part 1, 2 or 3)	2	600	5	45	500	1145			
ix)	Formaldehyde as per IS 14563 (Part 1)									
x)	Organotin compounds	4	1200	5	45	1000	2245			
xi)	PCP - TeCP- TriCP Polychlorophenols	4	1200	5	45	1000	2245			
xii)	pH as per IS 16258	2	600	5	45	50	695			
xiii)	pH as per IS 1390									
xiv)	Phthalates (each individual Phthalate)	2	600	5	45	1000	1645			
xv)	Nickel, on skin contact as per EN 1811	4	1200	5	45	1000	2245			
xvi)	Nickel, on skin contact as per EN 12472									
2	Lead Content, Cl. 5.4 (Table 1 xv)	1	300	-	-	100	400			
3	Test Report Preparation	2	600	-	-	-	600			
						Total(in INR)=	20400			

ayank K.
Srivastava, LO

OIC (Chem)

Head (CL)

OIC (QA)

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/Size)	Cl. Ref of IS	Requirement	Time (Hours)	Power KWH consumption	Consumable
17509			2021	Disposable Baby Diaper	Newborn, Small, Medium, Large, Extra large	Cl. 6.2	Sizes	2	0	0
						Cl. 7.1	pH	1	5	80.00
						Cl. 7.3.1	Bacterial and Fungal Bioburden	7	144	190.00
						Cl. 7.3.2	Test for Common Skin Pathogen — <i>Staphylococcus aureus</i>	5	72	300.00
						Power consumption for sterilization and decontamination which is applicable for all parameter			221	

Total Power consumption: $221 \times 9 = 1989/-$

Total Consumable cost = 570/-

Total testing charges = Rs 7059/-

(Clarisa Syiemlieh)

CA may kindly approve

OIC(MB)

SC G & HSRL

SC G & DDGL

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/Size)	Cl. Ref of IS	Requirement	Time (Hours)	Power KWH consumption	Consumable
17514			2021	Reusable Sanitary Pad/ Sanitary	Small, Medium, Large, Extra large	Cl. 4	Manufacture, Workmanship and Finish	2	0	0
						Cl. 6	Sizes	2	0	0
						Cl. 9.1	pH	1	5	80.00
						Cl. 9.2	Ability to withstand Pressure after Absorption	3	0	100.00
						Cl. 9.3.1	Bacterial and Fungal Bioburden	7	144	190.00
						Cl. 9.3.2	Test for Common Skin Pathogen — <i>Staphylococcus aureus</i>	5	72	300.00
						Power consumption for sterilization and decontamination which is applicable for all parameter			221	

Total Man Hours: 20x300 =6000/-

Total Power consumption: 221 x 9 = 1989/-

Total Consumable cost = 670/-

Total testing charges = Rs 8659/-

(Clarisa Syiemlieh)

CA may kindly approve

OIC(MB)

SC G & HSRL

SC G & DDGL

BUREAU OF INDIAN STANDARDS
Western Regional Laboratory

Testing Charges for IS 17399: 2020

(Textiles - Polypropylene (PP)/high density polyethylene (HDPE) laminated woven sacks for mail sorting, storage, transport and distribution)

Sl. No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing (Rs.)	Remark (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(VI) x Rs.10	(VIII)	(IX)	(X)
1	5.4.1	Seam	2	600				600	
2	5.4.2 & Table 1	Sack Dimensions / Inside dimensions	3	900				900	Annex B of IS 17399
3	6.1	Mass of Bale	2	600				600	
4	Table 1	Ends and Picks	4	1200				1200	Annex B of IS 17399
5	6.1 & Table 1	Mass of Sack	2	600				600	IS 1964
6	6.2 & Table 1	Breaking strength of Laminated fabric	5	1500				1500	IS1969 (P-1)
7	6.2 & Table 1	Seam strength of bottom and side panel seam	5	1500				1500	IS 9030
8	6.2 & Table 1	Elongation at break of fabric	2	600				600	IS1969 (P-1)
9	6.3 & Table 1	Ash Content	6	300				1800	Annex C of IS 17399
10	6.4	UV Resistance	30	9000				9000	Annex D of IS 17399
11		Electrical energy consumed	----	-----	55	550		550	
12		Preparation of	2	600				600	

		Test report							
Total Testing Charges in Rs.								19450.00/-	

Testing Charges for IS 17399: 2020 = Rs. 19,450.00/- excluding material requirements.

**S.D. Warsi
LO (M)**

**Anoop Singh
LO (M)**

OIC (M)

H (WRL)

BUREAU OF INDIAN STANDARDS
Western Regional Laboratory

Subject: Testing charges for IS 17509: 2021

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/Size)	Cl. Ref of IS	Requirement	Time (Hours)	Power KWH consumption	Consumable
17509			2021	Disposabl e Baby Diaper	Newbor n, Small, Medium , Large, Extra large	Cl. 3.1	Top Cover/Top Sheet	1	0	0
						Cl. 3.2	Absorbent Core			
						Cl. 3.3	Outer Protective Barrier or Back Sheet			
						Cl. 4.1, 4.2, 4.3	Fastening and securing mechanism			
						Cl. 6.2	Types and Sizes	2	0	0
						Cl. 7.1	pH Value	1	5	80.00
						Cl. 7.2	Rate of Absorption, Rewet under Load and Minimum Absorption Capacity	1	0	50.00
						Cl. 7.3.1	Bacterial and Fungal Bioburden	7	144	190.00
						Cl. 7.3.2	Test for Common Skin Pathogen - <i>Staphylococcus aureus</i>	5	72	300.00
						Cl. 7.5	Phthalate Test	8	144	600.00
						-	Preparation of test report	0.5	0	0
								25.5	365	1220.00

Total Man Hours: 25.5 x 300 =7650/-

Total Power consumption: 365 x 15 = 5475/-

Total Consumable cost = 1220/-

(Biswajit Gope, TA)

Total testing charges = Rs 14345/-

CA may kindly approve

OIC(MB) OIC
Chemical)
HWRL DDGL

ERL

Chemical Testing charges for IS 17508 : 2020

SL. No.	Is/Clause No.	Requirement/ Characteristic	Manhou rs spent in testing	Manhou r cost of testing	Power Consumption (if intensive)	Cost of power	Consuma ble cost (if significant)	Total Cost of Test	Remark s
1	2	3	4	5=4xRs. 300	6	7=6xRs10.00	8	9=5+7+8	10
6.	Cl. 7.1	pH value	1	300	5	50	50	400	
7.	Cl. 7.2	Rate of Absorption, Absorption time, Rewet under load	1	300	0	0	50	350	
8.	Cl. 7.7	phthalate test (applicable on raw material/ not applicable on finished products)	5	1500	10	100	200	1800	
9.		Preparation of test report	1	300				300	
10	Testing charges excluding phthalate test is Rs. 1050/-&Testing charges including phthalate test is Rs. 2850/-								

Microbiology Testing charges for IS 17508 : 2020

Sl No	Clause No	Requirement / Characteristic	Man-Hour spent in testing (in hours)	Man-Hour cost of testing @ 300/-	Power Consumption (in KWh)	Cost of Power @ Rs. 10 per unit	Consumabl es required (Approx. Cost in Rs.)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(VI)	(VII)	(VIII)	(IX)	(X)	(XI)
1	6.2	Sizes	1	300	-	-	-	300	
2	7.3	Hygiene Testing Requirements							
	7.3.1	Bacterial and Fungal Bioburden	5 hr	1,500	120	1200	300	3,000	
	7.3.2	<i>Staphylococcus aureus</i>	4 hr	1,200	30	300	500	2,000	
3		Preparation of Test report	1 hr	300				300	

Details of testing charges is being put up as below.

Total Man hour charge (11 hours) : Rs 3,300/-
Power : Rs 1,500/-
Consumables : Rs 800/-
Testing charge of the product : Rs 5,600.00/-

Ramesh Naidu.P
(LO, Chem)

A.Chakraborty
LO, (Microbiology)

OIC(SC)

HERL

DDGL

भारतीयमानकब्यूरो/BureauofIndianStandards
बेंगलुरुशाखीप्रयोगशाला/BengaluruBranchLaboratory

संदर्भ: **BNBL/MECH./TC/IS17526** दिनांक: 08.10.2024

TestingChargesforIS17526:2021(Domestic Stainless Steel Vacuum Flask/ Bottle- Specification)

Sl.No.	Clause No.	Requirement/Characteristic	Manhours spent in testing	Manhour cost of testing	Power consumption (ifintensive) (kWh)	Cost of power	Consumables cost (ifsignificant) Rs.	Total cost of test	Testing time for the purpose of timenorms	Sample preparation/conditioning/ curing time etc for the purpose of timenorms	Total time for the purpose	Remarks
1	2	3	4	5=4x Rs	6	7=6x Rs9	8	9=5+7 +8	10	11	12=10 +11	13
				300								
1	4 & 5 & 7.2	Types, Manufacture and Workmanship& Arrangement for	0.5	150	-	-	-	150	0.5	-	0.5	-

		holding and Suspension										
2	7.1	Material	-	-	-	-	-	-	-	-	-	-
3	7.3	Capacities	0.5	150	-	-	-	150	0.5	0.5	1	-
4	7.4	Heat Retention Capability	3	900	3	27	-	927	24	2.5	26.5	-
5	7.5	Cold Retention Capability	3	900	4	36	-	936	24	2.5	26.5	-
6	7.6	Impact Resistance Test	1	300	1	9	-	309	1	0.5	1.5	-
7	7.7	Fixing Strength of the Handle	0.5	150	-	-	-	150	0.5	0.5	1	-
8	7.8	Test for Strength of Shoulder Strap	0.5	150	-	-	-	150	0.5	0.5	1	-
9	7.9	Leakage Test	0.5	150	-	-	50	200	0.5	0.5	1	-
10	7.10	Joint Leak Test	0.5	150	-	-	-	150	0.5	0.5	1	-
11	7.11	Staining Test	2	600	1	9	500	1109	16	1	17	-
12	7.12	Length of Shoulder Strap	0.25	75	-	-	-	75	0.25	0.25	0.5	-
13	7.13	Staibility of Flask/ Bottle	0.25	75	-	-	-	75	0.25	0.25	0.5	-
14	7.14	Pour Test	0.5	150	-	-	100	250	0.5	0.25	0.75	-
15	7.15	Endurance Test for O-Ring, Washer and Stopper	-	-	-	-	-	-	-	-	-	-
16	Preparation of Test Report		2	600	0	0	0	600	0.0	0	-	-
		Total	15	4500	9	81	650	5231	69	9.75	78.75	

Cost of total man hours
Total electricity consumption:
Total cost of consumables:

Charges for preparation of test report
Testing charges for the product:
Total time for the purpose of time norms

Remarks:

OIC(M)

भारतीय मानक ब्यूरो/Bureau of Indian Standards
बेंगलुरु शाखा प्रयोगशाला/Bengaluru Branch Laboratory

संदर्भ: BNBL/MECH./TC/IS17569 दिनांक: 08.10.2024

Testing Charges for IS17569:2021 (Insulated Containers for Food Storage- Specification)

Sl.No.	Clause	Requirement/	Manhours	Manhour	Power	Cost of	Consumables	Total cost	Testing time	Sample	Total time	Remarks
	No.	Characteristic	spent in	cost of	consumption	power	cost	of test	for the	preparation/	for the	
			testing	testing	(if intensive)		(if significant)		purpose of	conditioning/	purpose	
					(kWh)		Rs.		time norms	curing time	of time	
										etc for the	norms	
					Remark1	Remark1				purpose of		
										time norms		
1	2	3	4	5=4xRs	6	7=6xRs9	8	9=5+7+8	10	11	12=10+11	13
				300								
1	5	Manufacture and Workmanship	0.5	150	-	-	-	150	0.5	-	0.5	-
2	7.1	Material	-	-	-	-	-	-	-	-	-	-
3	4 & 7.3	Nominal capacity & Capacities	0.5	150	-	-	-	150	0.5	0.5	1	-
4	7.4	Heat Retention Capability	3	900	3	27	-	927	24	2.5	26.5	-
5	7.5	Cold Retention Capability	3	900	4	36	-	936	6	2.5	8.5	-
6	7.6	Impact Resistance Test	1	300	1	9	-	309	1	0.5	1.5	-
7	7.7	Strength of the Handle	-	-	-	-	-	-	-	-	-	-
8	7.8	Test for Strength of Shoulder Strap	0.5	150	-	-	-	150	0.5	0.5	1	-
9	7.9	Leakage Test	0.5	150	-	-	50	200	0.5	0.5	1	-
10	7.10	Joint Leak Test	0.5	150	-	-	-	150	0.5	0.5	1	-
11	7.11	Staining Test	2	600	1	9	500	1109	16	1	17	-

HBNBL

12	7.12	Check for PUF or any other similar Thermal Insulation Material	0.5	150	-	-	-	150	0.5	1	1.5	-
13	7.13.1	Length of the Shoulder Strap	0.25	75	-	-	-	75	0.25	0.25	0.5	-
14	7.13.2 & 7.13.3	Stability of Insulated Container & Cleaning	0.25	75	-	-	-	75	0.25	0.25	0.5	-
15	7.14	Seepage Test	-	-	-	-	-	-	-	-	-	-
16	Preparation of Test Report		2	600	0	0	0	600	0.0	0	-	
	Total		14.5	4350	9	81	550	4981	50.5	10	60.5	

Cost of total man hours	Rs.	4350
Total electricity consumption:	Rs.	81
Total cost of consumables:	Rs.	550
Charges for preparation of test report	Rs.	600
Testing charges for the product:	Rs.	4981
Total time for the purpose of time norms	Hrs.	60.5

Remarks:

OIC(M)

HBNBL

KANHAIYA JEE
T.A.(Lab.)

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/Size)	Cl. Ref of IS	Requirement	Time (Hours)	Power KWH consumption	Consumable
17782			2021	Fortified Rice Kernels		Cl. 4.7 Table 4 (i)	Total plate count	4	72	90.00
						Cl. 4.7 Table 4 (ii)	Yeasts and Moulds	3	72	100.00
						Cl. 4.7 Table 4 (iii)	Coliform count	4	24	100.00
						Power consumption for sterilization and decontamination which is applicable for all parameter			168	

Total Man Hours: 11 x 300 = 3300/-

Total Power consumption: 168 x 9 = 1512/-

Total Consumable cost = 290/-

Total testing charges = Rs 5102/-

CA may kindly approve

OIC(MB)

(Clarisa Syiemlieh)

SC G & HSRL

SC G & DDGL

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/Size)	Cl. Ref of IS	Requirement	Time (Hours)	Power KWH consumption	Consumable
17786			2022	Underpad	Small, Medium, Large, Extra large	Cl. 5	Sizes	2	0	0
						Cl. 8.1	pH	1	5	80.00
						Cl. 8.1.1	Bacterial and Fungal Bioburden	7	144	190.00
						Cl. 8.1.2	Test for Common Skin Pathogen — <i>Staphylococcus aureus</i>	5	72	300.00
						Power consumption for sterilization and decontamination which is applicable for all parameter			221	

Total Man Hours: 15 x 300 =4500/-

Total Power consumption: 221 x 9 = 1989/-

Total Consumable cost = 570/-

Total testing charges = Rs 7059/-

(Clarisa Syiemlieh)

CA may kindly approve

OIC(MB)

SC G & HSRL

SC G & DDGL

Bureau of Indian Standards

ERL

Mechanical Testing charges for IS 17753 : 2021

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(VI)x Rs.10	(VIII)	(IX)	(X)
1	4.1.1	Grammage of paperboard, g/m ²	2	300	-	-		600	IS 1060 (Part 5/Sec 5)
2	4.1.2	Thickness of aluminium foil, microns	2	300	-	-		600	Annex A of IS 8970
3	4.1.3	Thickness of polyethylene, microns	2	300	-	-		600	Annex A of IS 2508
4	4.3	Capacity	0.5	150	-	-		150	
5	5.1.1	Description	0.5	150	-	-		150	
6	5.2.3	Vibration Leakage Test	1	300	10 Kwh	100		400	Annex B
7	5.2.6	Print Resistance Test	2	600	-	-	50	650	Annex D
8	5.2.7	Ink Adhesion Test	2	600	-	-	50	650	Annex E

Reporting – 2 Hrs. - 600/-
Total Man hour : 14.0
hours , Cost of power: Rs
100/-
Total cost of consumables:
100

**Testing charges : Rs
4400/-**

**Chemical Testing
charges for IS 17753 :
2021**

Sl. No.	IS/Clause No.	Requirement/ Characteristic	Manhours spent in testing	Manhour cost of testing	Power Consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total Cost of Test	Remarks
1	2	3	4	5=4x Rs.300	6	7=6x Rs.10.00	8	9=5+7 +8	10
1	Cl. 5.2.1	Over-all Migration	2.5	750	55	550	100	1400	
2	Cl. 5.2.2	Specific Migration Test	3	900	40	400	100	1400	

3	Preparation of test report	1	300				300	
4	Total testing charges Rs. 3100/-							

Microbiology Testing charges for IS 17753 : 2021

Sl No	IS/ Clause No	Requirement / Characteristic	Man-Hour spent in testing (in hours)	Man-Hour cost of testing @ 300/-	Power Consumption (in KWh)	Cost of Power @ Rs 10 per unit	Consumables required (Approx. Cost in Rs.)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)	(VI)	(VII)	(VIII)	(IX)	(XII)
1	5.2.4.2	Shelf life test (under standard condition when shelf life is 12 months)	-	-	3285	32850	-	32850	
		Shelf life test (under accelerated condition when shelf life is 12 months)	-	-	1080	10800	-	10800	
2	5.2.4.3	Shelf life test-microbiological parameters	4	1200	48	480	100	1780	
		i) Total Bacterial count, cfu/g	4	1200	48	480	100	1780	
		ii) Total spore count, cfu/g	4	1200	80	800	300	2300	
3	5.2.4.4	Visual observation	1	300	-	-	-	300	
		Power consumption for sterilization and decontamination in autoclave	-	-	22	220	-	220	
4		Preparation of Test report	1.5	450	-	-	-	450	

Note: 1. Details of testing charges is not available uploaded in BIS web site, hence it is being put up.

Testing charge calculated as mentioned below when shelf life is 12 months and standard conditions are used (n=12months):

Total Man hour charge : 4350

Power : 34,830

Consumables :

500

Testing charge of the product : **39680/-**

Testing charge calculated as mentioned below when shelf life is 12 months and accelerated conditions are used (n=4months):

Total Man hour charge : 4350
Power : 12,780
Consumables : 500
Testing charge of the product : 17630/-

Testing charge calculated as mentioned below when shelf life is 9 months and standard conditions are used (n=9months):

Total Man hour charge : 4350
Power : 26280
Consumables : 500
Testing charge of the product : 31130

Testing charge calculated as mentioned below when shelf life is 9 months and accelerated conditions are used (n=3months):

Total Man hour charge : 4350
Power : 10,080
Consumables : 500
Testing charge of the product : 14930/-

Testing charge calculated as mentioned below when shelf life is 6 months and standard conditions are used (n=6months):

Total Man hour charge : 4350
Power : 18,180
Consumables : 500
Testing charge of the product : 23,030/-

Testing charge calculated as mentioned below when shelf life is 6 months and accelerated conditions are used (n=2months):

Total Man hour charge : 4350
Power : 7380
Consumables : 500
Testing charge of the product : **12,230/-**

Testing charge calculated as mentioned below when shelf life is 3 months and standard conditions are used(n=3months):

Total Man hour charge : 4350
Power : 8100
Consumables : 500
Testing charge of the product : **14930/-**

Testing charge calculated as mentioned below when shelf life is 3 months and accelerated conditions are used (n=1month):

Total Man hour charge : 4350
Power : 4680
Consumables : 500
Testing charge of the product : **9530/-**

Total testing charge of the product (Mechanical + Chemical+ Microbiology): Rs 7,500+ Micro (Based on shelf life and testing method as mentioned above)

Sweeti Kumari
TA (Mech)

Ramesh Naidu.P
LO (Chem Lab.)

A.Chakraborty
LO, Micro

OIC(SC)

H(ERL)

DDGL

भारतीयमानकब्यूरो/BureauofIndianStandards

बेंगलूरुशाखाप्रयोगशाला/BengaluruBranchLaboratory

संदर्भ:BNBL/MECH./TC/IS17790 दिनांक: 08.10.2024

TestingChargesforIS17790:2022(InsulatedFlask for Domestic Use- Specification)

Sl.No.	Clause	Requirement/	Manhour	Manho	Power	Costof	Consumabl	Totalcos	Testing	Sample	Totaltime	Remar
	No.	Characteristic	spentin	ur	consumpti	power	cost	oftest	forthe	preparati	forthe	ks
			testing	testing	(ifintensive)		(ifsignifican		purposeof	conditioni	purpose	
					(kWh)		Rs.		timenorms	curingtim	oftime	
										etc forthe	norms	
										purposeof		
					Remark1	Remar				timenorm		
						k1				s		
1	2	3	4	5=4xRs	6	7=6xRs	8	9=5+7+	10	11	12=10+1	13
				300		9		8			1	
1	4 & 5	Types, Manufacture and Workmanship	0.5	150	-	-	-	150	0.5	-	0.5	-
2	7.1	Materials	-	-	-	-	-	-	-	-	-	-
3	7.2	Capacity Test	0.5	150	-	-	-	150	0.5	0.5	1	-
4	7.3	Test for Heat Retention Capability	3	900	3	27	-	927	24	2.5	26.5	-
5	7.4	Test for Cold Retention Capability	3	900	4	36	-	936	6	2.5	8.5	-
6	7.5	Impact Resistance Test	1	300	1	9	-	309	1	0.5	1.5	-
7	7.6	Test for Fixing Strength of the Handle	0.5	150	-	-	-	150	0.5	0.5	1	-

8	7.7	Test for Strength of Shoulder Strap	0.5	150	-	-	-	150	0.5	0.5	1	-
9	7.8	Test for strength of Cord	0.5	150	-	-	-	150	0.5	0.5	1	-
1	7.9	Leakage Test	0.5	150	-	-	50	200	0.5	0.5	1	-
11		Joint Leakage Test	0.5	150	-	-	-	150	0.5	0.5	1	-
12	7.11	Staining Test	2	600	1	9	500	1109	16	1	17	-
13	7.12	Check for PUF or any other similar Thermal Insulation Material	0.5	150	-	-	-	150	0.5	1	1.5	-
14	7.13	Seepage Test	-	-	-	-	-	-	-	-	-	-
15	7.14	Lever, Device for Operating or Regulating Flow Test	-	-	-	-	-	-	-	-	-	-
16	7.15	Test for Length of the Shoulder Strap	0.25	75	-	-	-	75	0.25	0.25	0.5	-
17	7.16	Test for Staibility of Flask	0.25	75	-	-	-	75	0.25	0.25	0.5	-
18	7.17	Pour Test	0.5	150	-	-	100	250	0.5	0.25	0.75	-
19	7.18	Endurance Test for O-Ring, Washer and Stopper	-	-	-	-	-	-	-	-	-	-
20	PreparationofTestReport		2	600	0	0	0	600	0	0	0	
		Total	16	4800	9	81	650	5531	52	11.25	63.25	

Cost of total man hours

4800

Total electricity consumption:

Rs.

81

Total cost of consumables:

Rs.

650

Charges for preparation of test report

Rs.

600

Testing charges for the product:

Rs.

5531

Total time for the purpose of time norms

Hrs.

63.25

Remarks:

KANHAIYA JEE
T.A.(Lab.)

OIC(M)

HBNBL

IS No.	Part	Sec	Year	Title	Variety (Grade/ Type/Size)	Cl. Ref of IS	Requirement	Time (Hours)	Power KWH consumption	Consumable
17945			2022	Food for Special Medical Purpose Intended for Infants		Cl 5.12 Table 2 (i)	Aerobic plate count	4	72	90.00
						Cl 5.12 Table 2 (i)	<i>Staphylococcus aureus</i> (Coagulase positive)	5	72	300.00
						Cl 5.12 Table 2 (i)	Yeasts and Moulds	3	72	100.00
						Cl 5.12 Table 2 (i)	<i>Salmonella</i> sp	4	144	450.00
						Cl 5.12 Table 2 (i)	<i>Listeria monocytogenes</i>	5	120	450.00
						Cl 5.12 Table 2 (i)	<i>Bacillus cereus</i>	4	72	500.00
						Cl 5.12 Table 2 (i)	Sulphite reducing clostridia	4	24	600.00
						Cl 5.12 Table 2 (i)	Enterobacteriaceae	4	24	300.00
						Cl 5.12 Table 2 (i)	<i>Enterobacter sakazakii</i>	5	120	450.00
						Power consumption for sterilization and decontamination which is applicable for all parameter			720	

Total Man Hours: 38 x 300 =11400/-

Total Power consumption: 720 x 9 = 6480/-

Total Consumable cost = 3240/-

Total testing charges = Rs 21120/-

CA may kindly approve

OIC(MB)

SC G & HSRL

SC G & DDGL

(Clarisa Syiemlieh)

Bureau of Indian Standards
Eastern Regional Laboratory

Mechanical testing Charges for IS 18482:2023

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)= (VI)xRs.10	(VIII)	(IX)	(X)
1	Cl 4	Sack Type	1	300				300	
2	Cl. 5.2.1	(Fabric)	2	600				600	
3	Cl. 5.2.2	Linear density of tapes	1	300				300	
4	Cl. 5.2.4	5.2.4 (Construction, unlaminated fabric)	1	300				300	
5	Cl. 5.3	Sandwich Extrusion lamination	1	300				300	
6	Cl. 5.4	Sack	0.5	150				150	
7	Cl. 6.1	Dimension	3	900				900	
8	Cl. 6.1	Warp per dm	0.5	150				150	
9	Cl. 6.1	Weft per dm	0.5	150				150	
10	Cl.	Mass of laminated	0.5	150				150	

	6.1	fabric							
11	Cl. 6.2.	Average breaking strength of laminated fabric	5	1500	5KWh	50		1550	
12	Cl. 6.2	Breaking strength of bottom and centre seam	3	900	5KWh	50		950	
13	Cl. 6.2 4	Elongation at break of fabric,	2	600	5KWh	50		650	
14	Cl.6.4	Drop Impact Testing of Filled Sacks	3	900				900	
15		Test Report Preparation	1					300	

Total Man hour : 25 hours , Cost of power: Rs 150/-

Total cost of consumables: NIL

Mechanical testing charges for the products: Rs 7650/-

Chemical testing Charges for IS 18482:2023

Sl. No.	IS/Clause No.	Requirement/ Characteristic	Manhours spent in testing	Manhour cost of testing	Power Consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total Cost of Test	Remarks
1	2	3	4	5=4x Rs.300	6	7=6x Rs.10.00	8	9=5+7+8	10
1	Clause 6.5, Table 1, S.No viii	Ash content	3	300	10	100	0	1000	Nil
2	Preparation of test report		1	300	-	-	-	300	

3	Total testing charges Rs. 1300/-	
---	---	--

Sweeti Kumari
TA (Mech)

Ramesh Naidu.P
LO Chem)

OIC (SC)

H(ERL)

DDGL

Bureau of Indian Standards
Eastern Regional Laboratory

Mechanical testing Charges for IS 18482:2023

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)= (VI)x Rs.10	(VIII)	(IX)	(X)
1	Cl 4	Sack Type	1	300				300	
2	Cl. 5.2.1	(Fabric)	2	600				600	
3	Cl. 5.2.2	Linear density of tapes	1	300				300	
4	Cl. 5.2.4	5.2.4 (Construction, unlaminated fabric)	1	300				300	
5	Cl. 5.3	Sandwich Extrusion lamination	1	300				300	
6	Cl. 5.4	Sack	0.5	150				150	
7	Cl. 6.1	Dimension	3	900				900	

8	Cl. 6.1	Warp per dm	0.5	150				150	
9	Cl. 6.1	Weft per dm	0.5	150				150	
10	Cl. 6.1	Mass of laminated fabric	0.5	150				150	
11	Cl. 6.2.	Average breaking strength of laminated fabric	5	1500	5KWh	50		1550	
12	Cl. 6.2	Breaking strength of bottom and centre seam	3	900	5KWh	50		950	
13	Cl. 6.2 4	Elongation at break of fabric,	2	600	5KWh	50		650	
14	Cl.6.4	Drop Impact Testing of Filled Sacks	3	900				900	
15		Test Report Preparation	1					300	

Total Man hour : 25 hours , Cost of power: Rs 150/-

Total cost of consumables: NIL

Mechanical testing charges for the products: Rs 7650/-

Chemical testing Charges for IS 18482:2023

Sl. No.	IS/Clause No.	Requirement/ Characteristic	Manhours spent in testing	Manhour cost of testing	Power Consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total Cost of Test	Remarks
1	2	3	4	5=4x Rs.300	6	7=6x Rs.10.00	8	9=5+7+8	10

1	Clause 6.5, Table 1, S.No viii	Ash content	3	300	10	100	0	1000	Nil
2	Preparation of test report		1	300	-	-	-	300	
3	Total testing charges Rs. 1300/-								

Sweeti Kumari
TA (Mech)

Ramesh Naidu.P
LO Chem)

OIC (SC)

H(ERL)

DDGL

BIS testing charges for IS 18663:2024 effective from 23-07-2024

BUREAU OF INDIAN STANDARDS

CENTRAL LABORATORY

Ref: CL/Electrical/Testing Charges/23-07-2024 the testing charges as per IS 18663:2024
(SPECIFICATION FOR NOTE SORTING MACHINES) is as below:

Sl. No	Cl. No	Requirement/Characteristics	Test Method		Man-hours	Power (kWh)	Consumables	Remarks (Grades)
			Clause	IS				
1.	4.1 Table 2	Piece Counting	6.2.6	IS 18663	2	0.4	-	-
2.	4.1 Table 2	Value Counting	6.2.7	IS 18663	2.5	0.5	-	-
3.	4.1 Table 2	Authenticity Counting	6.2.2	IS 18663	2.5	0.5	-	-
4.	4.1 Table 2	Fitness Determination	6.2.3	IS 18663	1.0	0.5	-	-
5.	4.1 Table 2	Shorting of Banknote	4.1 Table 2	IS 18663	1.5	0.3	-	-
6.	6.2.1	Speed Test	6.2.1	IS 18663	1.5	0.3	-	-
7.	6.2.4	Repeatability Test	6.2.4	IS 18663	4.5	1.0	-	-
8.	6.2.5	Stress Test	6.2.5	IS 18663	16	2	-	For (1+1) & (2+1), (3+1) Machine

9.		Stress Test	6.2.5	IS 18663	32	4	-	For (4+1) & (8+1) Machine
10	6.3	Calibration and Periodic Testing	6.3	IS 18663	4.5	1.0	-	-
		Total		IS 18663	68	10.5		

Cost of total Man hours for (1+1), (2+1) & (3+1) Machine: $36 \times 300 = \text{Rs. } 10,800/-$

Cost of total Man hours for (4+1) & (8+1) Machine: $52 \times 300 = \text{Rs. } 15,600/-$

Total electricity consumption for (1+1), (2+1) & (3+1) Machine: $6.5 \times 9 = \text{Rs. } 58.50$

Total electricity consumption for (4+1) & (8+1) Machine: $8.5 \times 9 = \text{Rs. } 76.50$

Total cost of consumables: Rs. 00.00

Charges for preparation of test report Rs. 600

Testing charges for (1+1), (2+1) & (3+1) Machine: Rs. 11,458.50 $\approx$ Rs. 11,500/-

Testing charges for (4+1) & (8+1) Machine: Rs. 16,276.50 $\approx$ Rs. 16,300/-

LO (Electrical)

OIC(Electrical)

OIC (QA)

Head (CL)DDGL

BUREAU OF INDIAN STANDARDS

GUWAHATI BRANCH LABORATORY

हमारा संदर्भ / Our Ref. : GHBL/LPPD/testing charge

तारीख / Date : 04/11/2025

विषय : IS 17803: 2022 के परीक्षण शुल्क के लिए प्रस्ताव।

Subject: Proposal for testing charges for IS 17803: 2022.

With reference to the subject mentioned above, it may please be noted that recently GHBL created testing facility for IS 17803: 2022 (Potable Water Bottles (Copper, Stainless Steel, Aluminum-Specification))

In this regard, the testing charges is proposed for the product as below:

Sl. No.	Clause no.	Requirement/Characteristics	Man hours	Electricity/Power consumption (kWh)	Cost of consumables (if significant)	Sub Total (Rs.)
1	4	Types (Shape ,Size And Nominal Capacity)	0.5	0	0	150.00
2	5	Manufacture And Workmanship	0.5	0	0	150.00
3	7.2	Capacity	0.5	0	0	150.00
4	7.3	Impact resistance test	1	0	0	300.00
5	7.4	Test for Strength of shoulder strap	1	0	0	300.00
6	7.5	Test for Cord	2	0	0	600.00
7	7.6	Test for cord Chain	0.5	0	0	150.00
8	7.7	Leakage Test	1	10	0	400.00
9	7.8	Staining Test (Stainless steel bottle only)	1	3	2200.00	2530.00

10	7.9	Lever, Device for operating or regulating flow test	3	2	0	920.00
10	7.10	Test for stability of Bottle	0.50	0	0	150.00
11	7.11	Load test	0.50	-	-	150.00
12	7.13	Test with RO Water/Distilled water for physical requirements as per IS 10500	4	2	500	1720.00
13	9.1	Marking	0.5	0	0	150.00
14		Preparation of test report	2	0	0	600.00
		Total	10.5	17	2700	8420.00

Testing charges per Man-hour Rs.300.00

Electricity power consumption @ Rs.10.00/KWh

Hence, complete testing charges (rounded to nearest Rs. 50.00) (excluding tests at Sl. No. 2) are ₹8450.00 (**Eight Thousand Four Hundred and Fifty**)

Submitted for kind approval of competent authority, please.

TA (GBL)

OIC

Bureau of Indian Standards

ERL

Testing Charges for IS 18809 : 2024

Mechanical Testing charges for IS 18809 : 2024

Sl No.	IS/ Clause No.	Requirements/ Characteristics	Man Hour spent in testing	Man hour cost of testing	Power consumption (if intensive)	Cost of power	Consumable cost (if significant)	Total cost of testing	Remarks (Method of test)
(I)	(II)	(III)	(IV)	(V)= (IV)xRs.300	(VI)	(VII)=(VI) x Rs.10	(VIII)	(IX)	(X)
1	8.1	Hardness	4	1200	10 KWh	100	-	1300	
2	8.2	Tensile test	4	1200	10 KWh	100	-	1300	
3	8.3	Bend test	2	600	10 KWh	100		700	
4	8.4	Izod Impact Test	2	600	10 KWh	100	-	700	
5	11.1	Freedom from defects	1	300	-	-	-	300	
6	12	Dimensions & tolerances	2	600	-	-	-	600	
Reporting – 2 Hrs. - 600/-									

Total Man hour : 17 hours , Cost of power: Rs 400/-

Total cost of consumables: Nil

Testing charges for the products: Rs 5,500/-

Chemical Testing charges for IS 18809 : 2024

	Test charges for optional parameters like Nitrogen and Grain refining elements, Rs. 1000/- extra for each element.	charges has been calculated considering the conventional test methods specified at relevant parts of IS 228.
--	---	--

Total Testing of charges of the product (Mechanical+ Chemical) = Rs 14,250.00 (Rs. 1000/- extra for each element for optional parameters like like Nitrogen and Grain refining elements)

Binit Vinayak
TA(SC)

OIC(SC)

HERL

DDGL

