

Fuel and Recharging Effects on Regulated and Unregulated Emissions from a Gasoline and a Diesel Plug-In Hybrid Electric Vehicle

Roland Dauphin Concawe

Joseph Kermani and Philippe Degeilh IFP Energies nouvelles, Institut Carnot

Corrado Fittavolini ENI R&TID R&D, Concawe

Alastair Smith Shell Global Solutions UK, Concawe

Cyrille Callu TotalEnergies OneTech, Concawe

Sofia Chrysafi BP, Concawe

Renate Uitz-Choi Shell Global Solutions Germany, Concawe

Kenneth Kar ExxonMobil

Citation: Dauphin, R., Kermani, J., Degeilh, P., Fittavolini, C. et al., "Fuel and Recharging Effects on Regulated and Unregulated Emissions from a Gasoline and a Diesel Plug-In Hybrid Electric Vehicle," SAE Technical Paper 2022-01-1125, 2022, doi:10.4271/2022-01-1125.

Received: 29 Apr 2022 Revised: 24 Jun 2022 Accepted: 24 Jun 2022

Abstract

s passenger cars are progressively moving towards more electrification, Plug-in Hybrid Electric Vehicles (PHEVs) may play a greater role. Several questions arise regarding their performance in real-world conditions, their optimal configuration - in terms of battery capacity, fuel and powertrain used - and their pollutant emissions. In this context, two PHEVs complying with Euro 6d standards were evaluated on a chassis-dyno and on-road using the same road profile, complying with RDE requirements. The two vehicles differ only by their powertrain, one being diesel-fueled, and the other being gasoline-fueled. The vehicles were tested under various conditions, including charge depleting and charge sustaining modes (i.e., tests respectively starting with a fully charged battery and a discharged battery), with various fuel compositions including traditional fossil-based fuels, 100% renewable Hydrotreated Vegetable Oil (HVO) and 100% renewable gasoline, blended with 20% v/v ethanol (E20). The vehicle weight was also artificially varied on the chassis-dyno

to assess the difference of performance between a PHEV and a Hybrid Electric Vehicle (HEV), having a lower-capacity battery. The set of measurements included fuel and electricity consumptions, CO₂ and regulated pollutant emissions (NOx, CO, HC, PN23, PM) as well as non-regulated pollutant emissions such as PN10, CH₄, NH₃ and N₂O. The results show that the two vehicles have regulated pollutant emissions levels well below the Euro 6d limits under all testing conditions, and unregulated pollutant emissions in the range of Euro 7 proposals. For the PHEVs and operating conditions tested, switching from a traditional fossil-based fuel to a 100% renewable fuel, for both gasoline and Diesel powertrains, does not have statistical significant impact on the pollutant emissions. Regarding fuel and powertrain aspects, it is observed that switching from a gasoline- to a Diesel-PHEV enables a reduction of CO₂ emissions whilst also lowering pollutant emissions except for NH₃ and N₂O. However, on-road tests results show significantly higher fuel consumption than chassis-dyno tests, although being driven on the same test-cycle.

Introduction

ransport related greenhouse gases (GHG) emissions represent approximately a quarter of total EU GHG emissions [1]. In the context of targeting carbon neutrality in 2050 as set by the EU Green Deal [2], reducing transport related GHG emissions represents both an important stake and challenge. The present study focuses on passenger cars only. When considering each vehicle

individually, there are several ways to consider their GHG emissions:

- The Tank-to-Wheels (TtW) approach focuses only on the tailpipe emissions;
- The Well-to-Wheels (WtW) approach is more complete and considers the GHG emissions related to the production of the energy carriers;

2.0% the TtW $\rm CO_2$ emissions and increases the volumetric fuel consumption by 8.4% on CS.

Reducing the mass of the vehicle surprisingly does not change the consumption or the pollutant emissions: despite weighing 120 kg less, the HEV configuration presents results in emissions and energy consumption very close to the PHEV configuration in CS mode.

The measurements performed on-road show higher fuel consumption and CO_2 emissions. In CS mode, the Diesel vehicle showed a 29% higher fuel consumption and CO_2 emissions on the road compared to the laboratory tests. The gasoline vehicle showed a difference of 13.6%. This gap was investigated using a calibrated simulator (not shown in this article) and explained by a different road law between the roller test bed and the on-road.

Perspectives

The data generated in this study, from RDE driving in the laboratory and on-road, will allow to calibrate a vehicle simulator. It will aim at extending the findings to more varied conditions: trip distance, driving profile, ambient temperature, battery capacity, recharging frequency, etc. By combining these different parameters extensively, statistically representative use cases can be generated and evaluated regarding their fuel and electricity consumption, utility factor and CO_2 emissions. This will be the subject of another article.

Furthermore, TtW CO₂ emissions do not offer a complete picture of the GHG emissions emitted during the life of a vehicle. For this, a broader analysis of the vehicle's life cycle must be determined by considering not only the TtW emissions of the vehicle during its use, but also the WtT emissions related to the energy sources (electricity and fuel productions) and finally the production and end of life of the vehicle itself, including the battery. This assessment is based on many parameters: the CO₂ intensity of electricity production, the CO₂ WtT emissions of different fuel production pathways, the CO₂ emissions related to the production of the vehicles, particularly the battery, the lifetime of the vehicles, etc. These LCA and WtT aspects will be the subject of future work. Additionally, given the quantity of assumptions and their variability, a dynamic LCA GHG tool will be developed, allowing to configure any possible combinations of parameters and to compare PHEVs life-cycle emissions with other levels of vehicle electrification: HEVs and BEVs.

References

- Greenhouse Gas Emissions from Transport in Europe, <u>https://www.eea.europa.eu/data-and-maps/indicators/ transport-emissions-of-greenhouse-gases/transport- <u>emissions-of-greenhouse-gases-12</u> (Accessed April 25th 2022).
 </u>
- 2. Communication from the Commission to the European Parliament, the European Council, the Council, the European Economic and Social Committee and the

- Committee of the regions The European Green Deal, COM(2019) 640 Final.
- CO₂ Emission Performance Standards for Cars and Vans, Regulation (EU) 2019/631.
- 4. Directive (EU) 2018/2001 of the European Parliament and of the Council of 11 December 2018 on the Promotion of the Use of Energy from Renewable Sources.
- 5. IFPEN, 2018, Cross-Sector Review of the Impact of Electrification by Segment: E4T Project. IFP Energies Nouvelles, https://www.ifpenergiesnouvelles.com/sites/ifpen.fr/files/inline-images/NEWSROOM/ Communiqu%C3%A9s%20de%20presse/projet-e4t-bilan-impact-electrification-2018 version anglaise.pdf (Accessed April 25th 2022à.
- CO₂ Emission Standards for New Cars and Vans 'Fit for 55'
 Package, https://www.europarl.europa.eu/RegData/etudes/BRIE/2022/698920/EPRS_BRI(2022)698920_EN.pdf
 (Accessed April 25th 2022).
- ICCT, 2020, Real-World usage of Plug-In Hybrid Electric Vehicles: Fuel consumption, Electric Driving, and CO₂ Emissions. International Council on Clean Transportation, https://theicct.org/publications/phev-real-world-usage-sept2020 (Accessed June 24th 2021).
- 8. Infras, D.L.R., IVT und infras360 (2018): Mobilität in Deutschland (im Auftrag des BMVI)
- La Revue du CGDD La mobilité des Français Panorama Issu de L'enquête Nationale Transports et Déplacements 2008, Commissariat Général au Développement Durable, https://www.statistiques.developpement-durable.gouv.fr/ sites/default/files/2018-11/La mobilite des Français ENTD 2008 revue cle7b7471.pdf (accessed April 25th 2022).
- Determining the Environmental Impacts of Conventional and Alternatively Fuelled Vehicles through Life Cycle Assessment - Final Stakeholder Meeting, Ricardo, January 2020.
- 11. Etude A.C.V. de Véhicules Roulant au GNV et bioGNV, IFP Energies Nouvelles, 2019, https://www.ifpenergiesnouvelles.fr/sites/ifpen.fr/files/inline-images/Innovation%20et%20 industrie/Analyse%20du%20cycle%20de%20vie%20(ACV)/Rapport ACV%20GNV version%20finale.pdf (Accessed 25th April 2022).
- 12. Shafiei, E., Dauphin, R., and Yugo, M., "Optimal Electrification Level of Passenger Cars in Europe in a Battery-Constrained Future," *Transportation Research Part D: Transport and Environment* 102 (2022): 103132, ISSN 1361-9209, doi:10.1016/j.trd.2021.103132.
- Clean Fuels for All, FuelsEurope, https://www.fuelseurope.eu/wp-content/uploads/2021_DEF_EN_CFFA_Narrative_digital.pdf (Accessed 25th April 2022).
- In-Depth Analysis in Support of the Commission Communication COM(2018) 773 - A Clean Planet for all - A European Long-Term Strategic Vision for a Prosperous, Modern, Competitive and Climate Neutral Economy.
- 15. Commission Regulation (EU) 2017/1154 of 7 June 2017 Amending Regulation (EU) 2017/1151 Supplementing Regulation (EC) No 715/2007 of the European Parliament and of the Council on Type-Approval of Motor Vehicles with Respect to Emissions from Light Passenger and Commercial

Vehicles (Euro 5 and Euro 6) and on Access to Vehicle Repair and Maintenance Information, Amending Directive 2007/46/EC of the European Parliament and of the Council, Commission Regulation (EC) No 692/2008 and Commission Regulation (EU) No 1230/2012 and repealing Regulation (EC) No 692/2008 and Directive 2007/46/EC of the European Parliament and of the Council as Regards Real-Driving Emissions from Light Passenger and Commercial Vehicles (Euro 6).

- 16. Commission Regulation (EU) 2018/1832 of 5 November 2018 Amending Directive 2007/46/EC of the European Parliament and of the Council, Commission Regulation (EC) No 692/2008 and Commission Regulation (EU) 2017/1151 for the Purpose of Improving the Emission Type Approval Tests and Procedures for Light Passenger and Commercial Vehicles, Including those for In-Service Conformity and Real-Driving Emissions and Introducing Devices for Monitoring the Consumption of Fuel and Electric Energy
- 17. Johnson, T. and Joshi, A., "Review of Vehicle Engine Efficiency and Emissions," *SAE International Journal of Engines* 11, no. 6 (2018): 1307-1330. https://www.jstor.org/stable/26649163.
- Zhu, D., Pritchard, E., Dadam, S.R., Kumar, V. et al.,
 "Optimization of Rule-Based Energy Management Strategies for Hybrid Vehicles using Dynamic Programming," *Combustion Engines* 184, no. 1 (2021): 3-10, doi:10.19206/CE-131967.
- 19. Dauphin, R., Gautrot, X., and Malbec, L.-M., "Evaluation of New Combustion Concepts through Split of Losses Approach: EGR Dilution, Lean Burn and Higher Aerodynamics," in SIA Conference: the SI engine of the Future, 2011.
- Williams, R., Dauphin, R., Andersson, J., Ziman, P. et al., "Fuel Effects on Regulated and Unregulated Emissions from Three Light-Duty Euro 5 and Euro 6 Diesel Passenger Cars," SAE Technical Paper 2020-01-2147 (2020), doi:10.4271/2020-01-2147.
- 21. Samaras, Z., Andersson, J., Bergmann, A., Hausberger, S. et al., "Measuring Automotive Exhaust Particles Down to 10 nm," *SAE Int. J. Adv. & Curr. Prac. in Mobility* 3, no. 1 (2021): 539-550. https://doi.org/10.4271/2020-01-2209.
- DownToTen Final Event, December 2019, http://www.downtoten.com/events/75 (Accessed April 28th 2022).

Contact Information

Roland Dauphin

fuels@concawe.eu

Acknowledgments

The authors would like to thank the Concawe members, the secretariat of Concawe and their colleagues at IFP Energies nouvelles for their continued support during this work. The authors would also like to thank Coryton Specialty Fuels and TotalEnergies Additives and Fuels Solutions for providing the renewable fuels.

Definitions/Abbreviations

AFTS - Aftertreatment System **BEV** - Battery Electric Vehicle

Bx - Diesel fuel containing max. x% v/v of FAME

CD - Charge Depleting

CH₄ - Methane

CI - Compression Ignition

CN - Cetane Number

CO - Carbon monoxide

CO₂(eq) - Carbon dioxide (equivalent)

CPC - Condensation Particle Counter

CR - Compression Ratio

CS - Charge Sustaining

CVS - Constant Volume Sampling

DOC - Diesel Oxidation Catalyst

DPF - Diesel Particulate Filter

Ex - Gasoline containing max. x% v/v of ethanol

EFM - Exhaust Flow Meter

EGR - Exhaust Gas Recirculation

FAME - Fatty Acid Methyl Ester

FBP - Final Boiling Point

FC - Fuel Consumption

GHG - Greenhouse Gas(es)

GPF - Gasoline Particulate Filter

GPS - Global Positioning System

GWP - Global Warming Potential

(T)HC - (Total) Hydrocarbons

HEV - Hybrid Electric Vehicle

HV - High Voltage

HVO - Hydrotreated Vegetable Oil

ICE - Internal Combustion Engine

IPCC - Intergovernmental Panel on Climate Change

LCA - Life-Cycle Assessment

LV - Low Voltage

NH₃ - Ammonia

N₂O - Nitrous Oxide

NOVC-HEV - Not Off-Vehicle Charging Hybrid Electric Vehicles, simply called HEVs

NO_x - Oxides of Nitrogen

OBD - On-board Diagnostics

OEM - Original Equipment Manufacturer

OVC-HEV - Off-Vehicle Charging Hybrid Electric Vehicles, simply called PHEVs

P2 - Hybrid configuration where the electric machine is integrated between the internal combustion engine and the transmission

PEMS - Portable Emissions Measurement System

PHEV - Plug-in Electric Vehicle

PM - Particulate Matter/Mass

PN - Particle Number

PNx - Particulate Number with a diameter greater than x nm

RDE - Real Driving Emissions