
SMS — UML Deployment Diagram (Proposed LAN Deployment)
<<device>> Principal Workstation
<<executionEnvironment>> Desktop OS
<<artifact>> SMS Desktop Client
Presentation + Business Logic + Data Access
<<device>> Administration Workstation
<<executionEnvironment>> Desktop OS
<<artifact>> SMS Desktop Client
Presentation + Business Logic + Data Access
<<device>> Teacher Workstation
<<executionEnvironment>> Desktop OS
<<artifact>> SMS Desktop Client
Presentation + Business Logic + Data Access
<<device>> Accountant Workstation
<<executionEnvironment>> Desktop OS
<<artifact>> SMS Desktop Client
Presentation + Business Logic + Data Access
<<device>> System Administrator Workstation
<<executionEnvironment>> Desktop OS
<<artifact>> SMS Desktop Client
Presentation + Business Logic + Data Access
<<communicationPath>>
School LAN / TCP-IP
Authenticated, encrypted DB connections
DB protocol / TLS (where supported)
Central School Server (1)
<<device>> Database Server
<<executionEnvironment>> Server OS (TBD)
<<executionEnvironment>> Relational DBMS (TBD)
<<artifact>> SMS Database
Students | Academic | Grades | Fees | RBAC | Audit
scheduled backup (controlled)
<<device>> Protected Backup Storage (Proposed)
Encrypted backups + tested restoration
Access restricted to authorized administrators