DOKUMENTACIJA

https://medenocarstvo.github.io

Smer: Internet Tehnologije

Predmet: Web Programiranje1

Aleksandra Jacimović 55/21

1.0 Uvod

1.1 Korišćeni programski jezici

Za izradu sajta korišćeni su sledeći programski jezici:

- HTML5
- SASS
- JavaScript
- jQuery
- Bootstrap

Za izradu koda ovog sajta korišćen je Visual Studio Code.

1.2 Funkcionalnosti sajta

Index.html

- Dinamičko kreiranje dve navigacije i stampanje njenih elemenata
- Na manjim rezolucijama se stvara dugme sa kojim možemo da prikažemo ili sklonimo navigaciju
- Dinamičko prikazivanje elemenata slider na početku stranice
- Random prikazivanje 2 slike u about sekciji koje se generišu svaki put kada se učita stranica
- Dinamičko prikazivanje odlika
- Dinamički prikaz destinacija i detalja o njima
- Klikom na pojedinačnu destinaciju se otvara slika u prozorčiću kako bi samo nju videli
- Dinamički prikaz usluga
- Dinamički prikaz ponuda koje se nude
- Izborom u select polju možemo da izaberemo hoćemo li da sortiramo ponudu od jeftinije ili skuplje
- Imamo counter koji odbrojava koliko nam je još ostalo vremena do kraja navedene poruke
- Counter se osvežava svake sekunde tako da pravi efekat odbrojvanja
- Dinamičko štampanje zaposlenih I njihovih informacija
- Dinamičko prikazivanje utisaka korisnika
- Prikazuje se po jedan utisak
- Na odredjeni vremenski interval on se osvežava I prikazuje se sledeći
- Imamo tačkice koje prate redosled utisaka I klikom na odredjenu tačkicu možemo da prebacimo na njega
- Dinamički prikaz postova u blog sekciji I njihvog sadražaja
- Klikom na odredjeni blog prikazuje nam se opis tog posta
- Dinamiči ispis informacija u footeru
- Postoji polje u footer gde možemo da se prijavimo za newsletter
- Polje je regulisano regularnim izrazom

 Ukoliko nije ispravno popunjeno izaćiće nam greška u suprotnom će nam reći da smo se uspešno prijavili za newletter

Contact.html

- Obrada forme i njenih grešaka
- Full name i email su regulisani regularnim izrazima
- Za svako pojedinačno pogrešno popunjeno polje izlazi greška
- Ukoliko se forma uspešno popuni izlazi nam poruka da smo poslali poruku

author.html

• Klikom na dugme read more otvara nam se dodatna sekcija teksta gde imamo detaljnije informacije o autoru


1.3 Template

Za izradu sajta korišćeno je gotovo rešenje: https://www.free-css.com/assets/files/free-css-templates/preview/page281/traveler/



2.0 Organizacija

2.1 Organizaciona šema




Sa svake stranice može da se pristupi ostalim.

2.2 Mapa sajta


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
 <url>
   <loc>https://medenocarstvo.github.io/index.html</loc>
   <lastmod>2022-12-12T22:35:20+00:00</lastmod>
   <changefreq>daily</changefreq>
   <priority>1.00</priority>
 </url>
 <url>
   <loc>https://medenocarstvo.github.io/contact.html</loc>
   <lastmod>2022-12-12T22:35:20+00:00</lastmod>
   <changefreq>weekly</changefreq>
   <priority>0.90</priority>
 </url>
 <url>
   <loc>https://medenocarstvo.github.io/author.html</loc>
   <lastmod>2022-12-12T22:35:20+00:00</lastmod>
   <changefreq>monthly</changefreq>
   <priority>0.60</priority>
 </url>
/urlset>
```

2.3 Organizacija sajta I funkcionalnosti na tim delovima

Index.html



- Dinamičko kreiranje dve navigacije i stampanje njenih elemenata
- Na manjim rezolucijama se stvara dugme sa kojim možemo da prikažemo ili sklonimo navigaciju





• Dinamičko prikazivanje elemenata slider na početku stranice







 Random prikazivanje 2 slike u about sekciji koje se generišu svaki put kada se učita stranica




• Dinamičko prikazivanje odlika




- Dinamički prikaz destinacija i detalja o njima
- Klikom na pojedinačnu destinaciju se otvara slika u prozorčiću kako bi samo nju videli




Dinamički prikaz usluga



Dinamički prikaz ponuda koje se nude



 Izborom u select polju možemo da izaberemo hoćemo li da sortiramo ponudu od jeftinije ili skuplje



Counter se osvežava svake sekunde tako da pravi efekat odbrojvanja

Our Travel Guides



Samantha Hamilton

Agent



Rick Grimes

Tour guide



Nicole Travis

Tour Guide



Jack Harlow

Dinamičko štampanje zaposlenih I njihovih informacija

What Say Our Clients




Such a great and amazing hotel, perfect for someone who is traveling by them selves like i was. The ambiance was great, everyone who worked here was very attentive and very helpful, always available to answer questions.

Juan Garcia


Profession




- Na odredjeni vremenski interval on se osvežava I prikazuje se sledeći
- Imamo tačkice koje prate redosled utisaka I klikom na odredjenu tačkicu možemo da prebacimo na njega




- Dinamički prikaz postova u blog sekciji I njihvog sadražaja
- Klikom na odredjeni blog prikazuje nam se opis tog posta




- Dinamiči ispis informacija u footeru
- Postoji polje u footer gde možemo da se prijavimo za newsletter
- Polje je regulisano regularnim izrazom
- Ukoliko nije ispravno popunjeno izaćiće nam greška u suprotnom će nam reći da smo se uspešno prijavili za newletter





- Obrada forme i njenih grešaka
- Full name i email su regulisani regularnim izrazima
- Za svako pojedinačno pogrešno popunjeno polje izlazi greška
- Ukoliko se forma uspešno popuni izlazi nam poruka da smo poslali poruku



Author.html



• Klikom na dugme read more otvara nam se dodatna sekcija teksta gde imamo detaljnije informacije o autoru



3.0 Kodovi

3.1 HTML Kodovi

Index.html

```
content="Whether you choose to stay in one of our Gourmet Inclusive®
properties, an à la carte hotel, an all-inclusive resort or a private villa, your
experience will be one that you'll never forget. "
    <meta name="copyright" content="TRAVELER 2022" />
    <!-- Favicon -->
    <!-- <link href="img/favicon.ico" rel="icon" /> -->
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.gstatic.com" />
    link
      href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700
&display=swap"
     rel="stylesheet"
    <!-- Font Awesome -->
    link
      href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.10.0/css/all.min.css"
      rel="stylesheet"
    k
      rel="stylesheet"
      href="https://cdnjs.cloudflare.com/ajax/libs/lightbox2/2.11.3/css/lightbox.
css"
      integrity="sha512-
Woz+DqWYJ51bpVk5Fv0yES/edIMXjj3Ynda+KWTIkGoynAMHrqTcDUQltbipuiaD5ymEo9520lyoV0o9j
CQOCA=="
      crossorigin="anonymous"
     referrerpolicy="no-referrer"
    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet" />
      href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
     rel="stylesheet"
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/style.css" rel="stylesheet" />
  </head>
  <body>
   <!-- Topbar Start -->
```

```
<div class="container-fluid bg-light pt-3 d-none d-lg-block">
      <div class="container">
        <div class="row">
          <div class="col-lg-6 text-center text-lg-left mb-2 mb-lg-0">
            <div class="d-inline-flex align-items-center" id="topBarInfo"></div>
          </div>
          <div class="col-lg-6 text-center text-lg-right">
              class="d-inline-flex align-items-center"
             id="topBarSocial"
            ></div>
          </div>
        </div>
      </div>
    </div>
    <!-- Navbar Start -->
    <div class="container-fluid position-relative nav-bar p-0">
        class="container-lg position-relative p-0 px-lg-3"
        style="z-index: 9"
          class="navbar navbar-expand-lg bg-light navbar-light shadow-lg py-3 py-
lg-0 pl-3 pl-lg-5"
        ></nav>
     </div>
    </div>
    <!-- Navbar End -->
    <!-- Carousel Start -->
    <div class="container-fluid p-0">
      <div id="header-carousel" class="carousel slide" data-ride="carousel">
        <div class="carousel-inner" id="coverWrap"></div>
          class="carousel-control-prev"
          href="#header-carousel"
          data-slide="prev"
          <div class="btn btn-dark" style="width: 45px; height: 45px">
            <span class="carousel-control-prev-icon mb-n2"></span>
          </div>
        </a>
```

```
class="carousel-control-next"
     href="#header-carousel"
     data-slide="next"
      <div class="btn btn-dark" style="width: 45px; height: 45px">
        <span class="carousel-control-next-icon mb-n2"></span>
      </div>
    </a>
 </div>
</div>
<!-- Carousel End -->
<!-- About Start -->
<div class="container-fluid py-5" id="aboutSection">
 <div class="container pt-5">
   <div class="row">
      <div class="col-lg-6" style="min-height: 500px">
        <div class="position-relative h-100">
          <img
            class="position-absolute w-100 h-100"
            src="img/about.jpg"
            style="object-fit: cover"
        </div>
      </div>
      <div class="col-lg-6 pt-5 pb-lg-5">
        <div class="about-text bg-white p-4 p-lg-5 my-lg-5">
          <h6
            class="text-primary text-uppercase"
            style="letter-spacing: 5px"
            About Us
          </h6>
          <h1 class="mb-3">EXPLORE OUR DIVERSE AND EXCITING PORTFOLIO</h1>
            Whether you choose to stay in one of our Gourmet Inclusive®
            properties, an à la carte hotel, an all-inclusive resort or a
            private villa, your experience will be one that you'll never
            forget. Because luxury is more than beautiful architecture and
            accommodations...it's anticipating the needs of our guests
            without ever being intrusive.
          <div class="row mb-4" id="aboutImg"></div>
          <a href="contact.html" class="btn btn-primary mt-1">Book Now</a>
        </div>
```

```
</div>
    </div>
  </div>
</div>
<!-- Feature Start -->
<div class="container-fluid pb-5">
  <div class="container pb-5">
    <div class="row" id="featuresWrap"></div>
  </div>
</div>
<!-- Feature End -->
<!-- Destination Start -->
<div class="container-fluid py-5" id="destinationSection">
  <div class="container pt-5 pb-3">
    <div class="text-center mb-3 pb-3">
      <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
        Destination
      </h6>
      <h1>Explore Top Destination</h1>
    <div class="row" id="destinationWrap"></div>
  </div>
</div>
<!-- Destination Start -->
<!-- Service Start -->
<div class="container-fluid py-5">
 <div class="container pt-5 pb-3">
    <div class="text-center mb-3 pb-3">
      <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
        Services
      </h6>
      <h1>Exclusive Services</h1>
    </div>
    <div class="row" id="serviceWrap"></div>
  </div>
</div>
<!-- Service End -->
<!-- Packages Start -->
<div class="container-fluid py-5" id="offersSection">
 <div class="container pt-5 pb-3">
```

```
<div class="text-center mb-3 pb-3">
     <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
       Packages
     </h6>
     <h1>Best Restauraunt Offers</h1>
   </div>
   <div class="row mb-3">
     <div class="col-sm-12">
       <form action="#" name="formSort">
         <select name="sort" id="selectSort">
           <option value="0">Sort price</option>
           <option value="1">Low to High</option>
           <option value="2">High to Low</option>
         </select>
       </form>
     </div>
   </div>
   <div class="row" id="packagesWrap"></div>
 </div>
</div>
<!-- Packages End -->
<!-- Registration Start -->
<div class="container-fluid bg-registration py-5" style="margin: 90px 0">
 <div class="container py-5">
   <div class="row align-items-center">
     <div class="col-lg-7 mb-5 mb-lg-0">
       <div class="mb-4">
           class="text-primary text-uppercase"
           style="letter-spacing: 5px"
           Mega Offer
         </h6>
         <h1 class="text-white">
           <span class="text-primary">UP TO 25% OFF</span> OUR BEST
           AVAILABLE RATES AND EXCLUSIVE PERKS
         </h1>
       </div>
       Book your next getaway with a payment plan through our new
         partnership with Icon and enjoy 0% APR.
       class="pv-2">
```

```
<i class="fa fa-check text-primary mr-3"></i>TRAVEL WITH PEACE
           OF MIND
         class="py-2">
           <i class="fa fa-check text-primary mr-3"></i>Honeymoon and
           Anniversary Celebrations
         class="py-2">
           <i class="fa fa-check text-primary mr-3"></i>PROPOSAL PACKAGES
     </div>
     <div class="col-lg-5">
       <div class="card border-0">
         <div class="card-header bg-primary text-center p-4">
           <h1 class="text-white m-0">Offer Ends In</h1>
         </div>
         <div class="card-body rounded-bottom bg-white p-5">
           <h1 class="text-center" id="offerEnds"></h1>
           Hurry up before it ends!
         </div>
       </div>
     </div>
   </div>
 </div>
</div>
<!-- Registration End -->
<!-- Team Start -->
<div class="container-fluid py-5">
 <div class="container pt-5 pb-3">
   <div class="text-center mb-3 pb-3">
     <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
       Guides
     </h6>
     <h1>Our Travel Guides</h1>
   </div>
   <div class="row" id="teamWrap"></div>
 </div>
</div>
<!-- Team End -->
<!-- Testimonial Start -->
<div class="container-fluid py-5">
 <div class="container pv-5">
```

```
<div class="text-center mb-3 pb-3">
     <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
       Testimonial
     </h6>
     <h1>What Say Our Clients</h1>
   </div>
   <div class="row" id="clientsWrap"></div>
   </div>
</div>
<!-- Testimonial End -->
<!-- Blog Start -->
<div class="container-fluid py-5">
 <div class="container pt-5 pb-3">
   <div class="text-center mb-3 pb-3">
     <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
       Our Blog
     </h6>
     <h1>Latest From Our Blog</h1>
   <div class="row pb-3" id="blogWrap"></div>
 </div>
</div>
<!-- Blog End -->
<!-- Footer Start -->
 class="container-fluid bg-dark text-white-50 py-5 px-sm-3 px-lg-5"
 style="margin-top: 90px"
 <div class="row pt-5">
   <div class="col-lg-4 col-md-6 mb-5">
     <a href="" class="navbar-brand">
       <h1 class="text-primary">
         <span class="text-white">TRAVEL</span>ER
       </h1>
     </a>
       Sed ipsum clita tempor ipsum ipsum amet sit ipsum lorem amet labore
       rebum lorem ipsum dolor. No sed vero lorem dolor dolor
     class="text-white text-uppercase mt-4 mb-3"
```

```
style="letter-spacing: 5px"
    Follow Us
  </h6>
  <div class="d-flex justify-content-start" id="footerSocial"></div>
</div>
<div class="col-lg-4 col-md-6 mb-5">
    class="text-white text-uppercase mb-4"
    style="letter-spacing: 5px"
    Usefull Links
 </h5>
    class="d-flex flex-column justify-content-start"
   id="footerLinks"
 ></div>
</div>
<div class="col-lg-4 col-md-6 mb-5">
    class="text-white text-uppercase mb-4"
    style="letter-spacing: 5px"
    Contact Us
  <div id="footerContactInfo"></div>
    class="text-white text-uppercase mt-4 mb-3"
    style="letter-spacing: 5px"
    Newsletter
  </h6>
  <div class="w-100">
    <form action="#" name="footerLetter">
      <div class="input-group">
        <input</pre>
          type="email"
          class="form-control border-light"
          name="mail"
          style="padding: 25px"
          placeholder="Your Email"
        <div class="input-group-append">
          <button
           type="button"
```

```
id="letterSubmit"
                    class="btn btn-primary px-3"
                   Sign Up
                  </button>
                </div>
              </div>
              </form>
         </div>
       </div>
      </div>
    </div>
    <!-- Footer End -->
    <a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"</pre>
      ><i class="fa fa-angle-double-up"></i</pre>
    ></a>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.j
s"></script>
    <script src="./lib/easing/easing.min.js"></script>
    <script src="./lib/owlcarousel/owl.carousel.min.js"></script>
    <script
      src="https://cdnjs.cloudflare.com/ajax/libs/lightbox2/2.11.3/js/lightbox.mi
n.js"
      integrity="sha512-
k2GFCTbp9rQU412BStrcD/rlwv1PYec9SNrkbQlo6RZCf7516KcC3UwDY8H5n5h14v77IDtIPwOk9Dqjs
/mMBQ=="
      crossorigin="anonymous"
      referrerpolicy="no-referrer"
   ></script>
    <!-- Template Javascript -->
    <script src="js/main.js"></script>
 </body>
</html>
```

Contact.html

```
<html lang="en">
    <meta charset="utf-8" />
   <title>TRAVELER - Free Travel Website Template</title>
    <meta
      name="keywords"
      content="Travel, Agency, South America, Best price, Hotels"
   <meta
      name="description"
      content="Whether you choose to stay in one of our Gourmet Inclusive®
properties, an à la carte hotel, an all-inclusive resort or a private villa, your
experience will be one that you'll never forget. "
    <meta name="copyright" content="TRAVELER 2022" />
    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon" />
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.gstatic.com" />
    k
      href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700
&display=swap"
     rel="stylesheet"
    <!-- Font Awesome -->
      href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.10.0/css/all.min.css"
     rel="stylesheet"
    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet" />
   link
      href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
     rel="stylesheet"
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/style.css" rel="stylesheet" />
  </head>
```

```
<body>
    <!-- Topbar Start -->
   <div class="container-fluid bg-light pt-3 d-none d-lg-block">
     <div class="container">
       <div class="row">
         <div class="col-lg-6 text-center text-lg-left mb-2 mb-lg-0">
           <div class="d-inline-flex align-items-center" id="topBarInfo"></div>
         </div>
         <div class="col-lg-6 text-center text-lg-right">
             class="d-inline-flex align-items-center"
             id="topBarSocial"
           ></div>
         </div>
       </div>
     </div>
   </div>
   <!-- Navbar Start -->
   <div class="container-fluid position-relative nav-bar p-0">
     <div
       class="container-lg position-relative p-0 px-lg-3"
       style="z-index: 9"
         class="navbar navbar-expand-lg bg-light navbar-light shadow-lg py-3 py-
lg-0 pl-3 pl-lg-5"
       ></nav>
     </div>
   </div>
   <!-- Navbar End -->
   <!-- Header Start -->
   <div class="container-fluid page-header">
     <div class="container">
       <div
         class="d-flex flex-column align-items-center justify-content-center"
         style="min-height: 400px"
         <h3 class="display-4 text-white text-uppercase">Contact</h3>
         <div class="d-inline-flex text-white">
           <a class="text-white" href="">Home</a>
```

```
<i class="fa fa-angle-double-right pt-1 px-3"></i></i></i>
       Contact
     </div>
   </div>
 </div>
</div>
<!-- Contact Start -->
<div class="container-fluid py-5">
 <div class="container py-5">
   <div class="text-center mb-3 pb-3">
     <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
       Contact
     </h6>
     <h1>Contact For Any Query</h1>
   <div class="row justify-content-center">
     <div class="col-lg-8">
       <div class="contact-form bg-white" style="padding: 30px">
        <form action="#" name="sentMessage" id="contactForm">
          <div class="form-row">
            <div class="control-group col-sm-6">
              <input</pre>
               type="text"
               class="form-control p-4"
               id="name"
               name="name"
               placeholder="Full Name"
              <div class="control-group col-sm-6">
              <input</pre>
               type="email"
               class="form-control p-4"
               id="email"
               name="email"
               placeholder="Your Email"
              </div>
          </div>
          <div class="control-group">
```

```
<select name="subject" id="subject" class="form-control p-4">
   <option value="0">Choose topic of message</option>
   <option value="1">Travel Info</option>
   <option value="2">Request Refund</option>
   <option value="2">Book a trip</option>
 </select>
 </div>
<div class="control-group">
 <label for="role">Choose client role</label>
 <input type="radio" name="role" id="student" /> Student
 <input type="radio" name="role" class="ml-3" id="Regular" />
 Working<input
   type="radio"
   name="role"
   class="ml-3"
   id="Regular"
 Not working
 </div>
<div class="control-group mt-3">
 <textarea
   class="form-control py-3 px-4"
   rows="5"
   id="message"
   placeholder="Message"
 ></textarea>
 </div>
<div class="control-group">
 <input</pre>
   type="checkbox"
   name="terms"
   class="mr-2"
   id="student"
 I am over 18 years old.
 </div>
<div class="text-center mt-3">
 <but
   class="btn btn-primary py-3 px-4"
   type="button"
```

```
id="sendMessageButton"
                Send Message
              </button>
            </div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
<!-- Contact End -->
<!-- Footer Start -->
  class="container-fluid bg-dark text-white-50 py-5 px-sm-3 px-lg-5"
  style="margin-top: 90px"
  <div class="row pt-5">
    <div class="col-lg-4 col-md-6 mb-5">
      <a href="" class="navbar-brand">
        <h1 class="text-primary">
          <span class="text-white">TRAVEL</span>ER
        </h1>
      </a>
        Sed ipsum clita tempor ipsum ipsum amet sit ipsum lorem amet labore
        rebum lorem ipsum dolor. No sed vero lorem dolor dolor
      class="text-white text-uppercase mt-4 mb-3"
        style="letter-spacing: 5px"
        Follow Us
      <div class="d-flex justify-content-start" id="footerSocial"></div>
    </div>
    <div class="col-lg-4 col-md-6 mb-5">
        class="text-white text-uppercase mb-4"
        style="letter-spacing: 5px"
        Usefull Links
      </h5>
```

```
class="d-flex flex-column justify-content-start"
       id="footerLinks"
     ></div>
    </div>
    <div class="col-lg-4 col-md-6 mb-5">
       class="text-white text-uppercase mb-4"
       style="letter-spacing: 5px"
       Contact Us
     </h5>
      <div id="footerContactInfo"></div>
       class="text-white text-uppercase mt-4 mb-3"
        style="letter-spacing: 5px"
       Newsletter
     </h6>
     <div class="w-100">
        <form action="#" name="footerLetter">
         <div class="input-group">
           <input</pre>
             type="email"
             class="form-control border-light"
             name="mail"
             style="padding: 25px"
             placeholder="Your Email"
           <div class="input-group-append">
             <button
               type="button"
               id="letterSubmit"
               class="btn btn-primary px-3"
               Sign Up
             </button>
           </div>
          </div>
         </form>
     </div>
   </div>
 </div>
</div>
<!-- Footer End -->
```

```
<!-- Back to Top -->
    <a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"</pre>
      ><i class="fa fa-angle-double-up"></i</pre>
    ></a>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.j
s"></script>
    <script src="lib/easing/easing.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="lib/tempusdominus/js/moment.min.js"></script>
    <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
    <script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
    <!-- Contact Javascript File -->
    <script src="mail/jqBootstrapValidation.min.js"></script>
    <script src="mail/contact.js"></script>
    <!-- Template Javascript -->
    <script src="js/main.js"></script>
  </body>
</html>
```

Contact.html

```
<!-- Favicon -->
    <link href="img/favicon.ico" rel="icon" />
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.gstatic.com" />
    k
      href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700
&display=swap"
     rel="stylesheet"
    <!-- Font Awesome -->
      href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.10.0/css/all.min.css"
     rel="stylesheet"
    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet" />
   link
      href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
      rel="stylesheet"
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/style.css" rel="stylesheet" />
  </head>
  <body>
    <!-- Topbar Start -->
    <div class="container-fluid bg-light pt-3 d-none d-lg-block">
      <div class="container">
        <div class="row">
          <div class="col-lg-6 text-center text-lg-left mb-2 mb-lg-0">
            <div class="d-inline-flex align-items-center" id="topBarInfo"></div>
          </div>
          <div class="col-lg-6 text-center text-lg-right">
              class="d-inline-flex align-items-center"
             id="topBarSocial"
            ></div>
          </div>
        </div>
      </div>
```

```
</div>
   <!-- Navbar Start -->
   <div class="container-fluid position-relative nav-bar p-0">
       class="container-lg position-relative p-0 px-lg-3"
       style="z-index: 9"
         class="navbar navbar-expand-lg bg-light navbar-light shadow-lg py-3 py-
lg-0 pl-3 pl-lg-5"
       ></nav>
     </div>
   </div>
   <!-- Header Start -->
   <div class="container-fluid page-header">
     <div class="container">
       <div
         class="d-flex flex-column align-items-center justify-content-center"
         style="min-height: 400px"
         <h3 class="display-4 text-white text-uppercase">Contact</h3>
         <div class="d-inline-flex text-white">
           <a class="text-white" href="">Home</a>
           <i class="fa fa-angle-double-right pt-1 px-3"></i></i></i>
           Contact
         </div>
       </div>
     </div>
   </div>
   <div class="container-fluid py-5">
     <div class="container py-5">
       <div class="text-center mb-3 pb-3">
         <h6 class="text-primary text-uppercase" style="letter-spacing: 5px">
           Contact
         </h6>
         <h1>Contact For Any Query</h1>
```

```
</div>
<div class="row justify-content-center">
 <div class="col-lg-8">
   <div class="contact-form bg-white" style="padding: 30px">
     <form action="#" name="sentMessage" id="contactForm">
       <div class="form-row">
         <div class="control-group col-sm-6">
          <input</pre>
            type="text"
            class="form-control p-4"
            id="name"
            name="name"
            placeholder="Full Name"
          <div class="control-group col-sm-6">
          <input</pre>
            type="email"
            class="form-control p-4"
            id="email"
            name="email"
            placeholder="Your Email"
          </div>
       </div>
       <div class="control-group">
         <select name="subject" id="subject" class="form-control p-4">
          <option value="0">Choose topic of message</option>
          <option value="1">Travel Info</option>
          <option value="2">Request Refund</option>
          <option value="2">Book a trip</option>
         </select>
         </div>
       <div class="control-group">
         <label for="role">Choose client role</label>
         <input type="radio" name="role" id="student" /> Student
         <input type="radio" name="role" class="ml-3" id="Regular" />
        Working<input
          type="radio"
          name="role"
```

```
class="ml-3"
              id="Regular"
            Not working
            </div>
          <div class="control-group mt-3">
            <textarea
              class="form-control py-3 px-4"
             rows="5"
             id="message"
              placeholder="Message"
            ></textarea>
            </div>
          <div class="control-group">
            <input</pre>
              type="checkbox"
             name="terms"
             class="mr-2"
             id="student"
            I am over 18 years old.
            </div>
          <div class="text-center mt-3">
            <button
              class="btn btn-primary py-3 px-4"
              type="button"
             id="sendMessageButton"
              Send Message
            </button>
          </div>
        </form>
       </div>
     </div>
   </div>
 </div>
</div>
<!-- Contact End -->
<!-- Footer Start -->
 class="container-fluid bg-dark text-white-50 py-5 px-sm-3 px-lg-5"
```

```
style="margin-top: 90px"
<div class="row pt-5">
 <div class="col-lg-4 col-md-6 mb-5">
    <a href="" class="navbar-brand">
      <h1 class="text-primary">
        <span class="text-white">TRAVEL</span>ER
      </h1>
    </a>
      Sed ipsum clita tempor ipsum ipsum amet sit ipsum lorem amet labore
      rebum lorem ipsum dolor. No sed vero lorem dolor dolor
    class="text-white text-uppercase mt-4 mb-3"
      style="letter-spacing: 5px"
      Follow Us
    </h6>
    <div class="d-flex justify-content-start" id="footerSocial"></div>
  </div>
  <div class="col-lg-4 col-md-6 mb-5">
      class="text-white text-uppercase mb-4"
      style="letter-spacing: 5px"
      Usefull Links
   </h5>
      class="d-flex flex-column justify-content-start"
      id="footerLinks"
    ></div>
  </div>
  <div class="col-lg-4 col-md-6 mb-5">
      class="text-white text-uppercase mb-4"
      style="letter-spacing: 5px"
      Contact Us
    <div id="footerContactInfo"></div>
      class="text-white text-uppercase mt-4 mb-3"
      style="letter-spacing: 5px"
```

```
Newsletter
          </h6>
          <div class="w-100">
            <form action="#" name="footerLetter">
              <div class="input-group">
                <input</pre>
                  type="email"
                  class="form-control border-light"
                  name="mail"
                  style="padding: 25px"
                  placeholder="Your Email"
                <div class="input-group-append">
                  <button
                    type="button"
                    id="letterSubmit"
                    class="btn btn-primary px-3"
                    Sign Up
                  </button>
                </div>
              </div>
              </form>
          </div>
        </div>
      </div>
    </div>
    <!-- Footer End -->
    <a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"</pre>
      ><i class="fa fa-angle-double-up"></i</pre>
    ></a>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.j
s"></script>
    <script src="lib/easing/easing.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="lib/tempusdominus/js/moment.min.js"></script>
    <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
    <script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
```

Author.html

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="utf-8" />
   <title>TRAVELER - Free Travel Website Template</title>
   <meta
      name="keywords"
      content="Travel, Agency, South America, Best price, Hotels"
   <meta
      name="description"
      content="Whether you choose to stay in one of our Gourmet Inclusive®
properties, an à la carte hotel, an all-inclusive resort or a private villa, your
experience will be one that you'll never forget. "
   <meta name="copyright" content="TRAVELER 2022" />
    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon" />
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.gstatic.com" />
    k
      href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700
&display=swap"
     rel="stylesheet"
    <!-- Font Awesome -->
    link
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.10.0/css/all.min.css"
      rel="stylesheet"
    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet" />
    link
      href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
      rel="stylesheet"
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/style.css" rel="stylesheet" />
  </head>
  <body>
    <!-- Topbar Start -->
    <div class="container-fluid bg-light pt-3 d-none d-lg-block">
      <div class="container">
        <div class="row">
          <div class="col-lg-6 text-center text-lg-left mb-2 mb-lg-0">
            <div class="d-inline-flex align-items-center" id="topBarInfo"></div>
          </div>
          <div class="col-lg-6 text-center text-lg-right">
              class="d-inline-flex align-items-center"
              id="topBarSocial"
            ></div>
          </div>
        </div>
      </div>
    </div>
    <!-- Navbar Start -->
    <div class="container-fluid position-relative nav-bar p-0">
        class="container-lg position-relative p-0 px-lg-3"
        style="z-index: 9"
          class="navbar navbar-expand-lg bg-light navbar-light shadow-lg py-3 py-
lg-0 pl-3 pl-lg-5"
       ></nav>
```

```
</div>
</div>
<!-- Navbar End -->
<!-- Header Start -->
<div class="container-fluid page-header">
 <div class="container">
   <div
     class="d-flex flex-column align-items-center justify-content-center"
     style="min-height: 400px"
     <h3 class="display-4 text-white text-uppercase">Author</h3>
     <div class="d-inline-flex text-white">
       <a class="text-white" href="">Home</a>
       <i class="fa fa-angle-double-right pt-1 px-3"></i></i></i>
       Author
     </div>
   </div>
 </div>
</div>
<!-- Author start -->
<div class="container">
 <div class="row">
   <div class="col-sm-6 pt-5">
       src="img/author.jpg"
       alt="author"
       class="img-fluid rounded-circle"
   </div>
   <div class="col-sm-6 d-flex align-items-center justify-content-center">
       <h1 class="">Author</h1>
       <h2 class="">Aleksandra Jacimović</h2>
       <h1 class="">Index Number</h1>
       <h2 class="">55/21</h2>
       <a href="#" class="btn btn-primary" id="readMore"> Read more </a>
     </div>
   </div>
 </div>
 <div class="row mt-5" id="authorMore">
```

```
My name is Aleksandra, I'm from Belgrade and I'm 24 years old. I am a
     2nd year student of the ICT College. I am currently employed as a
     Private Travel Conciage at DWT Company, based in Miami, Florida.
    My biggest passion since I was little is traveling, that's why I use
     every free moment to travel somewhere and get to know other cultures.
     I have currently visited more than 30 countries around the world.
    My goal is that after finishing university to find a job that gives me
     the flexibility to take my office with me. Like that I will work from
     wherever I want in the world.
   </div>
</div>
<!-- Footer Start -->
 class="container-fluid bg-dark text-white-50 py-5 px-sm-3 px-lg-5"
 style="margin-top: 90px"
 <div class="row pt-5">
   <div class="col-lg-4 col-md-6 mb-5">
     <a href="" class="navbar-brand">
       <h1 class="text-primary">
         <span class="text-white">TRAVEL</span>ER
       </h1>
      </a>
       Sed ipsum clita tempor ipsum ipsum amet sit ipsum lorem amet labore
       rebum lorem ipsum dolor. No sed vero lorem dolor dolor
     <h6
       class="text-white text-uppercase mt-4 mb-3"
       style="letter-spacing: 5px"
       Follow Us
      <div class="d-flex justify-content-start" id="footerSocial"></div>
    </div>
    <div class="col-lg-4 col-md-6 mb-5">
       class="text-white text-uppercase mb-4"
```

```
style="letter-spacing: 5px"
   Usefull Links
 </h5>
   class="d-flex flex-column justify-content-start"
   id="footerLinks"
 ></div>
</div>
<div class="col-lg-4 col-md-6 mb-5">
   class="text-white text-uppercase mb-4"
   style="letter-spacing: 5px"
   Contact Us
 </h5>
 <div id="footerContactInfo"></div>
  <h6
   class="text-white text-uppercase mt-4 mb-3"
    style="letter-spacing: 5px"
   Newsletter
 </h6>
 <div class="w-100">
    <form action="#" name="footerLetter">
     <div class="input-group">
       <input</pre>
          type="email"
         class="form-control border-light"
         name="mail"
         style="padding: 25px"
         placeholder="Your Email"
       <div class="input-group-append">
         <button
           type="button"
           id="letterSubmit"
           class="btn btn-primary px-3"
           Sign Up
         </button>
       </div>
     </div>
     </form>
```

```
</div>
        </div>
      </div>
    </div>
    <!-- Footer End -->
    <a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"</pre>
      ><i class="fa fa-angle-double-up"></i</pre>
    ></a>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.j
s"></script>
    <script src="lib/easing/easing.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="lib/tempusdominus/js/moment.min.js"></script>
    <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
    <script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
    <!-- Contact Javascript File -->
    <script src="mail/jqBootstrapValidation.min.js"></script>
    <script src="mail/contact.js"></script>
   <!-- Template Javascript -->
    <script src="/js/main.js"></script>
  </body>
</html>
```

3.2 SASS

Korićena je bootstrap biblioteka ovo je jedini deo css tj. SASS-a koji je custom.

```
/****** Bootstrap Theming ******/

$primary: #7AB730;
$secondary: lighten($primary, 50%);
$light: #FFFFFF;
$dark: #212121;

$font-family-sans-serif: 'Poppins', sans-serif;
$body-bg: #F3F3F3;
```

```
$body-color: #656565;
$headings-color: $dark;
$enable-responsive-font-sizes: true;
$enable-rounded: false;
@import "bootstrap/scss/bootstrap";
/********* Custom CSS **********/
h1,
h2,
.font-weight-bold {
    font-weight: 700 !important;
h3,
h4,
.font-weight-semi-bold {
    font-weight: 600 !important;
h5,
h6,
.font-weight-medium {
    font-weight: 500 !important;
.btn-square {
    width: 36px;
    height: 36px;
.btn-sm-square {
    width: 28px;
    height: 28px;
.btn-lg-square {
    width: 46px;
    height: 46px;
```

```
.btn-square,
.btn-sm-square,
.btn-lg-square {
   padding-left: 0;
   padding-right: 0;
    text-align: center;
.back-to-top {
   position: fixed;
   display: none;
   right: 45px;
    bottom: 45px;
    z-index: 11;
.nav-bar::before {
   position: absolute;
   content: "";
   width: 100%;
   height: 50%;
   top: 0;
    left: 0;
    background: $light;
.navbar-light .navbar-nav .nav-link {
   padding: 30px 15px;
    color: $dark;
    font-weight: 500;
    outline: none;
.navbar-light .navbar-nav .nav-link:hover,
.navbar-light .navbar-nav .nav-link.active {
    color: $primary;
@media (max-width: 991.98px) {
    .navbar-light .navbar-nav .nav-link {
        padding: 10px 15px;
```

```
@media (min-width: 992px) {
    #header-carousel,
    .page-header {
        margin-top: -42px;
    }
.carousel-caption {
   top: 0;
    left: 0;
    right: 0;
   bottom: 0;
    background: rgba(0, 0, 0, .5);
    z-index: 1;
@media (max-width: 576px) {
    .carousel-caption h4 {
        font-size: 18px;
    .carousel-caption h1 {
        font-size: 30px;
@media (min-width: 768px) {
    .booking {
        position: relative;
        margin-top: -60px !important;
        z-index: 1;
@media (min-width: 992px) {
    .about-text {
        margin-left: -120px;
.page-header {
    background: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0, 0.5)),
url(../img/carousel-2.jpg), no-repeat center center;
   background-size: cover;
```

```
.destination-item img {
   transition: .5s;
.destination-item:hover img {
   transform: scale(1.3)
.destination-overlay {
   position: absolute;
   top: 30px;
   right: 30px;
   bottom: 30px;
   left: 30px;
   display: flex;
   flex-direction: column;
   align-items: center;
   justify-content: center;
   background: rgba(0, 0, 0, 0.3);
   border: 1px solid rgba(256, 256, 256, 0.5);
   transition: .5s;
   z-index: 1;
.destination-item:hover .destination-overlay {
   top: 0px;
   right: 0px;
   bottom: 0px;
   left: 0px;
   border-width: 30px;
.service-item {
   transition: .5s;
.service-item:hover {
   box-shadow: 0 0 30px #CCCCCC;
.service-item i {
   width:75px;
   height: 75px;
```

```
display: flex;
    align-items: center;
    justify-content: center;
    border: 2px solid $primary;
    background: $light;
    color: $primary;
    transition: .5s;
.service-item:hover i {
    background: $primary;
    color: $light;
.package-item {
   transition: .5s;
.package-item:hover {
   box-shadow: 0 0 30px #CCCCCC;
.bg-registration {
    background: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0, 0.5)),
url(../img/carousel-1.jpg), no-repeat center center;
    background-size: cover;
.team-item {
   transition: .5s;
.team-social {
   position: absolute;
   width: 100%;
   height: 100%;
   top: 0;
    left: 0;
   display: flex;
    align-items: center;
   justify-content: center;
   transition: .5s;
.team-social a.btn {
```

```
position: relative;
   margin: 0 3px;
   margin-top: 100px;
   opacity: 0;
.team-item:hover {
   box-shadow: 0 0 30px #CCCCCC;
.team-item:hover .team-social {
   background: rgba(0, 0, 0, .5);
.team-item:hover .team-social a.btn:first-child {
   opacity: 1;
   margin-top: 0;
   transition: .3s 0s;
.team-item:hover .team-social a.btn:nth-child(2) {
   opacity: 1;
   margin-top: 0;
   transition: .3s .05s;
.team-item:hover .team-social a.btn:nth-child(3) {
   opacity: 1;
   margin-top: 0;
   transition: .3s .1s;
.team-item:hover .team-social a.btn:nth-child(4) {
   opacity: 1;
   margin-top: 0;
   transition: .3s .15s;
.team-item .team-img img {
   transition: .5s;
.team-item:hover .team-img img {
   transform: scale(1.2);
```

```
.testimonial-carousel .owl-dots {
   margin-top: 5px;
   text-align: center;
.testimonial-carousel .owl-dot {
   position: relative;
   display: inline-block;
   margin: 0 5px;
   width: 20px;
   height: 20px;
   background: #DDDDDD;
   transition: .5s;
.testimonial-carousel .owl-dot.active {
   width: 40px;
   background: $primary;
.testimonial-carousel .owl-item.center .testimonial-text {
   box-shadow: 0 0 30px #CCCCCC;
.blog-item {
   transition: .5s;
.blog-item:hover {
   box-shadow: 0 0 30px #CCCCCC;
.blog-date {
   position: absolute;
   width: 60px;
   height: 45px;
   top: 30px;
   left: -15px;
   display: flex;
   align-items: center;
   justify-content: center;
   flex-direction: column;
   background: $primary;
```

```
.blog-date::after {
    position: absolute;
    content: "";
    width: 0;
    height: 0;
    top: -15px;
    left: 0;
    border: 8px solid;
    border-color: transparent darken($primary, 10%) darken($primary, 10%)
transparent;
    z-index: -1;
}
.contact-form .help-block ul {
    margin: 0;
    padding: 0;
    list-style-type: none;
}
```

3.2 JS

```
console.log("Pozdrav!!");
let putanja = window.location.pathname;
if (putanja == "/" || putanja == "/index.html") {
   index();
}
if (putanja == "/contact.html") {
   contact();
}
if (putanja == "/author.html") {
   author();
}

function topBar() {
   let topBarInfo = [
      ["fa fa-envelope", "contact@traveler.com"],
      ["fa fa-phone-alt", "+012 321 5487"],
];

let topBarSocial = [
      ["https://www.facebook.com", "fab fa-facebook-f"],
```

```
["sitemap.xml", "fa fa-regular fa-sitemap"],
    ["dokumentacija.pdf", "fa fa-regular fa-file"],
    ["https://www.facebook.com", "fab fa-instagram"],
   ["https://www.facebook.com", "fab fa-youtube"],
  ];
  let topBarInfoText = ``;
  for (let i in topBarInfo) {
   topBarInfoText += `<i class="${topBarInfo[i][0]} mr-</pre>
2"></i>${topBarInfo[i][1]}`;
    if (i % 2 == 0) {
      topBarInfoText += `|`;
  let topBarInfoWrap = document.querySelector("#topBarInfo");
  topBarInfoWrap.innerHTML = topBarInfoText;
 let topBarSocialText = ``;
 for (let i in topBarSocial) {
    topBarSocialText += `<a class="text-primary px-3"</pre>
href="${topBarSocial[i][0]}">
                          <i class="${topBarSocial[i][1]}"></i></i>
                        </a>`;
  let topBarSocialWrap = document.querySelector("#topBarSocial");
  topBarSocialWrap.innerHTML = topBarSocialText;
function navBar() {
  let navBarBrand = document.createElement("a");
  navBarBrand.setAttribute("a", "index.html");
  navBarBrand.setAttribute("class", "navbar-brand");
 let brandText = document.createElement("h1");
 brandText.setAttribute("class", "m-0 text-primary");
  let brandSpan = document.createElement("span");
  brandSpan.setAttribute("class", "text-dark");
  let spanText = document.createTextNode("TRAVEL");
 brandSpan.appendChild(spanText);
 let brandNText = document.createTextNode("ER");
 brandText.appendChild(brandSpan);
```

```
brandText.appendChild(brandNText);
navBarBrand.appendChild(brandText);
let buttonNav = document.createElement("button");
buttonNav.setAttribute("type", "button");
buttonNav.setAttribute("class", "navbar-toggler");
let buttonSpan = document.createElement("span");
buttonSpan.setAttribute("class", "navbar-toggler-icon");
buttonNav.appendChild(buttonSpan);
let navbarItemsWrap = document.createElement("div");
navbarItemsWrap.setAttribute(
  "class",
  "collapse navbar-collapse justify-content-between px-3"
navbarItemsWrap.setAttribute("id", "navbarCollapse");
let navItemsInfo = [
  ["Home", "index.html"],
  ["About", "index.html#aboutSection"],
  ["Services", "index.html#destinationSection"],
  ["Offers", "index.html#offersSection"],
 ["Contact", "contact.html"],
  ["Author", "author.html"],
1;
let navbarNav = document.createElement("div");
navbarNav.setAttribute("class", "navbar-nav ml-auto py-0");
for (let i in navItemsInfo) {
  let navLink = document.createElement("a");
  navLink.setAttribute("href", navItemsInfo[i][1]);
  navLink.setAttribute("class", "nav-item nav-link");
  if (putanja.includes(navItemsInfo[i][1])) {
    navLink.classList.add("active");
  let linkText = document.createTextNode(navItemsInfo[i][0]);
  navLink.appendChild(linkText);
  navbarNav.appendChild(navLink);
navbarItemsWrap.appendChild(navbarNav);
let nav = document.querySelector("nav");
nav.appendChild(navBarBrand);
```

```
nav.appendChild(buttonNav);
  nav.appendChild(navbarItemsWrap);
 $(document).ready(() => {
   $(".navbar-toggler").click(() => {
      $("#navbarCollapse").slideToggle();
    });
 });
function features() {
 let featuresInfo = [
      "fa fa-2x fa-money-check-alt",
      "BREAK THE SEAL TO YOUR PARADISE",
     `All guest rooms and suites are deep cleaned and then sealed exclusively
for you. `,
    ],
      "fa fa-2x fa-award",
      "UNCOMPROMISED FOOD AND BEVERAGE",
     `Gourmet Inclusive means the finest ingredients made-to-order with peace of
mind quality.`,
   ],
      "fa fa-2x fa-globe",
      "ENVIRONMENTALLY RESPONSIBLE",
      `Our company strongly supports community service and assists employees in
their hardships.`,
   ],
 1;
 let featuresHTML = ``;
  for (let i in featuresInfo) {
   featuresHTML += `<div class="col-md-4">
                      <div class="d-flex mb-4 mb-lg-0">
                          class="d-flex flex-shrink-0 align-items-center justify-
content-center bg-primary mr-3"
                          style="height: 100px; width: 100px"
                          <i class="${featuresInfo[i][0]} text-white"></i>
                        </div>
                        <div class="d-flex flex-column">
```

```
<h5 class="">${featuresInfo[i][1]}</h5>
                           ${featuresInfo[i][2]}
                           </div>
                       </div>
                     </div>`;
  featuresWrap.innerHTML = featuresHTML;
function destinations() {
 let destinationsInfo = [
   ["destination-1.jpg", "Hawaii", "4"],
["destination-2.jpg", "Jamaica", "5"],
   ["destination-3.jpg", "Dominican Republic", "5"],
   ["destination-4.jpg", "Bali", "4"],
   ["destination-5.jpg", " Mexico", "6"],
   ["destination-6.jpg", "Martinique", "3"],
 ];
 let destinationHTML = ``;
  for (let i in destinationsInfo) {
    destinationHTML += `<div class="col-lg-4 col-md-6 mb-4">
                         <a href="img/${destinationsInfo[i][0]}" data-</pre>
lightbox="destinations">
                           <div
                             class="destination-item position-relative overflow-
hidden mb-2"
                             <img class="img-fluid"</pre>
src="img/${destinationsInfo[i][0]}" alt="destination image" />
                               class="destination-overlay text-white text-
decoration-none"
                               <h5 class="text-
white">${destinationsInfo[i][1]}</h5>
                               <span>${destinationsInfo[i][2]} resorts</span>
                             </div>
                           </div>
                        </a>
```

```
</div>`;
  destinationWrap.innerHTML = destinationHTML;
function services() {
 let servicesInfo = [
      "fa fa-2x fa-route",
      "Activities",
      `And an array of available excursions designed to immerse you in local
history and culture. `,
    ],
      "fa fa-2x fa-solid fa-spa",
      `Feel the soothing embrace of the herbal steam room, dry sauna, chromo
therapy showers, bubble beds and whirlpool.`,
    ],
      "fa fa-2x fa-hotel",
      "Le Chique Restaurant",
      `A Latin American's Best Top 50 Restaurant, is a must stop for foodies
traveling to the Riviera Maya. `,
    ],
 ];
 let serviceHTML = ``;
  for (let i in servicesInfo) {
    serviceHTML += `<div class="col-lg-4 col-md-6 mb-4">
                      <div class="service-item bg-white text-center mb-2 py-5 px-</pre>
4">
                        <i class="${servicesInfo[i][0]} mx-auto mb-4"></i>
                        <h5 class="mb-2">${servicesInfo[i][1]}</h5>
                        ${servicesInfo[i][2]}
                        </div>
                    </div>`;
  serviceWrap.innerHTML = serviceHTML;
```

```
function packages() {
  let packageInfo = [
      "package-1.jpg",
      "Mexico",
      `Azul Beach Resort Negril`,
      "2500",
    ],
      "package-2.jpg",
      "Jamaica",
      `Margaritaville Island Reserve Cap Cana Wave`,
      "3500",
    ],
      "package-3.jpg",
      "Bali",
      "10",
      `Hidden Beach Au Naturel Resort`,
      "1500",
    ],
      "package-4.jpg",
      "Hawaii",
      `Nickelodeon Hotels & Resorts Riviera Maya`,
      "4.9",
      "3300",
    ],
      "package-5.jpg",
```

```
"Martinique",
      "3",
      `St. Somewhere Holbox`,
      "5.0",
      "34",
      "3800",
    ],
      "package-6.jpg",
      "Dominican Republic",
      "4",
      `Escape to the Riviera Maya `,
      "44",
      "1500",
    ],
  1;
  let packageHTML = ``;
  for (let i in packageInfo) {
    packageHTML += `<div class="col-lg-4 col-md-6 mb-4">
                      <div class="package-item bg-white mb-2">
                        <img class="img-fluid" src="img/${packageInfo[i][0]}"</pre>
alt="package image" />
                        <div class="p-4">
                          <div class="d-flex justify-content-between mb-3">
                            <small class="m-0"</pre>
                              ><i class="fa fa-map-marker-alt text-primary mr-</pre>
2"></i
                              >${packageInfo[i][1]}</small
                            <small class="m-0"</pre>
                              ><i class="fa fa-calendar-alt text-primary mr-</pre>
2"></i>${packageInfo[i][2]}
                              days</small</pre>
                            <small class="m-0"</pre>
                              ><i class="fa fa-user text-primary mr-</pre>
2"></i>${packageInfo[i][3]} Person</small
                          </div>
                          <a class="h5 text-decoration-none" href="#"</pre>
```

```
>${packageInfo[i][4]}</a
                         <div class="border-top mt-4 pt-4">
                           <div class="d-flex justify-content-between">
                              <h6 class="m-0">
                                <i class="fa fa-star text-primary mr-</pre>
2"></i>${packageInfo[i][5]}
                                <small>(${packageInfo[i][6]})</small>
                             </h6>
                             <h5 class="m-0">$${packageInfo[i][7]}</h5>
                         </div>
                       </div>
                     </div>
                   </div>`;
  packagesWrap.innerHTML = packageHTML;
  let forma = document.formSort;
  forma.sort.addEventListener("change", () => {
    if (forma.sort.value == 1) {
      packageInfo = packageInfo.sort((a, b) => a[7] - b[7]);
      let packageHTML = ``;
      for (let i in packageInfo) {
        packageHTML += `<div class="col-lg-4 col-md-6 mb-4">
                     <div class="package-item bg-white mb-2">
                       <img class="img-fluid" src="img/${packageInfo[i][0]}"</pre>
alt="package image" />
                       <div class="p-4">
                         <div class="d-flex justify-content-between mb-3">
                           <small class="m-0"</pre>
                              ><i class="fa fa-map-marker-alt text-primary mr-</pre>
                             >${packageInfo[i][1]}</small
                           <small class="m-0"</pre>
                              ><i class="fa fa-calendar-alt text-primary mr-</pre>
2"></i>${packageInfo[i][2]}
                             days</small
                           <small class="m-0"</pre>
                             ><i class="fa fa-user text-primary mr-</pre>
2"></i>${packageInfo[i][3]} Person</small
```

```
</div>
                          <a class="h5 text-decoration-none" href="#"</pre>
                            >${packageInfo[i][4]}</a</pre>
                          <div class="border-top mt-4 pt-4">
                            <div class="d-flex justify-content-between">
                              <h6 class="m-0">
                                <i class="fa fa-star text-primary mr-</pre>
2"></i>${packageInfo[i][5]}
                                <small>(${packageInfo[i][6]})</small>
                              </h6>
                              <h5 class="m-0">$${packageInfo[i][7]}</h5>
                            </div>
                         </div>
                       </div>
                     </div>
                   </div>`;
      packagesWrap.innerHTML = packageHTML;
    if (forma.sort.value == 2) {
      packageInfo = packageInfo.sort((a, b) => b[7] - a[7]);
      let packageHTML = ``;
      for (let i in packageInfo) {
        packageHTML += `<div class="col-lg-4 col-md-6 mb-4">
                     <div class="package-item bg-white mb-2">
                       <img class="img-fluid" src="img/${packageInfo[i][0]}"</pre>
alt="package image" />
                       <div class="p-4">
                          <div class="d-flex justify-content-between mb-3">
                            <small class="m-0"</pre>
                              ><i class="fa fa-map-marker-alt text-primary mr-</pre>
2"></i
                              >${packageInfo[i][1]}</small
                            <small class="m-0"</pre>
                              ><i class="fa fa-calendar-alt text-primary mr-</pre>
2"></i>${packageInfo[i][2]}
                              days</small
                            <small class="m-0"</pre>
                              ><i class="fa fa-user text-primary mr-</pre>
2"></i>${packageInfo[i][3]} Person</small
```

```
</div>
                         <a class="h5 text-decoration-none" href="#"</pre>
                           >${packageInfo[i][4]}</a</pre>
                         <div class="border-top mt-4 pt-4">
                           <div class="d-flex justify-content-between">
                             <h6 class="m-0">
                               <i class="fa fa-star text-primary mr-</pre>
2"></i>${packageInfo[i][5]}
                               <small>(${packageInfo[i][6]})</small>
                             </h6>
                             <h5 class="m-0">$${packageInfo[i][7]}</h5>
                           </div>
                         </div>
                       </div>
                     </div>
                  </div>`;
      packagesWrap.innerHTML = packageHTML;
  });
function guides() {
  let guidesInfo = [
      "team-1.jpg",
      "Samantha Hamilton",
      "Agent",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
    ],
      "team-2.jpg",
      "Rick Grimes",
      "Tour guide",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
    ],
```

```
"team-3.jpg",
      "Nicole Travis",
      "Tour Guide",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
    ],
      "team-4.jpg",
      "Jack Harlow",
      "CEO",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
      "https://www.facebook.com",
    ],
  ];
  let guidesHTML = ``;
  for (let i in guidesInfo) {
    guidesHTML += `<div class="col-lg-3 col-md-4 col-sm-6 pb-2">
    <div class="team-item bg-white mb-4">
      <div class="team-img position-relative overflow-hidden">
        <img class="img-fluid w-100" src="img/${guidesInfo[i][0]}" alt="" />
        <div class="team-social">
          <a class="btn btn-outline-primary btn-square"</pre>
href="${guidesInfo[i][3]}"
            ><i class="fab fa-twitter"></i</pre>
          ></a>
          <a class="btn btn-outline-primary btn-square"</pre>
href="${guidesInfo[i][4]}"
            ><i class="fab fa-facebook-f"></i</pre>
          <a class="btn btn-outline-primary btn-square"</pre>
href="${guidesInfo[i][5]}"
             ><i class="fab fa-instagram"></i</pre>
          ></a>
          <a class="btn btn-outline-primary btn-square"</pre>
href="${guidesInfo[i][6]}"
            ><i class="fab fa-linkedin-in"></i</pre>
          ></a>
        </div>
      </div>
```

```
<div class="text-center py-4">
        <h5 class="text-truncate">${guidesInfo[i][1]}</h5>
        ${guidesInfo[i][2]}
     </div>
    </div>
  </div>`;
 teamWrap.innerHTML = guidesHTML;
function blog() {
 let blogInfo = [
     "blog-1.jpg",
     "14",
     "Dec",
     "Nick Dave",
     "Tours & Travel",
     `El Dorado Casitas Royale | Workcation`,
     `Working from home has its perks. Working from paradise? It doesn't get any
better. Sun. Ocean.,
    ],
     "blog-2.jpg",
     "Nov",
     "George Smith",
     "Tours & Travel",
     `CELEBRATE THE DAY YOU SAID "I DO"`,
     `Celebrate the day you said, "I Do" in style. Whether you are looking to
start married life in luxury or you are reveling in romance on the day when two
became one.`,
    ],
     "blog-3.jpg",
     "11",
     "Nov",
     "Amy Spades",
     "Tours & Travel",
     `BREAK THE SEAL TO YOUR PARADISE`,
     `All guest rooms and suites are deep cleaned and then sealed exclusively
for you. Stay Well ™ rooms include advanced air purification systems and other
wellness features and therapies that address sleep`,
```

```
];
  blogHTML = ``;
  for (let i in blogInfo) {
    blogHTML += `<div class="col-lg-4 blog-item-wrap col-md-6 mb-4 pb-2">
                  <a href="#" class="blog-item text-decoration-none">
                    <div class="position-relative">
                      <img class="img-fluid w-100" src="img/${blogInfo[i][0]}"</pre>
alt="blog image" />
                      <div class="blog-date">
                        <h6 class="font-weight-bold mb-n1">${blogInfo[i][1]}</h6>
                        <small class="text-white text-</pre>
uppercase">${blogInfo[i][2]}</small>
                      </div>
                    </div>
                    <div class="bg-white p-4">
                      <div class="d-flex mb-2">
                          class="text-primary text-uppercase text-decoration-
none"
                          >${blogInfo[i][3]}</p</pre>
                        <span class="text-primary px-2">|</span>
                          class="text-primary text-uppercase text-decoration-
none"
                          >${blogInfo[i][4]}</p</pre>
                      </div>
                      <h5 class="h5 m-0 text-decoration-none"
                        >${blogInfo[i][5]}</h5</pre>
                      <a href="#" class="m-0 mt-3 blog-more">Read more</a>
                    </div>
                  </a>
                </div>`;
  blogWrap.innerHTML = blogHTML;
  let blogItems = document.querySelectorAll(".blog-item");
  $(document).ready(function () {
   $(".blog-desc").hide();
```

```
$(".blog-item-wrap").click(function (e) {
      e.preventDefault();
      let index = $(this).index();
      $(this)
        .find(".blog-desc")
        .toggle(function () {
          $(this).html(blogInfo[index][6]);
        });
      if ($(this).find(".blog-more").html() == "Read more") {
        $(this).find(".blog-more").html("Read less");
      } else {
        $(this).find(".blog-more").html("Read more");
   });
  });
function clients() {
 let clientsInfo = [
      "testimonial-1.jpg",
      `This resort is beautiful, but brand new, and still finding its way. The
pools are gorgeous, and the children's pool is adorable (complete with toddler-
sized lounge chairs). `,
      "Logan Crowe",
      "Profession",
    ],
      "testimonial-2.jpg",
      `The staff was delightful, especially Johan! Johan (the pool butler) is
amazing!!! He made me feel like such a special guest, but not just me - - he
treated all guests in the same amazing way! Warm and friendly and attentive.`,
      "Britney Huston",
      "Profession",
    ],
      "testimonial-3.jpg",
      `Such a great and amazing hotel, perfect for someone who is traveling by
them selves like i was. The ambiance was great, everyone who worked here was very
attentive and very helpful, always available to answer questions. `,
      "Juan Garcia",
      "Profession",
    ],
      "testimonial-4.jpg",
```

```
10/10 will be back and will definitely recommend to my friends and
family. Honestly not much or anything to truly complain about`,
      "Dave Nick",
      "Profession",
   ],
  1;
 let clientsHTML = ``;
  for (let i in clientsInfo) {
    clientsHTML += `<div class="text-center d-none flip-in-ver-right client-t-</pre>
item col-sm-12 pb-4">
                      <img
                        class="img-fluid mx-auto"
                        src="img/${clientsInfo[i][0]}"
                        style="width: 100px; height: 100px"
                      <div class="testimonial-text bg-white p-4 mt-n5">
                        ${clientsInfo[i][1]}
                        <h5 class="text-truncate">${clientsInfo[i][2]}</h5>
                        <span>${clientsInfo[i][3]}</span>
                      </div>
                    </div>`;
 clientsWrap.innerHTML = clientsHTML;
  clientsButtonsHTML = ``;
 let clientItems = document.querySelectorAll(".client-t-item");
  for (let i = 0; i < clientItems.length; i++) {</pre>
   clientsButtonsHTML += `<a href="#" class="mx-1 client-button"</pre>
    ><i class="fa fa-solid fa-circle"></i</pre>
  ></a>`;
  clientsButtonWrap.innerHTML = clientsButtonsHTML;
 let clientsButton = document.querySelectorAll(".client-button");
  var tren = 0;
  clientItems[0].classList.remove("d-none");
  setInterval(() => {
   tren++;
    if (tren == 4) {
      tren = 0;
```

```
for (let i = 0; i < clientItems.length; i++) {</pre>
      if (i == tren) {
        clientItems[i].classList.remove("d-none");
        clientsButton[i].classList.add("text-success");
      } else {
        clientItems[i].classList.add("d-none");
        clientsButton[i].classList.remove("text-success");
  }, 5000);
  for (let i = 0; i < clientsButton.length; i++) {</pre>
    clientsButton[i].addEventListener("click", (e) => {
      e.preventDefault();
      for (let j = 0; j < clientItems.length; j++) {</pre>
        if (j == i) {
          clientItems[j].classList.remove("d-none");
          clientsButton[j].classList.add("text-success");
          tren = j;
        } else {
          clientItems[j].classList.add("d-none");
          clientsButton[j].classList.remove("text-success");
   });
function footer() {
 let footerLinks = [
    ["index.html", "Home"],
    ["index.html#aboutSection", "About"],
   ["index.html#destinationSection", "Services"],
    ["index.html#offersSection", "Offers"],
    ["contact.html", "Contact"],
    ["author.html", "Author"],
 1;
 let linksHTML = ``;
  for (let i in footerLinks) {
    linksHTML += `<a class="text-white-50 mb-2" href="${footerLinks[i][0]}"</pre>
                  ><i class="fa fa-angle-right mr-</pre>
2"></i>${footerLinks[i][1]}</a>`;
 let linkWrap = document.querySelector("#footerLinks");
```

```
linkWrap.innerHTML = linksHTML;
 let footerContactInfo = [
   ["fa fa-map-marker-alt", "123 Street, New York, USA"],
   ["fa fa-phone-alt", "+012 321 5487"],
   ["fa fa-envelope", "contact@traveler.com"],
 1;
 let footerContactHTML = ``;
  for (let i in footerContactInfo) {
    footerContactHTML += `
                            <i class="${footerContactInfo[i][0]} mr-</pre>
2"></i>${footerContactInfo[i][1]}
                          `;
 let footerContact = document.querySelector("#footerContactInfo");
 footerContact.innerHTML = footerContactHTML;
 let footerForma = document.footerLetter;
 letterSubmit.addEventListener("click", () => {
    let checkEmail = /([\w\.]+)@([\w\.]+)\.(\w+)/;
    if (!checkEmail.test(footerForma.mail.value)) {
      letterError.innerHTML = "Porgešan unos email-a";
      letterError.classList.remove("text-success");
      letterError.classList.add("text-danger");
    } else {
      letterError.classList.add("text-success");
      letterError.classList.remove("text-danger");
      letterError.innerHTML = "Uspešno ste se prijavili na letter";
      setInterval(() => {
        letterError.innerHTML = "";
      }, 4000);
 });
 let socialInfo = [
    ["sitemap.xml", "fa fa-sitemap"],
   ["https://www.facebook.com", "fab fa-facebook-f"],
   ["documentation.pdf", "fa fa-regular fa-file"],
   ["https://www.facebook.com", "fab fa-instagram"],
 ];
```

```
let socialWrap = ``;
 for (let i in socialInfo) {
    socialWrap += `<a class="btn btn-outline-primary btn-square mr-2"</pre>
href="${socialInfo[i][0]}"
                      ><i class="${socialInfo[i][1]}"></i</pre>
                    ></a>`;
  footerSocial.innerHTML = socialWrap;
function offer() {
  setInterval(() => {
    let currentDate = new Date();
    let endDate = new Date("2022/12/31");
    let diff = new Date(endDate - currentDate);
    if (diff > 0) {
      let dateText =
        diff.getDate() +
        "d " +
        diff.getHours() +
        diff.getMinutes() +
        "m " +
        diff.getSeconds() +
      offerEnds.innerHTML = dateText;
    } else {
      offerEnds.innerHTML = "Offer ended!";
  }, 1000);
function contactForm() {
 let forma = document.sentMessage;
 let regName = /^[A-Z][a-z]{2,13}\s[A-Z][a-z]{2,13}$/;
 let regEmail = /([\w\.]+)@([\w\.]+)\.(\w+)/;
  sendMessageButton.addEventListener("click", () => {
    let brGresaka = 0;
    if (!regName.test(forma.name.value)) {
      brGresaka++;
      let nameError = document.getElementById("nameError");
      nameError.innerHTML = "Invalid Full Name. Try : Edward Elric";
```

```
} else {
      nameError.innerHTML = "";
   if (!regEmail.test(forma.email.value)) {
      brGresaka++;
      forma.email.nextElementSibling.innerHTML =
        "Invalid Full Email. Try : yourname@gmail.com";
    } else {
      forma.email.nextElementSibling.innerHTML = "";
   if (forma.subject.value == 0) {
      brGresaka++;
      forma.subject.nextElementSibling.innerHTML =
        "You didn't pick topic of message!";
    } else {
      forma.subject.nextElementSibling.innerHTML = "";
   if (forma.role.value == 0) {
      brGresaka++;
      roleError.innerHTML = "You didn't pick client role!";
    } else {
      roleError.innerHTML = "";
   if (forma.message.value == "") {
      brGresaka++;
      forma.message.nextElementSibling.innerHTML = "You didn't write message!";
    } else {
      forma.message.nextElementSibling.innerHTML = "";
   if (!forma.terms.checked) {
      brGresaka++;
      forma.terms.nextElementSibling.innerHTML =
        "You have to be over 18 years old!";
    } else {
      forma.terms.nextElementSibling.innerHTML = "";
    if (brGresaka == 0) {
      formSuccess.innerHTML = "You successfully sent a message!";
      forma.reset();
 });
function cover() {
 let coverInfo = [
```

```
"carousel-1.jpg",
      "Tours & Travel",
      "Let's Discover The World Together",
      "Book Now",
    ],
      "carousel-2.jpg",
      "Tours & Travel",
      "Discover Amazing Places With Us",
      "Book Now",
    ],
  ];
  let coverInner = ``;
  for (let i in coverInfo) {
    coverInner += `<div class="carousel-item ${i == 0 ? "active" : ""}">
                    <img class="w-100" src="img/${</pre>
                      coverInfo[i][0]
                    }" alt="Image" />
                    <div
                       class="carousel-caption d-flex flex-column align-items-
center justify-content-center"
                       <div class="p-3" style="max-width: 900px">
                         <h4 class="text-white text-uppercase mb-md-3">
                           ${coverInfo[i][1]}
                         </h4>
                         <h1 class="display-3 text-white mb-md-4">
                         ${coverInfo[i][2]}
                        </h1>
                         <a href="" class="btn btn-primary py-md-3 px-md-5 mt-2"</pre>
                           >${coverInfo[i][3]}</a</pre>
                       </div>
                     </div>
                  </div>`;
  coverWrap.innerHTML = coverInner;
function about() {
  let imagesInfo = [
    "destination-2.jpg",
```

```
"about-2.jpg",
    "blog-1.jpg",
    "blog-2.jpg",
    "blog-3.jpg",
  ];
  let ranNums = [],
    i = imagesInfo.length,
    j = 0;
  while (i--) {
    j = Math.floor(Math.random() * (i + 1));
    ranNums.push(imagesInfo[j]);
    imagesInfo.splice(j, 1);
  let aboutImages = ``;
  for (let i = 0; i < 2; i++) {
    aboutImages += `<div class="col-6">
                      <img class="img-fluid" src="img/${ranNums[i]}" alt="" />
  let aboutWrap = document.querySelector("#aboutImg");
  aboutWrap.innerHTML = aboutImages;
function index() {
  topBar();
  navBar();
  features();
  destinations();
  services();
  clients();
  packages();
  guides();
  about();
  offer();
  blog();
  cover();
  footer();
function contact() {
  topBar();
  navBar();
  contactForm();
  footer();
```

```
}
function author() {
  topBar();
  navBar();
  $(document).ready(function () {
    $("#authorMore").hide();
    $("#readMore").html("Read more");
    $("#readMore").click(function (e) {
      e.preventDefault();
      $("#authorMore").slideToggle();
      if ($(this).html() == "Read more") {
        $(this).html("Read less");
      } else {
        $(this).html("Read more");
    });
  });
  footer();
```