

Report template of University Hospital of Basel

Diagnosis

Findings

There are no previous examinations available for comparison.

- Image quality: Good.
- T2 lesions supratentorial: None.
- T2 lesions periventricular: None.
- T2 lesions juxtacortical: None.
- T2 lesions brainstem/infratentorial: None.
- T1 Gd+ lesions (with contrast): None.

McDonald Criteria

- Spatial dissemination: Fulfilled/not fulfilled.
- Temporal dissemination: Fulfilled/not fulfilled.

Atrophy: Visually age-appropriate.

Other abnormalities: None.

Assessment

- The number and distribution of lesions are consistent with an inflammatory CNS disease.
- Spatial dissemination according to McDonald criteria 2017 is fulfilled.
- Temporal dissemination according to McDonald criteria 2017 is fulfilled.

Follow-up

Technique

Siemens Avanto FIT 1.5T.

T1 MPRAGE sagittal morpho, 3D FLAIR sagittal, 3D T2* sagittal, DTI, T2 coronal fast spin echo (T2 cor fs), T1 coronal fat saturation (T1 cor fs).

Findings

There are no previous examinations available for comparison.

- Image quality: Good.
- T2 lesions > 3 mm:
 - Supratentorial: None.
 - Periventricular: Yes.
 - Cortical: Not visible.
 - Juxtacortical: Yes.
 - Infratentorial: Yes.
- New (since previous scan): None.
- Enlarging lesions: None.
- T1 Gd+ lesions (with contrast): None.
- Therapy complications (e.g., PML, IRIS): No suspicion.
- Atrophy: Visually age-appropriate.
- Other abnormalities: None.

Assessment

- Known MS with moderate lesion load.
- Stable progression compared to the last follow-up, with no new T2 lesions.
- No contrast-enhancing lesions.