

TAKEOVER HUNTER

Acquisition Brief

Asset	Takeover Hunter — subdomain-takeover detection and reporting engine
Version	2.0.0 (hardened, production-ready)
Date	14 September 2026
Status	Available for acquisition as intellectual property
Asking price	USD 12,000

1. Executive summary

Takeover Hunter is a self-contained security tool that detects subdomain takeover vulnerabilities end to end. It enumerates a target's subdomains, triages DNS delegation, fingerprints dangling records against 26 claimable cloud providers, verifies findings to suppress false positives, and generates HackerOne and Bugcrowd-ready reports. It ships as a Flask web application with a streaming API and a terminal-style UI, plus a hardened, non-root Docker image.

The 2.0 codebase is a documented, tested (139 tests) modular Python package with a fixed security posture, continuous integration, and full operator documentation. It is offered for sale as an intellectual-property asset.

2. What is included

Included	Detail
Source code	The full takeover_hunter package (1,560 lines across 10 modules), the terminal UI (1,351 lines), and the test suite (798 lines, 139 tests).
Documentation	README, architecture, API reference, deployment guide, security policy, and changelog.
Deployment assets	Multi-stage Dockerfile, Procfile, gunicorn configuration, environment template, GitHub Actions CI.
Signature database	26 curated takeover fingerprints with claimability and proof-of-concept metadata.
Brand	The “Takeover Hunter” name and UI design.
IP rights	Copyright in the 2.x codebase, conveyed by written agreement.

Available and negotiable as part of the transaction: the existing repository and its history, the live demo deployment, any associated domain, and a defined transition-support period from the author.

3. Technical overview

- **Stack:** Python 3.10 to 3.13, Flask 3, dnspython, requests, gunicorn. No database; stateless between requests.
- **Architecture:** A single-purpose-module package behind an application factory. Long scans run in worker threads and stream progress to the browser over Server-Sent Events.
- **Recon integration:** Orchestrates best-in-class open-source tooling (ProjectDiscovery's subfinder, dnsx, httpx, katana; tomnomnom's assetfinder and waybackurls; gau) with graceful degradation when a tool is absent.
- **Quality bar:** 139 automated tests, 75 percent line coverage overall with the security-critical modules at 97 to 100 percent. Linted, with CI on four Python versions plus a Docker build.

4. Security posture

The tool is engineered to be operated as a hosted service without becoming an attack surface:

- **Command-injection safe.** External tools are invoked with argument lists (no shell), and every request-supplied host is validated against the RFC 1035 character set before it can reach a subprocess. An explicit regression test proves that metacharacters never reach a shell.
- **SSRF guard.** Targets that resolve to private, loopback, link-local, or reserved IP space (including the cloud-metadata endpoint) are refused before any HTTP request is made.
- **Authentication and rate limiting.** Optional API-key authentication and per-client rate limits protect every API route.
- **Response hardening and workload caps** are applied throughout.

5. Intellectual-property position

We disclose the IP history in full so that technical and legal review is straightforward:

- 1 **Prior open-source release.** Version 1.x was published under the MIT License. Copies obtained under MIT remain MIT for their recipients.
- 2 **2.x is a substantial proprietary rewrite.** The version offered here is a near-total re-architecture (new package structure, security model, tests, and documentation), relicensed under a proprietary license going forward. It is separately ownable and transferable.
- 3 **Path to clean exclusivity.** The working repository is made private and transferred to the buyer, and an asset-purchase or exclusive-license agreement assigns the 2.x copyright and the brand.
- 4 **Dependencies are permissively licensed.** The application invokes the recon tools as separate executables and does not embed their code.

6. Market and positioning

Subdomain takeover is a persistent, well-understood vulnerability class with an active bug-bounty market and continuous enterprise attack-surface-management demand. Takeover Hunter's niche is the complete operator workflow in a single tool: enumerate, triage, fingerprint, verify, and report, with a usable interface and a report generator, rather than a single-purpose command-line utility. Its edge is the assembled pipeline, the verification and reporting layer, and a clean, hardened, deployable web product a buyer can brand and ship.

7. Valuation and asking price

Asking price: USD 12,000, for the assets described in Section 2.

The price reflects a clean, immediate transaction for a hardened, tested, documented, and deployable proprietary asset. Value drivers:

- A complete, working detection-to-report pipeline with a 26-provider signature engine and a polished UI, rather than a script a buyer would have to assemble and productize.
- A fixed security posture that passes technical due diligence, backed by 139 automated tests and CI.
- Full documentation and deployment assets that remove onboarding and integration cost.
- A transferable brand and proprietary copyright.

For a strategic acquirer — an attack-surface-management vendor, a security-tooling company, or a bug-bounty platform folding the product into an existing offering — standalone comparables for an asset of this maturity run to approximately USD 20,000. The USD 12,000 ask is positioned for a fast, clean transfer.

Offers and structure proposals are welcome.

8. Growth levers (roadmap the buyer inherits)

- 1 Monetize.** Add accounts, API keys (the authentication layer already exists), and a metered or subscription tier.
- 2 Deepen detection.** Expand the fingerprint database toward the full public signature set, add automated claim-verification, and add continuous monitoring with diff alerts.
- 3 Scale-out readiness.** Back the rate limiter with a shared store and add a job queue for very large scans; both are localized changes.
- 4 Integrations.** HackerOne and Bugcrowd submission APIs, Slack and webhook alerts, and CSV/JSON export.
- 5 Distribution.** A hosted free tier as a funnel, plus a CLI package.

9. Risks and disclosures

- No revenue or user base is included in the asking price.
- Version 1.x was previously published under MIT, as disclosed in Section 5.
- Enumeration breadth depends on external open-source recon tools; the core detection logic is original, the discovery inputs are third-party.
- The tool performs active scanning; the buyer assumes responsibility for authorized-use enforcement.

10. Transaction and next steps

- 1** The buyer evaluates under a proprietary evaluation license (repository access or a packaged snapshot).
- 2** The parties agree scope and price.
- 3** An asset-purchase or exclusive-license agreement assigns the 2.x copyright and brand; the repository is transferred private and deployment assets are handed over.
- 4** Optional transition support from the author for a defined period.

This brief is an informational summary, not a warranty or an offer. Figures are the seller's good-faith estimates. Buyers should conduct independent technical and legal due diligence, and both parties should use counsel to paper the transfer.