Diabetes Panel: HbA1c & Fasting Plasma Glucose

Patient	**AHMAD FAIZ BIN RAHMAN**	Lab No.	**LAB-261028-0533**
IC No.	**010203-14-1234**	Specimen	**EDTA blood, fluoride plasma**
DOB	**03/02/2001**	Collected	**28/10/2026 08:10**
Age / Sex	**25 Y / Male**	Reported	**28/10/2026 11:40**
Requested by	**Dr. Sarah Jenkins (Cardiology)**	Status	**Final, verified**

TEST	RESULT	FLAG	UNITS	REFERENCE RANGE
GLYCAEMIC CONTROL				
HbA1c (NGSP / DCCT)	**7.6**	**H***	%	4.0 – 5.6 (non-diabetic) Target ≤ 7.0 (diabetes)
HbA1c (IFCC)	**60**	**H***	mmol/mol	20 – 38 (non-diabetic) Target ≤ 53 (diabetes)
Estimated average glucose	**9.5**		mmol/L	calculated from HbA1c
Fasting plasma glucose	**8.4**	**H**	mmol/L	3.9 – 6.0

Comment

HbA1c 7.6% is above the individualised target of ≤ 7.0% recommended for most adults with type 2 diabetes (Malaysian CPG Management of Type 2 Diabetes Mellitus). Fasting glucose also raised. Glycaemic control is suboptimal on metformin 500 mg twice daily; review adherence, diet and dose.

Sample report generated for the NFC MediCard demo. Values are clinically realistic but do not belong to a real person.