

INDIAN MACHINE

TIME TO CONSCIOUS FOR HEALTH BY PARIVARTAN IN WATER

MEDICAL GRADE WATER GENERATION BY ELECTROLYSIS TECHNOLOGY IONIZATION PROCESS TO MAKE WATER ALKALINE IONIZED ANTI-OXIDANT MICRO-CLUSTERED HYDROGEN RICH

- Himalaya valley's Kashmir Natural Water proven for longer Healthy life comparatively.
- Now, Our Home Water can be Just like Natural Himalaya Water using Indian MEDITECH water ionizer, produced with Japanese Technology.







INDIAN MACHINE

TIME TO CONSCIOUS FOR HEALTH BY PARIVARTAN IN WATER

MEDITECH PRODUCTS COMPANY PROFILE.....

MEDITECH company, in view of revolution (PARIVARTAN) in water by ionization by electrolysis in the country, MEDITECH group has explored in the field of manufacturing economical water ionizer machine affordable to middle class Indians with proven experience in the industrial field and with technical know-how from Japanese technology the world leader in technology. Now MEDITECH, known for best in alkaline water ionizers with simplified advance machine and services is one of the most renowned player in domestic water ionizer machine industry. MEDITECH manufactures and distributes a wide range of water ionizer machines, accessories and all related parts.......

The company has been expanding rapidly, manufacturing and exploring area in the country. MEDITECH is committed to manufacture low cost economical products with maintaining international standards and exceptional quality in line with it excellent track record of producing high performing and reliable products. our experienced and well qualified personnel have enabled us succeed in the market with their expertise and assistance......

OUR VALUES.....

Most economic low cost affordable and durable MEDITECH products give benefits to middle class Indians is the highest value. It has been providing alkaline, ionized anti-oxidant, micro-clustered, hydrogen rich water to people in need of more enhanced benefits of proven Japanese technology.

OUR MISSION.

We aim to improve the human health, longevity through reduction of harmful effects of a polluted water and environment on health by PARIVARTAN in water with the ongoing development of science and technology.....

ABOUT MEDITECH WATER IONIZER MACHINE.....

MEDITECH ionizer is household and corporate medical device generates alkaline and acidic water through an electrolysis process. it creates total eight types of water, (four alkaline and four acidic water) having ability to produce a desired or intended result in improvement of the major stomach symptom such as indigestion, chronic diarrhea, excessive stomach acid and abnormal fermentation in the stomach. MEDITECH ionizer is certified as medical device by ISO 13485:2016, GMP certificate, ROHS compliant CE certificate and all the quality management certification like ISO 45001:2018, ISO 14001:2015 and ISO 9001: 2015.

- □ Alkaline Ionized Anti-oxidant Micro-clustered Hydrogen rich water for long healthy life
- ☐ Acidic Oxygen rich micro-clustered water for body cleaning and nourishing to Skin and hair

Most Premium Model

- ★ 3 / 5 / 7 / 9 / 11 plated Model
- Platinium Coated Titanium Plates
- Capacity 40 to 95 LPH
- pH Alkaline 7.5/8.5/9.5/10.5 and acidic 6.5/5.5/4.5 / 3.5
- ORP: minus 400 to minus 700
- Auto cleaning



SPECIFICATION	3 PLATE PREMIUM	5 PLATE PREMIUM	7 PLATE PREMIUM	9 PLATE PREMIUM	11 PLATE PREMIUM	
INPUT POWER	230 V VOLT					
ELECTROLYZING		0-400 W		0-450 W		
NET WIEGHT	6	.5 To 9 Kgs		11 -12 Kgs		
MACHINE DIMENSION		OVERALL	45 cm X 25	cm X 14 cm		
CAPACITY, LPH	40	60	80	90	95	
PH LEVEL	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5/10.5 6.5/5.5/4.5/3.5	7.5/8.5/9.5/10.5 6.5/5.5/4.5/3.5	
ORP LEVEL	-100 To -400	-100 To -500	-100 To -600	-150 To -700	-150 To -700	
WATER PRESSURE	100 PSI 300 PSI				PSI	
POWER USES	LESS THAN 100 WATT					
DISPLAY SCREEN	GRAPHICAL DISPLAY 72*40 MM SCREEN					
PLATE TECHNOLOGY	PLATINIUM COATED TITANIUM PLATES ELECTROLYSIS /					
PLATINUM COATING	1 MICRON					
DISPLAY	BRAND NAME/ PH/ LEVEL /ORP					
INPUT TDS RANGE	50 TO 150					
RATE, INR	55,000 66,000 77,000 88,000 99,000				99,000 /	

- Alkaline Ionized Anti-oxidant Micro-clustered Hydrogen rich water for long healthy life
- □ Acidic Oxygen rich micro-clustered water for body cleaning and nourishing to Skin and hair

Platinium Economic Auto Cleaning Model

- * 3 / 5 / 7 / 9 /11 plated Model
- Platinium Coated Titanium Plates
- Capacity 35 to 85 LPH
- pH_Alkaline- 7.5/8.5/9.5/ 10.5 and acidic 6.5/5.5/4.5 / 3.5
- ORP: minus 300 to minus 650
- Auto cleaning



SPECIFICATION	3 PLATE ECONOMY	5 PLATE ECONOMY	7 PLATE ECONOMY	9 PLATE ECONOMY	11 PLATE ECONOMY	
INPUT POWER		230 V VOLT				
ELECTROLYZING		0-400 W		0-450 W		
NET WIEGHT	(6.5 to 9 Kgs		11 -12 Kgs		
MACHINE DIMENSION			_ 45 cm X 25			
CAPACITY, LPH	35	40	50	80	85	
PH LEVEL	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5/10.5 6.5/5.5/4.5/3.5	7.5/8.5/9.5/10.5 6.5/5.5/4.5/3.5	
ORP LEVEL	-100 To -250	-100 To-350	-100 To -450	-150 To -550	-150 To -650	
WATER PRESSURE	100 PSI 150 PSI				PSI	
POWER USES	LESS THAN 100 WATT					
DISPLAY SCREEN	GRAPHICAL DISPLAY 72*40 MM SCREEN /					
PLATE TECHNOLOGY	PLATINIUM COATED TITANIUM PLATES ELECTROLYSIS /					
PLATINUM COATING	0.5 MICRON					
DISPLAY	BRAND NAME/ PH/ LEVEL /ORP					
INPUT TDS RANGE	50 TO 150					
RATE, INR	42,000	49,000	56,000	63,000	70,000	

- Alkaline Ionized Anti-oxidant Micro-clustered Hydrogen rich water for long healthy life
- Acidic Oxygen rich micro-clustered water for body cleaning and nourishing to Skin and hair

Platinium Economic Model

- * 3 / 5 / 7 / 9 /11 plated Model
- Platinium Coated Titanium Plates
- Capacity 35 to 85 LPH
- pH_Alkaline- 7.5/8.5/9.5/ 10.5 and acidic 6.5/5.5/4.5 / 3.5
- **ORP**: minus 400 to minus 650
- Cleaning by Citric acid once in 3 months



SPECIFICATION	3 PLATE ECONOMY	5 PLATE ECONOMY	7 PLATE ECONOMY	9 PLATE ECONOMY	11 PLATE ECONOMY	
INPUT POWER		230 V VOLT				
ELECTROLYZING		0-400 W		0-450 W		
NET WIEGHT	(6.5 to 8 Kgs		10 -11 Kgs		
MACHINE DIMENSION		OVERALI	_ 45 cm X 25	cm X 14 cm		
CAPACITY, LPH	35	40	50	80	85	
PH LEVEL	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5		7.5/8.5/9.5/10.5 6.5/5.5/4.5/3.5	7.5/8.5/9.5/10.5 6.5/5.5/4.5/3.5	
ORP LEVEL	-100 To -250	-100 To-350	-100 To -450	-150 To -550	-150 To -650	
WATER PRESSURE	100 PSI			150 PSI		
POWER USES	LESS THAN 100 WATT					
DISPLAY SCREEN	GRAPHICAL DISPLAY 72*40 MM SCREEN					
PLATE TECHNOLOGY	PLATINIUM COATED TITANIUM PLATES ELECTROLYSIS /					
PLATINUM COATING	0.5 MICRON					
DISPLAY	BRAND NAME/ PH/ LEVEL /ORP					
INPUT TDS RANGE	50 TO 150					
RATE, INR	38,000	45,000	52,000	59,000	66,000	

- Alkaline Ionized Anti-oxidant Micro-clustered Hydrogen rich water for long healthy life
- □ Acidic Oxygen rich micro-clustered water for body cleaning and nourishing to Skin and hair

Titanium Model

- * 3 / 5 / 7 plates Model
- Titanium Plates
- Capacity 25 to 40 LPH
- pH_Alkaline 7.5/8.5/9.5 and Acidic 6.5/5.5/4.5
- ORP: minus 200 to minus 350
- Cleaning by Citric acid once in 3 months



SPECIFICATION	3 PLATE ECONOMY	5 PLATE ECONOMY	7 PLATE ECONOMY		
INPUT POWER	230 V VOLT				
ELECTROLYZING	0-150 W				
NET WIEGHT	6.5 KG				
MACHINE DIMENSION	OVERALL 350 cm X 25 cm X 14 cm				
CAPACITY, LPH	25	30	40		
PH LEVEL	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5		
ORP LEVEL	-100 To -200	-100 To -250	-100 To -350		
WATER PRESSURE	100 PSI				
POWER RREQUIRED	LESS THAN 100 WATT				
DISPLAY SCREEN	Digital display				
PLATE TECHNOLOGY	TITANIUM PLATES ELECTROLYSIS				
DISPLAY	PH				
INPUT TDS RANGE	50 TO 150				
RATE, INR	24000 26,500 28,700				

- □ Alkaline Ionized Anti-oxidant Micro-clustered Hydrogen rich water for long healthy life
- Acidic Oxygen rich micro-clustered water for body cleaning and nourishing to Skin and hair

Stainless Steel Premium Model

- 3 / 5 / 7 plates Model
- Stainless Steel Plates
- Capacity 20 to 30 LPH
- pH_Alkaline- 7.5/8.5/9.5 and Acidic 6.5/5.5/4.5
- ORP: minus 100 to minus 250
- Cleaning by Citric acid once in 3 months



SPECIFICATION	3 PLATE ECONOMY	5 PLATE ECONOMY	7 PLATE ECONOMY		
INPUT POWER		230 V VOLT			
ELECTROLYZING		0-150 W			
NET WIEGHT		6.5 KG			
MACHINE DIMENSION	OVERALL 350 cm X 25 cm X 14 cm				
CAPACITY, LPH	20	25	30		
PH LEVEL	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5		
ORP LEVEL	-100 To -150	-100 To -200	-100 To -250		
WATER PRESSURE	100 PSI				
POWER RREQUIRED	LESS THAN 100 WATT				
DISPLAY SCREEN	Digital display (pH)				
PLATE TECHNOLOGY	STAINLESS STEEL PLATES ELECTROLYSIS				
POWER PROTECTION	PCB PROVIDED				
INPUT TDS RANGE	50 TO 150				
RATE, INR	23,000 25,000 27,000				

- □ Alkaline Ionized Anti-oxidant Micro-clustered Hydrogen rich water for long healthy life
- Acidic Oxygen rich micro-clustered water for body cleaning and nourishing to Skin and hair

Stainless Steel Economic Model

- 3 / 5 / 7 plates Model
- Stainless Steel Plates
- Capacity 15 to 25 LPH
- pH Alkaline 7.5/8.5/9.5 and Acidic 6.5/5.5/4.5
- * ORP : minus 100 to minus 250
- Cleaning by Citric acid once in 3 months



SPECIFICATION	3 PLATE ECONOMY	5 PLATE ECONOMY	7 PLATE ECONOMY		
INPUT POWER	230 V VOLT				
ELECTROLYZING		0-150 W			
NET WIEGHT		6.0 KG			
MACHINE DIMENSION	OVERALL	300 cm X 25 cr	m X 14 cm		
CAPACITY, LPH	15	20	25		
PH LEVEL	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5	7.5/8.5/9.5 6.5/5.5/4.5		
ORP LEVEL	UPTO -100	-100 To -200	-100 To -250		
WATER PRESSURE	100 PSI				
POWER USES	LESS THAN 100 WATT				
DISPLAY SCREEN	DISPLAY IS NOT PROVIDED, Only buttons				
PLATE TECHNOLOGY	STAINLESS STEEL PLATES ELECTROLYSIS				
POWER PROTECTION	PCB IS NOT PROVIDED				
INPUT TDS RANGE	50 TO 150				
RATE, INR	14,000 16,000 18,000				