

M6 — Wizard step-0 mode toggle + room finalize branch

Phase: 3 — Dashboard **Status:** DONE (2026-05-26) **Blocked by:** M5 **Blocks:** M9, M10 **Estimated effort:** 2 days · **Actual:** 0.5 day (the underlying routes from M4 and the dashboard from M5 were already in place; M6 was the wizard UI fork plus the JSON-POST branch)

1. Purpose

Add the operator-facing entry point that lets a single wizard configure either a v6-style single-patient session **or** a v7 multi-patient ControlRoom of N encounters. The two finalize paths share Steps 1, 2, 2b, 3, and 5 of the existing wizard; only the "who's in the room" step differs:

- **Single patient** — Step 4 keeps the v6 persona-grid behavior. The

form POSTs to `/portal/control/start` as before. v6 path 1:1.

- **Room of N** — Step 4 is replaced by Step 4r ("Encounters"), a

repeatable rows editor where each row has a label + persona dropdown + EHR dropdown. The JS intercepts submit and JSON-POSTs to `/api/room/start` (M4), then lands the operator on `/portal/room` (M5).

2. Structure

Files touched:

- `portal/templates/control.html` — adds the Mode toggle above

wizard-steps, the hidden Step 4r pane, and exposes `personasForRoom` + `ehrIds` to JS via `window.MEDSIM2`.

- `portal/static/control.js` — refactors the step sequence to

switch between 4 (single) and 4r (room) based on the toggle. Adds `applyMode`, `renderRoomEncounterRows`, validation for Step 4r, and `submitRoom` (the JSON-POST branch).

- `portal/static/control.css` — `.mode-toggle`, `.mode-card`,

`.encounter-editor`, `.encounter-row` styling (responsive down to the 700 px breakpoint).

No server.py changes — the room-mode submit goes to the M4 `/api/room/start` route, which already exists and is tested.

3. Uses

- The operator opens `/portal/control` from the nav.

- They pick a mode (defaults to Single Patient — the v6 default).

- They fill the shared steps (Scenario, EHR, Curriculum).

- **Single mode:** Step 4 (Characters) → Step 5 (Network) → Submit.

Lands on `/portal/control/ops` (v6 single-encounter ops view).

- **Room mode:** Step 4r (Encounters) — set N + per-row label +

persona + EHR → Step 5 → Submit. Lands on `/portal/room` (M5's charge-nurse dashboard).

4. Functions (exported API surface)

Template (control.html)

Element	Role
<code>.mode-toggle .mode-card[data-mode=single]</code>	Single Patient radio card.
<code>.mode-toggle .mode-card[data-mode=room]</code>	Room of N radio card.
<code>.step[data-step="4"][data-step-single]</code>	Single-mode Step 4 strip entry.
<code>.step[data-step="4r"][data-step-room]</code>	Room-mode Step 4r strip entry (hidden in single mode).
<code>.wiz-pane[data-pane="4r"][data-pane-room]</code>	Room-mode encounter editor pane.
<code>#room-n input</code>	How many encounters (2–10).
<code>#room-chart-mode select</code>	shared / private_clone default.
<code>#room-encounter-rows div</code>	Container; JS appends <code>.encounter-row</code> children.

JS (control.js — IIFE, no public exports)

Internal symbol	Purpose
<code>buildSequence(mode)</code>	Returns the active step-id sequence, swapping 4 ↔ 4r based on mode.
<code>applyMode(newMode)</code>	Mode flip: updates <code>.mode-card.active</code> , hides off-mode strip entries + panes, rebuilds the sequence, jumps to step 1.
<code>renderRoomEncounterRows()</code>	Renders N rows in <code>#room-encounter-rows</code> , preserving any operator-typed values between re-renders.
<code>submitSingle(result)</code>	v6 form POST to <code>/portal/control/start</code> . Strips <code>wizard_mode</code> .
<code>submitRoom(result)</code>	Validates rows; builds a <code>{label, encounters: [...]}</code> JSON body; POSTs to <code>/api/room/start</code> ; redirects to <code>/portal/room</code> .
<code>validateStep(id)</code> extension	Adds Step 4r validation: ≥2 rows, every row has a persona.

window.MEDSIM2 additions

```

personasForRoom: [{id, name, role}, ...] // 24 personas, compact form
ehrIds:          [{id, name}, ...]       // helix / cyrus / meridian

```

5. Limitations

- **Per-encounter persona is one persona.** The v6 wizard's

"multi-persona conversation" pattern (e.g. patient + family member in one encounter) is single-mode-only. To replicate it in room mode, configure two encounters or add the secondary persona later via M4's per-encounter routes.

- **No per-encounter Curriculum override.** Every encounter in a

room inherits the same `program_id`, `week`, `modules`, and `scenario_text` from the shared Steps 2/3. Per-encounter curriculum picks are an M11/M12 (Activity catalog) feature once the catalog exists.

- **Range 2–10 encounters.** Below 2 doesn't make sense in room

mode (use Single Patient instead); above 10 hits M19's eventual capacity cap (24 stations / 10 encounters per the Development Plan §"Capacity caps").

- **Mode toggle resets navigation to Step 1.** This is deliberate —

toggling mid-flow can leave the operator on a step that no longer exists in the new mode. The trade-off: re-walking Steps 1–3 after a mode switch.

- **Step 5 is shared between modes.** The "Start session" button

triggers the right submit branch via the JS mode variable; there's no visible UI hint of which target URL fires.

6. Test status

Automated (tests/v7/test_wizard_room_modes.py)

Test	Asserts	Status	Last run
test_wizard_single_patient_creates_implicit_room_of_one	v6 form POST creates a room of 1; get_active() returns it.	PASS	2026-05-26
test_wizard_room_of_4_creates_4_encounters	Room-mode JSON POST creates 4 encounters with distinct join codes; chart_mode per-row carried through.	PASS	2026-05-26
test_wizard_room_of_4_dashboard_state_reflects_each_encounter	/api/room/state returns one row per encounter after a room finalize.	PASS	2026-05-26
test_wizard_room_finalize_replaces_prior_single_patient_room	Operator demos single → switches to room: prior session ends, new room owns only the new encounters.	PASS	2026-05-26

4/4 — **PASS** under the v6 venv. Full v7 suite: 27/27 passing. Full v6 regression on v7: 138 passed, 6 pre-existing env-flaky (same list as v6 baseline), **0 v7 regressions**.

Manual (browser preview — 2026-05-26)

Flow	Result
Open /portal/control, initial state	PASS — Single Patient highlighted, 4 · Characters strip entry visible, 4 · Encounters hidden.
Toggle Room of N	PASS — mode-card visual swap; step strip flips to 4 · Encounters; Step 4r pane revealed; 4 encounter rows auto-render.
Change #room-n to 3 then 5	PASS — rows re-render preserving the operator's typed labels for the rows still in range.
Fill 4 rows with distinct personas + labels, advance to Step 5, click Start	PASS — POST to /api/room/start succeeds; browser lands on /portal/room with the same 4-encounter grid as the M5 manual flow.

7. Change list

Date	Author	Change	Files
2026-05-26	claude-code	Mode toggle + Step 4r pane in control.html; mode/sequence/row-renderer/submitRoom in control.js; .mode-toggle/.encounter-row CSS. 4 acceptance tests. Browser-verified end-to-end finalize through /portal/room.	portal/templates/control.html, portal/static/control.{js,css}, tests/v7/test_wizard_room_modes.py

8. Open questions / known issues

- Mode-toggle UX on shrunken screens: at < 540 px wide the two mode cards stack; OK for now but may need tablet portrait re-verification in M21's LAN test.
- The "Default chart mode" select on Step 4r only sets the per-encounter default. If a future requirement is "per-row chart mode override," the row template already has the data slot but there's no row-level UI control yet.
- The room mode's finalize discards the in-form persona checkboxes from Step 4 (which is hidden anyway). If the operator filled Step 4 in single mode, then toggled to room mode, the persona checkboxes silently no-op — which is the right behavior (the toggle restarts navigation to Step 1) but worth a UX confirm in M21 LAN testing.
- applyMode triggers a navigation reset to step 1. We could preserve current if it's still in the new sequence, but the reset is intentional defensive behavior — toggling mid-flow is a rare operator action.