

M32 — Room mode skips wizard's single-patient steps

Phase: Phase 7 follow-on (post-M31, operator-feedback fix) **Status:** **DONE** **Blocked by:** M6 (mode toggle), M12 (per-row activity picker), M31 (per-row Characters + Curriculum drawers) **Blocks:** none **Estimated effort:** 0.5 day

1. Purpose

Operator feedback after M31:

"For the multi patient the system still follows the path for the single patient then has the encounter page."

In Room of N mode, the wizard previously walked the instructor through Steps 1 → 2 (Scenario) → 2b (Records system) → 3 (Curriculum context) → 4r (Encounters) → 5 (Network). Steps 2 / 2b / 3 are single-patient wizard-wide fields — they had no authoring meaning in room mode because Step 4r's per-row drawers (M31) own all of that authoring per bed. The instructor was effectively filling out a ghost single-patient session before getting to the real work.

M32 removes those steps from the room-mode flow. The instructor's path is now:

Room of N mode: Step 1 (system check) → Step 4r (per-bed authoring) → Step 5 (network launch)
Single mode: Step 1 → Step 2 → Step 2b → Step 3 → Step 4 → Step 5 (unchanged)

Each Step 4r encounter row continues to expose three drawers (Scenario, Characters, Curriculum) introduced in M31 — those drawers are now the **only** place per-bed authoring happens. The visible step strip is renumbered to its sequence position, so room mode reads *"1 · System check · 2 · Encounters · 3 · Network"* instead of the gappy *"1 · System check · 2 · Encounters · 5 · Network"*.

A new "Room label" input lives at the top of Step 4r so the cohort gets a name without resurrecting Step 2.

2. Structure

Files touched:

- `portal/templates/control.html` — step-strip indicators 2 / 2b / 3

marked `data-step-single`; panes 2 / 2b / 3 marked `data-pane-single`; `data-required-single` added to the `scenario_name` input; Step 4r intro rewritten + Room label input added; Step 4r step-strip text changed from "4 · Encounters" to "2 · Encounters" (default — JS rennumbers live based on sequence position).

- `portal/static/control.js` — `applyMode()` hides `data-pane-single`

panes in room mode; toggles required on `data-required-single` fields based on mode; new `refreshStepNumbers()` rewrites visible step prefixes from sequence position; `submitRoom()` reads the room label from `#room-label-input` (with fallbacks).

No backend change. `/api/room/start` already accepts every field M31 added; M32 is a pure UX rewire.

No schema migration. No new dataclass fields.

3. Uses

3.1 Instructor flow (room mode)

1. `/portal/control` loads → wizard mode picker defaults to **Single**. 2. Instructor clicks **Room of N** card. 3. `applyMode("room")` runs: - Step strip steps 2 / 2b / 3 / 4 become hidden. - Step strip step 4r becomes

visible. - Panes 2 / 2b / 3 become hidden. - `scenario_name`'s required attribute is removed. - `refreshStepNumbers()` rennumbers visible step labels to "1 · System check", "2 · Encounters", "3 · Network". - `renderRoomEncounterRows()` paints N rows into Step 4r. - `showStep("1")` lands the instructor on the system check. 4. Step 1 → Continue → Step 4r (skipping 2 / 2b / 3 entirely). 5. Step 4r: instructor fills in Room label + N + chart mode, then opens the three drawers per row (M31). The Scenario drawer holds that bed's scenario textarea (M12-era per-row Activity picker pre-fills it); the Characters drawer is the persona multi-select; the Curriculum drawer is the per-bed program / week / module set. 6. Continue → Step 5 → "Start session →" → `submitRoom()` POSTs to `/api/room/start` with one encounter object per row, each carrying its own personas / modules / program / week / EHR / `scenario_text` / `chart_mode` / label. 7. Browser redirects to `/portal/room` (Multi-Patient Control dashboard).

3.2 Step renumbering

The step strip in HTML carries each step's stable data-step id ("1", "2", "2b", "3", "4", "4r", "5") plus the display text (e.g. "4 · Encounters"). On `applyMode()`, `refreshStepNumbers()` finds each step that's in the current sequence array and rewrites its text to `${sequenceIndex + 1} · ${labelBody}`. The label body (everything after the original "N · " prefix) is cached on `dataset.labelBody` on first visit so successive mode toggles don't compound. Steps not in the active sequence are left alone (they're hidden anyway).

4. Functions (exported API surface)

No new public functions — M32 is a UX/template change.

Symbol	Where	Purpose
<code>applyMode(newMode)</code>	<code>portal/static/control.js</code>	Extended: hides single-mode panes + toggles required + calls <code>refreshStepNumbers()</code> .
<code>refreshStepNumbers()</code> (new)	<code>portal/static/control.js</code>	Rewrites visible step labels based on sequence position. Cached <code>dataset.labelBody</code> makes toggle idempotent.
<code>submitRoom(result)</code>	<code>portal/static/control.js</code>	Now reads room label from <code>#room-label-input</code> first, then the (hidden) <code>scenario_name</code> second, then a literal fallback.

5. Limitations

- **The Scenario drawer per row is still collapsed by default.**

An instructor who only wants to assign primary personas + activities per row can still finalize without opening drawers — Activity picks pre-fill the scenario textarea inside the drawer, so the row remains authored even when the drawer is closed.

- **Mode toggle mid-flow resets to step 1.** If the instructor has

partially completed Step 4r in room mode and then flips to single, they restart at Step 1. The per-row state in the (now-hidden) Step 4r is preserved in DOM but inaccessible until they toggle back to room mode. Matches the M6 design.

- **Step 4r is still a single scrolling pane.** With 10 beds and all

three drawers expanded per row, that's a long page. The drawers are collapsed by default to mitigate; a future M33 could paginate or use a left-rail jump list per bed.

- ****No per-bed "Records system" Step-2b-equivalent inside the**

Characters drawer.** Each row already has an `ehr_id <select>` in its primary controls row — that's where per-bed EHR picking lives. No dedicated drawer for it.

- **Step prefix renumbering happens once per mode change.** If JS

later mutates `sequence` without re-calling `refreshStepNumbers()`, the visible numbers will drift. All current call sites flip mode via `applyMode()`, which calls the refresh, so this is fine today.

6. Test status

Test file	Asserts	Status	Last run
tests/v7/test_wizard_room_mode_skips_single_steps.py::test_step_strip_marks_single_only_steps	step strip indicators 2 / 2b / 3 / 4 carry data-step-single	PASS	2026-05-27
tests/v7/test_wizard_room_mode_skips_single_steps.py::test_single_only_panes_carry_data-pane-single	panes 2 / 2b / 3 carry data-pane-single	PASS	2026-05-27
tests/v7/test_wizard_room_mode_skips_single_steps.py::test_step_4r_has_dedicated_room_label_input	#room-label-input exists inside the Step 4r pane	PASS	2026-05-27
tests/v7/test_wizard_room_mode_skips_single_steps.py::test_scenario_name_required_is_conditional	scenario_name carries required AND data-required-single	PASS	2026-05-27
(regression update) tests/v7/test_wizard_per_row_scenario.py::test_wizard_template_includes_per_row_scenario_textarea	Step 4r intro copy reflects "each bed is its own scenario" — assertion updated to match new phrasing	PASS	2026-05-27
Full v7 suite	204 passed, 1 skipped (M20 Playwright skip — unchanged)	PASS	2026-05-27

7. Change list

Date	Author	Change	Files
2026-05-27	claude-code	Initial M32 implementation: mark single-only steps + panes, add Room label input + data-required-single, renumber step prefixes, 4 new tests, 1 phrase-only test fix	portal/templates/control.html, portal/static/control.js, tests/v7/test_wizard_room_mode_skips_single_steps.py (new), tests/v7/test_wizard_per_row_scenario.py (assertion text only)

8. Open questions / known issues

- ****The Activities picker dropdown on each Step 4r row carries a**

"Custom (no template)" option.** Without Step 2's wizard-wide scenario textarea, a row with "Custom" + a closed Scenario drawer effectively has no scenario text. The submit handler still resolves to `scenarioText` (the hidden Step 2 field, empty) as fallback. We may want to make the Scenario drawer auto-expand when the row's activity is "Custom" and the textarea is empty. Tracked as a potential M33 follow-up.

- **Step 5 ("Network") still mentions a single "join code" QR.**

In room mode each bed has its own join code (M31), so the Step 5 copy should be revisited to reflect that — but the per-bed QRs live on the Per-Patient Console (M31), not on Step 5. Acceptable for now; copy refresh deferred.

- **The room label is optional.** If the instructor leaves

`#room-label-input` empty and `scenario_name` empty, the cohort is labeled "Room". We could `required-flag` the room label but the existing fallback feels operator-friendly.

*Render this guide to PDF with `python docs/module_guides/render_pdfs.py.*`