

M44 — Devices modal shows ONLY device manager + cabinet block (room-level med cart prep)

Phase: Phase 7 follow-on (post-M43, operator-feedback fix) **Status:** **DONE** (modal scope + cabinet block); **M45 deferred** (room-level med cart UI + linking) **Blocked by:** M42 (modal scaffold), M43 (multi-patient device routes) **Blocks:** M45 (room-level med cart dashboard + grouped MAR) **Estimated effort:** 0.5 day

1. Purpose

Operator feedback after M43:

"The pop up should only bring up the simulated devices, it is make an entire control room page. Also on Med Carts have them created in the Multi-Patient control and then allow them to add the encounters in the simulation to a specific med cart so the function is no longer able to generate the med carts in the encounter."

Two distinct problems:

1. **The "Managed devices" modal still rendered the entire v6 ops view inside the iframe.** M42's embed-mode CSS hide list targeted class names that don't actually exist in the template (`.operator-ptt-card` vs the real `.op-ptt-card`, `.live-transcript-card` vs `.transcript-card`, etc.) — so the invite-stations, connected-stations, session-context, PTT, transcript, voices, and EHR-stations cards all stayed visible. The result felt "like an entire control room page" to the operator.
2. **Med carts (cabinets) should be a room-level resource.** Today every encounter can mint its own cabinet via the device manager. The operator wants them created once at the Multi-Patient Control level and then linked to encounters — so the per-encounter device manager should **not** let you generate carts.

M44 ships Phase A of both fixes:

- **(1) is fully fixed.** The devices card got an ``id="devices-card"` anchor, and the embed-mode `<style>` block now hides every `.check-card` and re-shows only `#devices-card``. The iframe now renders the simulated-devices card and the add-device modal — nothing else.
- **(2) is set up but not yet wired.** The JS dropdown excludes the cabinet kind in embed mode (operator can't pick it), AND the `/api/device/register` route rejects encounter-scoped cabinet POSTs server-side with 409 + a "use Multi-Patient Control" hint. The actual room-level med-cart dashboard (creation UI + linking to encounters + grouped MAR view) is deferred to **M45** because it requires a model change (`DeviceStation.character_id` → `character_ids: list[str]` or a separate cart↔encounter join table) plus the cabinet bootstrap + MAR rewrite. M44 leaves the encounter side in a clean state so M45 can drop in the room dashboard without conflicts.

2. Structure

Files touched:

- `portal/templates/control_ops.html`:
- Added `id="devices-card"` to the simulated-devices `<section>`.
- Added `id="devices-card-kinds-note"` to the help text under the

Add-device button so the JS can re-label it in embed mode. - Replaced the embed-mode `<style>` block with an explicit "hide everything, show only #devices-card" pair of declarations. Also kills body padding/margins + container max-widths so the card uses the full iframe width.

- portal/static/control_ops_devices.js:
- fillKindSelect(sel) reads window.MEDSIM2_OPS.embed_mode. In

embed mode the kind list is filtered to exclude `cabinet`. The help text under the button is also re-labeled to explain why ("Med carts are managed at the room level — add them on the Multi-Patient Control page").

- portal/devices/routes.py:
- POST /api/device/register rejects device_kind=cabinet when

the resolved session is an encounter in the active room (i.e. the route was called with ?join=<encounter join>). Returns 409 with the room-level hint. v6 singleton path is untouched — cabinets remain creatable in the legacy single-patient flow until the operator explicitly moves to multi-patient.

No new dataclass field. No schema migration. M44 is the front-half of room-level med carts; M45 lands the model change + new dashboard.

3. Uses

3.1 Devices modal — what the operator sees now

Before M44 (with M42's broken hide):

■ devices-dialog (iframe)	■ ← M42 hid this
■ [ops-view top bar: START/PAUSE/RESUME/STOP]	■ ← was already hidden=hidden
■ [seed-report-card]	■ ← was already hidden=hidden
■ [med-checklist-card]	■ ← STILL VISIBLE (bug)
■ Invite stations [QR codes]	■ ← STILL VISIBLE (bug)
■ Connected stations [roster]	■ ← STILL VISIBLE (bug)
■ Session context [program/week/personas]	■ ← STILL VISIBLE (bug)
■ Operator PTT [hold-to-talk]	■ ← STILL VISIBLE (bug)
■ Live transcript	■ ← STILL VISIBLE (bug)
■ Voices	■ ← STILL VISIBLE (bug)
■ EHR stations	■ ← STILL VISIBLE (bug)
■ Simulated devices ← the one we wanted	■

After M44:

[illegible]

3.2 Add-device dropdown — cabinet excluded in embed mode

When the operator clicks **+ Add device** inside the modal, the kind dropdown now reads:

- Pump IV (Alaris)

- Pump enteral (Kangaroo Omni)
- ~~Cabinet (Pyxis)~~ ← excluded in embed mode

And the help text under the button reads:

Bed-level devices only (pumps + future-device buttons). Med carts are managed at the room level — add them on the Multi-Patient Control page.

3.3 Server-side guard

If somehow a client POSTs `device_kind=cabinet` with an `?join=<encounter join>` (bypassing the dropdown filter), the route returns:

```
HTTP 409
"Med carts (cabinets) are a room-level resource. Open the
Multi-Patient Control page to add a cart, then link this
encounter to it."
```

This message is forward-pointing — when M45 lands the Multi- Patient Control dashboard panel, the same message will be accurate verbatim. v6 singleton (no `?join=`) is untouched.

4. Functions (exported API surface)

Symbol	Where	Purpose
<code>#devices-card</code> (HTML id)	<code>portal/templates/control_ops.html</code>	Stable anchor for the embed-mode CSS to show.
<code>#devices-card-kinds-note</code> (HTML id)	same	Help-text span the JS re-labels in embed mode.
<code>fillKindSelect(sel)</code> (extended)	<code>portal/static/control_ops_devices.js</code>	Filters out cabinet when <code>MEDSIM2_OPS.embed_mode</code> is true.
POST <code>/api/device/register</code> (extended)	<code>portal/devices/routes.py</code>	Rejects <code>device_kind=cabinet</code> when <code>?join=</code> resolves to a v7 encounter.

5. Limitations

- ****The cabinet block message references a Multi-Patient Control**

feature that does not yet exist.** Until M45 ships the room- level dashboard panel, the operator will see the message and not have anywhere to actually create the cart. The message is honest — it's the right path forward — but premature. Workaround: M44 doesn't prevent operators from creating cabinets in the v6 single-patient flow (no `?join=` ⇒ unrestricted).

- ****Embed-mode CSS uses `display: revert` for the `body > script`**

selector** to keep the bootstrap inline scripts running. Browsers without `revert` support (very old) would fall back to inherited display values. Not a concern for the target operator workstations.

- **The "show only" approach is global** — it hides everything

except `#devices-card`. If a future v6 ops-view section is added without an explicit show-rule, it'll be invisible in embed mode. Document this in the ops-view edit comment.

- **No filter on the WS event firehose.** The instructor

WebSocket at `/ws/instructor` still broadcasts every device event across the room; the embedded modal sees all of them, not just events from this encounter. Acceptable today (just chatter); M45 can scope by encounter when it lands.

6. Test status

Test file	Asserts	Status	Last run
<code>tests/v7/test_devices_modal_scope.py::test_embed_mode_css_hides_all_other_cards</code>	Page injects the show-only-devices-card CSS pair + body padding/margin overrides	PASS	2026-05-27
<code>...::test_embed_mode_does_not_apply_in_v6_single_patient_path</code>	Without <code>?embed=1</code> , the CSS block doesn't render — v6 path unchanged	PASS	2026-05-27
<code>...::test_register_cabinet_rejected_when_encounter_scoped</code>	cabinet POST with <code>?join=<encounter></code> returns 409 with the "room-level" message	PASS	2026-05-27
<code>...::test_register_pump_iv_still_works_when_encounter_scoped</code>	pump_iv POST with <code>?join=</code> still 200s (only cabinet is blocked)	PASS	2026-05-27
<code>...::test_cabinet_block_only_fires_when_join_targets_an_encounter</code>	Cabinet block path is bounded — without <code>?join=</code> the session-resolution 409 fires first; the cabinet branch is unreachable	PASS	2026-05-27
<code>...::test_devices_js_filters_cabinet_kind_in_embed_mode</code>	JS source carries <code>embed_mode</code> check + filter + "room level" copy	PASS	2026-05-27
Full v7 suite	301 passed, 1 skipped (M20 Playwright skip — unchanged)	PASS	2026-05-27

7. Change list

Date	Author	Change	Files
2026-05-27	claude-code	Initial M44: #devices-card anchor + show-only embed CSS; cabinet filtered from JS dropdown in embed mode + server-side guard on the register route; 6 new tests	portal/templates/control_ops.html, portal/static/control_ops_devices.js, portal/devices/routes.py, tests/v7/test_devices_modal_scope.py (new)

8. Open questions / known issues — M45 plan

The full "room-level med carts + grouped MAR" feature requires:

Data model

- New `room.med_carts: dict[station_id, DeviceStation]` on the `ControlRoom` dataclass. Each cart's `session_id` becomes the room id (or a stable `room.cart_session_id`) instead of an encounter id.
- New cart↔encounter link table OR a ``cart.linked_encounter_ids: list[str]`` field. Multiple encounters → one cart is the new invariant.
- Migration of the existing `device_station` SQLite table to carry a `room_id` column alongside `session_id` (nullable for pumps/non-cart devices).

Routes

- POST `/api/room/med_cart/register` — operator creates a cart on the Multi-Patient Control dashboard.
- POST `/api/room/med_cart/{station_id}/link_encounter` — adds an encounter to the cart.
- DELETE `/api/room/med_cart/{station_id}/link_encounter/{eid}` — removes the link.
- The cart's bootstrap (`/api/device/{sid}/bootstrap`) returns a **list** of per-patient MAR sections (one per linked encounter's patient persona) instead of a single MAR.

UI

- Multi-Patient Control dashboard: new "■ Med carts" card with list + Add form + per-cart linked-encounters chip list + "Open cart" QR.
- Encounter console device modal: a "Linked med carts" read-only section showing which room carts this bed is attached to + an "Unlink" affordance.
- Cabinet device page: grouped MAR with patient name headers (per the operator's original ask: *"list each of the assigned character patients and their assigned medication under their character name"*).

Migration story

- Existing v6 single-patient cabinets keep working unchanged

(their `linked_encounter_ids` is a 1-element list of their legacy session).

- v7 multi-patient: operators must create carts at the room level

going forward. M44's server-side block is what enforces this.

M45 is sized at ~1.5 engineer-days. Tracked separately so M44 can ship the immediate fixes today.

Render this guide to PDF with `python docs/module_guides/render_pdfs.py`.