MED STEEL



STEEL CATALOGUE

REBAR MADE ACCORDING TO INTERNATIONAL STANDARDS

ASTM A615 GRADE 60 [420]
ISO 6935-2 - GRADE B500BWR

COMPANY PROFILE

Med Steel is now a leading company in the field of steel production and one of the most experienced in the Kurdistan Region, Iraq. Our facility covers nearly 625,000 square meters. The steel melting and billet production plant can produce 360,000 tons per year.



THE CONTENT

Company Profile	02
The Content	03
The Keys	04
Company Standards	05
Company Standards Con.	6-7
Company Standards Con.	8-9
Identification Mark	10
Manufacturing Chart	11
Steel Properties	12-13
Certificate & Documents	14-23

The Five Keys of MED STEEL

- *Safety*
- *Teamwork*
- *Quality*
- *Environment*
- *Sustainability*



Quality of Steel Rebar at Med Steel Company According to Standards

Standard	ASTMA615	ASTMA615	ISO6935-2:2019
Version	2018	2024	2019
Grade	60 (420)	60 (420)	B500BWR
Yield Strength (MPa)Min	420	420	500
Tensile Strength (Ultimate Stress) (Mpa)Min.	620	550	——
(Rm/ReH) Min	1.1	1.1	1.08
Elongation (%) Min	9	9	14

Steel Rebar Weight and Tonnage per Size at Med Steel Company According to Standards

REBAR SIZE	Unit weight Kg/m Tolerance ± 0.5 - 5 %	Unit weight Kg/12m	Tonnage	Number of bars at bundle ±1
10 MM	0.617	7.40	1960 / 1990	272
12 MM	0.888	10.66	1955 / 1985	194
14 MM	1.208	14.50	1960 / 1990	140
16 MM	1.579	18.95	1955 / 1985	108
20 MM	2.466	29.59	1955 / 1990	67
25 MM	3.854	46.25	1955 / 1990	43
32 MM	6.313	75.76	1955 / 1990	26

OVERLOOK QUALITY WITH US!



Steel Rebar Tensile and Bend Test Specifications at Med Steel Company According to Standards



Bends but never breaks!

Rebar Size	Nominal cross-sectional area mm²	Minimum Unit Kg/m Tolerance	Nominal Unit weight Kg/m	Maximum Unit weight Kg/m Tolerance	Permissible Variation in Weight [Mass]	Bend test (180 °) Mandrel Diameter
10	78.5	0.586	0.617	0.648	± 6	3½d = 35
12	113	0.844	0.888	0.932	± 6	3½d = 42
14	154	1.148	1.208	1.268	± 6	3½d = 49
16	201	1.500	1.580	1.658	± 6	3½d = 56
20	314	2.343	2.470	2.589	± 6	5d = 100
25	491	3.700	3.850	4.008	± 6	5d = 125
32	804	6.060	6.310	6.566	± 6	7d = 224

IDENTIFICATION MARK

MED STEEL

ميد ستييل

REINFORCEMENT BAR :	حديد الآنشاءات:
STANDARD :	المعيار:
STEEL GRADE:	القياس:
SIZE:	درجه الفولاد:
HEAT NUMBER :	رقم الصهره:
BUNDLE WT:	وزن الربطه:
MADE IN IRAQ :	صنع في العراق:
DATE:	التأريخ:


MANUFACTURER

MEDSTEEL COMPANY

QUCHA BLBAS, NEAR QUSHTAPA, KARKUK ROAD, ERBIL, IRAQ

INFO@MEDSTEEL.COM


Steel Reinforcement Rebar Manufacturing Process Flow Chart







Steel Rebar Surface
Properties




Factory Name

Standard

Rebar Size

Country Made



Test Results by Test Centers



Erbil Construction Laboratory

إقليم كوردستان - العراق
مجلس الوزراء
وزارة اعمار و الاسكان
مديرية مختبر اربيل الانشائي

Kurdistan Regional Government
Council of Ministers
Ministry of Construction & Housing

هەرێمی کوردستان - عێراق
ئەنجومەنی وەزیران
وەزارەتی ئاوەدان کردنەوە و نیشتەجێ کردن
بەڕێوەبەرایەتی تاقیگەی بیناسازی هەولێر

Form No.	CM 19	Revision No.	5.4	Approved by	Quality Control Section	Approved on	06/10/2024

Test Report / Steel Bar for Concrete Reinforcement

Listed below, detailed test results of sample (s). Hope to pay its cost according to the attached payment billhead. "With appreciation"

Letter of test request		Date of sample receiving	Date of test finishing	No. of sample(s)	ECL Report	
No.	Date				No.	Date
264	1/9/2025	1/9/2025	2/9/2025	5	35353	1/9/2025
Name of Test Requester		Project Name/Sample Location			Contractor's Name	
MED STEEL		For Test / Qushtapa			MED STEEL	

Testing date																	
Lab. No.	S	Actual dia. (mm)	Mass/Meter (kg/m)		Yield stress at 0.35 % (MPa)		Ult. stress (MPa)		Ult./Yield Ratio		Elongation (%)	Grade (SI)			Bending Test (Pass/Fail)	Manufacture Company (Country)
			Actual	Req.	Actual	Req.	Actual	Req.	Actual	Req.		Actual		Req		
90437	1	10	0.594	0.617	581.8	420	661.0	550	1.14	1.10	15.0	420	**420**	420	Pass	Med Steel
	2															
	3															
90438	1	12	0.855	0.888	537.5	420	639.4	550	2.35	1.10	17.5	420	**420**	420	Pass	Med Steel
	2															
	3															
90439	1	16	1.532	1.578	508.0	420	615.0	550	1.21	1.10	20.0	420	**420**	420	Pass	Med Steel
	2															
	3															
90440	1	20	2.459	2.466	535.6	420	660.9	550	1.23	1.10	20.0	420	**420**	420	Pass	Med Steel
	2															
	3															
90441	1	25	3.852	3.853	491.7	420	630.0	550	1.28	1.10	20.0	420	**420**	420	Pass	Med Steel
	2															
	3															

Erbil Construction Laboratory

Sampling (According to IQ-NCCLR sampling Booklet): For each diameter, one sample (3 bars for tension test + 1 bar for bending test) should be taken for the specified quantities shown in sampling table below:

Bar Diameter (mm)	<10	10–16	20–32	> 32
Quantity (ton)	25	35	45	55

Notes:

1. The samples were brought by your staff (Mohammad Z.).
2. Tests were performed according to **ASTM A370-17 & E290-14** at room temperature (…℃).
3. The results were evaluated according to **ASTM A615M-24.**
4. The mass of the specimen shall be at least a 94% of the applicable mass per unite length prescribed in **ASTM A615-24.**
5. The steel bars are **conformed** to the required specifications.
6. The results represent the tested samples only.

ECL Erbil Construction Laboratory هونەری

ECL Erbil Construction Laboratory راپۆرت

ECL Erbil Construction Laboratory

Sirwan Essmat Khalil
Director of Erbil Construction Laboratory

Ankawa Road 36, Erbil – Kurdistan | Cell 07503006241 | Ec lab 1976@gmil.Com

National Center for Construction Laboratories
Baghdad



8/3/25, 9:50 AM — الطباعة 2

المركز الوطني للمختبرات الانشائية
مختبر بغداد المركزي

العدد: ١٢٢٣/ف/١٣
التأريخ: ٣٠/٧/٢٠٢٥

No. : 0084997

الى/ شركة ميد ستيل لصناعة الحديد المحدودة

ت خ ١٩ أ

حديد تسليح
المواصفة ASTM A615/ A615M- 2024

3700

اسم المشروع وموقع العينة	عدد العينات	قائمة الطلب		كتاب طلب الفحص		
		التسلسل	التاريخ	رقم وتاريخ الوارد	تاريخ	رقم
شركة ميد ستيل لصناعة الحديد المحدودة مقرها الكائن في اربيل	٩	١٠٧٠	٧/٢٧	٩٦٦ في ٢٠٢٥/٧/٢٧	٧/٢٤	٢١٩

١-نتائج فحص حديد التسليح (القطر ، الابعاد، الوزن)

الرقم المختبري		٣٣٥٥			٣٣٥٦			٣٣٥٧		
الرقم الحقلي		١	٢	٣	١	٢	٣	١	٢	٣
		عراقي المنشأ			عراقي المنشأ			عراقي المنشأ		
القطر الاسمي	(مم)	١٠	١٠	١٠	١٢	١٢	١٢	١٦	١٦	١٦
طول محدد القياس (L0)	(مم)	٢٠٠	٢٠٠	٢٠٠	٢٠٠	٢٠٠	٢٠٠	٢٠٠	٢٠٠	٢٠٠
محيط مقطع حديد التسليح الاسمي	(مم)	٣١,٤	٣١,٤	٣١,٤	٣٧,٧	٣٧,٧	٣٧,٧	٥٠,٣	٥٠,٣	٥٠,٣
مساحة مقطع حديد التسليح الاسمية	(مم٢)	٧٩	٧٩	٧٩	١١٣	١١٣	١١٣	٢٠١	٢٠١	٢٠١
القطر الفعلي	(مم)	٩,٧	٩,٧	٩,٧	١١,٨	١١,٨	١١,٨	١٥,٧	١٥,٦	١٥,٧
الكتلة الفعلية لكل وحدة طول /الكتلة الاسمية لكل وحدة طول × ١٠٠	(%)	٩٥	٩٥	٩٤	٩٦	٩٦	٩٦	٩٦	٩٥	٩٦

٢- نتائج فحوص حديد التسليح الميكانيكية (مقاومة الخضوع ،مقاومة الشد، الاستطالة، الانحناء)

مقاومة الخضوع	(نت/مم٢)	٥٨٥	٥٨٦	٥٤٢	٥٠٤	٥٢٣	٥٣٥	٥٠٨	٥٣٢	٥٠٦
مقاومة الشد	(نت/مم٢)	٦٤٦	٦٤٣	٦٣١	٦٢٨	٦٣٩	٦٣٢	٦١٥	٦٤١	٦١٤
نسبة مقاومة الشد الفعلية الى مقاومة الخضوع الفعلية		١,١	١,١	١,٢	١,٢	١,٢	١,٢	١,٢	١,٢	١,٢
الاستطالة	%	١٢	١١	١٠	١٥	١٥	١٥	٢٠	١٥	١٥
الانحناء بدرجة حرارة (٢٥) °س وبزاوية انحناء (١٨٠) °		مطابق	مطابق	مطابق	مطابق	مطابق	مطابق	مطابق	مطابق	مطابق
موقع الكسر بالنسبة للنموذج		القطع في الوسط	القطع في الوسط	القطع قرب الماسك العلوي	القطع في الوسط	القطع قرب الماسك العلوي	القطع في الوسط	القطع في الوسط	القطع قرب الماسك العلوي	القطع قرب الماسك العلوي

١- الملاحظات:

أ- النتائج أنفا تمثل العينات التي تم جلبها من قبل المخول السيد (احمد حسن علي مير) بتاريخ ٢٠٢٥/٧/٢٧ .

ب- يتم اجراء فحوص الخضوع والشد والاستطالة بموجب المواصفة الامريكية ASTMA370-2024 وفحوص القطر والابعاد والوزن بموجب المواصفة الامريكية ASTM A615/A615M-2024 وفحص الانحناء بموجب المواصفة الامريكية ASTM E 290-2022 .

ج- تتم اعادة الفحص عند عدم تحقق متطلبات الحد الادنى للمواصفة ASTM A615/A615M-2024 بموجب الفقرة رقم (١٤) من المواصفة .

٢- التوصيات:

١- النماذج المرقمة مختبريا (٣٣٥٥-٣٣٥٧) تعتبر مطابقة لحديد نوع (٤٢٠) صنف (٦٠) المطلوب من قبلكم .

٢- التقرير يحتوي على نتائج الفحص والرسوم البيانية المستحصلة مباشرة من جهاز فحص الحديد خلف وجه التقرير للاطلاع .

٣- التقرير مختوم بختم حراري بالاضافة الى الختم الاعتيادي ولايحتوي على اي حك او شطب او تزييف .

٤- المختبر حاصل على شهادة الاعتماد وفق (ISO 17025:2017) في فحوص حديد التسليح الفيزياوية .

رسول علي حسين
مدير مختبر بغداد المركزي
٢٠٢٥/٧/ ٢٠

اعتمدت في ٢٩ (٤٠١)

التقرير الفني يمثل النسخة الاصلية لنتيجة الفحص ولا يسمح استنساخه

المركز الوطني للمختبرات الانشائية لجميع فروعه في بغداد والمحافظات وفق المواصفة القياسية ISO/IEC 17025

العراق – بغداد – كمب سارة – قرب جسر الغدير – ص.ب: ٢٠٠٦١

Ministry of construction and housing and public municipalities . National Center for Construction Laboratories
AL- E-mail headoffice@mokhtabarat.moch Website https:// www.mokhtabarat.moch.gov.iq

https://e-services.moch.gov.iq:8443/apex/r/pdf/pdf-cdoc/Camp-Sara-Near-Al-Ghadeer-Bridge?p=PDF:PDF_PROCESS:NO:RP:P_SEQ_ID:76042255&succ... 1/1



7/30/25, 7:48 PM — الطباعة 2

المركز الوطني للمختبرات الانشائية
مختبر بغداد المركزي

العدد: ١٢٢٢/ف/١٣
التأريخ: ٣٠/٧/٢٠٢٥

No. : 0084996

الى/ شركة ميد ستيل لصناعة الحديد المحدودة

ت خ ١٩ أ

حديد تسليح
المواصفة ASTM A615/ A615M- 2024

3648

اسم المشروع وموقع العينة	عدد العينات	قائمة الطلب		كتاب طلب الفحص		
		التسلسل	التاريخ	رقم وتاريخ الوارد	تاريخ	رقم
شركة ميد ستيل لصناعة الحديد المحدودة مقرها الكائن في اربيل	٦	١٠٦٩	٧/٢٧	٩٦٧ في ٢٠٢٥/٧/٢٧	٧/٢٤	٢٢١

١-نتائج فحص حديد التسليح (القطر ، الابعاد، الوزن)

الرقم المختبري		٣٣٥٨			٣٣٥٩			-	-	-
الرقم الحقلي		١	٢	٣	١	٢	٣			
		المنشأ عراقي			المنشأ عراقي			-		
القطر الاسمي	(مم)	٢٠	٢٠	٢٠	٢٥	٢٥	٢٥	-	-	-
طول محدد القياس (L0)	(مم)	٢٠٠	٢٠٠	٢٠٠	٢٠٠	٢٠٠	٢٠٠	-	-	-
محيط مقطع حديد التسليح الاسمي	(مم)	٦٢,٨	٦٢,٨	٦٢,٨	٧٨,٥	٧٨,٥	٧٨,٥	-	-	-
مساحة مقطع حديد التسليح الاسمية	(مم٢)	٣١٤	٣١٤	٣١٤	٤٩١	٤٩١	٤٩١	-	-	-
القطر الفعلي	(مم)	١٩,٩	١٩,٩	١٩,٩	٢٤,٥	٢٤,٥	٢٤,٥	-	-	-
الكتلة الفعلية لكل وحدة طول /الكتلة الاسمية لكل وحدة طول × ١٠٠	(%)	٩٩	٩٩	٩٩	٩٦	٩٦	٩٦	-	-	-

٢- نتائج فحوص حديد التسليح الميكانيكية (مقاومة الخضوع ،مقاومة الشد، الاستطالة، الانحناء)

مقاومة الخضوع	(نت/مم٢)	٤٩٧	٥٠٧	٥٠٤	٤٧٥	٤٧٢	٤٨٠	-	-	-
مقاومة الشد	(نت/مم٢)	٦٣٥	٦٣٦	٦٣٦	٥٨٢	٥٨٣	٥٨٥	-	-	-
نسبة مقاومة الشد الفعلية الى مقاومة الخضوع الفعلية		١,٣	١,٣	١,٣	١,٢	١,٢	١,٢	-	-	-
الاستطالة	%	٢٠	٢١	١٥	٢١	١٢	١٣	-	-	-
الانحناء بدرجة حرارة (٢٥) °س وبزاوية انحناء (١٨٠) °		مطابق	مطابق	مطابق	مطابق	مطابق	مطابق	-	-	-
موقع الكسر بالنسبة للنموذج		القطع في الوسط	القطع في الوسط	القطع قرب الماسك العلوي	القطع في الوسط	القطع قرب الماسك العلوي	القطع في الوسط	-	-	-

١- الملاحظات:

أ- النتائج أنفا تمثل العينات التي تم جلبها من قبل المخول السيد (احمد حسن علي مير) بتاريخ ٢٠٢٥/٧/٢٧ .

ب- يتم اجراء فحوص الخضوع والشد والاستطالة بموجب المواصفة الامريكية ASTMA370-2024 وفحوص القطر والابعاد والوزن بموجب المواصفة الامريكية ASTM A615/A615M-2024 وفحص الانحناء بموجب المواصفة الامريكية ASTM E 290-2022 .

ج- تتم اعادة الفحص عند عدم تحقق متطلبات الحد الادنى للمواصفة ASTM A615/A615M-2024 بموجب الفقرة رقم (١٤) من المواصفة .

٢- التوصيات:

١- النماذج المرقمة مختبريا (٣٣٥٨-٣٣٥٩) تعتبر مطابقة لحديد نوع (٤٢٠) صنف (٦٠) المطلوب من قبلكم .

٢- التقرير يحتوي على نتائج الفحص والرسوم البيانية المستحصلة مباشرة من جهاز فحص الحديد خلف وجه التقرير للاطلاع .

٣- التقرير مختوم بختم حراري بالاضافة الى الختم الاعتيادي ولايحتوي على اي حك او شطب او تزييف .

٤- المختبر حاصل على شهادة الاعتمادية وفق (ISO 17025:2017) في فحوص حديد التسليح الفيزياوية .

رسول علي حسين
مدير مختبر بغداد المركزي
٢٠٢٥/٧/ ٢٠

اعتمدت في ٢٩ (٤٠١)

التقرير الفني يمثل النسخة الاصلية لنتيجة الفحص ولا يسمح استنساخه

المركز الوطني للمختبرات الانشائية لجميع فروعه في بغداد والمحافظات وفق المواصفة القياسية ISO/IEC 17025

العراق – بغداد – كمب سارة – قرب جسر الغدير – ص.ب: ٢٠٠٦١

Ministry of construction and housing and public municipalities . National Center for Construction Laboratories
AL- E-mail headoffice@mokhtabarat.moch Website https:// www.mokhtabarat.moch.gov.iq

https://e-services.moch.gov.iq:8443/apex/r/pdf/pdf-cdoc/Camp-Sara-Near-Al-Ghadeer-Bridge?p=PDF:PDF_PROCESS:NO:RP:P_SEQ_ID:74924982678&success ... 1/1

North Technical University Laboratory - Mosul

وزارة التعليم العالي والبحث العلمي
الجامعة التقنية الشمالية
الكلية التقنية الهندسية / الموصل

مكتب الخدمات العلمية والإستشارية
Bureau of Scientific and Advisory Services

ISO 45001:2018

العدد: ٤٢١٥
التاريخ: ٢٠٢٥/٧/٣١

إلى / شركة ميد ستيل لصناعة الحديد المحدودة

م / تقرير فحص حديد

تحية طيبة:
استنادا إلى كتابكم ذي العدد (222) في 2025/7/24 نحيطكم علماً بنتيجة فحص حديد التسليح بالقياسات المذكورة في ادناه وفقا للمعيار الامريكي (ASTM A615 GR60) ، وكما موضح.

مع وافر الشكر والاحترام

أ.م. د. صالح جعفر سليمان
مدير مكتب الخدمات العلمية والاستشارية
الكلية التقنية الهندسية

مكتب الخدمات العلمية و الاستشارية
الكلية التقنية الهندسية / الموصل

نسخة منه إلى:
- الصادرة.

عدد نماذج الفحص	المقاس الاسمي القطر mm	معدل مقاومة الخضوع Yield Strength (N/mm^2)	معدل مقاومة الشد Tensile Strength (N/mm^2)	نسبة الاستطالة %	نتيجة الفحص
3	10	512	644	11.1	مطابق Grade 60
3	12	504	639	10.9	
3	16	535	654	11.0	
3	20	492	633	10.8	
3	25	484	631	10.7	

- نتيجة الفحص: مطابق للمواصفات القياسية العراقية والأمريكية ASTM A615\ A615M-01b.
- النتائج أعلاه تمثل نتائج الفحص للنماذج المستلمة من الجهة المستفيدة من العمل.
- القيمة اللاتأكدية = $\pm 0.15\ N/mm^2$

المهندس الاستشاري
أ. م. د. حسن محمد احمد

المهندس المدقق
م. د. محمد عدنان بشير

009647710660865
009647518096467
bsas@ntu.edu.iq
bsas.mosul@gmail.com
Alminassa street in fron of Ibn Alatheer hospital
fb.com/BSASMOSUL

وزارة التعليم العالي والبحث العلمي
الجامعة التقنية الشمالية
الكلية التقنية الهندسية / الموصل

مكتب الخدمات العلمية والإستشارية
Bureau of Scientific and Advisory Services

ISO 45001:2018

العدد: ٤٢١٥
التاريخ: ٢٠٢٥/٧/٣١

To: Med Steel Company for Iron industry Ltd.

Subject: Steel Rebar Test

Dear Sir,

In response to your letter No. 222 dated 24/7/2025, we would like to inform you of the results of rebar testing according to measurement specified below, conducted in accordance with the American standard ASTM A615 as detailed in table below

With sincere thanks and regards,

Asst. Prof. Dr. Saleh Jaafar Suleiman
Director of the Office of Scientific and Consulting Services
Technical Engineering College

No. of Specimens	Diameter mm	Yield Strength (N/mm^2)	Ultimate Tensile Strength (N/mm^2)	Strain %	Result
3	10	512	644	11.1	Compliant to Grade 60
3	12	504	639	10.9	
3	16	535	654	11.0	
3	20	492	633	10.8	
3	25	484	631	10.7	

- **Result: Specimens are compliant to ASTM A615 Grade 60**
- **Results above for specimens received by office**
- **Uncertainty value is $\pm 0.15\ N/mm^2$**

Review Engineer
Dr. Mohammed A Basheer

مكتب الخدمات العلمية و الاستشارية
الكلية التقنية الهندسية / الموصل

Consulting Engineer
Asst. Prof. Dr. Hasan M Ahmed

009647710660865
009647518096467
bsas@ntu.edu.iq
bsas.mosul@gmail.com
Alminassa street in fron of Ibn Alatheer hospital
fb.com/BSASMOSUL

ISO

Certificates

ISO 14001:2015



Certificate of Registration

This is to certify that the Environmental Management System of

MED STEEL FOR IRON INDUSTRY/LTD

KIRKUK ROAD, OLD TRUCK ROAD, QUCHA BLBAS ERBiL-IRAQ

is in accordance with the requirements of the following standard

ISO 14001:2015

(Environmental Management System)

SCOPE

PRODUCTION OF IRON & STEEL

(IAF Code: 17)

Certificate Number : 261124029603

Initial Registration Date : 26-Nov-2024
1st Surveillance Date : 26-Oct-2025
2nd Surveillance Date : 26-Oct-2026
Certificate Expiry Date : 25-Nov-2027

To verify certificate, visit at :
www.arscert.com
www.uafaccreditation.org
www.iafcertsearch.org

Issued by ARS Assessment Private Limited

Managing Director

CB-MS-3926

UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com

ISO 9001:2015

Certificate of Registration

This is to certify that the Quality Management System of

MED STEEL FOR IRON INDUSTRY/LTD

KIRKUK ROAD, OLD TRUCK ROAD, QUCHA BLBAS ERBİL-IRAQ

is in accordance with the requirements of the following standard

ISO 9001:2015

(Quality Management System)

SCOPE

PRODUCTION OF IRON & STEEL

(IAF Code: 17)

Certificate Number : 011123019616

To verify certificate, visit at :

www.arscert.com
https://uafaccreditation.org
https://www.iafcertsearch.org/

Initial Registration Date : 01-Nov-2023
1st Surveillance Date : 01-Oct-2024
2nd Surveillance Date : 01-Oct-2025
Certificate Expiry Date : 31-Oct-2026

Issued by ARS Assessment Private Limited

Managing Director

CB-MS-3923

UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America :

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com

ISO 45001:2018

Certificate of Registration

This is to certify that the Occupational Health and Safety Management System of

MED STEEL FOR IRON INDUSTRY/LTD

KIRKUK ROAD, OLD TRUCK ROAD, QUCHA BLBAS ERBİL-IRAQ

is in accordance with the requirements of the following standard

ISO 45001:2018

(Occupational Health and Safety Management System)

SCOPE

PRODUCTION OF IRON & STEEL

(IAF Code: 17)

Certificate Number : 301223039608

To verify certificate, visit at :

www.arscert.com
www.uafaccreditation.org
www.iafcertsearch.org

Initial Registration Date : 30-DEC-2023
1st Surveillance Date : 30-NOV-2024
2nd Surveillance Date : 30-NOV-2025
Certificate Expiry Date : 29-DEC-2026

Issued by ARS Assessment Private Limited

Managing Director

CB-MS-3919

UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com

MED STEEL

Location and Contact Details

Office: Sat-Thu 9.00am - 5.00pm
Factory: 24/7
Erbil, IRAQ
www.Medsteel.com

+964 750 888 9999
info@medsteel.com

Main Agent in Iraq:

Yousif Company

+964 7504465597
+964 7514702040