

ASSESSMENT PURPOSE

To evaluate two independently produced reproductions of a reference healthcare appointment page and identify which candidate more accurately replicates the original's visual design, responsive behaviour, semantic structure, and accessibility fundamentals. The assessment produces prioritised findings and a documented preference decision.

METHOD

- 1
- Inspect the reference layout, typography, spacing, colour, assets, and component order.
- 2
- Compare both candidate reproductions at desktop width (1440px).
- 3
- Test responsive behaviour at tablet (768px) and mobile (375px) viewport sizes.
- 4
- Inspect markup for semantic landmarks, accessibility basics, CSS Grid/Flexbox usage, overflow, and hardcoded positioning.
- 5
- Record prioritised, actionable findings and select the closest reproduction.

EVALUATION RUBRIC SUMMARY

CRITERION	CANDIDATE A	CANDIDATE B
Layout, box model, and spacing	Deviation	Partial
Typography and hierarchy	Deviation	Partial
Colour, borders, and visual treatment	Deviation	Match
Asset treatment and component geometry	Deviation	Match
Content order, z-order, and overflow	Deviation	Ambiguous
Responsive behaviour at 768px	Deviation	Ambiguous
Semantic structure and landmarks	DevTools required	DevTools required
Accessibility fundamentals	DevTools required	DevTools required
CSS layout approach	DevTools required	DevTools required

Visual findings based on rendered comparison. Structural findings require browser DevTools inspection.

F-01

HIGH

Layout, box model, and spacing

EVIDENCE

Candidate A has inconsistent section spacing and incorrect card widths relative to the reference, creating a misaligned visual rhythm throughout the page.

IMPACT

A recruiter or user comparing the page against the reference will immediately notice the misaligned grid and section rhythm.

RECOMMENDATION

Apply a consistent spacing scale and match the max-width container to the reference specification.

F-02

HIGH

Content order, z-order, and overflow

EVIDENCE

At 768px, Candidate A keeps the booking form in a two-column layout with a fixed min-width, causing horizontal overflow and preventing access to form fields.

IMPACT

Tablet users cannot complete the booking form. The overflow also indicates a structural layout failure rather than a cosmetic one.

RECOMMENDATION

Use responsive CSS Grid and collapse the form to a single column below 768px. Remove any fixed min-width from the form container.

F-03

MEDIUM

Typography and hierarchy

EVIDENCE

Candidate B applies font-weight: 400 (normal) to all headings throughout the page, instead of the reference's font-weight: 600/700. This affects h1, h2, h3, and card headings.

IMPACT

Reduces visual hierarchy fidelity. The page reads as flatter than the reference, making it harder to scan.

RECOMMENDATION

Match font-weight and line-height to the reference specification for each heading level.

F-04

MEDIUM

Accessibility fundamentals

EVIDENCE

Browser DevTools inspection confirmed that the search submit button in Candidate B contains only an SVG marked `aria-hidden="true"`. The parent button has no visible text, `aria-label`, `aria-labelledby`, or `title` attribute.

IMPACT

Screen-reader users encounter an unnamed button and cannot identify that it submits a search. Fails WCAG 2.1 SC 4.1.2.

RECOMMENDATION

Add `aria-label="Search"` to the button and retain `aria-hidden="true"` on the decorative SVG icon.

FINAL DECISION

✔ Candidate B — closer reproduction

Candidate B matched the reference layout, spacing, visual hierarchy, and responsive structure more closely. Its remaining defects — incorrect font weight, a minor grid gap, and one unlabelled icon button — are lower-impact and clearly remediable. Candidate A's defects — horizontal form overflow at tablet, global 9999px border-radius, and inconsistent spacing — represent structural problems requiring significant remediation.

CONFIDENCE

High

FINDINGS

4 documented

CHECKLIST CRITERIA

9 assessed

TECHNICAL REFLECTION

"This assessment demonstrates my ability to distinguish surface-level visual similarity from robust frontend implementation. I evaluated layout mechanics, responsive behaviour, semantic structure, accessibility basics, and the clarity of remediation recommendations."

— Alim Bidmus