

List of articles used to compile the quench and partitioned steel microstructure database used in this work.

References

- [1] J. Lai, J. Yu, J. Wang, Effect of quenching-partitioning treatment on the microstructure, mechanical and abrasive properties of high carbon steel, *Int. J. Miner. Metall. Mater.* 28 (2021) 676–687. <https://doi.org/10.1007/s12613-020-2164-3>.
- [2] Z. Si, N. Yuan, H. Fu, Effect of Quenching and Partitioning Process on Microstructure and Properties of Mn-Si-Cr Steel, *J. Mater. Eng. Perform.* 31 (2022) 8655–8667. <https://doi.org/10.1007/s11665-022-06871-9>.
- [3] G.K. Bansal, V. Rajinikanth, C. Ghosh, V.C. Srivastava, M. Dutta, S. Ghosh Chowdhury, Effect of cooling rate on the evolution of microstructure and mechanical properties of nonisothermally partitioned steels, *Mater. Sci. Eng. A.* 788 (2020) 139614. <https://doi.org/10.1016/j.msea.2020.139614>.
- [4] M. Liu, J. Guan, Q. Zhang, L. Ai, L. Fan, G. Xu, Microstructure and Properties of a Medium-Carbon Ti-Mo-Bearing Steel Treated by One-Step Quenching and Partitioning Treatment, *J. Mater. Eng. Perform.* 31 (2022) 297–304. <https://doi.org/10.1007/s11665-021-06198-x>.
- [5] J. Dong, X. Zhou, Y. Liu, C. Li, C. Liu, H. Li, Effects of quenching-partitioning-tempering treatment on microstructure and mechanical performance of Nb-V-Ti microalloyed ultra-high strength steel, *Mater. Sci. Eng. A.* 690 (2017) 283–293. <https://doi.org/10.1016/j.msea.2017.03.020>.
- [6] Y.-R. Im, E.-Y. Kim, T. Song, J.S. Lee, D.-W. Suh, Tensile Properties and Stretch-Flangeability of TRIP Steels Produced by Quenching and Partitioning (Q&P) Process with Different Fractions of Constituent Phases, *ISIJ Int.* 61 (2021) 572–581. <https://doi.org/10.2355/isijinternational.ISIJINT-2020-388>.
- [7] W. Zhou, Y. Sun, Q. Wang, L. Ding, Effect of quenching and partitioning process to low-alloy wear resistant steel, *J. Mater. Res.* 31 (2016) 663–669. <https://doi.org/10.1557/jmr.2016.58>.
- [8] M. Cai, H. Huang, X. Zuo, H. Ding, N. Stanford, Enhanced strength-ductility of medium Mn steel by quenching, partitioning and tempering, *Mater. Sci. Technol.* 36 (2020) 584–597. <https://doi.org/10.1080/02670836.2020.1719305>.
- [9] L. Li, Z. Mi, Z. Wang, Y. Yang, Z. Yu, Modified quenching temperature selection method for partial austenitization quenching and partitioning steel, *Mater. Res. Express.* 5 (2018) 066553. <https://doi.org/10.1088/2053-1591/aacd1a>.
- [10] Y. Li, X. Li, G. Yuan, J. Kang, D. Chen, G. Wang, Microstructure and partitioning behavior characteristics in low carbon steels treated by hot-rolling direct quenching and dynamical partitioning processes, *Mater. Charact.* 121 (2016) 157–165. <https://doi.org/10.1016/j.matchar.2016.10.005>.

- [11] W. Li, H. Gao, H. Nakashima, S. Hata, W. Tian, Microstructural evolution and mechanical properties of a low-carbon quenching and partitioning steel after partial and full austenitization, *Int. J. Miner. Metall. Mater.* 23 (2016) 906–919.
<https://doi.org/10.1007/s12613-016-1306-0>.
- [12] G.-T. Zhang, N.-Q. Zhu, B.-W. Sun, Z.-Z. Zhao, Z.-W. Zheng, D. Tang, L. Li, Effect of V Addition on Microstructure and Mechanical Properties in C–Mn–Si Steels after Quenching and Partitioning Processes, *Metals (Basel)*. 11 (2021) 1306.
<https://doi.org/10.3390/met11081306>.
- [13] S. Yan, X.H. Liu, Microstructure and Mechanical Properties of a Low-Carbon Steel Treated by One-Step Quenching and Partitioning Process, *Adv. Mater. Res.* 1082 (2014) 202–207. <https://doi.org/10.4028/www.scientific.net/amr.1082.202>.
- [14] K. Yang, Y. Li, Z. Hong, S. Du, T. Ma, S. Liu, X. Jin, The dominating role of austenite stability and martensite transformation mechanism on the toughness and ductile-to-brittle-transition temperature of a quenched and partitioned steel, *Mater. Sci. Eng. A.* 820 (2021) 141517. <https://doi.org/10.1016/j.msea.2021.141517>.
- [15] L.O. Wolf, F. Nürnberger, D. Rodman, H.J. Maier, 1-Step “Quenching and Partitioning” of the Press-Hardening Steel 22MnB5, *Steel Res. Int.* 88 (2017) 1600307.
<https://doi.org/10.1002/srin.201600307>.
- [16] Q. Li, Y. Zhang, W. Li, X. Huang, W. Huang, Improved Mechanical Properties of a Quenched and Partitioned Medium-Carbon Bainitic Steel by Control of Bainitic Isothermal Transformation, *J. Mater. Eng. Perform.* 29 (2020) 32–41.
<https://doi.org/10.1007/s11665-020-04554-x>.
- [17] M. Carpio, J. Calvo, O. García, J.P. Pedraza, J.M. Cabrera, Heat Treatment Design for a QP Steel: Effect of Partitioning Temperature, *Metals (Basel)*. 11 (2021) 1136.
<https://doi.org/10.3390/met11071136>.
- [18] H. Guo, G. Gao, X. Gui, R.D.K. Misra, B. Bai, Structure-property relation in a quenched-partitioned low alloy steel involving bainite transformation, *Mater. Sci. Eng. A.* 667 (2016) 224–231. <https://doi.org/10.1016/j.msea.2016.05.004>.
- [19] X.D. Wang, W.Z. Xu, Z.H. Guo, L. Wang, Y.H. Rong, Carbide characterization in a Nb-microalloyed advanced ultrahigh strength steel after quenching–partitioning–tempering process, *Mater. Sci. Eng. A.* 527 (2010) 3373–3378.
<https://doi.org/10.1016/j.msea.2010.02.026>.
- [20] J. Zhang, Z. Dai, L. Zeng, X. Zuo, J. Wan, Y. Rong, N. Chen, J. Lu, H. Chen, Revealing carbide precipitation effects and their mechanisms during quenching-partitioning-tempering of a high carbon steel: Experiments and Modeling, *Acta Mater.* 217 (2021) 117176. <https://doi.org/10.1016/j.actamat.2021.117176>.
- [21] G.K. Bansal, M. Pradeep, C. Ghosh, V. Rajinikanth, V.C. Srivastava, A.N. Bhagat, S. Kundu, Evolution of Microstructure in a Low-Si Micro-alloyed Steel Processed Through One-Step Quenching and Partitioning, *Metall. Mater. Trans. A.* 50 (2019) 547–555. <https://doi.org/10.1007/s11661-018-5039-8>.

- [22] W. Li, H. Gao, Z. Li, H. Nakashima, S. Hata, W. Tian, Effect of lower bainite/martensite/retained austenite triplex microstructure on the mechanical properties of a low-carbon steel with quenching and partitioning process, *Int. J. Miner. Metall. Mater.* 23 (2016) 303–313. <https://doi.org/10.1007/s12613-016-1239-7>.
- [23] S. Ebner, C. Suppan, R. Schnitzer, C. Hofer, Microstructure and mechanical properties of a low C steel subjected to bainitic or quenching and partitioning heat treatments, *Mater. Sci. Eng. A.* 735 (2018) 1–9. <https://doi.org/10.1016/j.msea.2018.08.026>.
- [24] S. Chen, C. Wang, L. Shan, Y. Li, X. Zhao, W. Xu, Revealing the Conditions of Bainitic Transformation in Quenching and Partitioning Steels, *Metall. Mater. Trans. A.* 50 (2019) 4037–4046. <https://doi.org/10.1007/s11661-019-05341-7>.
- [25] X. Han, C. Wang, Y. Li, G. Liu, Effects of quenching and partitioning process on mechanical properties of TRIP780 steel, *J. Iron Steel Res. Int.* 26 (2019) 991–999. <https://doi.org/10.1007/s42243-018-0183-3>.
- [26] Z. Babasafari, A. V. Pan, F. Pahlevani, C. Kong, V. Sahajwalla, M. du Toit, R. Dippenaar, Effect of silicon and partitioning temperature on the microstructure and mechanical properties of high-carbon steel in a quenching and partitioning heat treatment, *J. Mater. Sci.* 56 (2021) 15423–15440. <https://doi.org/10.1007/s10853-021-06270-w>.
- [27] K. He, D. V. Edmonds, J.G. Speer, D.K. Matlock, F.C. Rizzo, Microstructural characterisation of steel heat-treated by the novel quenching and partitioning process, in: *EMC 2008 14th Eur. Microsc. Congr.* 1–5 Sept. 2008, Aachen, Ger., Springer Berlin Heidelberg, Berlin, Heidelberg, n.d.: pp. 429–430. https://doi.org/10.1007/978-3-540-85226-1_215.
- [28] M. Liu, J. Wang, Q. Zhang, H. Hu, G. Xu, Optimized Properties of a Quenching and Partitioning Steel by Quenching at Fine Martensite Start Temperature, *Met. Mater. Int.* 27 (2021) 2473–2480. <https://doi.org/10.1007/s12540-020-00726-5>.
- [29] Z.R. Hou, X.M. Zhao, W. Zhang, H.L. Liu, H.L. Yi, A medium manganese steel designed for water quenching and partitioning, *Mater. Sci. Technol.* 34 (2018) 1168–1175. <https://doi.org/10.1080/02670836.2018.1426678>.
- [30] G. Luo, H. Li, Y. Li, J. Mo, Microstructures and properties of a low-carbon-chromium ferritic stainless steel treated by a quenching and partitioning process, *Materials (Basel)*. 12 (2019). <https://doi.org/10.3390/MA12101704>.
- [31] E. Pastore, S. De Negri, M. Fabbreschi, M.G. Ienco, M.R. Pinasco, A. Saccone, R. Valentini, Experimental investigation on low-carbon quenched and partitioned steel, n.d.
- [32] S. Kaar, D. Krizan, R. Schneider, C. Sommitsch, Impact of Si and Al on Microstructural Evolution and Mechanical Properties of Lean Medium Manganese Quenching and Partitioning Steels, *Steel Res. Int.* 91 (2020). <https://doi.org/10.1002/srin.202000181>.
- [33] F. Peng, Y. Xu, X. Gu, Y. Wang, X. Liu, J. Li, The relationships of microstructure-mechanical properties in quenching and partitioning (Q&P) steel accompanied with

microalloyed carbide precipitation, *Mater. Sci. Eng. A.* 723 (2018) 247–258.
<https://doi.org/10.1016/j.msea.2018.03.061>.

- [34] Z. Chai, J. Hu, C. Wang, L. Wang, W. Sun, S. van der Zwaag, W. Xu, Effect of Nb on Microstructural Evolution and Mechanical Properties of Hot-Rolled Quenching and Partitioning Steels Containing Bainite, *Steel Res. Int.* 92 (2021).
<https://doi.org/10.1002/srin.202100247>.
- [35] J. Kang, C. Wang, Y. Li, G. Yuan, G. Wang, Effect of direct quenching and partitioning treatment on mechanical properties of a hot rolled strip steel, *J. Wuhan Univ. Technol. Mater. Sci. Ed.* 31 (2016) 178–185. <https://doi.org/10.1007/s11595-016-1349-0>.
- [36] A. Zinsaz-Borujerdi, A. Zarei-Hanzaki, H.R. Abedi, M. Karam-Abian, H. Ding, D. Han, N. Kheradmand, Room temperature mechanical properties and microstructure of a low alloyed TRIP-assisted steel subjected to one-step and two-step quenching and partitioning process, *Mater. Sci. Eng. A.* 725 (2018) 341–349.
<https://doi.org/10.1016/j.msea.2018.04.042>.
- [37] S. Sun, A. Zhao, Effect of microstructure morphology on mechanical properties of quenching and partitioning steel, *Mater. Sci. Technol. (United Kingdom)*. 34 (2018) 347–354. <https://doi.org/10.1080/02670836.2017.1390901>.
- [38] T. David Bigg, *Quenching and Partitioning A New Steel Heat Treatment Concept*, 2011.
- [39] A. Inam, M. Ishtiaq, A. Hafeez, M. Nawaz, M. Rizwan, M.H. Hassan, *QUENCHING AND PARTITIONING OF AISI 4340 STEEL*, 2017.
www.pu.edu.pk/journals/index.php/jfet/index.
- [40] B. Tarek, E. EL-Shenawy, A. El-Sabbagh, M.A. Taha, Feasibility of 0.02% Nb-Based Microalloyed Steel for the Application of One-Step Quenching and Partitioning Heat Treatment, *Mater. Sci. Appl.* 12 (2021) 374–387.
<https://doi.org/10.4236/msa.2021.128026>.
- [41] J.-W. Jin, C. Park, N. Kang, Isothermal Phase Transformations and Stability of Retained Austenite during Quenching and Partitioning Process for 0.15C Steel, *J. Weld. Join.* 35 (2017) 89–94. <https://doi.org/10.5781/jwj.2017.35.1.89>.
- [42] E.J. Seo, L. Cho, Y. Estrin, B.C. De Cooman, Microstructure-mechanical properties relationships for quenching and partitioning (Q&P) processed steel, *Acta Mater.* 113 (2016) 124–139. <https://doi.org/10.1016/j.actamat.2016.04.048>.
- [43] F. Tariq, R.A. Baloch, One-step quenching and partitioning heat treatment of medium carbon low alloy steel, in: *J. Mater. Eng. Perform.*, Springer New York LLC, 2014: pp. 1726–1739. <https://doi.org/10.1007/s11665-014-0902-2>.
- [44] G. Mandal, S.K. Ghosh, S. Bera, S. Mukherjee, Effect of partial and full austenitisation on microstructure and mechanical properties of quenching and partitioning steel, *Mater. Sci. Eng. A.* 676 (2016) 56–64. <https://doi.org/10.1016/j.msea.2016.08.094>.
- [45] X. Huang, W. Liu, Y. Huang, H. Chen, W. Huang, Effect of a quenching-long partitioning treatment on the microstructure and mechanical properties of a 0.2C%

- bainitic steel, *J. Mater. Process. Technol.* 222 (2015) 181–187.
<https://doi.org/10.1016/j.jmatprotec.2015.03.010>.
- [46] G. Gao, H. Zhang, Z. Tan, W. Liu, B. Bai, A carbide-free bainite/martensite/austenite triplex steel with enhanced mechanical properties treated by a novel quenching-partitioning-tempering process, *Mater. Sci. Eng. A.* 559 (2013) 165–169.
<https://doi.org/10.1016/j.msea.2012.08.064>.
 - [47] S.H. Sun, A.M. Zhao, R. Ding, X.G. Li, Effect of heat treatment on microstructure and mechanical properties of quenching and partitioning steel, *Acta Metall. Sin. (English Lett.* 31 (2018) 216–224. <https://doi.org/10.1007/s40195-017-0667-3>.
 - [48] J. Dai, Q. Meng, H. Zheng, An innovative pathway to produce high-performance quenching and partitioning steel through ultra-fast full austenitization annealing, *Mater. Today Commun.* 25 (2020). <https://doi.org/10.1016/j.mtcomm.2020.101272>.
 - [49] D. De Knijf, R. Petrov, C. Föjér, L.A.I. Kestens, Effect of fresh martensite on the stability of retained austenite in quenching and partitioning steel, *Mater. Sci. Eng. A.* 615 (2014) 107–115. <https://doi.org/10.1016/j.msea.2014.07.054>.
 - [50] P.K. Kantanen, V. Javaheri, M.C. Somani, D.A. Porter, J.I. Kömi, Effect of deformation and grain size on austenite decomposition during quenching and partitioning of (high) silicon-aluminum steels, *Mater. Charact.* 171 (2021).
<https://doi.org/10.1016/j.matchar.2020.110793>.
 - [51] T. Kang, Z. Zhao, J. Liang, J. Guo, Y. Zhao, Effect of the austenitizing temperature on the microstructure evolution and mechanical properties of Q&P steel, *Mater. Sci. Eng. A.* 771 (2020). <https://doi.org/10.1016/j.msea.2019.138584>.
 - [52] S. Ayenampudi, C. Celada-Casero, Z. Arechabaleta, M. Arribas, A. Arlazarov, J. Sietsma, M.J. Santofimia, Microstructural Impact of Si and Ni During High Temperature Quenching and Partitioning Process in Medium-Mn Steels, *Metall. Mater. Trans. A Phys. Metall. Mater. Sci.* 52 (2021) 1321–1335.
<https://doi.org/10.1007/s11661-021-06144-5>.
 - [53] Z. Babasafari, A. V. Pan, F. Pahlevani, C. Kong, V. Sahajwalla, M. du Toit, R. Dippenaar, Effect of silicon and partitioning temperature on the microstructure and mechanical properties of high-carbon steel in a quenching and partitioning heat treatment, *J. Mater. Sci.* 56 (2021) 15423–15440. <https://doi.org/10.1007/s10853-021-06270-w>.
 - [54] M. Bohuslav, J. Hana, H. Daniela, K. Ludmila, K. Danuše, The Effect of Mn and Si on the properties of advanced high strength steels processed by quenching and partitioning, in: *Mater. Sci. Forum*, Trans Tech Publications Ltd, 2010: pp. 94–97.
<https://doi.org/10.4028/www.scientific.net/MSF.654-656.94>.
 - [55] X. Zhu, K. Zhang, W. Li, X. Jin, Effect of retained austenite stability and morphology on the hydrogen embrittlement susceptibility in quenching and partitioning treated steels, *Mater. Sci. Eng. A.* 658 (2016) 400–408.
<https://doi.org/10.1016/j.msea.2016.02.026>.

- [56] S. Ebner, C. Suppan, R. Schnitzer, C. Hofer, Microstructure and mechanical properties of a low C steel subjected to bainitic or quenching and partitioning heat treatments, *Mater. Sci. Eng. A*. 735 (2018) 1–9. <https://doi.org/10.1016/j.msea.2018.08.026>.
- [57] H. Guo, A. Zhao, R. Ding, C. Zhi, J. He, Quenching and partitioning steel produced through hot rolling, direct quenching and annealing, *Mater. Sci. Technol. (United Kingdom)*. 32 (2016) 1605–1612. <https://doi.org/10.1080/02670836.2015.1133271>.
- [58] M.J. Santofimia, L. Zhao, R. Petrov, J. Sietsma, Characterization of the microstructure obtained by the quenching and partitioning process in a low-carbon steel, *Mater. Charact.* 59 (2008) 1758–1764. <https://doi.org/10.1016/j.matchar.2008.04.004>.
- [59] F. Peng, Y. Xu, J. Li, X. Gu, X. Wang, Interaction of martensite and bainite transformations and its dependence on quenching temperature in intercritical quenching and partitioning steels, *Mater. Des.* 181 (2019). <https://doi.org/10.1016/j.matdes.2019.107921>.
- [60] S. Samanta, S. Das, D. Chakrabarti, I. Samajdar, S.B. Singh, A. Haldar, Development of multiphase microstructure with bainite, martensite, and retained austenite in a Co-containing steel through quenching and partitioning (Q&P) treatment, *Metall. Mater. Trans. A Phys. Metall. Mater. Sci.* 44 (2013) 5653–5664. <https://doi.org/10.1007/s11661-013-1929-y>.
- [61] R. Ding, D. Tang, A. Zhao, R. Dong, J. Cheng, X. Zhang, A new type of quenching and partitioning processing developed from martensitic pre-microstructure, *Mater. Manuf. Process.* 29 (2014) 704–709. <https://doi.org/10.1080/10426914.2014.912304>.
- [62] S. Yan, X. Liu, T. Liang, J. Chen, Y. Zhao, Effect of Micro-Alloying Elements on Microstructure and Mechanical Properties in C–Mn–Si Quenching and Partitioning (Q&P) Steels, *Steel Res. Int.* 90 (2019). <https://doi.org/10.1002/srin.201800257>.
- [63] H. Jirková, L. Kučerová, B. Mašek, Effect of quenching and partitioning temperatures in the Q-P process on the properties of AHSS with various amounts of manganese and silicon, in: *Mater. Sci. Forum*, Trans Tech Publications Ltd, 2012: pp. 2734–2739. <https://doi.org/10.4028/www.scientific.net/MSF.706-709.2734>.
- [64] P. Kantanen, M. Somani, A. Kaijalainen, O. Haiko, D. Porter, J. Kömi, Microstructural characterization and mechanical properties of direct quenched and partitioned high-aluminum and high-silicon steels, *Metals (Basel)*. 9 (2019). <https://doi.org/10.3390/met9020256>.
- [65] J. Sun, H. Yu, Microstructure development and mechanical properties of quenching and partitioning (Q&P) steel and an incorporation of hot-dipping galvanization during Q&P process, *Mater. Sci. Eng. A*. 586 (2013) 100–1107. <https://doi.org/10.1016/j.msea.2013.08.021>.
- [66] W. Zhou, Y. Sun, Q. Wang, L. Ding, Effect of quenching and partitioning process to low-alloy wear resistant steel, *J. Mater. Res.* 31 (2016) 663–669. <https://doi.org/10.1557/jmr.2016.58>.
- [67] N. Zhong, X. Wang, Y. Rong, L. Wang, • Letter Interface Migration between Martensite and Austenite during Quenching and Partitioning (Q&P) Process, 2006.

- [68] R.M. Wu, W. Li, C.L. Wang, Y. Xiao, L. Wang, X.J. Jin, Stability of retained austenite through a combined intercritical annealing and quenching and partitioning (IAQP) treatment, *Acta Metall. Sin. (English Lett.* 28 (2015) 386–393.
<https://doi.org/10.1007/s40195-015-0217-9>.
- [69] S. Yan, X. Liu, W.J. Liu, H. Lan, H. Wu, Comparison on mechanical properties and microstructure of a C-Mn-Si steel treated by quenching and partitioning (Q&P) and quenching and tempering (Q&T) processes, *Mater. Sci. Eng. A.* 620 (2015) 58–66.
<https://doi.org/10.1016/j.msea.2014.09.047>.
- [70] H. Kong, Q. Chao, M.H. Cai, E.J. Pavlina, B. Rolfe, P.D. Hodgson, H. Beladi, Microstructure Evolution and Mechanical Behavior of a CMnSiAl TRIP Steel Subjected to Partial Austenitization Along with Quenching and Partitioning Treatment, *Metall. Mater. Trans. A Phys. Metall. Mater. Sci.* 49 (2018) 1509–1519.
<https://doi.org/10.1007/s11661-018-4525-3>.
- [71] X.D. Wang, N. Zhong, Y.H. Rong, T.Y. Hsu, L. Wang, Novel ultrahigh-strength nanolath martensitic steel by quenching-partitioning-tempering process, *J. Mater. Res.* 24 (2009) 260–267. <https://doi.org/10.1557/jmr.2009.0029>.
- [72] C. hui Su, Q. guo Li, X. fei Huang, W. gang Huang, Effect of bainite microstructure during two-step quenching and partitioning process on strength and toughness properties of a 0.3%C bainitic steel, *J. Iron Steel Res. Int.* 25 (2018) 235–242.
<https://doi.org/10.1007/s42243-018-0032-4>.
- [73] Y. Li, Y. Lu, C. Wang, S. Li, L. Chen, Phase Stability of Residual Austenite in 60Si2Mn Steels Treated by Quenching and Partitioning, *J. Iron Steel Res. Int.* 18 (2011) 70–74.
[https://doi.org/10.1016/S1006-706X\(11\)60026-5](https://doi.org/10.1016/S1006-706X(11)60026-5).
- [74] D. Edmonds, D. Matlock, J. Speer, Developments in High Strength Steels with Duplex Microstructures of Bainite or Martensite with Retained Austenite: Progress with Quenching and Partitioning Heat Treatment, in: *Adv. Steels*, Springer Berlin Heidelberg, 2011: pp. 241–253. https://doi.org/10.1007/978-3-642-17665-4_24.
- [75] E. De Moor, J.G. Speer, D.K. Matlock, J.-H. Kwak, S.-B. Lee, Effect of Carbon and Manganese on the Quenching and Partitioning Response of CMnSi Steels, *ISIJ Int.* 51 (2011) 137–144. <https://doi.org/10.2355/isijinternational.51.137>.
- [76] P. Zhou, W. Li, H. Zhao, X. Jin, Role of microstructure on electrochemical hydrogen permeation properties in advanced high strength steels, *Int. J. Hydrogen Energy.* 43 (2018) 10905–10914. <https://doi.org/10.1016/j.ijhydene.2018.04.241>.
- [77] Z. Wei, X. Gan, M. Liu, J. Tian, Z. Chen, G. Xu, Comparison of the Impact Wear Performances of Quenching and Partitioning and Quenching and Tempering Steels, *Steel Res. Int.* 92 (2021). <https://doi.org/10.1002/srin.202100325>.
- [78] N. Zhong, X.D. Wang, L. Wang, Y.H. Rong, Enhancement of the mechanical properties of a Nb-microalloyed advanced high-strength steel treated by quenching-partitioning-tempering process, *Mater. Sci. Eng. A.* 506 (2009) 111–116.
<https://doi.org/10.1016/j.msea.2008.11.014>.

- [79] M.J. Santofimia, L. Zhao, R. Petrov, C. Kwakernaak, W.G. Sloof, J. Sietsma, Microstructural development during the quenching and partitioning process in a newly designed low-carbon steel, *Acta Mater.* 59 (2011) 6059–6068. <https://doi.org/10.1016/j.actamat.2011.06.014>.
- [80] A. Arlazarov, O. Bouaziz, J.P. Masse, F. Kegel, Characterization and modeling of mechanical behavior of quenching and partitioning steels, *Mater. Sci. Eng. A.* 620 (2015) 293–300. <https://doi.org/10.1016/j.msea.2014.10.034>.
- [81] M. Masoumi, E.A.A. Echeverri, A.P. Tschiptschin, H. Goldenstein, Improvement of wear resistance in a pearlitic rail steel via quenching and partitioning processing, *Sci. Rep.* 9 (2019). <https://doi.org/10.1038/s41598-019-43623-7>.
- [82] A. Inam, Y. Imtiaz, M.A. Hafeez, S. Munir, Z. Ali, M. Ishtiaq, M.H. Hassan, A. Maqbool, W. Haider, Effect of tempering time on microstructure, mechanical, and electrochemical properties of quenched-partitioned-tempered Advanced High Strength Steel (AHSS), *Mater. Res. Express.* 6 (2019). <https://doi.org/10.1088/2053-1591/ab52b7>.
- [83] J.G. Speer, F.C. Rizzo Assunção, D.K. Matlock, D. V Edmonds, The “Quenching and Partitioning” Process: Background and Recent Progress, 2005.
- [84] S. Pashangeh, S.S.G. Banadkouki, M.C. Somani, Abnormal mechanical response in a silicon bearing medium carbon low alloy steel following quenching and bainitic holding versus quenching and partitioning treatment, *J. Mater. Res. Technol.* 9 (2020) 5007–5023. <https://doi.org/10.1016/j.jmrt.2020.03.019>.
- [85] A. Kumar, V. Kumar Sharma, A. Kumar Sharma, S. Kumar Biswas, S. Kumar, K. Muraleedharan, Effect of quenching and partitioning on the microstructure and mechanical properties of a medium carbon low alloy low silicon (0.3C-1, n.d.
- [86] S. Kaar, R. Schneider, D. Krizan, C. Béal, C. Sommitsch, Influence of the quenching and partitioning process on the transformation kinetics and hardness in a lean medium manganese trip steel, *Metals (Basel).* 9 (2019). <https://doi.org/10.3390/met9030353>.
- [87] R.A. Stewart, QUENCHING AND PARTITIONING OF PLATE STEEL: DEVELOPMENT OF DESIGN METHODOLOGIES, n.d.
- [88] S. Kaar, D. Krizan, R. Schneider, C. Béal, C. Sommitsch, Effect of manganese on the structure-properties relationship of cold rolled AHSS treated by a quenching and partitioning process, *Metals (Basel).* 9 (2019). <https://doi.org/10.3390/met9101122>.
- [89] S. Samanta, S. Das, D. Chakrabarti, I. Samajdar, S.B. Singh, A. Haldar, Development of Multiphase Microstructure with Bainite, Martensite, and Retained Austenite in a Co-Containing Steel Through Quenching and Partitioning (Q&P) Treatment, *Metall. Mater. Trans. A.* 44 (2013) 5653–5664. <https://doi.org/10.1007/s11661-013-1929-y>.
- [90] R.N. Elshaer, M.K. El-Fawakhry, A.I.Z. Farahat, Microstructure Evolution, Mechanical Properties and Strain Hardening Instability of Low and Medium Carbon Quenching & Partitioning Steels, *Met. Mater. Int.* 28 (2022) 1433–1444. <https://doi.org/10.1007/s12540-021-01009-3>.

- [91] Y. Xu, X. Tan, X. Yang, Z. Hu, F. Peng, D. Wu, G. Wang, Microstructure evolution and mechanical properties of a hot-rolled directly quenched and partitioned steel containing proeutectoid ferrite, *Mater. Sci. Eng. A.* 607 (2014) 460–475. <https://doi.org/10.1016/j.msea.2014.04.030>.
- [92] R. Ding, D. Tang, A. Zhao, H. Guo, J. He, C. Zhi, Effect of ultragrain refinement on quenching and partitioning steels manufactured by a novel method, *Mater. Des.* 87 (2015) 640–649. <https://doi.org/10.1016/j.matdes.2015.08.073>.
- [93] S. Yan, X. Liu, W.J. Liu, H. Lan, H. Wu, Microstructural evolution and mechanical properties of low-carbon steel treated by a two-step quenching and partitioning process, *Mater. Sci. Eng. A.* 640 (2015) 137–146. <https://doi.org/10.1016/j.msea.2015.05.058>.
- [94] H. Kong, Q. Chao, M.H. Cai, E.J. Pavlina, B. Rolfe, P.D. Hodgson, H. Beladi, One-step quenching and partitioning treatment of a commercial low silicon boron steel, *Mater. Sci. Eng. A.* 707 (2017) 538–547. <https://doi.org/10.1016/j.msea.2017.09.038>.
- [95] J. Zhang, H. Ding, R.D.K. Misra, C. Wang, Microstructural evolution and consequent strengthening through niobium-microalloying in a low carbon quenched and partitioned steel, *Mater. Sci. Eng. A.* 641 (2015) 242–248. <https://doi.org/10.1016/j.msea.2015.06.050>.
- [96] B. Mašek, H. Jirková, D. Hauserova, L. Kučerová, D. Klauberová, The Effect of Mn and Si on the Properties of Advanced High Strength Steels Processed by Quenching and Partitioning, *Mater. Sci. Forum.* 654–656 (2010) 94–97. <https://doi.org/10.4028/www.scientific.net/MSF.654-656.94>.
- [97] D. De Knijf, A. Puype, C. Föjer, R. Petrov, The influence of ultra-fast annealing prior to quenching and partitioning on the microstructure and mechanical properties, *Mater. Sci. Eng. A.* 627 (2015) 182–190. <https://doi.org/10.1016/j.msea.2014.12.118>.
- [98] H. Guo, A. Zhao, R. Ding, C. Zhi, J. He, Quenching and partitioning steel produced through hot rolling, direct quenching and annealing, *Mater. Sci. Technol.* 32 (2016) 1605–1612. <https://doi.org/10.1080/02670836.2015.1133271>.
- [99] E.J. Seo, L. Cho, J.K. Kim, J. Mola, L. Zhao, B.C. De Cooman, Constituent-specific properties in quenching and partitioning (Q&P) processed steel, *Mater. Sci. Eng. A.* 740–741 (2019) 439–444. <https://doi.org/10.1016/j.msea.2018.10.082>.
- [100] K. Kim, S.-J. Lee, Effect of Ni addition on the mechanical behavior of quenching and partitioning (Q&P) steel, *Mater. Sci. Eng. A.* 698 (2017) 183–190. <https://doi.org/10.1016/j.msea.2017.05.030>.
- [101] P. Luo, G. Gao, H. Zhang, Z. Tan, R.D. Misra, B. Bai, On structure-property relationship in nanostructured bainitic steel subjected to the quenching and partitioning process, *Mater. Sci. Eng. A.* 661 (2016) 1–8. <https://doi.org/10.1016/j.msea.2016.03.006>.
- [102] S.C. Hong, Mechanical properties of high-Si plate steel produced by the quenching and partitioning process, *Met. Mater. Int.* 13 (2007) 439–445. <https://doi.org/10.3365/MMI.2007.12.439>.

- [103] M.C. Somani, L.P. Karjalainen, D.A. Porter, R.D.K. Misra, Evaluation of the Behaviour and Properties of a High-Si Steel Processed Using Direct Quenching and Partitioning, *Mater. Sci. Forum.* 706–709 (2012) 2824–2829.
<https://doi.org/10.4028/www.scientific.net/MSF.706-709.2824>.
- [104] S. Aoued, F. Danoix, S.Y.P. Allain, S. Gaudez, G. Geandier, J.C. Hell, M. Soler, M. Gouné, Microstructure evolution and competitive reactions during quenching and partitioning of a model Fe–C–Mn–Si alloy, *Metals (Basel)*. 10 (2020).
<https://doi.org/10.3390/met10010137>.
- [105] G. Gao, H. Zhang, X. Gui, P. Luo, Z. Tan, B. Bai, Enhanced ductility and toughness in an ultrahigh-strength Mn-Si-Cr-C steel: The great potential of ultrafine filmy retained austenite, *Acta Mater.* 76 (2014) 425–433.
<https://doi.org/10.1016/j.actamat.2014.05.055>.
- [106] T. Wu, R. Wu, B. Liu, W. Liang, D. Ke, Enhancing the mechanical properties of a hot rolled high-strength steel produced by ultra-fast cooling and Q&P process, *Metals (Basel)*. 9 (2019). <https://doi.org/10.3390/met9090958>.
- [107] Y. Toji, G. Miyamoto, D. Raabe, Carbon partitioning during quenching and partitioning heat treatment accompanied by carbide precipitation, *Acta Mater.* 86 (2015) 137–147.
<https://doi.org/10.1016/j.actamat.2014.11.049>.