## LOCAL TRAFFIC REGULATIONS

All ACFT in excess of 5,700KG are required to use RWY THR turning nodes for all turning on RWY 12/30.

## CTAF - AFRU 126.7

## ADDITIONAL INFORMATION

Bird and animal hazard exists.

## CHARTS RELATED TO THE AERODROME

1. WAC 3356.
2. Also refer to AIP Departure and Approach Procedures.


---

## CURTIN — ELEV 300

## AVFAX CODE 6901

| | | | |
|---|---|---|---|
| WA | | UTC +8 | YCIN |
| 173453S | 1234942E | VAR 2 DEG E | MIL |

AD OPR Department of Defence (13SQN), PO Box 536, Derby, WA, 6728. Mobile 0427 792 669.




## REMARKS

1. All ACFT require H24 PN. Support REQ are to be advised to caretaker, Phone 08 9193 9719 or MOB 0427 792 660 (AH). RAAF Darwin Airbase Operations Centre, MIL SIG Addressee RAYIUB/DAR ABOC, Phone 08 8923 8888.
2. International RAAF flights are not to plan to enter Australia through Curtin without prior approval of Department of Customs and Australian Quarantine and Inspection Service (AQIS), except in an emergency.
3. This AD is a Security Controlled Airport.

## HANDLING SERVICES AND FACILITIES

RAAF caretakers: Phone 08 9193 9719 or AD OPR MOB. F34.
LTD fuel AVBL due Defence fuel installation there is a greater than 7 days turnaround on large fuel order RQMNTS.

## APRONS AND TAXIWAYS

Civil terminal APN and TWY L PCR 210/F/B/1.75 MPa/U. APN marked for F28 and BA46 ACFT only.

## METEOROLOGICAL INFORMATION PROVIDED

1. TAF CAT B, METAR/SPECI.
2. AWIS PH 08 6216 2609 - Report faults to BoM.

## PHYSICAL CHARACTERISTICS

11/29 109 100a PCR 435/F/B/X/T Central 23M only. 100(328) each end concrete. WID 45 RWS 150

## AERODROME AND APPROACH LIGHTING

| | | | | |
|---|---|---|---|---|
| RWY 11/29 | MIRL | PAL 120.35 | | SDBY PWR AVBL |
| RWY 11/29 | PAPI(1) | PAL 120.35 | 3.0 DEG48FT | SDBY PWR AVBL |

(1) Limited, not AVBL beyond 2.5NM during HJ. RWY 11 PAPI reduced light intensity HN. RWY 29 PAPI intensity fixed to RWY intensity, unable to be reduced HN. For information CTC Site Manager PH: 0427 792 669.

AD OPR to be advised with 24HR PN for all civil OPS. Civil APN floodlighting switched by Caretaker. Contact 08 9191 0999 BH, H24 Mobile 0418 922 415 or 0408 011 433.

## OTHER LIGHTING

TWY LGT: Green CL.

## ATS AND AERODROME COMMUNICATION FACILITIES

| | | |
|---|---|---|
| FIA | BRISBANE CENTRE | 122.1 On ground |
| APP | CURTIN APPROACH | 261.4 |
| ATIS | CURTIN | 316.3 |
| SMC | CURTIN GROUND | 264.6 |
| SMCV | CURTIN GROUND | 259.3 |
| TWR | CURTIN TOWER | 118.3 257.8 |

MIL ATC COMS and ATIS AVBL when CTR active.

## RADIO NAVIGATION AND LANDING AIDS

| | | | | | |
|---|---|---|---|---|---|
| DME | CIN | 114.3/ 90X | 173519.5S | 1235106.7E | (1) |
| VOR | CIN | 114.3 | 173519.6S | 1235107.2E | |
| TAC | CTN | | 173440.7S | 1234945.4E | (2) |

(1) Antenna ELEV 342FT.

(2) PTBL FAC ACT as RQ by MIL authorities. Channel assignment and ACT by NOTAM.

## LOCAL TRAFFIC REGULATIONS

1. ACFT with ACN ABV 21 shall make 180 turns at RWY ends only.
2. TWY A, F and G are marked and can be lit as RWY. They are not to be used as RWY, except in an EMERG.
3. Transport and maritime ACFT to use service APN.
4. ACFT parking on APN between TWY H and TWY K subject to approval, restrictions apply.
5. Civil ACFT use TWY/APN facilities N side of RWY at W end.

## FLIGHT PROCEDURES

1. **REMOTELY-PILOTED AIRCRAFT SYSTEM (RPAS)**

1.1. All RPAS requests and enquiries are to be sent to adf.airspace@defence.gov.au with at least 5 business days PN. OPS are subject to MIL OPS and may be restricted or cancelled at any time.

2. RPT ACFT may conduct straight-in approaches.
3. For special procedures which apply to the Horizontal Falls, see *ERSA GEN - SPECIAL PROCEDURES*.

## CTAF - AFRU 126.7

Outside TWR HR.

## ADDITIONAL INFORMATION

Bird and kangaroo hazard exists.

## CHARTS RELATED TO THE AERODROME

1. WAC 3223.
2. MIL Aerodrome Obstruction Chart Type A: NOV 2024.
3. Refer to AIP Departure and Approach Procedures.

Information may be continued on the next page: PTO

This page is intentionally blank.