KING ASH BAY

ELEV 30

FULL NOTAM SERVICE NOT AVBL



NT		UTC +9:30	YKAB
155552S	1362855E	VAR 4 DEG E	UNCR

AD OPR King Ash Bay Fishing Club, 1 Batten Road, King Ash Bay, NT, 0854. PH 0400 789 922.

AERODROME OBSTACLES

Hazard: aerial 100FT SW 1KM.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA	BRISBANE CENTRE	128.5

CTAF 126.7

ADDITIONAL INFORMATION

Animal hazard exists.

CHARTS RELATED TO THE AERODROME

WAC 3110, 3221.


KING ISLAND

ELEV 132

AVFAX CODE 7013

TAS		UTC +10	YKII
395239S	1435242E	VAR 12 DEG E	CERT

AD OPR King Island Council, PO Box 147, Currie, King Island, TAS, 7256. Email: airport@kingisland.tas.gov.au. PH Duty ARO 03 6462 1499. Council PH 03 6462 9000. Website: www.kingisland.tas.gov.au/live/airport/.



Information may be continued on the next page: PTO

REMARKS

1. 24HR PN for all overnight PRKG requests. 60 MIN PN for all other requests (Bay 1 is lit for HN movements). CTC Duty ARO.
2. This AD is a Security Controlled Airport.
3. High visibility vest (or equivalent) and ASIC (or King Island VIC) to be worn airside.
4. AD charges apply.
5. 'Conditions of Use' can be obtained from the AD OPR or website.
6. Terminal locked outside of operational HR.

HANDLING SERVICES AND FACILITIES

CTC ground handling agents through Duty ARO.
Fuel supplied by IOR Aviation Pty Ltd. JET A1 H24. Payment method via IOR Aviation tag for account holders or via the Fuelcharge APP. PH 1300 457 467.

PASSENGER FACILITIES

HC (King Island Car Rental)/LG/RF/WC.

AERODROME OBSTACLES

1. IWI 142FT AMSL BRG 105 MAG 672M FM ARP. Infringes TNS by 1.3FT.
2. Fence 128FT AMSL PARL to RWY LOC 553M to 620M FM SOT RWY 10 and 91M S of RCL infringes TNS by up to 4.3FT.
3. Trees:
   a. 152FT AMSL BRG 312 MAG 553M FM ARP infringes TNS by up to 9.5FT.
   b. 166FT AMSL PSN 395305.5S 1435349.8E. Infringes TKOF SFC by 2FT.
   c. 171FT AMSL PSN 395256.7S 1435351.2E. Infringes TKOF SFC by 12FT.
   d. 138FT AMSL PSN 395256.8S 1435331.3E. Infringes TKOF SFC by 7FT.

APRONS AND TAXIWAYS

1. Bitumen sealed APN for ATO accessed by TWY C.
2. TWY A local access to Aeroclub.
3. TWY B WID 15M, gravel. May be closed by NOTAM and used for overflow ACFT PRKG with PN.
4. TWY C WID 15M bitumen, sealed.
5. TWY D WID 10.5M, follow me only from bitumen APN. May be closed by NOTAM and used for overflow ACFT PRKG with PN.
6. TWY E WID 10.5M gravel GA ACFT PRKG.

METEOROLOGICAL INFORMATION PROVIDED

1. TAF CAT C, METAR/SPECI.
2. AWIS PH 03 6283 8603 - Report faults to BoM.
3. AWIS FREQ 128.75 (requires one-second pulse to activate) - Report faults to AD OPR.

PHYSICAL CHARACTERISTICS

10/28	102	52a	PCR 150/F/C/1.05 MPa/U Sealed	WID 30	RWS 150
17/35	172	36c	PCR 100/F/C/0.58 MPa/U Grey gravel: 95(311) N end and 42 (137) S end sealed	WID 30	RWS 90

AERODROME AND APPROACH LIGHTING

RWY 10/28	LIRL	AFRU+PAL 126.85			SDBY PWR AVBL
RWY 10/28	PAPI(1)	AFRU+PAL 126.85	3.0 DEG41FT		SDBY PWR AVBL

(1) Left side.

OTHER LIGHTING

1. SDBY PWR switchover time: 15 SEC.
2. TWY C LGT: Blue edge.
3. RWY edge light spacing: 10/28: 60M.
4. RWY 10/28 turning node LGT: Blue edge.
5. HBN (Telstra Tower) to NNW of AD.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA	MELBOURNE CENTRE	123.9 On Ground

RADIO NAVIGATION AND LANDING AIDS

NDB	KII	332	395320.8S	1435231.2E	Range 130 (HN 110)	(1)

(1) 003/0.7 to ARP

LOCAL TRAFFIC REGULATIONS

1. VHF transmissions of TAX ACFT may be subject to GND shielding. Extreme CTN must be exercised.
2. GA PRKG area provided within defined APN at W end of TWY E. No tie-downs provided.

CTAF - AFRU 126.85

ADDITIONAL INFORMATION


Wildlife hazard exists. Species specific NOTAM will be raised.

CHARTS RELATED TO THE AERODROME

1. WAC 3556, 3469
2. Also refer to AIP Departure and Approach procedures.

KINGAROY — ELEV 1492

AVFAX CODE 4004



QLD UTC +10 YKRY
263451S 1515028E VAR 11 DEG E CERT
AD OPR South Burnett Regional, PO Box 336, Kingaroy, QLD, 4610.
PH H24 07 4189 9100 (option #3 AH). Fax 07 4162 4806.
Website: www.southburnett.qld.gov.au.

REMARKS

AD charges: all ACFT. Schedule of charges AVBL on website.

HANDLING SERVICES AND FACILITIES

AVGAS H24 Card Swipe Bowser (MC and V credit card only). Other services Phone 07 41622629 for details.

PASSENGER FACILITIES

PT/TX (07 4162 1277)/HC/LG/WC/AC/ME.

AERODROME OBSTACLES

1. LIOL - mast, 187FT AGL, BRG 006 DEG MAG, 4,750M FM TODA end RWY 34.
2. LIOL - two lit masts 98FT AGL, BRG 110 MAG, 3,000M FM THR RWY 16.
3. Unlit mountain ridge 1,749FT AMSL, 1.61NM FM THR 23 BRG 55.1 DEG MAG, infringes conical OLS for RWY 05/23 by 20FT.

METEOROLOGICAL INFORMATION PROVIDED

1. TAF CAT C, METAR/SPECI.
2. AWIS PH 07 3564 3720 - Report faults to BoM.
3. AWIS FREQ 125.95 - Report faults to AD OPR.

PHYSICAL CHARACTERISTICS

05/23	055	43c	Unrated. Grass brown silt clay	WID 30	RWS 90
16/34	159	52a	PCR 130/F/D/0.80 MPa/T	WID 30	RWS 150

AERODROME AND APPROACH LIGHTING

RWY 16/34	LIRL(2)	PAL 119.6	SDBY PWR AVBL
RWY 16/34	PTBL(1)		BY PRIOR ARRANGEMENT

(1) EMERG only.
(2) SDBY PWR supplied by generator.

1. PAL requires three times one SEC pulses WI a 14SEC period.
2. RWY edge light spacing: 16/34: 60M.

OTHER LIGHTING

TWY LGT: Blue edge.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA	BRISBANE CENTRE	121.2 On Ground

Information may be continued on the next page: PTO