MOUNT SANFORD STATION

ELEV 759

FULL NOTAM SERVICE NOT AVBL

NT UTC +9:30 YMSF
165842S 1303318E VAR 3 DEG E UNCR
AD OPR Heytesbury Cattle Company, Victoria River Downs, PMB 19, via Katherine, NT, 0852. PH 08 8975 0773.

REMARKS
Landing charges apply

ATS AND AERODROME COMMUNICATION FACILITIES
FIA BRISBANE CENTRE 123.7 Circuit Area

CTAF 126.7

CHARTS RELATED TO THE AERODROME
WAC 3222.

MOURA

ELEV 482

FULL NOTAM SERVICE NOT AVBL



QLD UTC +10 YMOU
243642S 1495947E VAR 9 DEG E UNCR
AD OPR Banana Shire Council, PO Box 412, Biloela, QLD, 4715. PH 07 4992 9500; 0407 377 247. Fax 07 4992 3493.

ATS AND AERODROME COMMUNICATION FACILITIES
FIA BRISBANE CENTRE 135.3 Circuit area

CTAF 126.7

ADDITIONAL INFORMATION
Gliding OPS HJ. Wire launching.


CHARTS RELATED TO THE AERODROME
WAC 3340, 3341.

MUDGEE

ELEV 1545

AVFAX CODE 2032

NSW UTC +10 YMDG
323345S 1493640E VAR 12 DEG E CERT
AD OPR Mid-Western Regional Council, PO Box 156, Mudgee, NSW, 2850. PH 02 6378 2850. ARO 0407 784 467.



Information may be continued on the next page: PTO

REMARKS

AD Charges: ACFT parking on APN - first night free.

HANDLING SERVICES AND FACILITIES

AVGAS and JET A1 AVBL via H24 self serve bowsers activated by Credit Cards and Skyfuel Carnets. PH 0418 862 100 or 02 9791 0599 or refer www.skyfuel.com.au for site orientation.

AERODROME OBSTACLES

1. TWR LIOL:
   a. 1,882FT AMSL BRG 354 DEG MAG 2.05NM FM ARP.
   b. 2,027FT AMSL BRG 016 DEG MAG 2.09NM FM ARP.
   c. 2,145FT AMSL BRG 232 DEG MAG 3.83NM FM ARP.
   d. 1,814FT AMSL BRG 043 DEG MAG 3.14NM FM ARP.
2. TWR MIOL:
   a. 2,836FT AMSL BRG 211 DEG MAG 4.37NM FM ARP.
   b. 2,638FT AMSL BRG 083 DEG MAG 2.44NM FM ARP.
3. Fences:
   a. 1,550FT AMSL PSN 323337.39S 1493703.74E APRX BRG 052 DEG MAG 737M FM ARP. Infringes RWY 04 takeoff.
   b. 1,550FT AMSL PSN 323336.90S 1493703.85E APRX BRG 051 DEG MAG 746M FM ARP. Infringes RWY 04 APCH.
   c. 1,554FT AMSL PSN 323331.62S 1493701.89E APRX BRG 053 DEG MAG 746M FM ARP. Infringes RWY 04 APCH.
   d. 1,554FT AMSL PSN 323331.53S 1493701.31E APRX BRG 038 DEG MAG 783M FM ARP. Infringes RWY 04 takeoff.
   e. 1,511FT AMSL PSN 323411.76S 1493603.25E APRX BRG 219 DEG MAG 1,174M FM ARP. Infringes RWY 22 takeoff.
   f. 1,513FT AMSL PSN 323414.38S 1493605.02E APRX BRG 215 DEG MAG 1,192M FM ARP. Infringes RWY 22 takeoff.
   g. 1,513FT AMSL PSN 323410.41S 1493602.37E APRX BRG 222 DEG MAG 1,167M FM ARP. Infringes RWY 22 takeoff.
4. Road:
   a. 1,561FT AMSL PSN 323336.73S 1493704.19E APRX BRG 051 DEG MAG 756M FM ARP. Infringes RWY 04 APCH.
   b. 1,561FT AMSL PSN 323337.39S 1493704.05E APRX BRG 052 DEG MAG 744M FM ARP. Infringes RWY 04 takeoff.
   c. 1,523FT AMSL PSN 323413.03S 1493604.44E APRX BRG 217 DEG MAG 1,176M FM ARP. Infringes RWY 22 APCH.
5. Buildings:
   a. 1,563FT AMSL PSN 323327.67S 1493707.56E APRX BRG 038 DEG MAG 985M FM ARP. Infringes RWY 04 takeoff.
   b. 1,562FT AMSL PSN 323327.69S 1493706.72E APRX BRG 038 DEG MAG 968M FM ARP. Infringes RWY 04 takeoff.
6. Lights:
   a. 1,551FT AMSL PSN 323335.27S 1493704.07E APRX BRG 048 DEG MAG 775M FM ARP. Infringes RWY 04 takeoff.
   b. 1,559FT AMSL PSN 323330.40S 1493705.76E APRX BRG 041 DEG MAG 986M FM ARP. Infringes RWY 04 takeoff.

METEOROLOGICAL INFORMATION PROVIDED

1. TAF CAT D, METAR/SPECI.
2. AWIS PH 02 9353 6439 - Report faults to BoM.

PHYSICAL CHARACTERISTICS

04/22	040	57a	PCR 100/F/C/Y/T	WID 30	RWS 90
16/34	159	35c	Unrated. Grass	WID 30	RWS 90

AERODROME AND APPROACH LIGHTING

RWY 04/22	LIRL(1)	PAL+AA 122.3		
RWY 04	PAPI(2)	PAL+AA 122.3	3.0 DEG45FT	SDBY PWR AVBL
RWY 22	PAPI(3)	PAL+AA 122.3	3.0 DEG43FT	SDBY PWR AVBL

(1) PAL+AA requires three one-second pulses to activate.
(2) Left side only. PAPI RWY 04 must not be used beyond 3NM FM ARP.
(3) Left side only
RWY edge light spacing: 04/22: 60M.

OTHER LIGHTING

1. TWY LGT: Blue edge.
2. Secondary PWR switchover time: 1 MIN.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA	BRISBANE CENTRE	133.05 Circuit Area

RADIO NAVIGATION AND LANDING AIDS

NDB	MDG	398	323355.3S	1493658.5E	Range 35 (HN 35)

LOCAL TRAFFIC REGULATIONS

1. All ACFT using RWY 04/22 must takeoff and land using sealed RWY only.
2. ACFT not permitted to taxi on grass islands or on RWY 04/22 grass RWS.

FLIGHT PROCEDURES

Right hand CCTS RQ when OPR on RWY 22 and RWY 16.

CTAF 126.7

ADDITIONAL INFORMATION

1. Bird and animal hazard exists.
2. Caution:
   a. RWY 16/34 THR not visible from RWY 04/22 THR.
   b. RWY 04/22 THR not visible from RWY 16/34 THR.


CHARTS RELATED TO THE AERODROME

1. WAC 3456, 3457.
2. Also refer to AIP Departure and Approach Procedures.

MULLEWA

ELEV 950

FULL NOTAM SERVICE NOT AVBL



WA		UTC +8	YMWA
282831S	1153103E	VAR 1 DEG W	UNCR

AD OPR City of Greater Geraldton Mullewa Office, PO Box 101, Geraldton, WA, 6531. PH 08 9956 6643. PH AH 0428 642 914, 0429 456 413, 0439 930 224 or 0438 628 004.

PASSENGER FACILITIES

PT.

AERODROME AND APPROACH LIGHTING

PAL+AA 119.6.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA	MELBOURNE CENTRE	121.2 6000FT

CTAF 126.7

CHARTS RELATED TO THE AERODROME

WAC 3351.

Information may be continued on the next page: PTO