HERBERTVALE CATTLEYARD

ELEV 804

FULL NOTAM SERVICE NOT AVBL

QLD UTC +10 YHCS
185731S 1380344E VAR 5 DEG E UNCR
AD OPR Hawkins Cattle Company, Herbertvale, QLD, 4825. PH 07 4748 4998: 07 4748 4942.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA BRISBANE CENTRE 125.7

CTAF 126.7


CHARTS RELATED TO THE AERODROME

WAC 3220, 3221.

HERMANNSBURG

ELEV 1945

FULL NOTAM SERVICE NOT AVBL



NT UTC +9:30 YHMB
235540S 1324845E VAR 4 DEG E UNCR
AD OPR Ntaria Community Council, Hermannsburg, via Alice Springs, NT, 0871. PH 08 8956 7411.

PASSENGER FACILITIES

Telephone facilities not AVBL.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA MELBOURNE CENTRE 119.8 3500FT

CTAF 126.7

CHARTS RELATED TO THE AERODROME


WAC 3232, 3343.

HERVEY BAY

ELEV 60

AVFAX CODE 4026

QLD UTC +10 YHBA
251908S 1525249E VAR 10 DEG E CERT
AD OPR Fraser Coast Regional Council, PO Box 1943, Hervey Bay, QLD, 4655. PH 1300 794 929. ARO 0419 671 405. Website: www.frasercoastairport.com.au.



REMARKS

1. AD Charges: Fees apply - see website or CTC AD OPR.
2. This AD is a Security Controlled Airport. All persons (excluding PAX), operating or accessing airside must wear high VIS attire at all times.
3. GA pedestrian access via GA APN only.

Information may be continued on the next page: PTO

HANDLING SERVICES AND FACILITIES

World Fuel Services - Fraser Coast Aviation: 2100-0630 UTC DLY. Phone 0412 253 267, AH 2HR PN, call out fee may apply. AVGAS H24 WFS carnet card and credit card (via smartphone APP) activated bowser or cash. AVGAS, JET A1, O125, O156.

PASSENGER FACILITIES

RF/PT/LG/WC/ME

SURFACE MOVEMENT GUIDANCE

RWY 29 DIST to run markers 600/400/200M.

AERODROME OBSTACLES

1. Mobile TWR LIT, 345FT AMSL, BRG 159 MAG, 2.47NM FM ARP, infringes inner HZS.
2. Masts:
   a. Lit, 400FT AMSL, BRG 270 MAG 2.67NM FM ARP, infringes inner HZS.
   b. Lit, 250FT AMSL, BRG 142 MAG, 1.9NM FM ARP, infringes inner HZS (NBN mast).
   c. Unlit, 349FT AMSL, BRG 158 MAG 2.48NM FM ARP, infringes inner HZS.
   d. Unlit, 370FT AMSL, BRG 270 MAG 2.67NM FM ARP, infringes inner HZS.
3. Trees
   a. 86FT PSN 251933.74S 1525330.67E, infringes RWY 29 APCH SFC by 1FT.
   b. 89FT AMSL PSN 251932.68S 1525329.37E, infringes RWY 29 APCH SFC by 9.5FT.
   c. 105FT PSN 251933.37S 1525329.92E, infringes RWY 29 APCH SFC by 16.2FT.
   d. 95FT PSN 251933.35S 1525329.84E, infringes RWY 29 APCH SFC by 16.1FT.
   e. 92FT AMSL PSN 251933.01S 1525327.97E, infringes RWY 29 APCH SFC by 16FT.
   f. 82FT AMSL PSN 251932.60S 1525327.82E, infringes RWY 29 APCH SFC by 6.6FT.
   g. 99FT AMSL PSN 251934.37S 1525326.69E, infringes TNS SFC by 3.7FT.

METEOROLOGICAL INFORMATION PROVIDED

1. TAF CAT B, METAR/SPECI.
2. AWIS Phone 07 3564 3717 - Report faults to BoM.
3. AWIS FREQ 134.9 - Report faults to AD OPR.

PHYSICAL CHARACTERISTICS

11/29	108	66a	PCR 420/F/C/X/T Grooved		WID 30	RWS 150

AERODROME AND APPROACH LIGHTING

RWY 11/29	LIRL(2)	PAL+AA 122.8		SDBY PWR AVBL
RWY 11/29	PAPI(1)	PAL+AA 122.8	3.0 DEG53FT	SDBY PWR AVBL
RWY 11/29	PTBL			BY PRIOR ARRANGEMENT

(1) Left side. PAL requires three one-second pulses to activate.
(2) PAL requires three one-second pulses to activate.
RWY edge light spacing: 11/29: 60M.

OTHER LIGHTING

1. Secondary PWR switchover time: 15 SEC.
2. TWY LGT: Blue edge.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA	BRISBANE CENTRE	124.6 500FT

On ground COMS may be available with ATS dependent on ACFT location and building shielding.

LOCAL TRAFFIC REGULATIONS

1. All GA ACFT must park in the designated parking areas or at the discretion of the duty ARO.
2. Parking on the Air Traffic Operation (ATO) apron is restricted to ATO ACFT or ACFT approved by the AD Manager or delegate. No other ACFT may park on the ATO apron other than for picking up or setting down passengers.
3. GA PRKG APN not AVBL to ACFT ABV 5,700KG MTOW.
4. Bay 1 of ATO APN AVBL for GEN HEL use. HEL to park on western edge. PN if in group.
5. GA TWY not AVBL to ACFT ABV 15,000KG MTOW.
6. The operation of ACFT is restricted to sealed RWY, TWY and APN.
7. ACFT at W end of RWY may not be sighted by ACFT at TWY intersection due RWY levels.
8. All ACFT ABV 20,000KG must use THR turning nodes to turn around on RWY 11/29.
9. ACFT must use MAX radius turns on RWY 11/29 turning nodes.

FLIGHT PROCEDURES

1. Due to RWY longitudinal slope ACFT must broadcast intentions on CTAF before operating on RWY.
2. For special procedures which apply to the Great Sandy Bay Marine Park and Fraser Island, see entry under ERSA GEN - SPECIAL PROCEDURES.

CTAF - AFRU 126.55

ADDITIONAL INFORMATION

Flying foxes in the vicinity of the AD particularly at dusk.


CHARTS RELATED TO THE AERODROME

1. WAC 3340.
2. Also refer to AIP Departure and Approach Procedures.

HILLSTON

ELEV 403

FULL NOTAM SERVICE NOT AVBL



NSW UTC +10 YHLS
332937S 1453125E VAR 11 DEG E UNCR
AD OPR Carrathool Shire Council, PO Box 12, Goolgowi, NSW, 2652.
PH BH 02 6961 7600. ARO 0429 919 092.
ARO MOB AD MGR 0456 763 165. Fax 02 6965 1379.

REMARKS

1. AD INFO and landing enquiries PH council. AH automated message advising PH to contact.
2. Illuminated windsock located near the APN.

HANDLING SERVICES AND FACILITIES

No fuel AVBL. Contact Lowes by prior arrangement PH 02 6967 2432.

PASSENGER FACILITIES

Telephone facilities not AVBL. Small Terminal (WC).

APRONS AND TAXIWAYS

Sealed.

AERODROME OBSTACLES

Tower 730FT AMSL. APRX 1NM E of THR RWY 32 - marked and lit.

PHYSICAL CHARACTERISTICS

06/24	43a	5700 kg Unrated. Sealed. RWY LEN 1,300M.	WID 18	RWS 90
14/32	27c	5700 kg Unrated. Grassed red clay. RWY LEN 820M.	WID 90	

AERODROME AND APPROACH LIGHTING

RWY 06/24	HIRL	PAL 120.05	SDBY PWR AVBL
RWY 06/24	PTBL(1)		BY PRIOR ARRANGEMENT

(1) 60 MIN PN.
RWY edge light spacing: 06/24: 95M.

OTHER LIGHTING

1. APN floodlighting is activated by PAL.
2. SDBY PWR switchover time: Manually activated.
3. Blue TWY edge LGT.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA	MELBOURNE CENTRE	134.65 Circuit Area

LOCAL TRAFFIC REGULATIONS

1. RWY14/32 not AVBL to ACFT ABV 5,700KG MAX all up weight.
2. PRKG is permitted.
3. Light ACFT PRKG AVBL on tie-downs - not strength rated. ACFT must not taxi into tie-down positions under power.

CTAF 126.7

Information may be continued on the next page: PTO