## KEITH

**ELEV 92**

**FULL NOTAM SERVICE NOT AVBL**

SA UTC +9:30 YKTH
360651S 1401508E VAR 9 DEG E UNCR
AD OPR Tatiara District Council, 43 Woolshed St, Bordertown, SA, 5268.
Email: office@tatiara.sa.gov.au. PH 08 8752 1044. Website: www.tatiara.sa.gov.au.




### PHYSICAL CHARACTERISTICS

17/35 38c Unrated. Gravel. WID 15 RWS 77

### AERODROME AND APPROACH LIGHTING

RWY 17/35 LIRL AFRU+PAL 126.7 SDBY PWR AVBL
1. Hard wired solar.
2. RWY edge light spacing: 90M.

### OTHER LIGHTING

TWY light: Blue edge

### ATS AND AERODROME COMMUNICATION FACILITIES

FIA MELBOURNE CENTRE 135.45

**CTAF** 126.7


### CHARTS RELATED TO THE AERODROME

WAC 3469.

## KEMPSEY

**ELEV 54**

**AVFAX CODE 2053**




NSW UTC +10 YKMP
310428S 1524611E VAR 12 DEG E CERT
AD OPR Kempsey Shire Council, PO Box 3078, West Kempsey, NSW, 2440. PH 02 6566 3200. ARO 0428 687 258 (H24).

### HANDLING SERVICES AND FACILITIES

Aero Refuellers: JET A1 and AVGAS AVBL H24. MC, V and Aero Refuellers Carnet accepted. PH 0413 003 808.

### PASSENGER FACILITIES

TX/WC.

### APRONS AND TAXIWAYS

1. TWY C, C1, D and E not AVBL to ACFT ABV 5,700KG MTOW and wingspan greater than 15M.
2. Use of parking Bay 1 is restricted to aerial ambulance (excluding HEL). Other ACFT ABV 5,700KG as approved by AD OPR with 72HR PN.
3. GA aprons not AVBL to ACFT ABV 5,700KG MTOW and wingspan greater than 15M.

Information may be continued on the next page: PTO

## AERODROME OBSTACLES

1. Unlit pole 704FT AMSL BRG 232 DEG MAG 3.4NM FM ARP.
2. Lit TWR:
   a. 299FT AMSL BRG 351 DEG MAG 1.5NM FM ARP.
   b. 470FT AMSL BRG 108 DEG MAG 3.9NM FM ARP.
   c. 482FT AMSL BRG 108 DEG MAG 3.8NM FM ARP.
   d. 479FT AMSL BRG 185 DEG MAG 2.5NM FM ARP.
3. Unlit trees:
   a. 140FT AMSL BRG 238 DEG MAG 1.0NM FM ARP.
   b. 182FT AMSL BRG 239 DEG MAG 1.1NM FM ARP.
   c. 161FT AMSL BRG 240 DEG MAG 1.1NM FM ARP. Infringes visual segment surface RWY 04.

## METEOROLOGICAL INFORMATION PROVIDED

1. METAR/SPECI.
2. AWIS PH 02 9353 6430 - Report faults to BoM.
3. AWIS FREQ 128.675 - Report faults to AD OPR.

## PHYSICAL CHARACTERISTICS

04/22 042 54a Unrated. WID 30 RWS 90

## AERODROME AND APPROACH LIGHTING

RWY 04/22 LIRL AFRU+PAL 118.9
RWY edge light spacing: 04/22: 90M.

## OTHER LIGHTING

TWY LGT: Blue edge.

## ATS AND AERODROME COMMUNICATION FACILITIES

FIA BRISBANE CENTRE 120.55 3500FT
For circuit area and on ground COM, contact Brisbane Centre on 120.95.

## LOCAL TRAFFIC REGULATIONS

Carriage and use of radio is required by AD OPR.

**CTAF - AFRU** 118.9

## NOISE ABATEMENT PROCEDURES

1. Three facilities, located under the extended centreline of RWY 04/22 to the NE of the Kempsey Airport, are noise sensitive areas. These are the Aldavilla Primary School, the Greenhill School, and the Booroongen Djugun Aged Care Facility.
2. When landing on RWY 22, pilots should use the minimum power necessary on approach to minimise noise over noise sensitive areas.
3. Where practicable, pilots should use the full RWY length for take off.
4. Pilots should, where safe, practicable and consistent with expected training outcomes, maintain RWY heading after take off until reaching a height of 1,000FT above aerodrome elevation before making a turn into the circuit.
5. Simulated engine failure practice should not be conducted over noise sensitive areas.
6. Engine ground running, such as during pre-take off checks, may be conducted at any time, but should be kept to the minimum time operationally necessary.
7. Pilots of transponder-equipped aircraft should ensure that, at all times, the transponder is selected to ON/ALT (Mode C).
8. Users of Kempsey Airport should refer to the Kempsey Airport Fly Neighbourly Agreement (FNA) which may be downloaded from the Kempsey Shire Council website at: http://bit.ly/ksc-fna-dec-19.
9. Circuit training, as part of flight training school operations by local and visiting operators, is permitted only between the following hours:
   a. Local Aircraft Operators:
      (i) MON-FRI (except public holidays)
         - Between 0700-1900 Local (excluding HDS)
         - Between 0700-2200 Local HDS
      (ii) SAT (except when Saturday is declared as a public holiday)
         - Between 0800-1900 Local

(iii) SUN (except when Sunday is declared as a public holiday)
- Between 0900-1800 Local

(iv) NSW public holidays
- Between 0900-1800 Local

*Note: Circuit training is not permitted on Christmas Day*

b. Visiting Aircraft Operators:
(i) MON-FRI (except public holidays)
- Between 0800-1900 Local

*Note: Circuit training is not permitted on SAT, SUN, public holidays or Christmas Day.*

## ADDITIONAL INFORMATION

1. Significant increase in animal hazard (Eastern Grey Kangaroo) WI AD VCY. Bird hazard (magpies) exists mid field RWY 04/22.
2. If requesting ARO to conduct wildlife check prior to OPS, 1HR PN required (phone call only, no SMS).
3. PJE OPS WI 5NM HJ. CTC AD OPR for additional INFO.

## CHARTS RELATED TO THE AERODROME

1. WAC 3357.
2. Also refer to AIP Departure and Approach Procedures.


---

## KENS BORE — ELEV 709

### AVFAX CODE 6806

| | | | |
|---|---|---|---|
| WA | | UTC +8 | YKBA |
| 220925S | 1160926E | VAR 0 DEG E | CERT |

AD OPR Onslow Iron Pty Ltd, 20 Walters Drive, Osborne Park, WA, 6017.
Email: kensbore.airport@mrl.com.au. PH H24 Airport Supervisor 0498 513 268.
Website: www.mineralresources.com.au.




## REMARKS

1. Restricted OPS. PPR FM Airport Supervisor.
2. Parking allocation by prior arrangement with Airport Supervisor.
3. All OPS advise AD OPR with 20 MIN PN on FREQ 130.45MHz, CS 'Kens Bore Base'.

## HANDLING SERVICES AND FACILITIES

Marshalling and ground handling services by prior arrangement with Airport Supervisor.
JET A1 AVBL. 24HR PN for unscheduled OPS (EXC MEDEVAC ACFT). CTC Airport Supervisor.

## PASSENGER FACILITIES

WC and Telstra 4G reception.

## APRONS AND TAXIWAYS

TWY A: Code C, 23M sealed.

## AERODROME OBSTACLES

Lit secondary IWI (RWY 14) 738FT AMSL BRG 325 DEG MAG, 625M FM ARP. Infringes TNS by 1FT.

## METEORLOGICAL INFORMATION PROVIDED

AWIS FREQ 122.775 (requires 3 one-second pulses to activate) - Report faults to AD OPR.

## PHYSICAL CHARACTERISTICS

| | | | | | | |
|---|---|---|---|---|---|---|
| 14/32 | 134 | 69a | PCR 350/F/A/X/T Grooved. | | WID 30 | RWS 280 |

Information may be continued on the next page: PTO