

MONUMENT AND MARKER RULES AND REGULATIONS

(PLEASE READ CAREFULLY)

FULL SPECIFICATIONS AND DESIGNS MUST BE SUBMITTED TO THE CEMETERY OFFICE, AND APPROVAL SECURED BEFORE ANY MONUMENT, MEMORIAL OR GRAVE MARKER SHALL BE ERECTED OR SET IN CEMETERY.

THIS APPLICATION MUST BE APPROVED AND CHARGES PAID PRIOR TO INSTALLATION OF MONUMENT FOUNDATIONS AND MARKER SETTING BY THE CEMETERY. (THE MAXIMUM WIDTH OF A MONUMENT BASE SHALL NOT EXCEED TWENTY-FOUR INCHES (24") ON ALL TWENTY-FOOT (20') LOTS AND TWENTY-TWO FOOT (22'), TWENTY-THREE FOOT (23') AND TWENTY-FIVE FOOT (25') DRIVEWAY LOTS.)

SANTUARY (a) Minimum height 4', overall height 5'8". (Bas-relief and bust not included.)

CROSSES (a) Cross minimum height 4'6" x 0'6" x 0'6". Minimum overall height 5'8".

TALL MONUMENTS MINIMUM SIZE-Base 4' x 1'2" x 0'6" – Die 2'2" x 4'6" x 0'8", add 0'2" in width to each 12" in height to die taller than 4'6"- base to be in proportion. Die 7'0" tall must be 0'10" in thickness. Taller monuments must be in proportion. Die must be minimum finished front and back, steeled, axed or polished.

ALL STATUARY, CROSSES AND TALL MONUMENTS MUST BE APPROVED BY THE CEMETERY AND MUST BE DOWELED WITH COPPER OR BRONZE PINS, MINIMUM SIZE 3/4" DIAMETER BY 8" IN LENGTH.

STEPS STEPS- Minimum tread length 4', height 5", surface width 10", buttress minimum width or thickness 6". Add 2" in width or thickness to buttress for each 6" to 12" in tread length. Full specifications and design must be submitted to the cemetery office for approval. All liability of damage of any kind must be assumed by the lot owner.

MONUMENTS

- (a) Minimum size monument –Base 4'0" x 1'0" x 0'6" – Die 3' long x 6" thick x 1'8" high.
- (b) All bases must be finished in rock-pitched (rough, rock-like) texture on all four sides. The top of the base should be finished with a steeled ("Frosted" effect), axed (semi-rough) or polished (smooth) texture. The bottom of the base should be flat. A maximum margin of 2" will be allowed on the top of the base. No inscription or lettering of any kind is allowed on the base.
- (c) Granite or marble only (no artificial stone). Die must be finished front and back, steeled, axed or polished.
- (d) Slant-face monuments or beveled markers are not permitted.
- (e) Set as near center of lot as possible, never closer than 3' of back line or 1'6" to side line of lot. Monuments must be set in center of 10' wide area of lots. Cemetery not responsible for individual name inscriptions aligning with graves.
- (f) No grave slab permitted.
- (g) No monument to be delivered or set on Saturdays, Sundays or Holidays.
- (h) No monument may be erected on any lot smaller than 200sq. ft. or on an individually owned portion of that lot smaller than 110 sq/ ft.
- (i) After monument setting is completed lot to be promptly cleaned up.
- (j) See Rule 3 of rules and regulations covering vases, flowers boxes and open-base monuments.
- (k) All vases must be polish, axed or steel finish and must be so placed that no part thereof shall be within less 2" of the edge of monument base. Vases and monuments must be drilled for drain or have weep-hole drain provided. Vases must be same material as monument die or base. Example: No marble vases with full granite monument.
- (l) All corner post must be 5" x 5" x 6" granite or bronze only, with lot owner's initial.

- (m) Design and specifications for all bench type memorials must be summated to cemetery office and approval granted before contracting for same. Minimum size, seat 3'0" x 1'1" x 0'3" – Support 1'0" x 0'4" x 1'1" – Base 4'0" x 1'6" x 0'6".

MARKERS

- (a) Flush granite, bronze and bronze on granite only. (No marble markers).
Raised letters on granite not permitted,
- (b) Minimum 4' thick – All granite markers, concrete bases and granite bases for bronze
- (c) Bronze of government standard (85-5-5-5) only.
- (d) All markers set flush at foot of graves.
- (e) All ledgers to be 6" thick
- (f) Sizes:

GRANITE

20"x10"x4" (BABY)
 20"x28"x4" (minimum requirement for double depth interment)
 24"x12"x4"
 24"x18"x4"
 28"x20"x4"
 34"x28"x4"
 36"x14"x4"
 48"x18"x4"
 60"x20"x4"

BRONZE

20"x10"x4" (BABY)
 22"x10"x4" (BABY)
 24"x12" x4"
 24"x13" x4"
 24"x14" x4"
 16"x24" x4"
 24"x30" x4"
 32"x10" x4"
 44"x13" x4"
 44"x14" x4"
 56"x16" x4"

FOR BRONZE

24"x14"x4"*
 26"x14"x4"*
 28"x16"x4"
 28"x17"x4"
 28"x18"x4"
 20"x28"x4"(min. double interment)
 28"x34"x4"
 36"x14"x4"
 48"x17"x4"
 48"x18"x4"
 60"x20"x4"
 62"x16"x4"

*NOT ALLOWED IN BABYLAND

**ALLOWED WITH TWO 24'X12" BRONZE MARKERS

INSCRIPTION INFORMATION FOR MEMORIAL MARKERS: The words "In Memory Of" or "In Loving Memory" are only inscribed when the remains are not interred, inurned or entombed. "In Memory Of" or "In Loving Memory" is mandatory and must precede the authorized inscription data.

Cameos

Cameos installed on a ground level flat marker must have a covered frame. Any cameo installed on a monument, do not have to have a covered frame but will need a cameo ring or recessed into the monument. Please note cameo must be installed properly and Forest Park Lawndale Cemetery is not liable for any cameos that fall or are damaged due to an outside vendor installing incorrectly.

Gold leafing, painting, coloring, enameling, lacquering, gilding, bronzing, highlighting, application of shadow paint or any artificial coloring on letters or other parts of memorial is not permitted; nor is the reproduction of a photograph on glass, porcelain or other material attached to a memorial permitted.

Form 10 Rev. 11-2015