



## Grand View Setting Information

All memorials including flush/ grass markers, upright monuments and benches must be approved by using the Foundation & Setting Application Contract.

Once the approval is given, Grand View requires at least (3) working days for the memorial stake out to be done.

On the day of installation all memorials must be inspected by the Superintendent or Marker desk before the memorial is set.

All fees must be paid 48 hours in advance unless prior arrangements have been made.

Your company must have current proof of liability insurance.

If you have any questions, please contact the marker desk at 281.479.6076 or Jeff Pound at 281.221.3849.

Monument / Bench Setting Fee	\$1.25 per square inch of base
Monument Stake-Out Fee	\$125.00 per monument/ bench
Concrete Fee	\$1.00 per square inch of base
Marker Setting Fee	\$0.75 per square inch of base
Marker Stake-Out Fee	\$75.00 per marker
Marker/ Monument Inspection Fee	\$175.00 per marker/ monument



## Foundation & Setting Application for Grand View Memorial Park

8501 Spencer Hwy. Pasadena, TX 77505

Please ensure that the memorial on this application is within the Rules and Regulations for Grand View Memorial Park. Please ask for a copy if needed.


Monument/Bench Foundation: \$ \_\_\_\_\_

Marker Stake-Out \$ \_\_\_\_\_

Marker Setting \$ \_\_\_\_\_

Garden: \_\_\_\_\_ Lot: \_\_\_\_\_ Space: \_\_\_\_\_

Diagram of Monument/Marker must be drawn in the space below



### Bronze Markers:

Company: \_\_\_\_\_

Bronze Size: \_\_\_\_\_ Granite Base Size: \_\_\_\_\_

Vase? (Please circle one)      Yes      No      Color: \_\_\_\_\_

### Upright Granite Monuments:

Company: \_\_\_\_\_

Granite Color: \_\_\_\_\_ Die/Seat Size: \_\_\_\_\_

Base Size: \_\_\_\_\_ Vases?      Yes      No      Qty: \_\_\_\_\_

The undersigned hereby represents that he, she or they, is or are the exclusive owner(s) of the Interment Rights described above and, hereby authorizes the above named company to install the above described memorial upon the Interment Rights described here in accordance with the Rules, Regulations & Requirements of Grand View Memorial Park and agree to indemnify and hold harmless. Grand View Memorial Park assumes no responsibility for the finish, lettering and accuracy of dates or emblems, or the omission of quality or workmanship of the described memorial. It is further understood that Grand View Memorial Park shall NOT be responsible for any errors or defects in workmanship in connection with the installation of memorials, and hereby acknowledges and agrees to the provisions contained therein. It is understood and agreed that, should the memorial or installation of said memorial, not fully comply with the Rules, Regulations and Requirements of Grand View Memorial Park, the deviation shall be rectified to so comply or be removed from the cemetery within (3) business days of such request.

Property Owner Signature: \_\_\_\_\_ Phone #: \_\_\_\_\_ Date: \_\_\_\_\_

Vendor Name: \_\_\_\_\_ Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_

Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

## **MONUMENT AND MARKER RULES AND REGULATIONS** **(PLEASE READ CAREFULLY)**

This application must be approved and charges paid prior to installation of monument foundations or marker setting by the cemetery.

The maximum width of a monument base shall not exceed twenty-four (24) inches, on all twenty (20) foot lots, and twenty-two (22) foot, twenty-three (23) foot and twenty-five (25) foot driveway lots.

**STATUARY:** a minimum height of 4 feet, overall height 5 feet 8 inches. Base relief and bust not included.

**CROSSES:** a minimum height of 4 ft. 6 in. by 6 inches wide, minimum overall height of 5 ft. 8 in.

**TALL:** Minimum size - Base: 4ft. X 1 ft. 2 in. X 6 in. Die: 2 ft. 2 in. X 4 ft. 6 in X 8 in. Add 2 inches in width to each 12 inches in height.

**MONUMENTS TALLER THAN 4FT 6 IN:** Base to be in proportion. Die 7 foot tall must be 10 inches in thickness. Taller monuments must be in proportion. Die must be a minimum finished front and back, steeled, axed or polished.

**ALL STATUARY, CROSSES AND TALL MONUMENTS MUST BE APPROVED BY THE CEMETERY AND MUST BE DOWELED WITH COPPER OR BRONZE PINS, MINIMUM SIZE OF ¾ INCH DIAMETER B 8 INCHES IN LENGTH.**

**STEPS:** Minimum thread length of 4 inches, height of 5 inches, surface width of 10 inches. Butt rest minimum width or thickness of 6 inches. Add 2 inches in width, or thickness, to butt rest for each 6 inches to 12 inches in tread length. Full specifications and design must be submitted to the cemetery office for approval. All liability of damage or any kind must be assumed by the lot owner.

### **MONUMENTS:**

- (A) Minimum size – Base: 4ft X 1ft X 6in Die: 3ft long X 6in thick X 1ft 8in high.
- (B) Absolutely no combination of marble and granite will be accepted.
- (C) All bases must be finished in rock pitched (rough, rock-like) texture on all 4 sides, the top and bottom should be flat and polished. No inscription or lettering of any kind is allowed on the base.
- (D) Granite or marble only. No artificial stone is permitted. Die must be finished front and back, steeled, axed or polished. No monument will be allowed with rustic or rock pitched finish on the front and back.
- (E) Slant-face monuments or bevel markers are not allowed.
- (F) Set as near center of the lot as possible, never closer than 3 feet off the back line, or 1 ft. 6 in. to the side of the lot line. Monuments must be in center of 10 ft. wide area of lots. The cemetery is not responsible for individual name inscriptions aligning with graves.
- (G) No grave slabs are permitted.
- (H) No monuments may be delivered or set on Saturday, Sunday or Holidays.



- (I) No monuments may be erected on any lot smaller than 200 sq. ft. or an individually owned portion of that lot smaller than 110 sq. ft.
- (J) After monument setting is completed, lot is to be promptly cleaned up.
- (K) All granite monuments are to be pointed with lead or approved compound.
- (L) See Rule #3 of Rules and Regulations regarding vases, flower boxes and open-base monuments.
- (M) All vases must be all polished, axe or settle finish and must be so placed that no part thereof shall be within less than 2 inches off the edge of the monument base. Vases and monuments must be drilled for draining, or have weep-hole drain provided. Vase must be of same material as the monument.
- (N) All corner posts are to be 5in. X 5 in. X 6in., granite or bronze only, with lot owners initial.
- (O) Designs and specifications for all bench type memorials must be submitted to the cemetery office and approval granted before contracting for the same. Minimum size is as follows; Seat: 3ft. X 1 ft. 1 in. X 3in. Support: 1ft. X 4in. X 1ft. 1 in. Base: 4ft. X 1ft. 6in. X 6in.

#### **MARKERS:**

- (A) Bronze on granite only. (No marble markers) Raised letters on granite not permitted.
- (B) Minimum 4in. thick, all granite markers, concrete bases and granite bases for markers.
- (C) Bronze of government standard (85-5-5-5) only.
- (D) All veteran markers set flush at foot of grave. All custom markers must be set at the head of the grave(s).
- (E) Sizes allowed are as follows:


#### **BRONZE**

20"X10" (BABY)  
 22"x10" (BABY)  
 24" X 12"  
 24 X 14"  
 16" X 24"  
 24" X 30"  
 32" X 10"  
 44" X 13"  
 44" X 14"  
 56" X 16"  
 (2) 24" X 12"

#### **MAX GRANITE BASE FOR BRONZE**

24" X 14" x 4"  
 26"X 14" X 4"  
 28" X 16" X 4"  
 28" X 18" X 4"  
 20" X 28" X 4"  
 28" X 34" X 4"  
 36" X 14" X 4"  
 48" X 17" X 4"  
 48" X 18" X 4"  
 60" X 20" X 4"  
 62" X 16" X 4"

\*Bases in "Babyland" **CANNOT** exceed 20" in width.



**Memorial Requirements:**

Bronze marker **MUST** be a minimum size of 24"X12" and a maximum size of 56"X16". The memorial must also be made of 100% pure bronze.

**Granite Requirements:**

The granite must have a 2" border all the way around the bronze, and must be 4" thick. Any color is allowed.



## Setting Application Addendum

### Grand View Memorial Park

Grand View Memorial Park will allow Cameo's with a covered frame to be installed on flat bronze markers and granite bases. Grand View will not be liable for loss, damage, or any warranties concerning cameos and the covered frames. This includes reattaching or replacing cameos and covered frames.

By signing this Addendum I agree to release Grand View Memorial Park from any and all liabilities concerning cameos and the covered frames.

Purchaser/ Next of kin \_\_\_\_\_  
\_\_\_\_\_

Property owner \_\_\_\_\_  
\_\_\_\_\_

February 2015

