Index

Acceptable quality level, 705
Acceptance sampling, 153
Additive rule, 56
Adjusted R^2, 464
Analysis of variance (ANOVA), 254, 507
    one-factor, 509
    table, 415
    three-factor, 579
    two-factor, 565
Approximation
    binomial to hypergeometric, 155
    normal to binomial, 187, 188
    Poisson to binomial, 163
Average, 111

Backward elimination, 479
Bartlett's test, 516
Bayes estimates, 717
    under absolute-error loss, 718
    under square-error loss, 717
Bayes' rule, 72, 75
Bayesian
    inference, 710
    interval, 715
    methodology, 265, 709
    perspective, 710
    posterior interval, 317
Bernoulli
    process, 144
    random variable, 83
    trial, 144
Beta distribution, 201
Bias, 227
Binomial distribution, 104, 145, 153, 155
    mean of, 147
    variance of, 147
Blocks, 509
Box plot, 3, 24, 25

Categorical variable, 472
Central composite design, 640
Central limit theorem, 233, 234, 238
Chebyshev's theorem, 135–137, 148, 155, 180, 186
Chi-squared distribution, 200
Cochran's test, 518
Coefficient of determination, 407, 433, 462
    adjusted, 464
Coefficient of variation, 471
Combination, 50
Complement of an event, 39
Completely randomized design, 8, 509
Conditional distribution, 99
    joint, 103
Conditional perspective, 710
Conditional probability, 62–66, 68, 75, 76
Confidence
    coefficient, 269
    degree of, 269
    limits, 269, 271
Confidence interval, 269, 270, 281, 317
    for difference of two means, 285–288, 290
    for difference of two proportions, 300, 301
    interpretation of, 289
    of large sample, 276
    for paired observations, 293
    for ratio of standard deviations, 306
    for ratio of variances, 306
    for single mean, 269–272, 275
        one-sided, 273
    for single proportion, 297
    for single variance, 304
    for standard deviation, 304
Contingency table, 373
    marginal frequency, 374
Continuity correction, 190
Continuous distribution
    beta, 201

chi-squared, 200
exponential, 195
gamma, 195
lognormal, 201
normal, 172
uniform, 171
Weibull, 203, 204
Control chart
for attributes, 697
Cusum chart, 705
p-chart, 697
R-chart, 688
S-chart, 695
U-chart, 704
for variable, 684
$\bar{X}$-chart, 686
Correlation coefficient, 125, 431
Pearson product-moment, 432
population, 432
sample, 432
Covariance, 119, 123
C_p statistic, 491
Cross validation, 487
Cumulative distribution function, 85, 90

Degrees of freedom, 15, 16, 200, 244, 246
Satterthwaite approximation of, 289
Descriptive statistics, 3, 9
Design of experiment
blocking, 532
central composite, 640
completely randomized, 532
contrast, 599
control factors, 644
defining relation, 627
fractional factorial, 598, 612, 626, 627
noise factor, 644
orthogonal, 617
randomized block, 533
resolution, 637
Deviation, 120
Discrete distribution
binomial, 143, 144
geometric, 158, 160
hypergeometric, 152, 153
multinomial, 143, 149
negative binomial, 158, 159
Poisson, 161, 162
Distribution, 23
beta, 201
binomial, 104, 143–145, 175, 188
bivariate normal, 431
chi-squared, 200
continuous uniform, 171
empirical, 254
Erlang, 207
exponential, 104, 194, 195
gamma, 194, 195
Gaussian, 19, 172
geometric, 143, 158, 160
hypergeometric, 152–154, 175
lognormal, 201
multinomial, 143, 149
multivariate hypergeometric, 156
negative binomial, 143, 158–160
normal, 19, 172, 173, 188
Poisson, 143, 161, 162
posterior, 711
prior, 710
skewed, 23
standard normal, 177
symmetric, 23
t-, 246, 247
variance ratio, 253
Weibull, 203
Distribution-free method, 655
Distributional parameter, 104
Dot plot, 3, 8, 32
Dummy variable, 472
Duncan's multiple-range test, 527
Dunnett's test, 528

Erlang distribution, 207
Error
in estimating the mean, 272
experimental, 509
sum of squares, 402
type I, 322
type II, 323
Estimate, 12
of single mean, 269
Estimation, 12, 142, 266
difference of two sample means, 285
maximum likelihood, 307, 308, 312
paired observations, 291
proportion, 296

of the ratio of variances, 305
of single variance, 303
two proportions, 300
Estimator, 266
efficient, 267
maximum likelihood, 308–310
method of moments, 314, 315
point, 266, 268
unbiased, 266, 267
Event, 38
Expectation
mathematical, 111, 112, 115
Expected mean squares
ANOVA model, 548
Expected value, 112–115
Experiment-wise error rate, 525
Experimental error, 509
Experimental unit, 9, 286, 292, 562
Exponential distribution, 104, 194, 195
mean of, 196
memoryless property of, 197
relationship to Poisson process, 196
variance of, 196

F-distribution, 251–254
Factor, 28, 507
Factorial, 47
Factorial experiment, 561
in blocks, 583
factor, 507
interaction, 562
level, 507
main effects, 562
masking effects, 563
mixed model, 591
pooling mean squares, 583
random effects, 589
three-factor ANOVA, 579
treatment, 507
two-factor ANOVA, 565
Failure rate, 204, 205
Fixed effects experiment, 547
Forward selection, 479

Gamma distribution, 194, 195
mean of, 196
relationship to Poisson process, 196
variance of, 196
Gamma function, 194
incomplete, 199
Gaussian distribution, 19, 172
Geometric distribution, 158, 160
mean of, 160
variance of, 160
Goodness-of-fit test, 210, 255, 317, 370, 371

Histogram, 22
probability, 86
Historical data, 30
Hypergeometric distribution, 152–154
mean of, 154
variance of, 154
Hypothesis, 320
alternative, 320
null, 320
statistical, 319
testing, 320, 321

Independence, 62, 65, 67, 68
statistical, 101–103
Indicator variable, 472
Inferential statistics, 1
Interaction, 28, 562
Interquartile range, 24, 25
Intersection of events, 39
Interval estimate, 268
Bayesian, 715

Jacobian, 213
matrix, 214

Kruskall-Wallis test, 668

Lack of fit, 418
Least squares method, 394, 396
Level of significance, 323
Likelihood function, 308
Linear model, 133
Linear predictor, 498
Linear regression
ANOVA, 414
categorical variable, 472
coefficient of determination, 407
correlation, 430
data transformation, 424
dependent variable, 389
empirical model, 391

error sum of squares, 415
fitted line, 392
fitted value, 416
independent variable, 389
lack of fit, 418
least squares, 394
mean response, 394, 409
model selection, 476, 487
multiple, 390, 443
normal equation, 396
through the origin, 413
overfitting, 408
prediction, 408
prediction interval, 410, 411
pure experimental error, 419
random error, 391
regression coefficient, 392
regression sum of squares, 461
regressor, 389
residual, 395
simple, 389, 390
statistical model, 391
test of linearity, 416
total sum of squares, 414
Logistic regression, 497
effective dose, 500
odds ratio, 500
Lognormal distribution, 201
mean of, 202
variance of, 202
Loss function
absolute-error, 718
squared-error, 717

Marginal distribution, 97, 101, 102
joint, 103
Markov chain Monte Carlo, 710
Masking effect, 563
Maximum likelihood estimation, 307, 308, 710
residual, 550
restricted, 550
Mean, 19, 111, 112, 114, 115
population, 12, 16
trimmed, 12
Mean squared error, 284
Mean squares, 415
Mode, 713
normal distribution, 174
Model selection, 476
backward elimination, 480
C_p statistic, 491
forward selection, 479
PRESS, 487, 488
sequential methods, 476
stepwise regression, 480
Moment, 218
Moment-generating function, 218
Multicollinearity, 476
Multinomial distribution, 149
Multiple comparison test, 523
Duncan's, 527
Dunnett's, 528
experiment-wise error rate, 525
Tukey's, 526
Multiple linear regression, 443
adjusted R^2, 464
ANOVA, 455
error sum of squares, 460
HAT matrix, 483
inference, 455
multicollinearity, 476
normal equations, 444
orthogonal variables, 467
outlier, 484
polynomial, 446
R-student residuals, 483
regression sum of squares, 460
studentized residuals, 483
variable screening, 456
variance-covariance matrix, 453
Multiplication rule, 44
Multiplicative rule, 65
Multivariate hypergeometric distribution, 156
Mutually exclusive
events, 40

Negative binomial distribution, 158, 159
Negative binomial experiment, 158
Negative exponential distribution, 196
Nonlinear regression, 496
binary response, 497
count data, 497
logistic, 497
Nonparametric methods, 655
Kruskall-Wallis test, 668
runs test, 671

sign test, 656
signed-rank test, 660
tolerance limits, 674
Wilcoxon rank-sum test, 665
Normal distribution, 172, 173
mean of, 175
normal curve, 172–175
standard, 177
standard deviation of, 175
variance of, 175
Normal equations for linear regression, 444
Normal probability plot, 254
Normal quantile-quantile plot, 256, 257

Observational study, 3, 29
OC curve, 335
One-sided confidence bound, 273
One-way ANOVA, 509
contrast, 520
contrast sum of squares, 521
grand mean, 510
single-degree-of-freedom contrast, 520
treatment, 509
treatment effect, 510
Orthogonal contrasts, 522
Orthogonal variables, 467
Outlier, 24, 279, 484

p-chart, 697
P-value, 4, 109, 331–333
Paired observations, 291
Parameter, 12, 142
Partial F-test, 466
Permutation, 47
circular, 49
Plot
box, 24
normal quantile-quantile, 256, 257
probability, 254
quantile, 254, 255
stem-and-leaf, 21
Point estimate, 266, 268
standard error, 276
Points of inflection, normal distribution, 174
Poisson distribution, 143, 161, 162
mean of, 162
variance of, 162
Poisson experiment, 161
Poisson process, 161, 196
relationship to gamma distribution, 196
Polynomial regression, 443, 446
Pooled estimate of variance, 287
Pooled sample variance, 287
Population, 2, 4, 225, 226
mean of, 226
parameter, 16, 104
size of, 226
variance of, 226
Posterior distribution, 711
Power of a test, 329
Prediction interval, 277, 278, 281
for future observation, 278, 279
one-sided, 279
Prediction sum of squares, 487, 488
Prior distribution, 710
Probability, 35, 52, 53
additive rule, 56
coverage, 715
of an event, 52
indifference, 55, 709
mass function, 84
relative frequency, 55, 709
subjective, 55
subjective approach, 709
Probability density function, 88, 89
joint, 96
Probability distribution, 84
conditional, 99
continuous, 87
discrete, 84
joint, 94, 95, 102
marginal, 97
mean of, 111
variance of, 119
Probability function, 84
Probability mass function, 84
joint, 95
Product rule, 65

Quality control, 681
chart, 681, 682
in control, 682
out of control, 682
limits, 683
Quantile, 255
Quantile plot, 254, 255

R-chart, 688
R^2, 407, 462
Adjusted, 464
Random effects experiment
variance components, 549
Random effects model, 547, 548
Random sample, 227
simple, 7
Random sampling, 225
Random variable, 81
Bernoulli, 83, 147
binomial, 144, 147
chi-squared, 244
continuous, 84
continuous uniform, 171
discrete, 83, 84
discrete uniform, 150
hypergeometric, 143, 153
mean of, 111, 114
multinomial, 149
negative binomial, 158
nonlinear function of, 133
normal, 173
Poisson, 161, 162
transformation, 211
variance of, 119, 122
Randomized complete block design, 533
Rank correlation coefficient, 675
Spearman, 674
Rectangular distribution, 171
Regression, 20
Rejectable quality level, 705
Relative frequency, 22, 31, 111
Residual, 395, 427
Response surface, 642, 648
robust parameter design, 644
Response surface methodology, 447, 639, 640
control factor, 644
control factors, 644
noise factor, 644
second order model, 640
Retrospective study, 30
Rule method, 37
Rule of elimination, 73–75
Runs test, 671

S-chart, 695
Sample, 1, 2, 225, 226
biased, 7
mean, 3, 11, 12, 19, 30–32, 225, 228
median, 3, 11, 12, 30, 31, 228
mode, 228
random, 227
range, 15, 30, 31, 229
standard deviation, 3, 15, 16, 30, 31, 229, 230
variance, 15, 16, 30, 225, 229
Sample mean, 111
Sample size, 7
in estimating a mean, 272
in estimating a proportion, 298
in hypothesis testing, 351
Sample space, 35
continuous, 83
discrete, 83
partition, 57
Sampling distribution, 232
of mean, 233
Satterthwaite approximation of degrees of freedom, 289
Scatter plot, 3
Sign test, 656
Signed-rank test, 660
Significance level, 332
Single proportion test, 360
Standard deviation, 120, 122, 135
sample, 15, 16
Standard error of mean, 277
Standard normal distribution, 177
Statistic, 228
Statistical independence, 101–103
Statistical inference, 3, 225, 265
Stem-and-leaf plot, 3, 21, 22, 31
Stepwise regression, 479
Subjective probability, 709, 710
Sum of squares
error, 402, 415
identity, 510, 536, 567
lack-of-fit, 419
regression, 415
total, 407
treatment, 511, 522, 536

t-distribution, 246–250
Test statistic, 322
Tests for equality of variances, 516
Bartlett's, 516

Cochran's, 518
Tests of hypotheses, 19, 266, 319
choice of sample size, 349, 352
critical region, 322
critical value, 322
goodness-of-fit, 210, 255, 370, 371
important properties, 329
one-tailed, 330
P-value, 331, 333
paired observations, 345
partial F, 466
single proportion, 360
single sample, 336
single sample, variance known, 336
single sample, variance unknown, 340
single variance, 366
size of test, 323
test for homogeneity, 376
test for independence, 373
test for several proportions, 377
test statistics, 326
on two means, 342
two means with unknown and unequal variances, 345
two means with unknown but equal variances, 343
two-tailed, 330
two variances, 366
Tolerance interval, 280, 281
Tolerance limits, 280
of nonparametric method, 674
one-sided, 281
Total probability, 72, 73
Treatment
negative effect, 563
positive effect, 563
Tree diagram, 36
Trimmed mean, 12
Tukey's test, 526
2^k factorial experiment, 597
aliases, 628
center runs, 620
defining relation, 627
design generator, 627
diagnostic plotting, 604
factor screening, 598
fractional factorial, 626
orthogonal design, 617
Plackett-Burman designs, 638
regression setting, 612
resolution, 637

U-chart, 704
Unbiased estimator, 267
Uniform distribution, 171
Union of events, 40

Variability, 8, 9, 14–16, 119, 135, 228, 251, 253
between/within samples, 253, 254
Variable transformation
continuous, 213, 214
discrete, 212
Variance, 119, 120, 122
population, 16
sample, 16
Variance ratio distribution, 253
Venn diagram, 40

Weibull distribution, 203
cumulative distribution function for, 204
failure rate of, 204, 205
mean of, 203
variance of, 203
Wilcoxon rank-sum test, 665

$\bar{X}$-chart, 686
operating characteristic function, 691