

LAB EXPERIMENT – 1

OUTPUTS:

1)

```
MySQL 8.0 Command Line Cli x + v
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 16
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use dbms;
Database changed
mysql> create table student(
  -> Regno INT(3),
  -> Name VARCHAR(15),
  -> Gender CHAR(1),
  -> DOB DATE,
  -> MobileNo INT,
  -> City VARCHAR(15)
  -> );
Query OK, 0 rows affected, 1 warning (0.06 sec)

mysql> desc student;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Regno | int  | YES  |     | NULL    |       |
| Name  | varchar(15) | YES  |     | NULL    |       |
| Gender | char(1) | YES  |     | NULL    |       |
| DOB   | date | YES  |     | NULL    |       |
| MobileNo | int | YES  |     | NULL    |       |
| City  | varchar(15) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql> |
```

2)

```
use near '' at line 7
mysql> CREATE TABLE FACULTY (
  -> FacNo VARCHAR(4),
  -> FacName VARCHAR(15),
  -> Gender CHAR(1),
  -> DOB DATE,
  -> DOJ DATE,
  -> MobileNo BIGINT
  -> );
Query OK, 0 rows affected (0.04 sec)

mysql> desc FACULTY;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| FacNo | varchar(4) | YES  |     | NULL    |       |
| FacName | varchar(15) | YES  |     | NULL    |       |
| Gender | char(1) | YES  |     | NULL    |       |
| DOB   | date | YES  |     | NULL    |       |
| DOJ   | date | YES  |     | NULL    |       |
| MobileNo | bigint | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql> |
```

3)

```
mysql> CREATE TABLE DEPARTMENT (  
->   DeptNo VARCHAR(4),  
->   DeptName VARCHAR(15),  
->   DeptHead VARCHAR(4)  
-> );  
Query OK, 0 rows affected (0.03 sec)  
  
mysql> desc DEPARTMENT;  
+-----+  
| Field | Type | Null | Key | Default | Extra |  
+-----+  
| DeptNo | varchar(4) | YES | | NULL | |  
| DeptName | varchar(15) | YES | | NULL | |  
| DeptHead | varchar(4) | YES | | NULL | |  
+-----+  
3 rows in set (0.00 sec)  
  
mysql> |
```



4)

```
MySQL 8.0 Command Line Cli x + v  
Enter password: *****  
Welcome to the MySQL monitor. Commands end with ; or \g.  
Your MySQL connection id is 22  
Server version: 8.0.46 MySQL Community Server - GPL  
Copyright (c) 2000, 2026, Oracle and/or its affiliates.  
Oracle is a registered trademark of Oracle Corporation and/or its  
affiliates. Other names may be trademarks of their respective  
owners.  
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.  
  
mysql> use dbms  
Database changed  
mysql> CREATE TABLE FACULTY (  
->   FacNo VARCHAR(4),  
->   FacName VARCHAR(15),  
->   Gender CHAR(1),  
->   DOB DATE,  
->   DOJ DATE,  
->   MobileNo BIGINT  
-> );  
Query OK, 0 rows affected (0.04 sec)  
  
mysql> ALTER TABLE FACULTY  
-> ADD Dept VARCHAR(10);  
Query OK, 0 rows affected (0.07 sec)  
Records: 0 Duplicates: 0 Warnings: 0  
  
mysql> desc FACULTY;  
+-----+  
| Field | Type | Null | Key | Default | Extra |  
+-----+  
| FacNo | varchar(4) | YES | | NULL | |  
| FacName | varchar(15) | YES | | NULL | |  
| Gender | char(1) | YES | | NULL | |  
| DOB | date | YES | | NULL | |  
| DOJ | date | YES | | NULL | |  
| MobileNo | bigint | YES | | NULL | |  
| Dept | varchar(10) | YES | | NULL | |  
+-----+  
7 rows in set (0.01 sec)  
  
mysql> |
```



5)

```
mysql> CREATE TABLE COURSE (  
-> CourseNo VARCHAR(3),  
-> CourseDesc VARCHAR(14),  
-> CourseType CHAR(1),  
-> SemNo CHAR(1),  
-> HallNo VARCHAR(4),  
-> FacNo VARCHAR(4)  
-> );  
Query OK, 0 rows affected (0.04 sec)  
  
mysql> desc COURSE;  
+-----+-----+-----+-----+-----+-----+  
| Field | Type | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| CourseNo | varchar(3) | YES | | NULL | |  
| CourseDesc | varchar(14) | YES | | NULL | |  
| CourseType | char(1) | YES | | NULL | |  
| SemNo | char(1) | YES | | NULL | |  
| HallNo | varchar(4) | YES | | NULL | |  
| FacNo | varchar(4) | YES | | NULL | |  
+-----+-----+-----+-----+-----+-----+  
6 rows in set (0.00 sec)  
  
mysql> |
```