

LAPORAN PRAKTIKUM BASIS DATA II

“QUERY LANJUTAN ”

Dosen Pengampu : Muhammad Ainurrohman, S.Kom



DISUSUN OLEH

1.MUHAMMAD IBRAHIM N

POLITEKNIK PURBAYA

TEGAL

Tugas :

1. Penggunaan Subquery.
2. Penggunaan Subquery dengan banyak Kolom.
3. Pairwase Comparison Subquery.
4. Nonpairwase Comparison Subquery.
5. Penggunaan Query dalam Klausa FROM.
6. Ekspresi Scalar Subquery.
7. Korelasi Subquery.
8. Korelasi Subquery UPDATE.
9. Korelasi Subquery DELETE.
10. Penggunaan Klausa WITH.

Insert all :

```
MariaDB [tokokomp_baim]> desc barang;
```

Field	Type	Null	Key	Default	Extra
id_barang	int(11)	NO	PRI	NULL	
nama_barang	varchar(50)	YES		NULL	
kondisi_barang	varchar(50)	YES		NULL	
stok	int(11)	YES		NULL	
harga	int(11)	YES		NULL	

```
5 rows in set (0.020 sec)
```

```
MariaDB [tokokomp_baim]> select * from barang;
```

id_barang	nama_barang	kondisi_barang	stok	harga
1	komputer legion	bagus	22	85000
2	komputer panasonic	bagus	22	13000
3	komputer apple(mac)	bagus	22	96000
4	DEWALT DWST08300 ToolBox Tool Box	bagus	22	200000

```
4 rows in set (0.001 sec)
```

```
MariaDB [tokokomp_baim]> desc gudang;
```

Field	Type	Null	Key	Default	Extra
id_gudang	int(11)	NO	PRI	NULL	auto_increment
nama_gudang	varchar(100)	YES		NULL	
lokasi	text	YES		NULL	
kapasitas	int(11)	YES		NULL	

```
4 rows in set (0.019 sec)
```

```
MariaDB [tokokomp_baim]> select * from gudang;
```

id_gudang	nama_gudang	lokasi	kapasitas
1	Gudang Utama	Jakarta	100
2	Gudang Cabang	Bandung	50
3	Gudang Timur	Surabaya	75

```
3 rows in set (0.001 sec)
```

```
MariaDB [tokokomp_baim]> _
```

```
MariaDB [tokokomp_baim]> desc kategori;
```

Field	Type	Null	Key	Default	Extra
id_kategori	int(11)	NO	PRI	NULL	auto_increment
nama_kategori	varchar(100)	YES		NULL	

```
2 rows in set (0.018 sec)
```

```
MariaDB [tokokomp_baim]> select * from kategori;
```

id_kategori	nama_kategori
1	Laptop
2	Printer
3	Aksesoris

```
3 rows in set (0.001 sec)
```

```
MariaDB [tokokomp_baim]> desc pembayaran;
```

Field	Type	Null	Key	Default	Extra
id_pembayaran	int(11)	NO	PRI	NULL	auto_increment
metode_pembayaran	varchar(50)	YES		NULL	
jumlah_bayar	int(11)	YES		NULL	
tanggal_pembayaran	date	YES		NULL	

```
4 rows in set (0.017 sec)
```

```
MariaDB [tokokomp_baim]> select * from pembayaran;
```

id_pembayaran	metode_pembayaran	jumlah_bayar	tanggal_pembayaran
1	Transfer Bank	5000000	2026-05-01
2	Cash	2500000	2026-05-02
3	QRIS	7000000	2026-05-03

```
3 rows in set (0.000 sec)
```

```
MariaDB [tokokomp_baim]>
```

```
ariaDB [tokokomp_baim]> desc penjual;
```

Field	Type	Null	Key	Default	Extra
id_penjual	int(11)	NO	PRI	NULL	
nama_penjual	varchar(50)	YES		NULL	
umur	int(11)	YES		NULL	
jabatan	varchar(50)	YES		NULL	

```
rows in set (0.071 sec)
```

```
ariaDB [tokokomp_baim]> select * from penjual;
```

id_penjual	nama_penjual	umur	jabatan
1	azzam	50	karyawan
2	fatkhi	25	karyawan
3	tsabil	25	boss karyawan
4	baim	19	owner

```
rows in set (0.001 sec)
```

```
ariaDB [tokokomp_baim]> desc servis;
```

Field	Type	Null	Key	Default	Extra
id_servis	int(11)	NO	PRI	NULL	auto_increment
nama_barang	varchar(100)	YES		NULL	
kerusakan	text	YES		NULL	
biaya_servis	int(11)	YES		NULL	

```
rows in set (0.018 sec)
```

```
ariaDB [tokokomp_baim]> select * from servis;
```

id_servis	nama_barang	kerusakan	biaya_servis
1	Laptop ASUS	Layar Rusak	750000
2	Printer Epson	Tinta Macet	250000
3	Komputer Gaming	Power Supply Rusak	500000

```
MariaDB [tokokomp_baim]> desc penjual;
```

Field	Type	Null	Key	Default	Extra
id_penjual	int(11)	NO	PRI	NULL	
nama_penjual	varchar(50)	YES		NULL	
umur	int(11)	YES		NULL	
jabatan	varchar(50)	YES		NULL	

```
4 rows in set (0.071 sec)
```

```
MariaDB [tokokomp_baim]> select * from penjual;
```

id_penjual	nama_penjual	umur	jabatan
1	azzam	50	karyawan
2	fatkhi	25	karyawan
3	tsabil	25	boss karyawan
4	baim	19	owner

```
4 rows in set (0.001 sec)
```

```
MariaDB [tokokomp_baim]> desc servis;
```

Field	Type	Null	Key	Default	Extra
id_servis	int(11)	NO	PRI	NULL	auto_increment
nama_barang	varchar(100)	YES		NULL	
kerusakan	text	YES		NULL	
biaya_servis	int(11)	YES		NULL	

```
4 rows in set (0.018 sec)
```

```
MariaDB [tokokomp_baim]> select * from servis;
```

id_servis	nama_barang	kerusakan	biaya_servis
1	Laptop ASUS	Layar Rusak	750000
2	Printer Epson	Tinta Macet	250000
3	Komputer Gaming	Power Supply Rusak	500000

```
3 rows in set (0.001 sec)
```

```

MariaDB [tokokomp_baim]> select * from servis;
+-----+-----+-----+-----+
| id_servis | nama_barang | kerusakan | biaya_servis |
+-----+-----+-----+-----+
| 1 | Laptop ASUS | Layar Rusak | 750000 |
| 2 | Printer Epson | Tinta Macet | 250000 |
| 3 | Komputer Gaming | Power Supply Rusak | 500000 |
+-----+-----+-----+-----+
3 rows in set (0.001 sec)

MariaDB [tokokomp_baim]> desc supplier;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_supplier | int(11) | NO | PRI | NULL | auto_increment |
| nama_supplier | varchar(100) | YES | | NULL | |
| alamat | text | YES | | NULL | |
| no_telepon | varchar(20) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.021 sec)

MariaDB [tokokomp_baim]> select * from supplier;
+-----+-----+-----+-----+
| id_supplier | nama_supplier | alamat | no_telepon |
+-----+-----+-----+-----+
| 1 | PT Maju Jaya | Jakarta | 081234567890 |
| 2 | CV Komputer Hebat | Bandung | 082345678901 |
| 3 | Toko Elektronik | Surabaya | 083456789012 |
+-----+-----+-----+-----+
3 rows in set (0.000 sec)

MariaDB [tokokomp_baim]> desc transaksi;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_transaksi | int(11) | NO | PRI | NULL | auto_increment |
| tanggal | date | YES | | NULL | |
| total_harga | int(11) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.018 sec)

MariaDB [tokokomp_baim]> select * from transaksi;
+-----+-----+-----+
| id_transaksi | tanggal | total_harga |
+-----+-----+-----+
| 1 | 2026-05-01 | 5000000 |
| 2 | 2026-05-02 | 2500000 |
| 3 | 2026-05-03 | 7000000 |
+-----+-----+-----+

```