


On this page

Core Configuration



Deprecated API specification

Case Manager is currently moving to an API specification generated with Swagger. Due to Case Manager's API size and complexity, the resources are being gradually moved to the new format. Until this transition is complete, please make sure that you check both this page and the [new API specification](#).

When all resources are moved to the new format, this page will be deleted.

This page details the REST API regarding Core Configuration.

System

Get the system version

Request

GET	/api/version	--	--	Version entry as JSON object	Gets information about the version of the app that is running.
-----	--------------	----	----	------------------------------	--

Example

Request	/api/version
Response	HTTP 200 <i>application/json</i> Returns version <pre>{ version: "1.7.0-SNAPSHOT", commitTimestamp: 1491990303000, buildTimestamp: 1492080443000*, commit: "0885360f85b8fd721591270c3c43bfd1f4aa9f14"* }</pre>

Configuration [↗](#)

Get the Configuration entry matching the given ID

Request

GET	/api/configuration/<id>	--	--	Configuration entry as JSON object	Get the Configuration entry matching the given ID.
-----	-------------------------	----	----	------------------------------------	--

Example

Request	/api/configuration/c65673c6-c068-498b-88f0-ff111f2ff059
Response	HTTP 200 <i>application/json</i> Returns version <pre>{ id: "c65673c6-c068-498b-88f0-ff111f2ff059", key: "menu.0.route", value: "/search", type: "STRING" }</pre>

Get a paginated list of Configuration entries

Request

GET	/api/configuration?<pagination parameters>	--	Pagination	Paginated list of configuration entries	Get configuration entry by ID
-----	--	----	------------	---	-------------------------------

Example

Request	/api/configuration?limit=10*&offset=0*
---------	--

Response	HTTP 200 <i>application/json</i> Returns version <pre>{ items: [{ id: "c65673c6-c068-498b-88f0-ff111f2ff059", key: "menu.0.route", value: "/search", type: "STRING" }, { id: "875cf4fc-130a-4cc7-b7f2-8715f12b9d9c", key: "menu.0.showIcon", value: "true", type: "BOOLEAN" }, { id: "97361a03-8fe7-4a49-9ff5-857d0cb569a9", key: "menu.0.iconCssClass", value: "icon icon-search", type: "STRING" }, { id: "97361a03-8fe7-4a49-9ff5-857d0cb569a0", key: "menu.0.tooltip", value: "menu.search", type: "STRING" }, { id: "114565d6-447c-4dfc-8251-2613c9239c2f", key: "menu.1.default", value: "true", type: "BOOLEAN" }, { id: "ab5f4925-c93c-4fc4-8348-badff7b18c6c", key: "menu.1.route", value: "/alerts", type: "STRING" }, { id: "92a4946f-a442-4117-b97a-6ebb48ed88fb", key: "menu.1.showIcon", value: "true",</pre>
-----------------	--

```

    type: "BOOLEAN"
  }, {
    id: "3f631ed2-74a5-473f-9bb1-eb40f7b7b775",
    key: "menu.1.iconCssClass",
    value: "icon icon-alerts",
    type: "STRING"
  }, {
    id: "3f631ed2-74a5-473f-9bb1-eb40f7b7b776",
    key: "menu.1.tooltip",
    value: "menu.alerts",
    type: "STRING"
  }, {
    id: "99622b60-cbdd-4226-aef6-b0551e5cea60",
    key: "menu.2.route",
    value: "/reports",
    type: "STRING"
  }
],
total: 964*,
limit: 10*,
offset: 0*,
filter: null*,
orderBy: null*
}

```

Get all configuration as JSON

Request

GET	/api/configuration?<pagination parameters>	--	--	All configuration	Get all the Configuration as a hierarchical JSON object.
-----	--	----	----	-------------------	--

Example

Request	/api/configuration/tree
Response	HTTP 200Â <pre> { bugreport: { endpoint: "https://issues.feedzai.com/s/f490b5fa9db1cf072d85383caacle610-T/en_USm2vvhx/64027/22/1.4.27/_/download/batch/com.atlassian.jira.collector.plugin.jira-issue-collector-plugin:issuecollector/ </pre>

```
com.atlassian.jira.collector.plugin.jira-issue-collector-  
plugin:issuecollector.js",
```

```
    collectorId: "e5d751bf",  
  
    locale: "en-US",  
  
    enabled: true  
  
  },  
  
  entities: {  
  
    alerts: {  
  
      config: {  
  
        details: {  
  
          actionButtonsConfig: {  
  
            numberVisibleActions: 3*,  
  
            dropDown: {  
  
              button: {  
  
                cssClass: "fdz-css-button fdz-css-button--negative-blue",  
  
                iconCssClass: "icon-more",  
  
                showIcon: true*  
  
              },  
  
              position: "right"*  
  
            },  
  
            actions: [{  
  
              cssClass: "fdz-css-button fdz-css-button--red",  
  
              statusId: "fraud",  
  
              iconCssClass: "icon-deny",  
  
              tooltip: "event.actions.fraud.tooltip",  
  
              title: "event.actions.fraud",  
  
              type: "state"  
  
            }, {  
  
              cssClass: "fdz-css-button fdz-css-button--green",  
  
              statusId: "genuine",  
  
              iconCssClass: "icon-approve",  
  
              tooltip: "event.actions.not_fraud.tooltip",  
  
              title: "event.actions.not_fraud",
```

```
      type: "state"
    }, {
      cssClass: "fdz-css-button fdz-css-button--yellow",
      statusId: "none",
      iconCssClass: "icon-hold",
      tooltip: "event.actions.suspicious.tooltip",
      title: "event.actions.suspicious",
      type: "state"
    }, {
      cssClass: "fdz-css-button fdz-css-button--negative-blue",
      iconCssClass: "icon-note",
      title: "event.actions.add-note",
      type: "note"
    }, {
      cssClass: "fdz-css-button fdz-css-button--negative-blue",
      iconCssClass: "icon-move",
      title: "event.actions.move-to-queue",
      type: "move-to-queue"
    }, {
      cssClass: "fdz-css-button fdz-css-button--negative-blue",
      iconCssClass: "icon-assign_user_2",
      title: "event.actions.assign-to-user",
      type: "assign-to-user"
    }
  ],
  ...
}
```

Get available suggestions

Request

GET	/api/configuration/suggestions	--	--	Suggestions	Gets all the registered suggestions.
-----	--------------------------------	----	----	-------------	--------------------------------------

Example

Request	/api/configuration/suggestions
Response	HTTP 200 <pre>[{ status_id: "fraud", quick_filters: ["schema.fields.amount"] }, { status_id: "fraud", pos_neg_lists: { schema.fields.customer_id*: "POSITIVE"* } }, { reason_id: "975c5ab6-bd2f-4567-8ae3-6026742f4036", pos_neg_lists: { schema.fields.card_token*: "NEGATIVE"* } }, { reason_id: "a70cddca-8499-46d3-a167-3e938a564508", pos_neg_lists: { schema.fields.merchant_category_code*: "NEGATIVE"* } }, { reason_id: "f9ab011c-adb7-46a9-b355-3f2e120c50e0", pos_neg_lists: { schema.fields.customer_id*: "NEGATIVE"* } }]</pre>

		]	
--	--	---	--

Get core configuration

Request

GET	/api/ configuration/ core	--	--	Core configuration	Gets the core configuration. For now, only contains the cm and suggestions configuration.
-----	---------------------------------	----	----	-----------------------	---

Example

Request	/api/configuration/core
Response	HTTP 200 <pre>{ "cm": { "url": "https://am.yoshi.zai:8443", "multi_tenancy": true* } "suggestions":[{ status_id: "fraud", quick_filters: ["schema.fields.amount"] }, { status_id: "fraud", pos_neg_lists: { schema.fields*.customer_id*: "POSITIVE"* } }, { reason_id: "975c5ab6-bd2f-4567-8ae3-6026742f4036", pos_neg_lists: { schema.fields.card_token*: "NEGATIVE"* } }] }</pre>


```

    },
    {
      reason_id: "a70cddca-8499-46d3-a167-3e938a564508",
      pos_neg_lists: {
        schema.fields.merchant_category_code*: "NEGATIVE"*
      }
    },
    {
      reason_id: "f9ab011c-adb7-46a9-b355-3f2e120c50e0",
      pos_neg_lists: {
        schema.fields.customer_id*: "NEGATIVE"*
      }
    }
  ],
  "cases": {
    "sourceTypeEnabled": false*,
    "states": [
      "case.states.open",
      "case.states.closed-as-fraud",
      "case.states.closed-as-not-fraud",
      "case.states.closed-as-suspicious"*
    ]
  }
}

```

Get the configuration for the available Rules Blocks to the logged user

Request

GET	/api/ configuration/ rules-block	-- tenantId (optional) channelId (optional)	The configuration for the available rules blocks.	Get the configuration for the available Rules Blocks to the logged user.
-----	--	---	--	---

Example

Request	/api/configuration/rules-block
---------	--------------------------------

Response	HTTP 200
	<pre>[{ "id": "99951a7a-8f83-4825-b0c2-d113637114db", "type": "GLOBAL", "message_key": "global.rules.block" }, { "id": "07b861e9-b7bd-4b0d-ac36-22e2e6af563c", "type": "TENANT", "tenants": ["uUhu5L_lZfPg6poP_JFHog", "nH6Qe_HsB-a8QP-0Qw9PhA", "12345"], "message_key": "tenanted.rules.block" }]</pre>

Example 2

Request	/api/configuration/rules-block?tenantId=12345*
Response	HTTP 200
	<pre>[{ "id": "07b861e9-b7bd-4b0d-ac36-22e2e6af563c", "type": "TENANT", "tenants": ["uUhu5L_lZfPg6poP_JFHog", "nH6Qe_HsB-a8QP-0Qw9PhA", "12345"], "message_key": "tenanted.rules.block" }]</pre>

Language

Get the Language matching the given ID

Request

GET	/api/language?<id>	--	--	Language as a JSON object	Get the Language matching the given ID
-----	--------------------	----	----	---------------------------	--

Example

Request	/api/language/hpkzmcgu16
Response	HTTP 200 <pre>{ "id": "hpkmzmcgu16", "name": "en", "title": "English" }</pre>

Get a paginated list of Languages

Request

GET	/api/language?<pagination parameters>	--	Pagination	Paginated list of Languages entries	Get paginated list of languages
-----	---------------------------------------	----	------------	-------------------------------------	---------------------------------

Example

Request	api/language?limit=10*offset=0
Response	HTTP 200 <pre>{ "items": [{ "id": "n88zhbvj09", "name": "pt", "title": "Portuguese" }, { "id": "hpkmzmcgu16", "name": "en", "title": "English" }], "total": 2, }</pre>

	<pre>"limit": 10, "offset": 0, "filter": null, "orderBy": null }</pre>
--	--

Language Message🔗📄

Get all the messages for a given language

Request

GET	/api/language-message/<language>	--	--	A list of Messages as a JSON object	Get a comprehensive list (not paginated) of all the Messages that are available for a given Language.
-----	----------------------------------	----	----	-------------------------------------	---

Example

Request	/api/language-message/en
Response	HTTP 200 <pre>{ "sla.modalbox.delete.title": "Delete SLA", "automation.schema.fields.old.merchant_category_code": "Old Merchant Category Code", "notification.sla.delete.success": "The SLA was successfully deleted.", "reports.createdAt": "Created at", "alerts.error": "Oops! Something went wrong.", "schema.fields.channel": "Channel", "menu.search": "Search", "notification.report-template.create.success": "The report template was successfully created.", "sla.name": "Name", "customer.phone": "Phone", "sla.title": "SLAs", "placeholder.periodicity": "Periodicity", "automation.schema.fields.score": "Score", "notification.report.delete.success": "The report was successfully deleted.", }</pre>

	<pre>... }</pre>
--	------------------

Message🔗🔗

Get the Message matching the given ID

Request

GET	/api/message/<id>	--	--	Message as a JSON object	Get the Message matching the given ID
-----	-------------------	----	----	--------------------------	---------------------------------------

Example

Request	/api/message/c44bd161-1152*-4135*-aeb9-a1888d61305b
Response	<pre>HTTP 200 { "id": "c44bd161-1152-4135-aeb9-a1888d61305b", "languageId": "hpkzmcgu16", "key": "application.title", "translation": "Alert Manager" }</pre>

Get a paginated list of Messages

Request

GET	/api/message?<pagination parameters>	--	Pagination	A paginated list of Messages as a JSON object	Get a paginated list of Messages.
-----	--------------------------------------	----	------------	---	-----------------------------------

Example

Request	/api/message?limit=10*&offset=0*
Response	<pre>HTTP 200 { "items": [{ "id": "c44bd161-1152-4135-aeb9-a1888d61305b", "languageId": "hpkzmcgu16", "key": "application.title",</pre>

	<pre>"translation": "Alert Manager"* }, { "id": "c262b6cb-64bb-4993-a3b5-7d23d42f570c", "languageId": "hpkzmcgu16", "key": "auth.username", "translation": "Username" }, { "id": "adcc2ec4-23d4-4b8c-bb88-f2647d7d97d3", "languageId": "hpkzmcgu16", "key": "auth.password", "translation": "Password" ...], "total": 905, "limit": 10, "offset": 0, "filter": null, "orderBy": null } }</pre>
--	--

Data Entity

Get the Data Entity matching the given ID

Request

GET	/api/dataentity/<id>	--	--	Date Entity as a JSON object	Get the Data Entity matching the given ID
-----	----------------------	----	----	------------------------------	---

Example

Request	/api/dataentity/c44bd161-1152*-4135*-aeb9-a1888d61305b
Response	HTTP 200 { id: "660cc24773a642c59df189b480a9397f", name: "merchant", dataSourceId: "d87995524c4c4332a7f91ce6c48a0080", }

```
    primaryKeyFieldId: "68dd123578f64ec0b03ad9cde21413a1",

    fields: [{

      id: "088358dfbc9d4b2fb858d4c78cbfbe62",

      name: "name",

      type: "STRING",

      source: "FAM_MERCHANT.name"

    }, {

      id: "1a6c8b663ecf463e984d24879c4190b5",

      name: "email",

      type: "STRING",

      source: "FAM_MERCHANT.email"

    }, {

      id: "68dd123578f64ec0b03ad9cde21413a1",

      name: "id",

      type: "STRING",

      source: "FAM_MERCHANT.id"

    }, {

      id: "cee3a2d7066a4c36bd3c109b03087146",

      name: "city",

      type: "STRING",

      source: "FAM_MERCHANT.city"

    }, {

      id: "ff42eb8c3b62440e8e1ddf08075f6f98",

      name: "mcc",

      type: "STRING",

      source: "FAM_MERCHANT.mcc"

    }

  ]

}
```

Get a paginated list of Data Entities

Request

GET	--	Pagination	
-----	----	------------	--

	/api/dataentity?<pagination parameters>		A paginated list of Data Entities as a JSON object	Get a paginated list of Data Entities.
--	---	--	--	--

Example

Request	/api/dataentity?limit=10*&offset=0*
Response	HTTP 200Â <pre>{ "items": [{ "id": "660cc24773a642c59df189b480a9397f", "name": "merchant", "dataSourceId": "d87995524c4c4332a7f91ce6c48a0080", "primaryKeyFieldId": "68dd123578f64ec0b03ad9cde21413a1", "fields": null* }, { "id": "10000000", "name": "select-merchant", "dataSourceId": "d87995524c4c4332a7f91ce6c48a0080", "primaryKeyFieldId": "10000001", "fields": null }, { "id": "640d33e7576c47cb908fffb37d3d4686", "name": "customer", "dataSourceId": "d87995524c4c4332a7f91ce6c48a0080", "primaryKeyFieldId": "3567acfac11342708b8b9903cb43323c", "fields": null }, ...], "total": 10, "limit": 10, "offset": 0, "filter": null, "orderBy": null }</pre>

Data Source

Get the Data Source matching the given ID

Request

GET	/api/datasource/<id>	--	--	Date Source as a JSON object	Get the Data Source matching the given ID
-----	----------------------	----	----	------------------------------	---

Example

Request	/api/datasource/d87995524c4c4332a7f91ce6c48a0080
Response	HTTP 200 <pre>{ "id": "d87995524c4c4332a7f91ce6c48a0080", "name": "DS1", "backend": "com.feedzai.am.runtime.entity.jdbc.JdbcEntityEngine", "properties": [], "fields": [{ "id": "b0f6b6560af3495480c0ed3aadf0612f", "name": "uuid", "type": "STRING", "source": "AM_EVENT_STORAGE.uuid" }, { "id": "8b0c6735b5ed4e5d9165d196b8878a95", "name": "timestamp", "type": "LONG", "source": "AM_EVENT_STORAGE.timestamp" }, { "id": "c8e15cd2aa3f4e6a8a23ba3be2d25d25", "name": "fraud", "type": "BOOLEAN", "source": "AM_EVENT_STORAGE.fraud" }, {</pre>

```
"id": "ae1176b7c163445baa9d06efd96513aa",  
  
"name": "score",  
  
"type": "STRING",  
  
"source": "AM_EVENT_STORAGE.score"  
  
}, {  
  
"id": "abbdc96a255a45c3b6ac9fc7c62cfd00",  
  
"name": "amount",  
  
"type": "DOUBLE",  
  
"source": "AM_EVENT_STORAGE.amount"  
  
}, {  
  
"id": "a388038a134rt7e2b6097ddc45c2a451",  
  
"name": "currency",  
  
"type": "STRING",  
  
"source": "AM_EVENT_STORAGE.currency"  
  
}, {  
  
"id": "9d3a257240b748e3a2fcefec9f76cc0",  
  
"name": "card_token",  
  
"type": "STRING",  
  
"source": "AM_EVENT_STORAGE.card_token"  
  
}, {  
  
"id": "ba86b69e25f64f6fbca64558f741049b",  
  
"name": "card_expiration_date",  
  
"type": "STRING",  
  
"source": "AM_EVENT_STORAGE.card_expiration_date"  
  
}, {  
  
"id": "2dfddaf47efb453e86f9389e262ce760",  
  
"name": "card_bin",  
  
"type": "STRING",  
  
"source": "AM_EVENT_STORAGE.card_bin"  
  
}, {  
  
"id": "4e70a90269324d0891c7a6831b250c10",  
  
"name": "card_last4",
```

```
"type": "STRING",

"source": "AM_EVENT_STORAGE.card_last4"

}, {

"id": "26c17cbcaa6844f0b9343dee88c154a4",

"name": "card_present",

"type": "BOOLEAN",

"source": "AM_EVENT_STORAGE.card_present"

}, {

"id": "b705f8851b554afc91d58f8f38d3fb9d",

"name": "channel",

"type": "STRING",

"source": "AM_EVENT_STORAGE.channel"

}, {

"id": "655887326dd941daa38d1dbce550453c",

"name": "merchant_id",

"type": "STRING",

"source": "AM_EVENT_STORAGE.merchant_id"

}, {

"id": "dc9ddfe1359749f09af5b8b4f7961af7",

"name": "merchant_category_code",

"type": "INTEGER",

"source": "AM_EVENT_STORAGE.merchant_category_code"

}, {

"id": "34ab13830a04409ca0b92419c07d5c75",

"name": "customer_id",

"type": "STRING",

"source": "AM_EVENT_STORAGE.customer_id"

}, {

"id": "9c6cb2b09b594eef914c8a308369335e",

"name": "terminal_id",

"type": "STRING",

"source": "AM_EVENT_STORAGE.terminal_id"
```

```
}, {  
  "id": "68dd123578f64ec0b03ad9cde21413a1",  
  "name": "id",  
  "type": "STRING",  
  "source": "FAM_MERCHANT.id"  
}, {  
  "id": "088358dfbc9d4b2fb858d4c78cbfbe62",  
  "name": "name",  
  "type": "STRING",  
  "source": "FAM_MERCHANT.name"  
}, {  
  "id": "1a6c8b663ecf463e984d24879c4190b5",  
  "name": "email",  
  "type": "STRING",  
  "source": "FAM_MERCHANT.email"  
}, {  
  "id": "cee3a2d7066a4c36bd3c109b03087146",  
  "name": "city",  
  "type": "STRING",  
  "source": "FAM_MERCHANT.city"  
}, {  
  "id": "ff42eb8c3b62440e8e1ddf08075f6f98",  
  "name": "mcc",  
  "type": "STRING",  
  "source": "FAM_MERCHANT.mcc"  
}, {  
  "id": "10000001",  
  "name": "value",  
  "type": "STRING",  
  "source": "FAM_MERCHANT.id"  
}, {  
  "id": "10000002",
```

```
"name": "label",

"type": "STRING",

"source": "FAM_MERCHANT.name"

}, {

"id": "3567acf11342708b8b9903cb43323c",

"name": "id",

"type": "STRING",

"source": "FAM_CUSTOMER.id"

}, {

"id": "f1ebb32fff6e4f70a1c4230e3f941586",

"name": "name",

"type": "STRING",

"source": "FAM_CUSTOMER.name"

}, {

"id": "29319691ab1147faabf0761a08dea2f7",

"name": "email",

"type": "STRING",

"source": "FAM_CUSTOMER.email"

}, {

"id": "844f36f35b424dbcb976220994f9d59",

"name": "city",

"type": "STRING",

"source": "FAM_CUSTOMER.city"

}, {

"id": "20000001",

"name": "value",

"type": "STRING",

"source": "FAM_CUSTOMER.id"

}, {

"id": "20000002",

"name": "label",

"type": "STRING",
```

```
"source": "FAM_CUSTOMER.name"

}, {

"id": "c988038a13b947e2b6097ddc45c2a451",

"name": "id",

"type": "STRING",

"source": "FAM_BINBASE.bin"

}, {

"id": "47fd626004cf4d54944edc4b17f697fe",

"name": "brand",

"type": "STRING",

"source": "FAM_BINBASE.brand"

}, {

"id": "c83f843d2d214bccb13f802c16572b82",

"name": "issuer",

"type": "STRING",

"source": "FAM_BINBASE.issuer"

}, {

"id": "e34d7a27b15e41f9a86859f30a21b511",

"name": "type",

"type": "STRING",

"source": "FAM_BINBASE.type"

}, {

"id": "a28a10e8235840d098387033c664b43f",

"name": "category",

"type": "STRING",

"source": "FAM_BINBASE.category"

}, {

"id": "0dd51a83d8ed4289a4b08488edae4c0e",

"name": "country",

"type": "STRING",

"source": "FAM_BINBASE.country"

}, {
```

```
"id": "312810066f024550a654a3dd2111132e",  
  
"name": "country_a2",  
  
"type": "STRING",  
  
"source": "FAM_BINBASE.country_a2"  
  
}, {  
  
"id": "0eb0885770c5409b880cd8249512ce90",  
  
"name": "country_a3",  
  
"type": "STRING",  
  
"source": "FAM_BINBASE.country_a3"  
  
}, {  
  
"id": "d3f1a4c6c9984d67bc878a6c419b784c",  
  
"name": "country_iso",  
  
"type": "STRING",  
  
"source": "FAM_BINBASE.country_iso"  
  
}, {  
  
"id": "32d1a73ed8b5426eba82a7aeb33a3d2b",  
  
"name": "website",  
  
"type": "STRING",  
  
"source": "FAM_BINBASE.issuer_website"  
  
}, {  
  
"id": "b0d4a843a4894d4ea7f85c6c6e7624aa",  
  
"name": "phone",  
  
"type": "STRING",  
  
"source": "FAM_BINBASE.issuer_phone"  
  
}, {  
  
"id": "70000001",  
  
"name": "value",  
  
"type": "STRING",  
  
"source": "FAM_BINBASE.bin"  
  
}, {  
  
"id": "70000002",  
  
"name": "label",
```

```
"type": "STRING",

"source": "FAM_BINBASE.issuer"

}, {

"id": "0d0248a888034830a1a5edf4b249fe87",

"name": "id",

"type": "STRING",

"source": "FAM_MCC.id"

}, {

"id": "e3883892f6a64ce290708da8de73b56f",

"name": "name",

"type": "STRING",

"source": "FAM_MCC.name"

}, {

"id": "9856f7d052484d7b99153e7d26fd36b8",

"name": "category",

"type": "STRING",

"source": "FAM_MCC.category"

}, {

"id": "60000001",

"name": "value",

"type": "STRING",

"source": "FAM_MCC.id"

}, {

"id": "60000002",

"name": "label",

"type": "STRING",

"source": "FAM_MCC.name"

}, {

"id": "30000001",

"name": "value",

"type": "STRING",

"source": "FAM_CHANNEL.id"
```


	<pre> }, { "id": "30000002", "name": "label", "type": "STRING", "source": "FAM_CHANNEL.name" }, { "id": "50000001", "name": "value", "type": "STRING", "source": "FAM_TERMINAL.id" }] }</pre>
--	---

Get a paginated list of Data Sources

Request

GET	/api/datasource?<pagination parameters>	--	Pagination	A paginated list of Data Sources as a JSON object	Get a paginated list of Data Sources.
-----	---	----	------------	---	---------------------------------------

Example

Request	api/datasource?limit=10*&offset=0*
Response	HTTP 200 <pre>{ "items": [{ "id": "d87995524c4c4332a7f91ce6c48a0080", "name": "DS1", "backend": "com.feedzai.am.runtime.entity.jdbc.JdbcEntityEngine", "properties": null*, "fields": null }], "total": 1, "limit": 10, "offset": 0,</pre>

```
"filter": null,  
"orderBy": null  
}
```