

On this page

CSS Classes


Font

.fdz-css-text--light	Sets font weight to 300.
.fdz-css-text--regular	Sets font weight to 400.
.fdz-css-text--semibold	Sets font weight to 500.
.fdz-css-text--bold	Sets font weight to 700.
.fdz-css-text--xsmall	Sets font size to 12px.
.fdz-css-text--small	Sets font size to 14px.
.fdz-css-text--medium	Sets font size to 16px.
.fdz-css-text--large	Sets font size to 18px.
.fdz-css-text--xlarge	Sets font size to 2rem.
.fdz-css-text--xxlarge	Sets font size to 3rem.
.fdz-css-text--italic	Sets font as italic.

Colors

.fdz-css-color--blue	Sets color to #38a2e0.
.fdz-css-color--green	Sets color to #5cb85c.
.fdz-css-color--yellow	Sets color to #f2a638.
.fdz-css-color--red	Sets color to #eb5d4b.
.fdz-css-color--darkgrey	Sets color to #555657.
.fdz-css-color--black	Sets color to #2d2e2e.

Buttons



info

The button's color should not be applied directly with CSS but with the property `kind` instead: `default` , `success` , `warning` , `danger` or `info` .

<code>.fdz-css-button-border</code>	Sets a transparent background with the border color of the button's kind.
<code>.fdz-css-button--link</code>	Sets the button color to it's kind and removed shadow and background color.
<code>.fdz-css-button-block</code>	Sets the button width to 100%

Icons

To use icons in Case Manager, you can use either our core icons or use the icons available at [font-awesome](#). When using the latter, please follow the instructions to properly add an icon to an element.

Case Manager's core icons are listed below:

Floats



Attention

Float usage to position elements is discouraged as [flexbox](#) provides a much more streamlined approach.

.fdz-css-fr	Sets element to float right
-------------	------------------------------------

.fdz-css-fl	Sets element to float right
.fdz-css-fn	Sets element to not float (none)

Spacingâ

Paddingâ

.fdz-css-pv-small	Sets the vertical padding (top and bottom) to .5em
.fdz-css-pv-small-medium	Sets the vertical padding (top and bottom) to .75em
.fdz-css-pv-medium	Sets the vertical padding (top and bottom) to 1em
.fdz-css-ph-small	Sets the horizontal padding (left and right) to .5em
.fdz-css-ph-medium	Sets the horizontal padding (left and right) to 1em
.fdz-css-ph-large	Sets the horizontal padding (left and right) to 2em

Marginâ

.fdz-css-mt-small	Sets the top margin to .5em
.fdz-css-mb-small	Sets the bottom margin to .5em
.fdz-css-mb-small-medium	Sets the bottom margin to .75em
.fdz-css-mb-medium	Sets the bottom margin to 1em
.fdz-css-mb-large	Sets the bottom margin to 2em
.fdz-css-mr-medium	Sets the right margin to 1em
.fdz-css-m-large	Sets all margins (top right bottom left) to 2e

Line Heightâ

.fdz-css-lh--normal	Sets line-height to 1
.fdz-css-lh--medium	Sets line-height to 1.5
.fdz-css-lh--large	Sets line-height to 2

Othersâ

.fdz-css-noborder-left	Removes any free space on the component left side.
.fdz-css-noborder-right	Removes any free space on the component right side.
.fdz-css-align-left	Aligns text to the left.
.fdz-css-align-right	Aligns text to the right.
.fdz-css-align-center	Aligns text to the centre.
.fdz-css-show	Adds the <i>display:block</i> rule to the element.
.fdz-css-hidden	Adds the <i>display:none</i> rule to the element.
.fdz-css-invisible	Adds the <i>display:hidden</i> rule to the element.
.fdz-css-text-truncate	Forces the text to not break into multiple lines.