

On this page

# Pages

## Root Configuration

In Case Manager 1.6.0, the concept of dynamic pages was introduced. This new feature will allow one to dynamically create pages that can be populated by specific resources.

To create them, you need to add an entry under the **pages** property, where the property name will uniquely identify the page and the value will be an object that must have the following properties:

|          |        |                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------|--------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| title    | String | Yes                              | Holds the i18n key to the page title.                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| type     | String | No                               | <div>Holds the page type. It must be one of the following values:</div> <ul style="list-style-type: none"><li>• <b>listing</b> - which allows you to create a page to list items</li><li>• <b>search</b> - which allows you to create a page to list and filter items</li><li>• <b>details</b> - which allows you to create a page to display detailed information about a specific item</li><li>• <b>dashboard</b> - which allows you to create a page to display a dashboard</li></ul> |
| resource | String | Yes, if type is <b>dashboard</b> | <div>Holds the resource name that will be used to populate the page.</div> <div>The resource name must match one of the core <a href="#">resources</a> or one of the custom resources.</div> <div>Pages of type <b>dashboard</b> don't have this property.</div>                                                                                                                                                                                                                         |
| config   | Object | No                               | <div>Holds the object to configure the page appearance. This object may vary depending on the page type:</div> <div>This object may vary depending on the page type:</div> <ul style="list-style-type: none"><li>• <a href="#">listing/search</a></li><li>• <a href="#">details</a></li><li>• <a href="#">dashboard</a></li></ul>                                                                                                                                                        |



## Example

An example of configuration to add a page named **"alerts"**:

### Pages Configuration Example

```
{
  ...,
  "pages": {
    "alerts": {
      "type": "listing",
      "resource": "event",
      "config": {...}
    }
  },
}
```

... }





danger

Page names must be unique and cannot contain the . and : characters in its name.