


•



- [Analyst Guide](#)
- [Investigate Alerts](#)
- [Review Alerts](#)
- Event Details
- Classic View

On this page

Review Alerts




Classic View

The information in this page pertains to the **classic** layout of the Event Details page. To learn more about the modern layout of the Event Details page, see [Modern View](#).

Once you understand [what alerts that are up for review](#), you can use the details page of an event to start the investigation process. This page helps you to understand the different alerts details displayed and how they can help you to [classify alerts](#).

Assign alerts to yourself




tip

If you are already assigned to the alerts that need review, you can start [reviewing alerts](#).

Before starting the investigation process, start by assigning a single or a set of alerts to yourself. The product can be configured to prevent analysts from performing any action on an alert until it is assigned either to them or to another analyst. This prevents different analysts from reviewing the same alert at the same time.


To unlock the event, open the **Analyst** dropdown and select **Assign to me**.



Assign alerts to other analysts

The **Choose Assignee** option is only available to some users upon a specific permission.

In addition, you can use the **Assign all to me** option to assign all linked alerts to yourself. This enables you to easily act on, for example, all unreviewed alerts from the same customer at the same time. When assigning all linked alerts, a new widget is added to the **Event Details** page with the list of linked alerts to better support the investigation process.



info

The criteria that links the alerts is defined during the product's configuration.

Alternatively, you can also assign alerts in the **Alerts** page or in the Event Details page by selecting the **More actions** drop-down menu and then the **Assign to me** option.

Assigning multiple alerts is helpful to, for example, assign all alerts from a specific queue to yourself.

Review alert details

Once the alert is assigned to you, use the information displayed in the **Event Details** page to help you act on the alert.



info


The widgets on the Event Details page are configurable [according to your needs](#). The following widgets represent an example of a possible configuration.

Header

The event header displays general information about an event such as its score, status, cases to which the event is linked, access groups, and possible actions to be made. While scrolling down the page, the header is always visible so that you can quickly access its information and actions.

- **Score:** Value generated by the risk engine system that represents the likelihood of an event being fraudulent. The number ranges from 0 to 1000, being 1000 the most likely for the event to be fraudulent.
- **Channel:** Event origin. Note that this field is only displayed if the product is configured as Omnichannel.
- **Status:** Result of the investigation process. The values displayed are configurable according to the use case, for example, *Fraud*, *Not Fraud*, *Suspicious*, *Accept*, *Review*, *Decline*, etc.
- **Reasons:** Explanations for the actions taken on events. For example, *Suspicious amount*, *Confirmed fraud*, *Customer Request*, *Verified*, *Previous Orders*, etc.

- **Listed Entities:** Entities that have been added to a list. For example, an *MCC* that is added to a *block list*.
- **Cases:** Cases to which the event is linked.
- **Access group:** Group of users that can see the event. For example, region (*Europe, Asia, Portugal, United States of America*) or type of investigation (*Fraud, AML*).
- **Analyst:** User that is assigned to the event, if any. Analysts and managers can use this field to assign alerts to themselves or to other analysts.



Tips

- Use the anchors to navigate to the main widgets, for example, Transaction, Activity Log, or Transaction History.
- Select the manual refresh button to refresh the contents of the page on demand.

Learn more about [scores](#), [omnichannel](#), [lists](#), or [access groups](#).

Linked Alerts

When assigning alerts, users can choose whether to assign a single alert or all alerts linked to it. This widget displays all the alerts linked to the one being reviewed, for example, all unreviewed alerts from the same customer. With this widget, analysts can easily act on all linked alerts at the same time, thus improving the efficiency of the investigation process. Note that this widget is only displayed to the user assigned to the alert being reviewed.



info


The criteria that links the alerts is defined during the product's configuration.

Preview alerts

While viewing the linked alerts list, select each alert to quickly preview its details.

General Information^â

The Event Details page includes several widgets with information related to, for example, Transaction, Customer, Card, Terminal, or Device.



tip

Some widgets may display actions such as add to list or copy to clipboard.

- Use the icon to quickly add or remove an entity from a list. Learn more on how to [manage lists](#).
- Use the icon to quickly copy information to your clipboard.

Note that these actions may act on different fields. For example, in the **Customer** widget, these options may act on the customer ID whereas, in the **Card** widget, they may act on the card number.

Transaction🔗🔗

This widget displays different details of the transaction, such as the amount, alert status, or assigned analyst.

Customer🔗🔗

This widget displays the details of the customer, such as name, phone, ID, email, or location.

To better understand a customer's behavior, select the customer name to go to the respective details page. Learn [how to review customers](#).

Card🔗🔗

This widget displays the details of the card associated with the transaction, including the number and expiration date.

Merchant🔗🔗

This widget displays information about the merchant, when applicable.

In the **Merchant** window, you will be able to get the details of the merchant, while in the **Merchant Category** section, you will see the category the merchant belongs to and its MCC.

Shipping🔗🔗

This widget provides a quick visual overview of the location and distance between the origin and destination of a transaction such as a placed order. This enables a quicker risk analysis and evaluation during the review process.

Imagine the booking of a flight from Portugal while the IP location is in the United States. It would be impossible to get there in time for the flight. This type of "last minute" booking fraud with fake IP and geolocation is easily detected with this widget.

Payment and Terminal🔗🔗

This widget displays the details of the payment and terminal involved in the transaction.

Score Explanation🔗🔗


This widget details why an event received a certain score from machine-learning models and how much each parameter contributed to that score. Model parameters can either increase or reduce the risk and, consequently, the score. The **Score Contribution** and **Score Breakdown** columns allow to easily identify the biggest risk maximizers and minimizers.

The type of **Score Contribution** is defined according to the following thresholds:

- Less than 0 is a Minimizer.
- Up to 10% is a yellow Maximizer.
- More than 10% is a red Maximizer.

Rules Triggered🔗🔗

This widget details why an event triggered a rule. Along with the rule name, this widget displays a user-friendly explanation of why the rule was triggered and the outcome configured for each rule, for example, *Fraud* or *Not Fraud*.



Rules visibility

Analysts can only see the rules that their user group has access to. For example, in a multi-tenancy setup, the landlord might not want its tenants to see compliance-relevant rules about them. The tenant analyst does not have access to that specific rules project and the connected rules that were triggered are not displayed in the tenant's view.



Rules order


The rules are displayed in the same order in which they were triggered.

Select the **Search** button to see other events that triggered the same rule. When you select this option, you are redirected to the **Search by Event** page filtered by that rule. This helps to better understand if an alert is an isolated occurrence or a pattern for suspicious activity.

The information displayed in the **Score Explanation** and **Rules Triggered** widgets helps analysts understand why an alert was created, thus leading to faster and more accurate decisions.

Attached Files

Events may contain, or require, extra information to support the investigation. This information may be useful for subsequent investigation steps, legal action, or auditing. The file attachment option also provides a convenient storage for any information that is not currently represented or supported by the Case Manager's interface. Users can use this widget to **Upload**, **Download**, **Update** or **Delete** files.




Files visibility

Analysts may not see all the files attached to an event. For example, in a multi-tenancy setup, the landlord might not want its tenants to see compliance-relevant files about them. Case Manager can be configured so that the tenant analyst does not see those files while checking this widget.

Learn more on [how to manage files in alerts](#).

Notes

While investigating alerts, you may need to add additional information, for example, to give other analysts more context on a specific customer's behavior. This widget displays the different notes added to the event.



Notes visibility


Analysts may not see all the notes added to an event. For example, in a multi-tenancy setup, the landlord might not want its tenants to see compliance-relevant notes about them. Case Manager can be configured so that the tenant analyst does not see those notes while checking this widget.

Learn more about how to [manage notes in alerts](#).

Activity Log

This widget displays the different actions performed in the page, namely regarding attached files, notes, and updates to lists.

In the description of the actions taken, you can see the respective reasons and notes added by the analyst that performed the action.



Actions visibility

Analysts may not see all the actions performed on an event. For example, in a multi-tenancy setup, the landlord might not want its tenants to see compliance-relevant actions about them. Case Manager can be configured so that the tenant analyst does not see those actions while checking this widget.

Learn more on how to configure actions visibility with the [tenanted_activity_log](#) property.

Transaction History

This widget displays all the related events to the value selected on the top-right filter (for example, **Customer**). This places alerts in a more general picture, thus allowing you to act upon them in a more efficient way. If, for instance, you select **Country**, the list shows all transactions made in the same country as the alert that is being investigated.

- The **All Channels** tab displays alerts from all channels. When viewing this tab, you can use the **Link to Case** button to organize the alerts in cases.
- The channel-specific tab displays only alerts from the selected channel. In this tab, you can filter alerts, move them to queues, assign them to analysts, or classify them.

Depending on the product's configuration and your user permissions, you can only perform actions on alerts that are assigned to you. If you cannot act on an alert, see the information displayed on the interface and recheck your selection.



info

Note that the **All Channels** tab may not include the sum of the results from all the channel-specific tabs.

Channels have fields in common with other channels. The **All Channels** tab shows results based only on search criteria that includes those common fields. On the other hand, the channel-specific tabs break the common results down by channel.

Imagine that you want to find all data connected to a customer name. The result is 10 events in the **All Channels** tab and the breakdown per channel with 2 bank transfers and 8 card payments. Now, you want to further break down the card payments, so you add a specific card bin to your query. The result is still 10 events in the **All Channels** tab and 2 for bank transfers, but card payments are now further filtered down to only 2 events.

If you are not using Omnichannel, the list does not display the channel tabs.

Preview transactions

While viewing the transaction history, select each transaction to quickly preview its details.

Filter transactions

Use filters to refine the transactions displayed on the list. You can use the first filter to select the field(s) that link the displayed transactions. For example, if you select **Customer**, the list shows all transactions from the same customer as the alert being investigated.

You can then refine that list, for example, to display all alerts from a specific MCC (Merchant Category Code). Note that this second filter only applies to the channel being displayed.

You can also filter your transactions by one or more triggered rules. If you select more than one rule, you will see the transactions that triggered **all** the selected rules. Use the rule filter box drop-down to select rules or see selected rules.



The **Transaction History** page filters are saved when navigating across pages. For example, if you filter by *Customer* and then navigate to an event's details page, when returning to the **Transaction History**, the list remains filtered by *Customer*.


The filters are reset at the end of each day or upon logout.

Manage list

You can adjust how the alert list is displayed to fit your preference. This way, you can ensure that you focus on the most relevant information, thus making the investigation process more efficient.

The **Settings** dropdown allows you to:

- Use the **Manage Columns** option to select which columns you want to see and which you want to hide.
- Use the **Manage Columns** option to change the order of the columns. Note the **Score** and **Timestamp** columns in the following example:



Reordering fixed columns

When reordering columns, make sure that you keep the fixed columns to the left to ensure a more efficient investigation process.

- Use the **Display Density** option to adjust the font density to your preference, namely Default, Comfortable, or Compact.

By selecting the top of any column, you can sort the alerts according to such values in an ascending or descending order. In addition, you can specify the number of alerts that you want to see per page. This may be very efficient when performing bulk actions, meaning that, for instance, you could link all alerts from a specific customer to a case.

Export transactions

You can export the list of filtered alerts to better support the investigation and reporting processes.


In Omnichannel configurations, you can export the list on the **All channels** tab and on each channel-specific tab.

To export events, open the **Settings** dropdown and select the **Export** option. A file is then downloaded with the list of events. Notice that only the columns displayed in the table will be exported.



File format

The events are exported either on a CSV or XLSX file depending on the product's configuration.



tip

Press **.** on your keyboard to display the shortcuts menu and select the **Export** option. Learn more about the [shortcuts menu](#).

Related transactions that contributed to an alert


The **Rules** filter in the **Transaction History** widget helps analysts to better understand why an event classifies as an alert. For example, when the risk engine system includes a rule that imposes a maximum of 5 transactions per day, this widget displays all transactions that contributed to that threshold breach. This information can then be used when filing Suspicious Activity Reports (SARs).

In addition, the **All Rules** drop down allows to refine the list by a specific rule. This is especially useful if an alert sets off multiple rules, allowing analysts to break down the related transactions by individual rule.

Fields tokenization


The **Event Details** page includes sensitive information such as Card Number or Client ID. This information can be transformed into tokens so that you can manage all sensitive data without security breaches.

Users can show or hide these fields by selecting the  or  icons, respectively.



info

Note that, some users can be granted permissions to always view these fields without tokenization. Additionally, in a [Multi-tenancy](#) environment, users with landlord permissions can view all fields without tokenization.



Currency

Currency values are displayed throughout the product, both in events and cases. Keep in mind that the currency amount is a simple numeric value without any special validation, allowing the product to support any type of currency.

Next steps📖

Now that you understand how to review alerts, you can start [acting on them](#).