


•



- [Manager Guide](#)
- Manage System Configurations
- Manage Reasons

On this page

# Manage Reasons

You can manage the [reasons](#) used by analysts when [classifying alerts](#). This page details how to view, filter, create, and delete reasons.

## View reasons🔍📄

Access the **Reasons** page using the **Settings** option in the main menu.

## Filter reasons🔍📄

Use the filters to refine the reasons displayed on the list. This could be helpful, for example, to view all reasons from a specific state machine.

## Create reasons


Create reasons for analysts to use when classifying alerts.

1. Select the **New Reason** button.
2. Complete the fields with the information that best describes the new reason.
  - **Name:** Reasons's name (e.g. "Educated Guess").
  - **Status:** Select the status associated with the new reason. [Learn more about states.](#)
3. **Create** the reason.

## Delete reasons

Delete the reasons that are no longer relevant to your needs:

1. In the reasons list, hover over the reason that you want to delete and select **Delete** .
2. Since this is a sensitive operation, the page displays a dialog for you to confirm the deletion.



Delete reasons already in use

When you delete a reason, the events that already have that reason are not affected. Deleting reasons only prevents analysts from using them in future actions.

**Learn more** [📖](#)

See [States and Outcomes](#) to learn more about **states** and **state machines**.