

On this page

Event Enrichment

Find in this page a detailed guide on how Case Manager enrichment via Pulse Lists work and how it can be configured.

Overview¹

When a new event reaches Pulse it can be enriched in the following way:

- It goes through an enrichment plan
- The plan searches for a specific field match in a Pulse list and generates a new field with the matching value
- Pulse picks up the generated fields and adds them to the event's `additional_fields`
- The event is sent to Case Manager with the additional fields. These fields can be mapped in the UI to show the original field enriched value.

Configuration²

Extension Configuration³

The inclusion of the enriched fields can be configured by two variables:

- `alerttransformations.cmenrichment.enabled` : indicates whether events should be enriched before being sent to Case Manager
- `alerttransformations.cmenrichment.enrichedFieldPrefix` : indicates which prefix the fields generated by the enrichment plan should have

These can be changed during deployment. Please check [Pulse Configuration Reference](#) for more information.

Workflow Configuration⁴



Please note that although this guide applies to all applications, default resources are only present in the Outbound application.

Before creating the plan, the lists which will be used to enrich events must be created in Pulse Lists tab. By default the following enrichment lists are available:

- Account Type
- Authentication Method
- Beneficiary Bank Details
- CAM Level
- Channel Type
- Event Description
- Event Type
- Sender Transaction Cop Result
- Transaction Status
- Transaction Type

The enrichment plan can then be created and added to a workflow so events are enriched by mapping a set of events fields to their corresponding value in a list.

This can be achieved in Pulse Data Science plans view. By default a `Case Manager Enrichment Plan` exists and holds the following configuration:

Original Field	List	Generated Field	List Field	Fallback Value
auth_method	Authentication Method	cmd_auth_method	value	auth_method
channel_type	Channel Type	cmd_channel_type	value	channel_type
payment_type	Transaction Type	cmd_payment_type	value	payment_type
payment_status	Transaction Status	cmd_payment_status	value	payment_status
sender_account_type	Account Type	cmd_sender_account_type	value	sender_account_type
sender_transaction_cop_result	Sender Transaction Cop Result	cmd_sender_transaction_cop_result	value	sender_transaction_cop_result
auth_cam_level	CAM Level	cmd_auth_cam_level	value	auth_cam_level
payment_type_sub_type	Event Type	cmd_payment_type_sub_type	value	payment_type_sub_type
event_description	Event Description	cmd_event_description	value	sender_transaction_code
sender_bank_sort_code	Beneficiary Bank Details	cmd_sender_bank_name	bank_name	sender_bank_name
sender_bank_sort_code	Beneficiary Bank Details	cmd_sender_bank_address	bank_address	sender_bank_address
sender_bank_sort_code	Beneficiary Bank Details	cmd_sender_bank_post_code	bank_post_code	sender_bank_postal_code
receiver_bank_sort_code	Beneficiary Bank Details	cmd_receiver_bank_name	bank_name	receiver_bank_name
receiver_bank_sort_code	Beneficiary Bank Details	cmd_receiver_bank_address	bank_address	receiver_bank_address
receiver_bank_sort_code	Beneficiary Bank Details	cmd_receiver_bank_post_code	bank_post_code	receiver_bank_postal_code

Please find below a visual example of the configuration.

And a visual example of how the fallback values are computed, in a map operator that comes after the list enrichment operator. When a mapping is not found in the list enrichment for that entry, the map operator *coalesces* the new field using the `??` syntax, to fallback to the specified field from the event payload.

Note: by default all generated fields have the `cmd_` prefix which matches the default prefix defined in `alerttransformations.cmenrichment.enrichedFieldPrefix`.

After the lists and plan are created the plan can be added to the workflow.

Case Manager Configuration

The previous mapping was changed to reflect in the enrichment done with the default configuration.

Page	Channel	Widget	Field Description	Previous Mapping	New Mapping
Event Details	Transfers	Beneficiary Account Details	Bank Name	receiver_bank_name	cmd_receiver_bank_name
Event Details	Transfers	Beneficiary Account Details	Bank Address	receiver_bank_address	cmd_receiver_bank_address
Event Details	Transfers	Beneficiary Account Details	Bank City	receiver_bank_city	cmd_receiver_bank_post_code

Page	Channel	Widget	Field Description	Previous Mapping	New Mapping
Event Details	Transfers	Originator Account Details	Bank Name	sender_bank_name	cmd_sender_bank_name
Event Details	Transfers	Originator Account Details	Bank Address	sender_bank_address	cmd_sender_bank_address
Event Details	Transfers	Transaction History	Transaction Type	payment_type	cmd_payment_type
Event Details	Transfers	Transaction	Transaction Type	payment_type	cmd_payment_type
Event Details	Transfers	Transaction	Transaction Status	payment_status	cmd_payment_status
Event Details	Transfers	Transaction	Channel	channel_type	cmd_channel_type
Event Details	Transfers	Confirmation of Payee Details	Payment CoP Description	sender_transaction_cop_result	cmd_sender_transaction_cop_result
Event Details	Digital Activity	Event Summary	Event Description	sender_transaction_code	cmd_event_description
Event Details	Digital Activity	Session	Login Last Authentication	auth_method	cmd_auth_method
Event Details	Digital Activity	Transaction History	Event Description	sender_transaction_code	cmd_event_description
Event Details	Digital Activity	Transaction History	Login Last Authentication	auth_method	cmd_auth_method
Event Details	Digital Activity	Confirmation of Payee Details	Result of the Payment CoP	sender_transaction_cop_result	cmd_sender_transaction_cop_result
Search Page	Transfers	Search Results	Transaction Type	payment_type	cmd_payment_type
Search Page	Digital Activity	Search Results	Event Description	sender_transaction_code	cmd_event_description
Alerts Page	Transfers	Search Results	Transaction Type	payment_type	cmd_payment_type
Alerts Page	Digital Activity	Search Results	Event Description	sender_transaction_code	cmd_event_description

This configuration can be changed by editing Case Manager UI and replacing the mapping to the generated field (all generated fields will be under `event.additional_fields`).