

On this page

DTP Extractions Schema

The DTP extracts two types of messages in `JSON` format:

- [Workflow messages](#)
- [Feedback updates](#)

This page provides information about the schema of both types of messages when they are published to the GCP Pub/Sub topic.

Workflow Messages

The workflow messages are published in JSON format and contain the schema fields plus fields present in [extra-fields](#), according to the following snippet:

```
{
  "timestamp": 1721125213611,
  "uuid": "aa628b9a-fcb8-4114-875b-6c2436eadd65",
  "lifecycle_id": "cc891616-745d-42e2-8e7e-",
  "bulk_id": "b398a9e1-3900-",
  "payment_type": "sepa",
  "payment_sub_type": "credit transfer",
  "payment_status": "entered",
  "created_at": 1554198919000,
  "...",
  "metricA": 0.5,
  "metricB": 100,
  "decision": "approve",
  "decision_scores": [0.0, 0.0, 0.0],
  "risk_level": "low",
  "risk_level_scores": [0.0, 0.0, 0.0],
  "fraud": false,
  "fraud_score": 0.0,
  "sca_required": true,
  "sca_required_score": 0.0,
  "treatment_strategy": "none",
  "FDZ_TRIGGERED_ACTIONS": "[]",
  "FDZ_OUTCOMES": "",
  "FDZ_RESULTS": "[]",
  "...",
}
```

Copy

Please note that the section of the payload regarding metrics will change frequently, for instance, each time a new metric is added to the risk strategy.

Extra fields

Please find the list of extra fields that are sent in the messages payload.

Unique identifier (`FDZ_UUID`)

This field is a unique identifier for every event extracted.

```
"FDZ_UUID": "524f8eff-2bf7-4eea-ad0f-f40f5710bf8c"
```

Copy

Actions triggered (FDZ_TRIGGERED_ACTIONS)[🔗](#)

This field is a **stringified** list of JSON Objects that contains all the triggered actions. Every JSON Object has a field `name` with the name of the triggered action.

```
"FDZ_TRIGGERED_ACTIONS": [  
  {  
    "arguments": {},  
    "name": "Alert",  
    "nestedSourceId": "o271PYG0ipWMJ4BgR2xINw",  
    "sourceId": "34a95d87-6934-4a99-a0a0-0ddb7e485fc2"  
  },  
  {  
    "arguments": {},  
    "name": "Alert",  
    "nestedSourceId": "t0vgfqUux9meytwbnj9Bxw",  
    "sourceId": "e112ef90-899a-4d9f-854c-4d4307f2d2a6"  
  }  
]
```

Copy

Rules triggered and explanations (FDZ_RESULTS)[🔗](#)

This field is a **stringified** list of JSON Objects that contains all the rules that were triggered by the extracted event and their explanation.

Every **triggered rule** has two fields:

- **ruleId**: the triggered rule id
- **reason**: the explanation of why the rule was triggered

```
"FDZ_RESULTS": [  
  {  
    "explanations": [  
      {  
        "@type": "rule",  
        "reason": "Customer name is Fraudulent Joe"  
      }  
    ],  
    "result": {  
      "@type": "clarule",  
      "originalRuleId": "mI_NayHmjUkeQiG8ByNK1g",  
      "outcome": "true",  
      "ruleId": "o271PYG0ipWMJ4BgR2xINw",  
      "scores": [],  
      "targetOutcome": "fraud",  
      "targetOutcomeLabel": "fraud"  
    },  
    "sourceId": "34a95d87-6934-4a99-a0a0-0ddb7e485fc2",  
    "weight": 0  
  }  
]
```

Copy

Outcomes (FDZ_OUTCOMES)[🔗](#)

This field is a **stringified** JSON object that contains all the configured **outcomes** (e.g. `fraud`, `decision`).

Every **outcome** has two fields:

- **outcomeDecision**: the value chosen for the outcome

- **score**: the score of the outcome. If the outcome is a multi-classifier (e.g. `decision`), it will be a list of scores for each of the possible values

```
"FDZ_OUTCOMES": {
  "fraud": {
    "@type": "bincla",
    "outcomeDecision": true,
    "score": 0.0
  },
  "decision": {
    "@type": "mulcla",
    "outcomeDecision": "approve",
    "score": [
      0.0, # approve
      0.0, # decline
      0.0 # review
    ]
  }
}
```

Copy

Metrics/Plan operators

For every metric and plan operator there will be a field with the name of the metric/operator, e.g. `count_benefname_90d`.

Every field will have the metric value that was fetched when the event was consumed by Pulse:

```
"count_benefname_90d": 10
```

Copy

Feedback Updates

If enabled, DTP will also extract feedback updates which are messages that refer to feedback events.

The feedback update extraction contains the following key fields:

- **feedbackLabel**: The feedback label for which the update refers
- **feedback.realOutcome**: The actual outcome value provided for the feedback label

```
{
  "@type": "insert",
  "appId": "599912dbf381eb06",
  "eventId": "ce3ffbc5-b388-4e68-a8fd-b2732102235e",
  "feedback": {
    "@type": "bincla",
    "metadata": {
      "inject": false,
      "lifecycle_id": "b99e215f-6823-4cf0-b82e-afd857bacfa9",
      "_eventTimestamp_": [
        "java.time.Instant",
        1731081106.106000000
      ]
    }
  },
  "realOutcome": true,
  "reportInstant": 1731081106106
},
  "feedbackLabel": "fraud",
  "timestamp": 1731081106.117000000,
  "workflowId": "daef64964ee3b9b9"
}
```

Copy