

On this page

What's Changed

Release 2.7.0

Add property to configure JupyterLab container memory

Feature HSBC-2634

We've added a new property to control the maximum memory used by JupyterLab Docker containers.

By default it will limit memory usage to 8GB per container but that value can be changed by using the following Ansible property:

```
- pulse_jupyterlab_container_max_memory
```

More information can be found in [Pulse DSF Configuration Reference](#).

Add missing permissions to Pulse

Bug Fix HSBC-2644

We have added the following permissions to Pulse:

- application:managedlistitems:revision:read
- application:managedlistitems:revision:update
- application:managedlistitems:revision:create
- cm:section:event:read:*
- cm:section:event:create:*
- cm:section:event:delete:*
- cm:section:event:update:*
- admin:configuration:read
- admin:configuration:update
- admin:configuration:delete

For more details on the existing permissions please refer to the [Permissions Guide](#) page.

Addition of new fields

Feature FTMT-22488 HSBC-2492

We have added the below fields to the Inbound Payments API:

Field Name	Datatype
fps_customer_id_type	Integer
customer_id_type	Long
receiver_account_ownership_details	String

The Customer Reference Data API was also updated with the following fields:

Field Name	Datatype
customer_id_type	String
customer_occupation_start_date	String

Field Name	Datatype
count_months_beneficiary_received_funds	Integer
avg_total_daily_transfer_out	Double
avg_monthly_transfer_in	Double

The Outbound Payments API was also updated with the following fields:

Field Name	Datatype
customer_id_type	String
new_receiver_flag	String
receiver_creation_date_customer	String

The Digital Activity API was also updated with the following fields:

Field Name	Datatype
customer_id_type	String

The following schemas were updated accordingly:

- Inbound Payments
- Inbound Payments + Outcomes
- Payments
- Payments + Outcomes
- `Cards

Add new fields to the Mobile Outbound extensions🔗🔗

Feature FTMT-21172 HSBC-2417

We've added the below two fields to Case Manager 2 Way/1 Way SMS and Mobile Payment Push extensions:

Field Name	Channel
user_id	Transfers
customer_id_global	Transfers

Please refer to the [AFIS Extensions](#) reference for more details.

Enable Cards in Case Manager🔗🔗

Feature HSBC-2614

We've enabled the Cards channel in Case Manager.

Although the Cards tab was already previously visible in search and alert listings, it would not actually have shown any cards events.

In order to enable this functionality, an entry for the cards application in the Case Manager apps_enabled must be added.

For more details on how to enable channels in Case Manager please refer to the [Deploy a new channel](#) page.

Enable control of Cleanup Patches with Context-Specific Execution🔗🔗

Feature FTMT-9287 HSBC-2391

To provide greater flexibility and control over which cleanup patches are executed, we have introduced a mechanism where cleanup patches are managed through distinct contexts rather than a single one.

The Ansible variable `cleanup_pulse_commands_contexts` defines the patches that will be executed. The available values are:

- `cleanup-schemas`
- `cleanup-rule-snapshots`
- `cleanup-plan-executions`
- `cleanup-workflow`

We can specify which contexts to run by including the desired values in the above Ansible variable.

Please refer to the [cleanup configuration](#) page for more configuration details.

Add Case Manager alert queue cleanup documentation

Docs HSBC-2607

We've added a new page with the cleanup process to remove any pending alerts in Case Manager. You can find the page in [Case Manager alert queue cleanup](#) which also includes the required Python script and its configuration.

Add account and customer reference data enrichment in the Cards application

Feature HSBC-2590

We've added account and customer reference data enrichment in the Cards application.

By default, enrichment for account will use the `account_id` field and for customer the `customer_id` field. These can be changed during deployment by setting the following Ansible variables:

- `cards_account_enrichment_key`
- `cards_customer_enrichment_key`

More information can be found in [Pulse Configuration Reference](#).

Remove `tagname` property from Liquibase configuration files

Rework HSBC-2582

We have removed the `tagName` parameter from the Liquibase configuration files since it was not being used.

Add functionality to remove null byte from the Cards payload

Feature HSBC-1969

We have made the transformation that strips null bytes from string fields in payloads for card events (it previously already existed for inbound and outbound payments).

Add Pulse recovery procedure documentation

Docs HSBC-1996

We've added new page about Pulse Recovery Procedure and is now available in Feedzai documentation here [Pulse Recovery Procedure](#)

This guide was previously shared in April 2024, but was not included in the Feedzai documentation. For completeness, we have included this guide in the documentation.

New fields added to Inbound Payments

Feature HSBC-2367

We've added new fields to the Inbound Payments Workflow Schemas, please find below the added fields:

Field Name	Datatype
customer_number_of_cards	Integer

Field Name	Datatype
customer_total_credit_limit	Double
is_domestic	Boolean
receiver_account_avg_balance	Double
receiver_account_balance_dbl	Double
receiver_account_credit_limit	Double
receiver_account_last_activity	Long
receiver_acc_last_payment_amount	Double
receiver_acc_last_payment_date	Long
receiver_account_number_of_cards	Integer
receiver_account_open_date	Long
receiver_account_status	String
receiver_bank_branch_id	String
receiver_registration_date	Long
reversal_flag	String
sca_risk_flag	Boolean
sca_risk_score	Double
sender_city	String
sender_country_code	String
sender_street_addr	String

Add Logging API Authentication Documentation

Docs HSBC-2591

We've added [documentation on how to authenticate](#) in Pulse via API to complement the logging levels changes API flow.

Case Manager version upgraded to 13.17.4

Feature FTMT-21578 FTMT-21582 FTMT-22456 HSBC-2469 HSBC-2456 HSBC-2416

We've upgraded Case Manager to version 13.17.4.

This version addresses the following issues:

- When deleting notes and files from cases, the Activity log would always incorrectly show the user who created them as the owner of the action
- Support for expandable and collapsible Activity Log

It also adds support for features that:

- Allow entity page filtered by tenant
- Allow duplicated schema fields in Case Manager

Add Alerts section to the Monitoring Guide

Docs HSBC-2474

We've created a new section under the Monitoring Guide for [Pulse](#) and [Case Manager](#) pages with a suggestion of alerts.

Note that these are solemnly suggestions that might require new dashboards or alert adjustments based on HSBC specific environments.

Fix the account mapping key for inbound and outbound endpoints[â](#)

Bug Fix HSBC-2486

We've fixed the account enricher keys for both Inbound and Outbound endpoints. The `sender_account_*` fields will be enriched with Account Reference Data based on the `sender_transaction_bank_account_number` and that `receiver_account_*` will use `receiver_transaction_bank_account_number`. Ensure that the `*_bank_account_number` fields contain the same IDs used when sending the account reference data for successful enrichment.

Fix cross channel metrics configuration for secondary channels[â](#)

Bug Fix HSBC-2475

We have fixed the issue with cross-channel metrics where the required properties were not enabled for the secondary channels. The variable `cross_channel_metrics_enabled` now enables the cross-channel metrics for all apps in the `apps_enabled` variable.

Case Manager hides Reasons based on the channel[â](#)

Feature FTMT-22215 HSBC-2503

Also In: 2.4.6

We've implemented a tactical solution where Case Manager now hides Outbound Payments reasons when marking *Fraud / Not Fraud* for Inbound Payments, and vice-versa.

This is a temporary solution where the Case Manager UI will hide those values when showing the dialog to the analysts, despite it still being available in the backend. The solution requires all Inbound Payments reasons' to have `Inbound` as their prefix, so they can be detected and properly hidden at the correct moment.

Extend Cards application[â](#)

Feature HSBC-1978 HSBC-2478 HSBC-2499 HSBC-2549

We've extended the Cards application by adding the following services to the Cards workflow:

- HTTP Input Service (Cards API)
- Monitoring Service
- List Management Service
- Historic Events Service ([Historic Events Concepts Page](#))
- Alert Storage Service

Refer to the [API Reference](#) section for a specification of the available endpoints.

Fix hyperlinks to the Customer Details page in single tenanted Case Manager deployments[â](#)

Bug Fix FTMT-22659 HSBC-2509

Also In: 2.4.6

We have fixed an issue where hyperlinks for the Customer Details page (e.g. in the Event Details page) were using the event tenant instead of the Customer's default tenant in single-tenanted Case Manager deployments.

Remove Pulse Validation Tool[â](#)

Rework HSBC-2483

A security vulnerability was identified in the `pulse-environment-validation-tool`.

Since this is an internal tool with limited usage and its not intended to be released, we have decided to remove it from the project packages and associated documentation to mitigate any potential risks.

Add extra logging to application symbolic link creation[â](#)

Feature HSBC-2415

We've added extra logging to the deployment task that creates the symbolic links for applications.

Pulse 455 Ansible task will now output a set of information that may be useful to identify potential issues during the creation of Pulse immutable images.

Please find below a snippet of the output:

```
TASK [[455.1] Log task variables] *****
Wednesday 16 October 2024 09:21:55 +0000 (0:00:00.060) 0:01:17.043 *****
ok: [pulse] => (item=uk_outbound_payments) => {}

MSG:

- pulse_unix_user: feedzai
- pulse_unix_group: feedzai
- pulse_home_path: /opt/feedzai/product-pulse-25.0.52
- apps_enabled: ['uk_outbound_payments', 'uk_inbound_payments', 'uk_cards', 'uk_reference_data']
...

TASK [pulse : [455.4.1] Get directory stats] *****
Wednesday 16 October 2024 09:21:56 +0000 (0:00:00.331) 0:01:17.703 *****
ok: [pulse] => (item=uk_outbound_payments, app_ext_path=/opt/feedzai/product-pulse-25.0.52/ext/tfrb)
ok: [pulse] => (item=uk_inbound_payments, app_ext_path=/opt/feedzai/product-pulse-25.0.52/ext/uk_inbound_payments)
ok: [pulse] => (item=uk_cards, app_ext_path=/opt/feedzai/product-pulse-25.0.52/ext/cards)
ok: [pulse] => (item=uk reference data, app_ext_path=/opt/feedzai/product-pulse-25.0.52/ext/uk_reference_data)

TASK [pulse : [455.4.2] Debug application symbolic links] *****
Wednesday 16 October 2024 09:21:56 +0000 (0:00:00.252) 0:01:17.956 *****
ok: [pulse] => (item=/opt/feedzai/product-pulse-25.0.52/ext/tfrb) => {}

MSG:

- Is symbolic link: True
- Is directory: False
- Link source: /opt/feedzai/product-pulse-25.0.52/ext/tfrb
- Link target: /opt/feedzai/product-pulse-25.0.52/ext/base_outbound_payments
...
```

Copy

Upgrade liquibase-core version to 4.30.0[🔗](#)

Internal FTMT-14099 HSBC-2482 HSBC-2484

We've upgraded the bundled version of liquibase from 4.19.0 to 4.30.0.

This internal upgrade of the liquibase core library also upgrades its transient dependencies, some of which might have had open CVEs, such as SnakeYAML.

Have Garbage Collection logs per application[🔗](#)

Bug Fix HSBC-2095

We've fixed a bug where the various application Garbage Collection (GC) logs were saved in the same file. From now on each application will have its own GC log identified by the application id, e.g. `app-tfrb_GC_pid2155_2024-08-20_02-32-41.log.0.current`.

Note that GC logs are rotated over the `log` extension, meaning they will either end with:

- A number indicating the rotation

- The `current` extension, meaning it's the current GC log

This is specially important if log export to GCP Cloud Logging is based on the extension.

Add `customer_occupation_status` to Inbound Workflow Schema

Bug Fix FTMT-22435 HSBC-2476

We've fixed an issue where `customer_occupation_status` was not being enriched by adding it to the Inbound Workflow Schema.

Remove deprecated Spark properties

Feature HSBC-2446

We've changed the below deprecated configuration properties in favor of the corresponding new ones:

- `spark.forward.spark.yarn.executor.memoryOverhead` to `spark.executor.memoryOverhead`
- Spark master `yarn-client` to `master=yarn` and `deployMode=client`

Fix Case Manager read only database properties set with non read-only Ansible variables

Bug Fix HSBC-2382

We've fixed an issue where some Case Manager read only database properties were being set with non read-only Ansible variables by creating the following new properties and adjusting the respective configuration templates:

- `database_casemanager_ro_reconnect_on_lost`
- `database_casemanager_ro_max_number_retries`
- `database_casemanager_ro_retry_interval`
- `database_casemanager_ro_pool_lazy`
- `database_casemanager_ro_schemapolicy`

To configure per channel databases a corresponding channel variable was created for each of the above, which can be identified by the channel suffix (e.g. `database_casemanager_ro_reconnect_on_lost_transfers`).

Please find more information in the [CaseManager Configuration Reference](#).

Add `Also In` badge to documentation

Docs HSBC-2455

We've added a new badge to the Release Notes pages indicating in which versions a task was also included.

Add Topology-Aware Resource Scheduling (TARS) support

Feature HSBC-2340

Also In: 2.4.5 2.5.4

We've added Topology-Aware Resource Scheduling, TARS for short, support to the deployment pipelines.

Please find a deployment guide in [Topology-Aware Resource Scheduling](#) and the complete configuration reference in [Pulse Configuration Recommendations](#).

Add missing UDF imports

Bug Fix FTMT-21005 HSBC-2454

We've fixed an issue where the UDF imports listed below were missing. This will be managed by ansible variable

`import_solutions_udfs`

- `pulse.app.tfrb.services.modules.fraudmodel.import.Revelock`
- `pulse.app.tfrb.services.modules.fraudrules.import.Revelock`
- `pulse.app.tfrb.services.modules.datascience.context.import.Revelock`

- `pulse.app.tfrb.services.modules.datascience.context.rules.import.Revelock`

Fix Null Fields in Notifications Sent to CCM^â

Bug Fix FTMT-21442 HSBC-2447

Also In: 2.4.5 2.5.4

We've fixed a bug where certain fields in the notification sent to CCM, such as `sender_initiated_at`, were being sent as `null`

Remove the duplicated mapping for `sender_transaction_original_amount` in Case Manager^â

Bug Fix FTMT-21582 HSBC-2441

Also In: 2.4.5 2.5.4

We've removed the duplicated mapping for `sender_transaction_original_amount` in Case Manager for the Outbound Payments schema.

This was causing multiple issues, notably the inability to access old alerts in Case Manager.

We also added `sender_transaction_amount_dbl` to the Case Manager schema as this was needed to avoid API changes in the outbound extension and ensure the correct value is sent in the extension payload.

Pulse Version Upgrade to 25.0.73^â

Feature FTMT-14099 HSBC-2484 HSBC-2414

We've upgraded Pulse version to 25.0.73.

This version addresses the following issues:

- Upgraded SnakeYAML to a later version to address CVE-2022-1471
- Added support for Postgres 14

Enable logger configuration that tracks metrics creation in Feature Plans^â

Feature FTMT-20290 HSBC-2397

We've enabled the configuration of the logger that tracks metrics creation in Feature Plans.

The logger level can be configured by setting the `feature_plan_log_level` Ansible variable.

More information can be found in the [Pulse Configuration Reference](#).

Add missing Case Manager translation^â

Bug Fix HSBC-2437

We've added the missing Case Manager translation string for below:

- `quick-preview.eventReadOnly.inbound-payments`

Pulse Application cleanup process^â

Feature FTMT-9287 HSBC-2325

We've created a new process to clean up the following Pulse Application resources:

- Plan executions
- Schemas
- Rule Snapshots
- Workflows

Please find the detailed instructions and configuration reference in [Pulse Application Cleanup](#).

Add Case Manager enrichers to Inbound Payments

Feature HSBC-2373

We've added the following enrichers for the Inbound Payments channel in Case Manager.

Field	Enricher	Target Field
event.fields.customer_country_code	country-iso-3166-1-numeric	customer_country_code
event.fields.sender_transaction_currency	currency-alpha-3-code	sender_transaction_currency
event.fields.receiver_country_code	country-iso-3166-1-numeric	receiver_country_code
event.fields.receiver_transaction_currency	currency-alpha-3-code	receiver_transaction_currency
event.fields.sender_account_currency	currency-alpha-3-code	sender_account_currency
event.fields.receiver_account_currency	currency-alpha-3-code	receiver_account_currency
event.fields.payment_revision_code	hsbc_so_mandate_status	payment_revision_code

Add Historic Event Service to Inbound Payments Workflow

Feature HSBC-2366

We've added the Historic Event Service to the Inbound Payments Workflow.

The service uses the same logic as Outbound Payments (Transfers and Digital Activity), described in the [Historic Events Concepts Page](#).

Add Customer ID Number to Digital Activity external notifications from Case Manager

Feature HSBC-2383

We've added the `customer_id_number` field to the external notifications send by Case Manager for Digital Activity events. This is a feature parity change as the field was already being sent in external notifications for the Outbound Payments and Inbound Payments channels.

Add support for distinct Pulse event storage databases

Feature HSBC-2338

We've added support for Inbound Payments and Cards to have a different Event Storage database from the Outbound Payments one.

This is achieved by having a new set of Ansible variables that segregate Event Storage configurations per portfolio:

- `database_pulse_outbound_payments_eventstorage_*` variables configure the Outbound Payments Event Storage
- `database_pulse_inbound_payments_eventstorage_*` variables configure the Inbound Payments Event Storage
- `database_pulse_cards_eventstorage_*` variables configure the Cards Event Storage

Their default values are being mapped to the corresponding `database_pulse_eventstorage_*` variable, meaning that by default both will continue to use the same event storage database that was previously configured. For a comprehensive list of the new database variables and their default values refer to the [Pulse Configuration Reference](#).

Add new fields to Inbound Payments

Feature FTMT-19912 HSBC-2346

We have added the below fields to the Inbound Payments API:

Field Name	Datatype
customer_number_of_cards	Integer

Field Name	Datatype
overnight_acc_ledger_bal_update_date	Long
transaction_type	String

The Customer Reference Data API was also updated with the following fields:

Field Name	Datatype
customer_business_segment	String
customer_business_segment_last_update_at	Long

The `Inbound Payments` and `Inbound Payments + Outcomes` schemas were updated with all the above fields.

Add configurable Watchdog Properties for Enhanced Recovery Management [🔗](#)

Feature `HSBC-2554`

We've added support for configuring watchdog properties through the following Ansible variables:

- `watchdog_check_period_millis`
- `watchdog_latency_actuation_cycles`

By increasing these values, the system is better equipped to handle transient issues, such as temporary queue buildup in RabbitMQ, by allowing additional time before initiating the recovery process. This enhancement improves system stability and reduces unnecessary recovery actions in high-load scenarios. For more details about the new variables and their default values, refer to [Pulse Configuration Recommendations](#).