

On this page

What's Changed

Release 2.8.0

Make ETL hardcoded values configurable

Feature FTMT-26243 HSBC-3052

We've extended the ETL configuration to allow `includeTriggeredActions` to be set to `false` for historical data loading (leaving it as `true` by default for data extraction) and also allowing it to be set via an Ansible variable. Also, a few variables that were previously hardcoded are now configurable.

Please find below the variable definition, including their default and default for HDL:

Variable	Datatype	Default Value	Default for HDL
<code>include_triggered_actions</code>	Boolean	true	false
<code>project_all_fields</code>	Boolean	true	true
<code>include_feedbacks</code>	Boolean	false	false
<code>include_workflow_state</code>	Boolean	false	false
<code>include_event_diffs</code>	Boolean	false	false

This is a breaking change for the `includeTriggeredActions` variable in the CSV schema for historical data loading. Moving forward, users no longer need to manually add action columns, as they are now handled automatically.

Please refer to [ETL Configuration Reference](#) for more information.

Add Ansible variable to control Pulse and Case Manager loggers

Feature HSBC-3042

Also In: 2.4.9 2.5.7 2.7.3

We've added Ansible variables that allow log levels to be configured for Pulse and Case Manager.

- `pulse_loggers` controls loggers for Pulse
- `cm_loggers` controls loggers for Case Manager

Each variable can be configured as a dictionary of loggers as keys and log level as values, for example:

```
pulse_loggers:
  com.feedzai.hsbc: debug
  com.feedzai.pulse: trace
```

Copy

More information can be found in the configuration reference for [Pulse](#) and [Case Manager](#).

Add documentation on Pulse applications export and import

Docs HSBC-3030

We've added a new documentation page to describe the process of exporting and importing Pulse applications.

Please refer to [Export and Import Pulse applications](#) for more information.

Data Transfer Pipeline (DTP)â

Feature

The Data Transfer Pipeline (DTP) is a new tool intended to replace the ETL.

The DTP goal is to make event data processed in Pulse RT available to the Data Science environment.

Compared to the ETL, the DTP provides better support for workflow schema changes by using a workflow service that has access to the last published schema.

Events and all their fields that reach the end of the workflow are streamed to an upstream cloud native service (GCP Pub/Sub) as soon as they are processed in Pulse.

For detailed information about DTP, its functionality, and usage, refer to the provided documentation [here](#).

Add Outbound Event Storage indices for `event_occurred_at` and `event_received_at` â

Feature FTMT-24568 HSBC-3014

We've added the following indices to the Outbound Event Storage table:

- `idx_event_occurred_at`, a `btree` index on column `event_occurred_at`
- `idx_event_received_at`, a `btree` index on column `event_received_at`

These indices are not required nor used by the Feedzai product and are intended to boost performance of HSBC internal processes.



These indices will be automatically applied to the main (non-partitioned) table, the partitioning function, and all *new* partitions created after this update. Existing partition tables created prior to this change will *not* be affected and will require manual indexing if needed.

Add new field to the Payment Fulfillment extensionâ

Feature FTMT-25899 HSBC-3012

The following field was added to Case Manager Payment Fulfillment extension:

Field Name	Datatype	Channels	Description
channel_name	string	transfers	Channel Name

Please refer to the [AFIS Extensions](#) reference for full details.

Add Case Manager assign and lock alert condition for cardsâ

Feature HSBC-3013

We've implemented the `assign` and `lock` feature for Cards in Case Manager.

The working logic is identical to the one present in Outbound Payments.

From now on, only Alerted events will be displayed inside `Linked Alerts` section with "Assignee".

Extend Case Manager to also include the Cards channel when hiding reasonsâ

Feature HSBC-2977

We've extended the existing tactical solution where Case Manager hides reasons for channels other than the one of the current event, allowing it to also hide Cards reasons along with Outbound Payments and Inbound Payments when marking *Fraud / Not Fraud* decisions.

The solution requires all Cards reasons' to have `Cards` as their prefix, so they can be detected and properly hidden at the correct moment.

Remove the deployment dependency on TFB Pulse and Case Manager configurations

Internal HSBC-2770

We've removed the dependency on TFB Pulse and Case Manager configuration assemblies. As a result, we've removed those entries from the [Installation Guide](#) list of artifacts. This means that HSBC is no longer required to download those artifacts when installing new versions.

This is not a breaking change as the presence of those artifacts does not hinder the installation. In that case they would simply be ignored. It also does not does not affect any available functionality or configuration in use.

Add configuration for RDS `maxParallelCalls` property

Feature HSBC-2968

We've added a configuration to control the maximum number of parallel calls that the RDS client used by Pulse to connect to RDS can make. It will default to the previous value that Pulse was using (4). This can be configured using the following Ansible variable (and can be configured per-app by prefixing the variable with `<app_slug>_` :

Variable	Datatype	Default Value
<code>rds_max_parallel_calls</code>	Integer	4

Please refer to [Pulse Configuration Reference](#) for more information.

Update Data Extraction Pipelines Configuration Documentation

Docs HSBC-2971

We've update the documentation of some Ansible variables described in the [Data Extraction Pipelines Configuration page](#). This is a documentation-only change and does not affect the variables used by the installation pipelines.

Previously the documentation was referencing internal variables when it should have been referencing our external variables that have a nomenclature more similar to other components. Please find below a summary of the changes. Note that some variables that were previously documented as colour-specific now use the same variable for both colours.

Previous Ansible Variable	New Ansible Variable
<code>rabbitmq_blue.host</code>	<code>rabbitmq_brokers</code>
<code>rabbitmq_green.host</code>	<code>rabbitmq_brokers</code>
<code>rabbitmq_blue.vhost</code>	<code>rabbitmq_pulse_vhost_blue</code>
<code>rabbitmq_green.vhost</code>	<code>rabbitmq_pulse_vhost_green</code>
<code>rabbitmq_blue.user</code>	<code>rabbitmq_insights_logstash_username</code>
<code>rabbitmq_green.user</code>	<code>rabbitmq_insights_logstash_username</code>
<code>rabbitmq_blue.password</code>	<code>rabbitmq_insights_logstash_password</code>
<code>rabbitmq_green.password</code>	<code>rabbitmq_insights_logstash_password</code>
<code>pulse.host</code>	<code>pulse_elb</code>
<code>pulse.app_id</code>	<code>pulse_app_id</code>
<code>pulse.workflow_id</code>	<code>pulse_workflow_id</code>
<code>pulse.user</code>	<code>pulse_insights_logstash_username</code>
<code>pulse.password</code>	<code>pulse_insights_logstash_password</code>

Enable debug-level logs for Pulse workflow validation

Feature HSBC-2982

We have enabled extra `DEBUG` logs that can be used to track how long workflow validation is taking. Among others, the new messages include:

- *"Starting remote inbound_payments workflow validation."* which can be used to track the start of the workflow validation
- *"Finished inbound_payments workflow validation."* which can be used to track the end of the validation

The time between both log messages will determine how long validation took. These log messages are present in the Pulse Server log file (usually `pulse.log`) and not in the application logs.

The logging level for workflow validation can be controlled by changing the `workflow_validation_log_level` ansible variable. It will default to `DEBUG`, whereas previously when it was not configurable, it was set (hardcoded) to `INFO`.

More information can be found in the [Pulse Configuration Reference](#).

Private Banking Delegate

Feature WPB-350942 WPB-365306 HSBC-2735 HSBC-2736 HSBC-2737 HSBC-2738 HSBC-2739 HSBC-2740 HSBC-2741 H

We've added the necessary features to enable the PB Delegate use case.

Please find below a list of changes.

Pulse

New Fields

The following fields were added to Pulse API:

Field Name	Datatype	Endpoints
delegate_id	String	Transfers & Digital Activity
delegate_initiated	Boolean	Transfers & Digital Activity
approver_id	String	Transfers & Digital Activity
transaction_id	String	Transfers & Digital Activity
account_holder_customer_id	String	Transfers & Digital Activity
delegate_of	List of Objects	Customer Reference Data
delegates	List of Objects	Customer Reference Data

Each entry of the above list of objects has the following fields:

Field Name	Datatype
customer_id	String
date_added	Long

The following schemas were updated accordingly:

- Payments
- Payments + Outcomes

Delegate Watchlist for Outbound Payments

We have created the `Delegate Watchlist` list in the Outbound Payments application to support the Personal Banking Delegate use case. This list can be used, for instance, to store delegate ID numbers of customers that were flagged after risky transactions.

See [Configure List Management Service](#) for information on how to configure the service.

The list was also added to Case Manager to allow an analyst to update it when, for example, marking an event as Fraud or Not Fraud.

Case Manager

Schema

The following fields were added to the Case Manager schema:

Field Name	Datatype	Channels	Description
delegate_id	String	Transfers/Digital Activity	The CIN from the delegate that is currently active on the PB customer account.
delegate_initiated	Boolean	Transfers	Whether the payment is being made by a delegate.
approver_id	String	Digital Activity	The CIN from the customer that approves a pending payment.
transaction_id	String	Transfers/Digital Activity	Identifier to correlate initiation and approval events of a transaction.

Event Details Page

By `Delegate` is now present in both Transfers and Digital Activity events, mapping to the `delegate_id` field

Also in Case Manager Transaction History widget, in the Transfers and Digital Activity channels there is a new column and filter for `Delegate CIN` that is indeed mapping to the `delegate_id` field.

Customer Details Page

There is a new widget called `Transaction History Delegate` in the Customer Details Page.

This widget filters all the Transfers and Digital Activity events for a given `delegate_id`.

As a result, both the `Transaction History` and `Transaction History Delegate` have a new column for `Delegate CIN`, that is mapping to the `delegate_id` field.

This new widget is controlled by a new ansible variable, `show_delegate_transaction_history_widget`, when set to True, that is the default value, the Transaction History Delegate widget and the Delegate CIN column will appear in Case Manager.

This new variable was added to [Case Manager Configuration Recommendations](#).

We've added two new widgets to the Customer Details Page, `Delegates` and `Delegates of`:

- `Delegate Of` displays a list of PB customers for whom the customer is a delegate
- `Delegates` displays a list of customers who have delegated on the customer

Please refer to the [PB Delegate Documentation](#) for a more detailed documentation about the PB Delegate use case.

Add outcome fields to Cards

Feature FTMT-24022 HSBC-2970

We've added the following outcomes to the Cards workflow to align with Outbound:

- `shadow_fraud`
- `scam`
- `shadow_scam`
- `self_serve_strategy`
- `decision_typology`

Add tenant field to Case Manager external notifications

Feature FTMT-25381 HSBC-2907

We've added the `tenant` field to Case Manager external notifications payload for all channels.

New operational status states

Feature FTMT-24511 HSBC-2918

We've added new states to the Operational Status state machine in Case Manager:

- Pending Mule Review
- Mule Review In Progress
- Customer Contact Awaited
- Pending Mule Investigation Closure
- Mule Investigation Completed

These new states can be used in Automation Rules to better support mule investigations in Case Manager.

Update Case Manager EVENT_ID field length

Bug Fix HSBC-1820

In order to keep the consistency across tables, and to prevent some features to stop working for events with big `lifecycle_id`, we've updated the field `event_id` length in the following tables:

- AM_CASE_EVENT
- AM_EVENT
- AM_EVENT_ACCESS_GROUP
- AM_EVENT_CASE
- AM_EVENT_FILE
- AM_EVENT_IN_REVIEW
- AM_EVENT_NOTE
- AM_EVENT_QUEUE
- AM_EVENT_SLA
- AM_EVENT_STATUS
- AM_EVENT_STORAGE
- AM_EVENT_USER
- AM_EXTENSION_LOG
- AM_LIST_UPDATE

The `transaction_id` field of the `AM_EVENT_COMMON` table was also updated since this column is computed from `EVENT_ID`.

Add new payment above limit field to Pulse

Feature WPB-356058 HSBC-2923

We've added a new field to the Outbound Payments API and Digital Activity API:

Field Name	Datatype
payment_above_limit	Boolean

The following schemas were updated accordingly:

- Payments
- Payments + Outcomes

Add new fields to Case Manager external notifications

Feature FTMT-24847 HSBC-2908

We've added the below fields to the Case Manager external notifications payload.

Field Name	Channel
treatment_strategy	Inbound Payments
self_serve_strategy	Inbound Payments
pib_suspended	Inbound Payments

Add new generic fields to Pulse🔗🔗

Feature WPB-334507 HSBC-2598

We have added the below fields to the Digital Activity and Transfers API:

Field Name	Datatype
sender_transaction_extra_1	String
sender_transaction_extra_2	String
sender_transaction_extra_3	String
customer_additional_info_1	String
customer_additional_info_2	String
customer_additional_info_3	String
customer_additional_info_4	String

The Customer Reference Data API was also updated with the following fields:

Field Name	Datatype
customer_additional_info_1	String
customer_additional_info_2	String
customer_additional_info_3	String
customer_additional_info_4	String

The following schemas were updated accordingly:

- Payments
- Payments + Outcomes

All fields were also made available in Case Manager to be used in Automation Rules and SLAs.

Add configurable Real-time PKernel Partitioning🔗🔗

Feature HSBC-2641

We've added a new Pulse configuration property `services.rte.workflow.plan.partitionedRealtimeMetrics` to control real-time PKernel partitioning by application:

- When set to `true`, there will be multiple PKernel Engines (one per workflow partition) generating instances
- When `false` (the default), there will be only one PKernel Engine generating instances

With a partitioned PKernel setup each node will be responsible for only a part of the calculated real-time metrics, with other nodes still having replicas. Partitioning the PKernel in this way can lead to dramatic speed-ups in workflow recovery times, which typically accounts for the vast majority of the time it takes for a node to publish or to recover after it crashes.

Please note, as of this `2.8` release, Pulse does not support cross-channel metrics with a partitioned PKernel.

More information can be found in the [Pulse Configuration Reference](#).

Add new mortgage fields to Pulse

Feature FTMT-24519 HSBC-2919

We've added two new mortgage fields to the Customer Reference Data API:

Field Name	Datatype
customer_mortgage_flag	Boolean
customer_number_of_mortgage_accounts	Integer

The following schemas were updated accordingly:

- Inbound Payments
- Inbound Payments + Outcomes

Disable Self Service Rules Testing storage

Feature HSBC-2615

We've changed the following variables to disable the Self Service Rules Testing storage:

- `pulse.global.services.rte.workflow.rules.forwardToTestingStorage`
- `pulse.global.services.fraud.simpleruletestingservice.enable`

This prevents data related to this feature from being stored in the database `ssrt_events` table, optimizing disk usage.

Fix Ansible pipeline in Pulse assuming eth0 as the network interface name

Bug Fix HSBC-2912

Also In: 2.7.2

We have added a workaround to the technical issue in which the `eth0` interface was being assumed in the ansible pipelines.

Add receiver_product_type field to Pulse and Case Manager

Feature FTMT-23881 HSBC-2778

We have added the below field to the Inbound Payments API:

Field Name	Datatype
receiver_product_type	String

The following schemas were updated accordingly:

- Inbound Payments
- Inbound Payments + Outcomes

The new field was also added to the Case Manager schema.

Fix Cards amount column in Case Manager

Feature HSBC-2807

We've changed the Case Manager mapping for the Cards field `schema.amount_db1` to use the `amount` field from the API request. The `schema.amount` field still exists in Case Manager but will be empty from now on.

All Case Manager widgets and tables were changed to always use `schema.amount_db1` when displaying the Amount for Cards events.

Please note that Cards Automation Rules and SLAs should use the `Amount (Double)` field.

Add new field to the Mobile Outbound extensions¹

Feature FTMT-24874 HSBC-2791

Also In: 2.7.2

The following field was added to Case Manager 2 Way/1 Way SMS and Mobile Payment Push extensions:

Field Name	Datatype	Channels	Description
channel_user_id	String	Transfers	Online/Internet Banking User ID.

Please refer to the [AFIS Extensions](#) reference for more details.

Create Cards + Outcomes schema and Treatment Strategy Priority list in Cards application¹

Feature HSBC-2767

We have created Cards + Outcomes schema and Treatment Strategy Priority list to support the Alert Prioritization in the Get Next feature.

The list addition is non-destructive: if it list already exists in a given environment, it will not be added (nor will the list items of the existing list be modified).

Likewise, the workflow will not be updated to prevent any issues in installations that are already using an existing list.

Add new feedback update strategy to Outbound payments¹

Feature FTMT-20994 HSBC-2722

Also In: 2.5.6 2.7.2

In previous versions, when a feedback event reached Pulse, all events related to the feedback would be updated and reinjected into the workflow. This would generate unnecessary load in Case Manager since it only requires a single feedback event.

To circumvent this issue we've introduced a new feedback update strategy to control which payment related events are to be updated by a feedback event. This can be configured in the following properties:

- transfers.endpoints.puttransferfeedback.feedbackUpdateStrategy
- transfers.feedbacklistener.feedbackUpdateStrategy

The strategy applied to both properties can be configured using the following Ansible variable:

Variable	Datatype	Default Value
outbound_payments_feedback_strategy	String	SINGLE

The value of the property can be one of:

- ALL : Updates all events with the same lifecycle id (corresponds to the old behaviour)
- SINGLE : Updates each Case Manager event with a given lifecycle id

To better understand the different behaviours please take the following example:

- A transfer initiation reaches Pulse
- Two info requests are made to update the initiation
- A feedback event is made

Having the previous scenarios with the configuration set to ALL would mean three feedback events would be reinjected into the workflow and later processed by Case Manager.

On the other hand setting it to SINGLE would mean only one event would be reinjected into the workflow. The default strategy is now SINGLE and it is our suggestion to keep this strategy.

Please refer to [Pulse Configuration Reference](#) and the [Feedback Update Strategy concepts page](#) for more details.

Add new feedback update strategy to Cards and Inbound Payments[^](#)[i](#)[o](#)

Feature HSBC-2903

Following the changes done in [Add new feedback update strategy to Outbound payments](#), we've extended the feedback update strategy to Cards and Inbound Payments.

Functionality wise the behaviour is the same as described for Outbound Payments, only the configuration properties change:

- Inbound:
 - `inboundpayments.endpoints.putinboundtransferfeedback.feedbackUpdateStrategy`
 - `inboundpayments.feedbacklistener.feedbackUpdateStrategy`
- Cards:
 - `cards.endpoints.feedback.feedbackUpdateStrategy`
 - `cards.feedback.listener.feedbackUpdateStrategy`

The strategy applied to both properties can be configured using the following Ansible variables:

Variable	Datatype	Default Value
<code>inbound_payments_feedback_strategy</code>	String	SINGLE
<code>cards_feedback_strategy</code>	String	SINGLE

Change Cards Event Details page[^](#)[i](#)[o](#)

Feature HSBC-2576

We have made several changes to the default configuration of the Event Details page for Card events.

Previously, some fields were unused and displayed `N/A`.

This issue has been resolved, and now all fields on the page are designed to display meaningful data.

Upgrade ETL to version 17.0.0[^](#)[i](#)[o](#)

Feature HSBC-2594

We've upgraded ETL to version 17.0.0.

This version introduces a new ETL mode to address extraction of event scheduled metrics when the metrics were computed by a plan that is no longer referenced by the workflow.

The new mode is configured to search metrics definition in all existing plan executions and to not fail extraction if the plan execution no longer exists in Pulse.

For more information refer to the [ETL configuration reference](#).

Upgrade Reference Data Service to version 3.7.8[^](#)[i](#)[o](#)

Feature HSBC-2721

This change includes an upgrade of SnakeYAML to address the CVE-2022-1471 vulnerability.

Revert liquibase-core 4.30 upgrade[^](#)[i](#)[o](#)

Internal HSBC-2703

We've reverted the prior `liquibase-core` version bump from 4.29.2 to 4.30.0, to avoid a bug that sometimes causes it to execute slowly.

Remove unused Case Manager columns

Feature HSBC-2723

We have removed `TREATMENT_STRATEGY_ID` and `EVENT_TREATMENT_STRATEGY_ID` from Case Manager columns as they are no longer used.

In environments in which the columns do not exist, this change is a no-op and will not fail.



For completeness and to match earlier branches (such as the 2.4.8 release), these columns were added in this release in environments that don't exist, but here they are once again removed.

Add support to filter events without status reason to Payment Fulfillment extension

Feature FTMT-20994 HSBC-2701

Also In: 2.5.6 2.7.2

We've added a filtering option to the Payment Fulfillment extension that will filter out events when a status reason is not present. The filter can be enabled or disabled using the following Ansible variable:

Variable	Datatype	Default Value
payment_fulfillment_exclude_events_without_status_reason	Boolean	true

Please refer to [Case Manager Configuration Reference](#) for more information.

Add new fields to the Inbound Payments and Digital channels in Case Manager

Feature FTMT-24516 HSBC-2464

We've made available a new set of fields to Automation Rules and SLAs for the Inbound Payments and Digital channels:

Field Name	Inbound Payments	Digital Activity
sender_transaction_code	â€œ	â€œ
sender_transaction_narrative	â€œ	â€œ
sender_transaction_notes	â€œ	â€œ
sender_bank_country_code	â€œ	â€œ
receiver_account_currency	â€œ	â€œ
receiver_bank_country_code	â€œ	â€œ
receiver_transaction_currency	â€œ	â€œ
receiver_account_bank_id	â€œ	â€œ
overnight_acc_ledger_bal	â€œ	â€œ
sender_transaction_ref	â€œ	â€œ
customer_fiv_markers	â€œ	â€œ
receiver_account_type	â€œ	â€œ
customer_business_type	â€œ	â€œ
customer_portfolio_segment	â€œ	â€œ
customer_annual_turnover	â€œ	â€œ
customer_reported_income	â€œ	â€œ
rfb_flag	â€œ	
receiver_transaction_amount_dbl	â€œ	

Field Name	Inbound Payments	Digital Activity
line_of_business	â,â	
business_start_date	â,â	
customer_business_type_last_update_date	â,â	
customer_reported_income_last_update_date	â,â	
customer_annual_turnover_last_update_date	â,â	
customer_portfolio_segment_last_update_date	â,â	
employer_name	â,â	
employer_name_last_update_date	â,â	
employer_start_date	â,â	
customer_occupation_status	â,â	
customer_occupation_status_last_update_at	â,â	
receiver_account_open_date	â,â	

Additionally the following plan enriched fields were also made available to Inbound Payments and Digital Activity:

Field Name	Inbound Payments	Digital Activity
cmd_payment_type	â,â	â,â
cmd_payment_sub_type	â,â	â,â
cmd_event_description (cmd_sender_transaction_code in Inbound)	â,â	â,â
cmd_sender_bank_name	â,â	â,â
cmd_receiver_bank_name	â,â	â,â

Please note that the enrichment plan to support this feature for Inbound Payments is not available by default and requires manual creation. Please refer to [Case Manager event enrichment guide](#) to learn how to configure it.

Add new Pulse list for Inbound Paymentsâ

Feature HSBC-2653

We have created a new Pulse list for treatment strategy in the Inbound Payments application in order to support the Alert Prioritisation in the `Get Next` feature, so that the baseline Feedzai inbound deployment more closely matches the outbound deployment.

The new list is called `Treatment Strategy Priority` and the addition is non-destructive: if this list already exists in a given environment, it will not be added (nor will the list items of the existing list be modified).

Likewise, the workflow will not be updated, so that the runtime Pulse of environments that are already using an existing list will not be affected.

The content of the list has the same outcomes that were initially present in the Outbound Payments list that existed before Outbound Payments was deployed and HSBC took ownership of the list. Specifically, these default outcomes are:

Treatment Strategy	Priority
BIBACH	4
CHAPS	10
FASTER	1
GBLMONEY	10
GBLWALLET	10

Treatment Strategy	Priority
GFX	10
INTERNAL	2
SO	3

Add new fields to Pulse [🔗](#)

Feature HSBC-2409

We have added the below fields to the `Payments` and `Payments + Outcomes` schemas in order to more closely match the fields comprising the Outbound Payments API:

Field Name	Datatype
browser_os_version	String
costumer_id_global	String
customer_portfolio_phys_type	String
customer_portfolio_remote_type	String
ds_transaction_id	String
payment_message_source_d	String
sender_transaction_origin_amount	Long
sender_transaction_origin_currency	String
sender_transaction_reason_d	String
sender_transaction_sign_stts_d	String
customer_change_reason	String
sender_account_channel_limit	Double

We have added the below field to the `Inbound Payments` and `Inbound Payments + Outcomes` schemas in order to more closely match the fields comprising the Inbound Payments API:

Field Name	Datatype
sender_account_channel_limit	Double

Enable advanced search for Cards [🔗](#)

Feature HSBC-2578

We've enabled the advanced search for Cards in the search page.

Also the alerts page now has the Cards channel fully working and filtering only the corresponding events.

Add treatment strategy columns to Case Manager database [🔗](#)

Bug Fix HSBC-2710

Also In: 2.4.8 2.5.6 2.7.2

We've added two columns to `AM_EVENT_INBOUND_PAYMENTS` that are needed for Case Manager to start:

- `TREATMENT_STRATEGY_ID`
- `EVENT_TREATMENT_STRATEGY_ID`

These columns must exist (and must match the columns from `AM_EVENT_COMMON` and `AM_EVENT_TRANSFERS`) for legacy reasons.

Add new Inbound fields to Case Manager external notifications

Feature FTMT-23796 FTMT-24496 HSBC-2672

We've added the below fields to the Case Manager external notifications payload.

Field Name	Channel
event_type	Inbound Payments
lifecycle_id	Inbound Payments
alert_id	Inbound Payments

We've created the [Notifications Schema page](#) with the notifications schema and payload examples for the various channels. Please refer to it for more details.

Configure Cards alert id transformation

Feature HSBC-2652

We've added a new `alert_id` field to the Cards workflow schema to enable the alert id transformation.

This transformation generates a new `alert_id` field from the event's `lifecycle_id` and endpoint name, which will then be used as the event identifier in Case Manager.

In practice this transformation will make Case Manager merge authorization and info events that have the same `lifecycle_id`. Clearings will always generate a new event in Case Manager, for example:

- Send `authorization` with `lifecycle_id=lifecycle_1`: new event in Case Manager
- Send `info` with `lifecycle_id=lifecycle_1`: updates existing event in Case Manager
- Send `clearing` with `lifecycle_id=lifecycle_1`: new event in Case Manager

Please note that this transformation is different from the Inbound/Outbound alert id transformation which takes the configured last n characters from the `lifecycle_id`.

Cards schema changes

Feature HSBC-2581

In order to make the CM and Pulse schema for the Cards application as much as identical as possible, we've done several changes to some fields.

The following fields were removed from Case Manager schema:

-	acceptor_city
-	acceptor_dba_name
-	acceptor_mastercard_risk
-	acceptor_open_date
-	acceptor_risk
-	acceptor_risky_flag
-	acceptor_street_addr
-	acceptor_visa_risk
-	acceptor_zip
-	account_available_credit
-	account_credit_limit
-	account_last_activity
-	atc1
-	atc2
-	card_last4
-	last_sca_at
-	pos_card_capture_cap
-	terminal_latitude
-	terminal_longitude
-	terminal_poc_flag
-	terminal_street_addr

- dispute_end_date
- dispute_feedback_notes
- dispute_refunded
- feedback_type
- oob_end_date
- oob_feedback_notes
- oob_response_type
- dispute_notes
- dispute_reason
- dispute_start_date
- dispute_submitted_by
- info_type
- oob_comm_type
- oob_notes
- oob_start_date
- customer_portfolio_product
- customer_portfolio_region
- payment_message_source
- customer_type
- office_id
- customer_account_type
- sender_transaction_type
- sender_transaction_cop_result
- sender_transaction_auth_type
- payment_type
- payment_sub_type

Copy

The following fields were added to the Pulse Schema:

- customer_phone
- customer_business_phone
- customer_businessphone_last_update_at
- customer_citizen_id_number
- customer_citizenship
- customer_corresp_city
- customer_corresp_country_code
- customer_corresp_region
- customer_corresp_street_addr
- customer_corresp_zip
- customer_corresp_zip_area_code
- customer_email_last_update_at
- customer_fiv_marker_last_updated_at
- customer_gender_code
- customer_hmphone_last_update_at
- customer_home_address_last_update_at
- customer_home_city
- customer_home_country_code
- customer_home_phone
- customer_home_region
- customer_home_street_addr
- customer_home_zip
- customer_home_zip_area_code
- customer_mbphone_last_update_at
- customer_pb_marker
- customer_preferred_language
- customer_registration_date
- customer_surname
- customer_total_balance
- sender_email
- sender_name
- sender_phone
- customer_forname
- customer_reported_income

Copy

Fix Case Manager enrichment error🔗🔗

Bug Fix FTMT-23776 FTMT-23777 FTMT-23780 HSBC-2664

We've fixed an issue in Case Manager where some enrichers were not properly loaded due to a malformed Javascript function.

This would lead to Case Manager showing the enricher name (e.g. `paymentTypeEnrich`) instead of the actual enriched value.

Add Alert Storage Service transformations to the Inbound Payments and Cards applications🔗🔗

Feature FTMT-23716 HSBC-2532

The Alert Storage Service for Outbound Payments benefited from a number of transformations that were not available in the other applications. These transformations include, among others, the ability to populate an `additional_fields` field in Case Manager with values generated during the workflow.

As we ported these functionalities, we merged what were previously two independent functionalities:

- The ability to have `additional_fields` based on a prefix (which is being used to import `cmd_*` fields into Case Manager)
 - Please note that the enrichment plan and lookup lists were not created as part of this task. Please refer to [Case Manager event enrichment guide](#) to learn how to create the necessary resources to support this feature
- The ability to have `additional_fields` based on exact name matching (which by default is making the following fields available under `additional_fields` : `pib_suspended`, `internal_payment_type`, `internal_event_source`, `isJade`):
 - These fields are controlled via the `additional_fields_enricher_fields` Ansible variable



warning

This refactor made it so the configuration for the exact name matching enrichment was ported into the same configuration namespace as the prefix based enrichment.

This results in some Pulse configuration properties changing:

- `services.alertstorageservice.alerttransformations.cmenrichment.enrichedFields` : accepts a list of additional fields to enrich
 - Previously was `com.feedzai.hsbc.pulse.services.customalertstorageservice.additionalfields.enricher.fields`
- `services.alertstorageservice.alerttransformations.cmenrichment.enabled` : now acts as a toggle for both the prefix based enrichment and exact name matching enrichment
 - Previously only controlled the prefix based enrichment

Unless manual overrides were done, this requires no further action from HSBC as this release automatically uses the new properties.

Add Cards use case🔗🔗

Feature HSBC-2575

We've added the Cards use case, along with the application in Pulse and the channel in Case Manager. While technically, an old baseline for Cards existed from the project outset, this was not used at HSBC. We have expanded on it so that the Cards use case is fully implemented and ready to use.

There are several release notes related to the Cards use case and changes that were done in this release notes page which can be consulted for the details on each feature that was implemented.



To enable the Cards application, the following Ansible variables must be set for both Pulse and Case Manager:

```
apps_enabled:
  - <other apps>
  - <market>_cards
...

<market>_cards_app_slug: <market>_cards
<market>_cards_market: <market>
<market>_cards_portfolio: cards
```

Copy

For example for the UK, the above variables would be:

```
apps_enabled:
  - <other UK apps>
  - uk_cards
...

uk_cards_app_slug: uk_cards
uk_cards_market: uk
uk_cards_portfolio: cards
```

Copy

For full details, please see the existing documentation for how to deploy new apps/channels, which applies to all applications/channels, including cards:

- [Pulse - How to deploy new applications](#)
- [Pulse Configuration Reference and default variables](#)
- [Case Manager - How to deploy new channels](#)
- [Global Rollout Documentation](#)

Case Manager version upgraded to 13.17.7

Feature FTMT-24041 HSBC-2658

Also In: 2.4.7 2.7.1

We've upgraded Case Manager to version 13.17.7.

This version addresses the following issues in multi database setups:

- Automation rules intended to set the event queue were not working properly
- SLAs were not updating the operational status correctly after breaching

Add Python 3 support in the Ansible deployment pipelines

Feature FTMT-22381 HSBC-2453

Also In: 2.7.2

We've updated the deployment pipelines to support setting the interpreter Python version.

By default it will now use Python 3 (the version that is linked to the `/usr/bin/python3` path) and can be changed by setting the Ansible built-in variable `ansible_python_interpreter`.



In version 2.7.1 we introduced a `python_ansible_interpreter` variable which is no longer in use. The Ansible built-in variable `ansible_python_interpreter` is now the only way to change the Python interpreter.