

On this page

Non-Mon Channel

This page highlights the main changes introduced in version 3.0.0 to support the new Non-Monetary channel. These include both Pulse and Case Manager and their corresponding FTMT ticket ids.

Pulse

In this section you can find the changes introduced in Pulse to support the new Non-Mon Channel.

Setup custom Alert Storage Service to segregate Non-Mon events from Cards payments

Feature FTMT-30076 HSBC-3689

We've setup the custom Alert Storage Service to separate Non-Mon events from Cards payments. This service will now set the channel of the event based on the API that received it (similar to what happens with Digital-Activity and Outbound Payments). Cards events will have `fdz_channel` set to `CARDS` while Non-Mon events the `NON-MON` value. This field can then be used to determine to what channel each event belongs when querying the Event Storage tables.

This change also includes a new RabbitMQ queue (`fdz-sq-EVENT_QUEUE_NON-MON`) to publish Non-Mon events to be consumed by Case Manager.

Add Non-Mon permissions

Feature FTMT-27453 FTMT-29259 FTMT-30076 HSBC-3690

We've created the below new permissions for the Non-Mon channel.

- `cm:channel:non-mon:read-only`
- `cm:channel:non-mon:read-write`
- `cm:state-machine:event-status:write:status_non_mon`
- `cm:state-machine:event:read:status_non_mon`
- `cm:state-machine:event-status:write:status_non_mon`
- `cm:state-machine:status-reason:delete:status_non_mon`
- `cm:state-machine:status-reason:read:status_non_mon`
- `cm:state-machine:status-reason:write:status_non_mon`

These can be used to control the user access to Non-Mon in Case Manager.

For more details please refer to the [Permissions Page](#).

Enable Feedback and Info Endpoints for Non-Mon events

Feature FTMT-28259 HSBC-4046 HSBC-4151

We've added two new API endpoints for Non-Monetary events.

Endpoint URLs:

- `/api/nonmon/{lifecycle_id}/feedback/fraud`
- `/api/nonmon/{lifecycle_id}/info`

This work extends the Non-Mon endpoint delivered in [Add Non-Mon Endpoint](#).

For more information please refer to the API documentation on the [Feedback Non-Mon](#) and [Info Non-Mon](#) endpoints.

Enable GET Endpoint for Non-Mon events^â

Feature FTMT-27479 HSBC-3803

We've added a new API endpoint that allow the retrieval of Non-Monetary events previously submitted. By using the `GET` method with a specific and valid `lifecycle_id`, the full event details can now be accessed.

Endpoint URL: `/api/nonmon/{lifecycle_id}`.

This work extends the Non-Mon endpoint delivered in [Add Non-Mon Endpoint](#).

For more information please refer to the [API documentation](#).

Case Manager^â

In this section you can find the changes introduced in Case Manager to support the new Non-Mon Channel.

Add Non-Mon database support^â

Feature FTMT-27453 FTMT-30076 HSBC-3798

We've added Non-Mon database support to Case Manager. The changes include:

- New database patches to create all the required resources in the Case Manager Non-Mon database
- A new set of Ansible variables to configure Case Manager's Non-Mon database connection. These follow the same structure as for all other channels by setting the channel suffix to the variable (e.g. `database_casemanager_engine_non_mon`)
- Updated retention scripts with the new table which can be found in [Retention Scripts](#)

Please refer to [Case Manager Configuration Reference](#) for more information.

Add Non-Mon channel^â

Feature FTMT-27453 FTMT-29259 FTMT-30076 HSBC-3690

We've introduced the Non-Mon channel in Case Manager. Please find below information about the new channel:

- The channel is enabled by default but users require additional permissions to see it, similar to all other channels (see [Add Non-Mon permissions](#))
- Non-Mon event pages are based on Cards, meaning that by default they will be alike. Please note that translations are shared and therefore a change to a Cards translation might affect Non-Mon pages
- Advanced search uses the same fields as Cards
- Logstash notifications will show the same payload as Cards

Add Non-Mon to the reasons filter^â

Feature FTMT-28765 HSBC-3805

We've extended the existing tactical solution where Case Manager hides reasons for channels other than the one of the current event. The solution requires all Non-Mon reasons to have `Non-Mon` as their prefix in order for them to be hidden.

As an example, when marking an Outbound Payments event as Fraud/Not-Fraud in Case Manager, all the reasons that have the prefixes `Cards`, `Inbound` and `Non-Mon` will be hidden. When marking a Non-Mon event as Fraud or Not Fraud, only reasons with the `Non-Mon` prefix will be available.