

On this page

RabbitMQ Queues

This section presents the messaging topics used in Pulse and Case Manager.

This section describes each topic/queue in detail. Each topic/queue is presented taking in account its general purpose and a list of consumers and producers. Each topic may have one or more queues and each queue one or more consumers.

Pulse Queues

This section describes the topic/queue Pulse uses.

Note: topics are identified by an ***** in front on their name. They can have more than one queue associated with them which is identified by the routing key.

Topic/Queue Name	Description	Consumers	Producers	Notes
fdz-sq-digital-activity-non-scoring-*	When a new non-scoring digital event (e.g. async event) is received by Pulse.	Pulse	Pulse	
fdz-sq-transfers-non-scoring-*	When a new non-scoring transfer event (e.g. async event) is received by Pulse.	Pulse	Pulse	
fdz-sq-hsbc-payments-feedback-listenerhsbc-payments-feedback-listener	When a new feedback is received by Pulse.	Pulse	Pulse	
fdz-sq-global-feedbacks-notification-Feedback-Notifier-Migrator	When a feedback change is received by Pulse.	Pulse	Pulse	
fdz-sq-global-feedbacks-queue-appId-<app_id>	When a new Feedback event is sent to the Feedback Storage Service.	Pulse	Pulse	If this queue piles up over time, feedback updates to the Pulse event storage table will not be written (the events in Pulse will be missing the fraud feedback labels), which can have an impact on SMJs depending on the metrics defined, and fraud labels coming from feedbacks will not arrive in Case Manager, leading to missing fraud feedback labels.
fdz-sq-global-fdz-sync-topic-*	Used for workflow replicas to be notified of normal events arriving the original workflow dead letter.	Pulse	Pulse	The number of messages in this topic/queue may increase substantially during an App Publish since the node being published does not process replica messages sent by the other instances. When the App Publish finishes the instance should be able to process the pending messages.
		Pulse	Pulse	

Topic/Queue Name	Description	Consumers	Producers	Notes
fdz-sq-global-fdz-app-*	This is a topic per application, shared by all replicas of that application. It has two main uses: - Communication between the Pulse Server - And the App Engines for publishing / stopping apps.			
fdz-sq-global-fdz-apps-service-app-service-*	This topic is used for two purposes: - Pulse Server leader to communicate application life cycle requests to followers. For example, after creating an app through the web API (on the Pulse Server leader), the app should be bootstrapped in all pulse servers; in order to achieve this, the pulse server leader publishes a Bootstrap App message for the other Pulse servers to know that they must bootstrap the app. - To broadcast changes in model object values. Currently this is used only by the Managed List Service, where changes on list items made on the GUI take effect immediately, with no need to re-publish the app.	Pulse	Pulse	
fdz-sq-global-fdz-dc-heartbeat-*	Receive heartbeat messages sent from other cluster monitor implementations and the self Data Center Heartbeat. Also, listen for Data Center Heartbeat Request messages, requesting each data center to report that it is alive.	Pulse	Pulse	
fdz-sq-global-fdz-metadata-sync-job-manager-*	For App Engines to be notified of request to update a job metadata.	Pulse	Pulse	
fdz-sq-global-fdz-metadata-sync-member-*	For App Engines to be notified of requests to reload the Configuration.	Pulse	Pulse	
fdz-sq-global-fdz-metadata-sync-pulse-config-manager-*	For Pulse Servers to be notified of requests to reload the Configuration.	Pulse	Pulse	
fdz-sq-global-fdz-metadata-sync-pulse-security-*	For Pulse Servers to be notified of requests to reload security metadata.	Pulse	Pulse	
fdz-sq-global-jwk-service-updates-*	When a JWK is created or revoked, the leader node sends an update for other replicas	Pulse	Pulse	
fdz-sq-fdz-cluster-dc1-dc-manager-*	This is used to broadcast to all the cluster members of the local data center that a given data center became primary.	Pulse	Pulse	
fdz-sq-fdz-data-science-jobs-<app_id>*	This is used to keep data science job status updated between Pulse instances	Pulse	Pulse	
fdz-sq-fdz-force-flush-topic-*	Keep workflow clocks synchronized between replicas.	Pulse	Pulse	
fdz-sq-fdz-processes-*	This topic is used for communications between external jobs (e.g. SMJs running	Pulse/ External Job		

Topic/Queue Name	Description	Consumers	Producers	Notes
	on Dataproc) and their launcher, the job manager service.		Pulse/ External Job	
fdz-sq-fdz-pulse-mgmt*	This is used by the pulse-mgmt tool to broadcast requests for disabling and shutting down a data center to all members of the current data center, in fail overs.	Pulse	Pulse	
fdz-sq-fdz-workflow-publish-*	This is used to synchronize the workflow publish state between Pulse instances	Pulse	Pulse	

Case Manager Queues

This section describes each topic/queue Case Manager uses.

Note: Since cases are not being used all queues regarding cases in the following table are merged in `CM_UPDATES_CASES_*`.

Topic/Queue Name	Description	Consumers	Producers	Notes
CM_UPDATES_CASES_*	Cases Queues. Note: These queues are not in use	Logstash	Case Manager	
CM_UPDATES_EVENTS-EVENT-external-notifications-queue	When a new event (or an event update) arrives in CM.	Logstash	Case Manager	If no consumer is supposed to connect to this queue, it should be pruned occasionally so messages do not pile up.
CM_UPDATES_EVENTS-QUEUE-external-notifications-queue	An event's queue changes.	Logstash	Case Manager	If no consumer is supposed to connect to this queue, it should be pruned occasionally so messages do not pile up.
CM_UPDATES_EVENTS-STATUS-external-notifications-queue	When the state of an event (on any state machine) changes.	Logstash	Case Manager	If no consumer is supposed to connect to this queue, it should be pruned occasionally so messages do not pile up.
CM_UPDATES_EVENTS-USER-external-notifications-queue	The user assigned to an event has changed.	Logstash	Case Manager	If no consumer is supposed to connect to this queue, it should be pruned occasionally so messages do not pile up.
CM_UPDATES_EVENTS-RELATED_TRANSACTIONS-external-notifications-queue	When related transactions arrive to CM.	Logstash	Case Manager	If no consumer is supposed to connect to this queue, it should be pruned occasionally so messages do not pile up.
CM_UPDATES_EVENTS-NOTES-external-notifications-queue	When a new note is added to event	Logstash	Case Manager	If no consumer is supposed to connect to this queue, it should be pruned occasionally so messages do not pile up.
fdz-sq-EVENT_QUEUE_CARDS	When a new Cards event arrives to CM.	Case Manager	Pulse	In case this queue starts to pile up it means CM is not able to process events at a higher rate than they are being produced. This is not critical since the consequence is that events will show in CM later than when they were inserted in the queue. However, if events keep piling up in the queue for longer periods of time, this is a sign that something is wrong in the

Topic/Queue Name	Description	Consumers	Producers	Notes
				system, possibly in Case Manager or the database.
fdz-sq-EVENT_QUEUE_NON-MON	When a new Non-Mon event arrives to CM.	Case Manager	Pulse	In case this queue starts to pile up it means CM is not able to process events at a higher rate than they are being produced. This is not critical since the consequence is that events will show in CM later than when they were inserted in the queue. However, if events keep piling up in the queue for longer periods of time, this is a sign that something is wrong in the system, possibly in Case Manager or the database.
fdz-sq-EVENT_QUEUE_DIGITAL-ACTIVITY	When a new Digital Activity event arrives to CM.	Case Manager	Pulse	In case this queue starts to pile up it means CM is not able to process events at a higher rate than they are being produced. This is not critical since the consequence is that events will show in CM later than when they were inserted in the queue. However, if events keep piling up in the queue for longer periods of time, this is a sign that something is wrong in the system, possibly in Case Manager or the database.
fdz-sq-EVENT_QUEUE_TRANSFERS	When a new Transfers event arrives to CM.	Case Manager	Pulse	In case this queue starts to pile up it means CM is not able to process events at a higher rate than they are being produced. This is not critical since the consequence is that events will show in CM later than when they were inserted in the queue. However, if events keep piling up in the queue for longer periods of time, this is a sign that something is wrong in the system, possibly in Case Manager or the database.
fdz-sq-EVENT_QUEUE_65b71a29808f2220	When a new Inbound Payments event arrives to CM.	Case Manager	Pulse	In case this queue starts to pile up it means CM is not able to process events at a higher rate than they are being produced. This is not critical since the consequence is that events will show in CM later than when they were inserted in the queue. However, if events keep piling up in the queue for longer periods of time, this is a sign that something is wrong in the system, possibly in Case Manager or the database.